

# Table of contents

---

<b>Preface to the Czech edition</b> . . . . .	17
<b>Preface to the English edition</b> . . . . .	20
<b>List of symbols</b> . . . . .	23
<b>1 Introduction</b> . . . . .	33
1.1 Behaviour of material and of steel structural members; loss of load-carrying capacity . . . . .	33
1.1.1 Elastoplastic deformations of steel . . . . .	33
1.1.2 A steel bar stressed in tension or simple compression . . . . .	34
1.1.3 Stress induced by simple bending . . . . .	39
1.2 Development of plastic deformations and conditions of plasticity . . . . .	41
1.2.1 State of stress and strain . . . . .	41
1.2.2 Potential energy . . . . .	43
1.2.3 Conditions of plasticity (yield conditions). . . . .	44
1.2.3.1 Condition of maximum shear stress . . . . .	44
1.2.3.2 Condition of potential energy of distortion . . . . .	45
1.2.3.3 Experimental verification of the yield conditions . . . . .	46
1.3 Limit states of cross-sections, elements, and structures at plastic collapse . . . . .	47
1.3.1 Definition of limit states with reference to specifications for structural design . . . . .	48
1.3.2 Random variable reliability factors of structures . . . . .	49
1.3.2.1 External effects . . . . .	49
1.3.2.2 Material . . . . .	52
1.3.2.3 Other possible modifications of the design values . . . . .	53

1.3.3	Verification of the reliability of a structure and the type of computational method used . . . . .	54
1.3.4	Theoretical expression of the reliability conditions	54
1.3.5	Engineering probability method . . . . .	56
1.3.6	Design strength of steel structures . . . . .	59
1.3.6.1	Definition of the design strength . . . . .	59
1.3.6.2	Calculation of design strength: examples . . . . .	62
1.3.7	Deflections of beams with randomly variable yield strength . . . . .	66
1.3.8	Note on the relation: Limit states – plastic design – theoretical solution . . . . .	69
1.4	Advantages of plastic analysis . . . . .	69
1.4.1	Plastic analysis as a realistic model of the actual behaviour of steel structures . . . . .	70
1.4.2	Plastic analysis as a precondition for a uniform margin of safety of a structure and structural members . . . . .	70
1.4.3	Plastic analysis as a means to simplify the design . . . . .	72
1.4.4	Plastic analysis as a source of material and cost economies . . . . .	74
1.5	Objections to elastic and plastic analyses . . . . .	74
1.5.1	Theory of elasticity and its limited applicability . . . . .	74
1.5.2	Objections to the plastic theory . . . . .	77
1.6	Assumptions for the application of plastic analysis . . . . .	83
1.7	Comparison of the fundamental conditions of elastic and plastic analyses . . . . .	85
1.7.1	Corresponding conditions and assumptions . . . . .	85
1.7.2	Different conditions and assumptions of plastic analysis	87
<b>2</b>	<b>Behaviour of elements in the inelastic state . . . . .</b>	<b>90</b>
2.1	Element loaded in tension or pure compression . . . . .	90
2.2	Element loaded in pure shear . . . . .	92
2.3	Element loaded in pure bending . . . . .	93
2.3.1	Pure bending in a single principal plane . . . . .	93
2.3.1.1	Cross-section with two axes of symmetry	93
2.3.1.2	Cross-section with a single axis of symmetry	101
2.3.1.3	Examples . . . . .	103
2.3.2	Pure bending in one principal plane of a girder having a non-homogeneous cross-section . . . . .	107
2.3.2.1	General solution . . . . .	107
2.3.2.2	Example . . . . .	109

2.3.3	Pure bending in two principal planes . . . . .	109
2.3.3.1	Interaction of the bending moments in the elastoplastic state . . . . .	110
2.3.3.2	Interaction of the bending moments in the plastic state . . . . .	113
2.3.4	Design of a cross-section loaded in pure bending according to the limit state design method . . . . .	115
2.4	Element loaded by a combination of bending and shear . . . . .	117
2.4.1	Principles governing theoretical solutions . . . . .	119
2.4.1.1	Rectangular cross-section . . . . .	119
2.4.1.2	I-section with two axes of symmetry . . . . .	125
2.4.1.3	Non-homogeneous I-section with two axes of symmetry . . . . .	129
2.4.2	Analysis of a structural member loaded in bending and shear according to the limit state design method . . . . .	133
2.5	Element loaded by a combination of bending and axial tension/compression . . . . .	136
2.5.1	Theoretical solution . . . . .	137
2.5.1.1	I-section subjected to bending and axial tension/compression . . . . .	137
2.5.1.2	Combined loading of a rectangular cross-section by bending and axial tension/compression . . . . .	142
2.5.2	Approximate interaction equations . . . . .	143
2.6	Element loaded by a combination of bending, axial tension/compression and shear . . . . .	145
2.6.1	Principles governing theoretical solutions . . . . .	146
2.6.1.1	Rectangular cross-section . . . . .	146
2.6.1.2	I-section with two axes of symmetry . . . . .	149
2.6.2	Approximate equations of interaction . . . . .	156
2.7	Torsional stresses in structural members . . . . .	158
2.8	Element loaded in pure torsion . . . . .	159
2.8.1	Element with arbitrary cross-section . . . . .	159
2.8.2	Open cross-section consisting of narrow rectangles . . . . .	163
2.8.3	Closed cross-section . . . . .	165
2.9	Element loaded by a combination of pure torsion, axial tension/compression, and bending . . . . .	167
2.10	Element under the action of warping torsion . . . . .	168
2.10.1	Coordinate system, centre of flexure . . . . .	168
2.10.2	Plastic generalized forces . . . . .	172

2.10.3	Conditions of plasticity for an element loaded by a combination of generalized forces . . . . .	175
2.10.3.1	Combination of bimoment and twisting moment . . . . .	175
2.10.3.2	Combination of bending moment, shear force, bimoment and twisting moments . . . . .	178
2.10.3.3	Combination of axial force, bending moment, bimoment and moment of pure torsion . . . . .	182
2.10.3.4	Combination of axial force, bending moments and bimoment . . . . .	183
2.11	Plasticity problems solved by elasticity methods . . . . .	185
2.11.1	Iterative method of elastic solutions . . . . .	186
2.11.2	Method of reduced cross-sections . . . . .	190
2.11.3	Method of incremental plasticization . . . . .	193
2.11.3.1	Determination of plastic resistance of a cross-section . . . . .	194
2.11.3.2	Determination of the plastic load-bearing capacity of a structure . . . . .	195
<b>3</b>	<b>Load-bearing capacity of beams/girders in the inelastic state . . . . .</b>	<b>197</b>
3.1	Plastic hinge and plastic failure mechanism . . . . .	197
3.1.1	Statically determinate structures . . . . .	197
3.1.2	Statically indeterminate structures . . . . .	199
3.2	Bending of a non-homogeneous, multilayered elastoplastic beam . . . . .	200
3.2.1	Multilayered cross-sections with two axes of symmetry . . . . .	201
3.2.2	Multilayered cross-sections with a single axis of symmetry . . . . .	203
3.3	Bending of a plate girder assuming a material with upper and lower yield strengths; strain-hardening material . . . . .	204
3.3.1	Material with upper and lower yield strengths . . . . .	204
3.3.2	Material with strain-hardening . . . . .	206
3.4	Prestressed steel girders in the inelastic state . . . . .	208
3.4.1	Joint exploitation of plastic reserve and prestressing . . . . .	208
3.4.2	Prestressed girder in the elastoplastic state, type I . . . . .	211
3.4.3	Prestressed girder in the elastoplastic state, type II . . . . .	216
<b>4</b>	<b>Stability problems . . . . .</b>	<b>221</b>
4.1	Column buckling . . . . .	221
4.1.1	Buckling of a structure as a whole . . . . .	221

4.1.1.1	Reduction of the kinematic mechanism of collapse . . . . .	221
4.1.1.2	Merchant-Rankine's formula . . . . .	225
4.1.1.3	Maximum admissible slenderness ratio for frame stanchions . . . . .	226
4.1.2	Buckling of individual members . . . . .	228
4.1.2.1	Incomplete plastic hinge . . . . .	228
4.1.2.2	Plane buckling of an ideal member . . . . .	231
4.1.2.3	Flexural-torsional buckling of an ideal member . . . . .	232
4.1.2.4	Experimental verification of the formulae for an ideal member . . . . .	236
4.1.2.5	Buckling of an actual (imperfect) member . . . . .	239
4.1.3	Rotation capacity of plastic hinges at the member ends . . . . .	242
4.2	Lateral buckling of beams . . . . .	244
4.2.1	Design of members with prevented lateral buckling . . . . .	244
4.2.1.1	General procedure . . . . .	245
4.2.1.2	Simplified solution . . . . .	250
4.2.2	Design of members admitting lateral buckling . . . . .	253
4.2.3	Lateral buckling of a member with closed cross-section . . . . .	253
4.3	Web buckling . . . . .	254
4.3.1	Design of webs with prevented buckling . . . . .	254
4.3.1.1	Theoretical solution . . . . .	255
4.3.1.2	Experimental verification . . . . .	260
4.3.2	Design of webs admitting buckling, with full exploitation of plasticity . . . . .	261
4.3.3	Design of webs with limited exploitation of plasticity . . . . .	267
4.3.3.1	Ultimate limit state . . . . .	268
4.3.3.2	Limit state of serviceability . . . . .	270
<b>5</b>	<b>Load-bearing capacity of solid-web structures subject to simple/proportional loading with prevailing bending effects . . . . .</b>	<b>272</b>
5.1	Load-bearing capacity of a statically indeterminate structure according to the so-called simple theory of plasticity. Effects of gradually increasing loading . . . . .	272
5.1.1	Bar model for the behaviour of a statically indeterminate structure . . . . .	274
5.1.2	Continuous beam of a constant cross-section . . . . .	276
5.2	Collapse of a structure due to the formation of a plastic hinge mechanism . . . . .	281
5.2.1	Types of plastic hinge mechanisms . . . . .	281

5.2.2	Determination of plastic hinge mechanisms . . . . .	284
5.2.3	Determination of plastic hinges under distributed load . . . . .	286
5.3	Fundamental theorems and principles of plastic analysis . . . . .	288
5.3.1	Static, kinematic and uniqueness theorems . . . . .	288
5.3.2	Admissible solutions . . . . .	289
5.3.3	Principle of virtual work . . . . .	290
5.4	Principal relationships in plastic design . . . . .	292
5.4.1	Sign conventions . . . . .	292
5.4.2	Static relations . . . . .	292
5.4.2.1	Joint, sway and member equations of equilibrium . . . . .	294
5.4.2.2	Force method . . . . .	297
5.4.2.3	Balancing of bending moments . . . . .	298
5.4.2.4	Application of the principle of virtual work . . . . .	298
5.4.3	Kinematic relations . . . . .	299
5.4.3.1	Duality of static and kinematic relations . . . . .	299
5.4.3.2	Reduction theorem . . . . .	301
5.4.3.3	Utilization of kinematic relations . . . . .	302
5.4.4	Examples: Static relations for a portal frame . . . . .	302
5.4.4.1	Joint, sway and member equations . . . . .	302
5.4.4.2	Force method . . . . .	305
5.4.4.3	Balancing of bending moments . . . . .	306
5.4.4.4	Application of the virtual work principle . . . . .	307
5.4.5	Examples: Kinematic relations for a portal frame . . . . .	308
5.4.5.1	Kinematic relationships dual to the static relations . . . . .	308
5.4.5.2	Reduction theorem . . . . .	309
5.4.5.3	Geometric relations. The combining of mechanisms . . . . .	310
5.5	Methods for the determination of the plastic limit load and/or the plastic load-bearing capacity of a structure . . . . .	312
5.5.1	The application of the fundamental theorems of plastic analysis . . . . .	313
5.5.1.1	The static method: procedure . . . . .	313
5.5.1.2	The static method: examples . . . . .	314
5.5.1.3	The kinematic method: procedure . . . . .	325
5.5.1.4	The kinematic method: examples . . . . .	326
5.5.2	Moment distribution method . . . . .	331
5.5.2.1	Moment distribution method: procedure . . . . .	331
5.5.2.2	Moment distribution method: examples . . . . .	332

5.5.3	Method of combining mechanisms . . . . .	336
5.5.3.1	Method of combining mechanisms: procedure	336
5.5.3.2	Method of combining mechanisms: examples	338
5.5.4	Incremental analysis . . . . .	343
5.6	Analysis of a structure with stepped members . . . . .	343
5.6.1	Structure with stepped members: analysis and design	343
5.6.2	Structures with stepped members: examples of analysis	347
5.6.2.1	A continuous beam . . . . .	347
5.6.2.2	A lean-to frame . . . . .	349
5.6.3	Structures with members of varying cross-section . .	352
5.7	Analysis of grillages . . . . .	352
5.7.1	Crossed beams . . . . .	353
5.7.2	A square grillage . . . . .	358
5.7.3	Complex grillages . . . . .	362
5.8	Optimum design . . . . .	364
5.8.1	The optimization condition . . . . .	364
5.8.2	Graphical representation of the problems of optimum design . . . . .	366
5.8.2.1	The region of feasible solutions . . . . .	366
5.8.2.2	Mass polyhedron. Contour plan . . . . .	369
5.8.3	Computational methods . . . . .	373
5.8.3.1	Moment distribution method . . . . .	373
5.8.3.2	Descent down the mass polyhedron . . . . .	374
5.8.3.3	Application of Foulkes' theorems . . . . .	377
5.8.4	Alternative loading . . . . .	382
5.8.5	Non-linear objective function. Optimum design of a structure with a limited choice of cross-sections . .	383
5.9	Computer-aided analysis . . . . .	384
5.9.1	Static formulation of the problem . . . . .	385
5.9.2	Kinematic formulation of the problem . . . . .	387
5.9.3	Dual relations between the static and kinematic relation- ships . . . . .	388
5.9.4	Problems solvable by means of linear programming	390
5.9.5	Arrangement of problems to be solved by means of linear programming . . . . .	394
5.10	Interaction of bending moments and normal forces . . . . .	395
5.10.1	Principles and procedure in the analysis according to ČSN 73 1401/1984 . . . . .	395
5.10.2	Example: A portal frame with pronounced effect of normal forces . . . . .	397



5.11	Plastic load-bearing capacity of structures which are also subjected to warping torsion . . . . .	402
5.11.1	Load-bearing capacity of a fixed-ended beam open cross-section, subjected to a central torsional moment	403
5.11.2	Load-bearing capacity of a fixed-ended beam of open cross-section, subjected to an eccentric transverse load	404
5.11.3	Load-carrying capacity of a one-span beam with different support conditions and loadings . . . . .	407
5.11.4	Load-bearing capacity of a portal frame subjected to an eccentric uniform load . . . . .	407
5.11.5	Effect of deformation on the limit state of steel members and structures which are also subjected to warping torsion . . . . .	409
5.12	Analysis of multi-storey frames by way of the second-order theory . . . . .	409
5.12.1	Effect of deformations on the load-bearing capacity of a structure . . . . .	409
5.12.2	Frames braced against sidesway . . . . .	412
5.12.3	Frames unbraced against sidesway . . . . .	417
5.13	Experimental verification of load-bearing capacity . . . . .	424
5.13.1	Some results of the verification of load-bearing capacity of beams and frames . . . . .	424
5.13.2	Experimental verification of the behaviour of beams made of Czechoslovak mild steels . . . . .	427
5.13.3	Experimental verification of the behaviour of beams made of Czechoslovak steels of various strengths . . . . .	433
<b>6</b>	<b>Load-bearing capacity of solid-web structures subjected to variable repeated loading with prevailing bending effects . . . . .</b>	<b>442</b>
6.1	The relationship between deformation and the effects of cyclic load . . . . .	442
6.1.1	The relationship between deflection and bending moment . . . . .	442
6.1.2	Masing's model for cyclic load . . . . .	444
6.1.3	Equation of failure at the $n$ th loading cycle according to Masing's model . . . . .	447
6.2	Incremental collapse and collapse due to alternating plasticity (low-cycle fatigue) . . . . .	448
6.2.1	Statement of the problem . . . . .	448
6.2.2	Examples of repeated loading of a structure . . . . .	449

6.3	The shake-down theorem and the condition for alternating plasticity . . . . .	457
6.4	Methods of analysis of the load-bearing capacity of structures subjected to repeated loading . . . . .	460
6.4.1	Shake-down theorems . . . . .	461
6.4.2	Examples . . . . .	
6.4.2.1	Continuous beam with uniform cross-section and three spans loaded by central point loads . . . . .	461
6.4.2.2	Limit partial reliability factor for the load . . . . .	469
6.4.2.3	A portal frame subjected to vertical and horizontal point loads . . . . .	470
6.5	Influence lines in plastic design . . . . .	480
6.5.1	Special features of influence lines in plastic design . . . . .	480
6.5.2	Examples of influence lines . . . . .	481
6.6	Experimental verification of load-bearing capacity under repeated loading . . . . .	485
6.6.1	Relationship between deformation and load . . . . .	485
6.6.2	Incremental collapse . . . . .	485
6.6.3	Loss of load-bearing capacity due to alternating plasticity (low-cycle fatigue) . . . . .	488
6.6.4	Moving load . . . . .	492
<b>7</b>	<b>Deformations of structures in the elastoplastic state . . . . .</b>	<b>498</b>
7.1	Introductory notes . . . . .	498
7.2	Fundamental assumptions in the analysis. Limit deflections . . . . .	499
7.3	General method for the determination of deflections in the elastic and inelastic states . . . . .	504
7.3.1	Fundamental relationships . . . . .	504
7.3.2	Plasticization curves of a cross-section . . . . .	507
7.4	Transformation of the analysis of the deformation of a partly plasticized member into an elastic solution . . . . .	509
7.4.1	Analysis of deformations by means of the moment-area method . . . . .	510
7.4.2	Deformations determined with the aid of the principle of virtual work . . . . .	514
7.4.3	Example: Partly plasticized cantilever . . . . .	515
7.4.4	The effect of imperfections . . . . .	516
7.5	Theorem on the largest deflection of statically indeterminate structures . . . . .	517

7.6	Analysis of steel structures with only partial exploitation of the plastic properties of steel . . . . .	519
7.7	Upper-bound estimate of deflection under a load smaller than the limit load . . . . .	520
7.8	Largest admissible deformations . . . . .	524
7.8.1	Assessment of the deformation of a structure at its incipient collapse . . . . .	525
7.8.2	Assessment of the rotation capability of plastic hinges	526
7.9	New methods in the investigation of deformations . . . . .	527
<b>8</b>	<b>Design of connections in structures with elastoplastic deformations</b>	<b>529</b>
8.1	Necessary properties of connections in the regions with plastic deformations . . . . .	529
8.2	Corner connection . . . . .	530
8.2.1	Frame corner without haunches . . . . .	530
8.2.1.1	State of stress in the frame corner . . . . .	530
8.2.1.2	Check of the frame corner web . . . . .	532
8.2.1.3	Stiffening of the frame corner web . . . . .	533
8.2.2	Frame corner with haunches . . . . .	534
8.2.2.1	Check of haunches for bending moments	534
8.2.2.2	Check of haunches for lateral buckling . . . . .	534
8.2.2.3	Check of web for shear . . . . .	537
8.3	Beam-to-stanchion connection . . . . .	538
8.3.1	Check of the stanchion web for normal stresses . . . . .	538
8.3.2	Check of the stanchion flange plate . . . . .	540
8.3.3	Reinforcing of the connection . . . . .	541
8.3.4	Check of the stanchion web for shear stresses . . . . .	541
8.4	Experimental verification of the behaviour of welded connections . . . . .	542
8.5	Some remarks on the analysis of welds . . . . .	545
8.6	Some remarks on the calculation of bolts . . . . .	546
<b>9</b>	<b>Examples of plastic analysis by way of the limit state method</b>	<b>552</b>
9.1	Basic principles . . . . .	552
9.2	Example 1. Design of a platform . . . . .	557
9.2.1	Alternative (a) . . . . .	558
9.2.2	Alternative (b) . . . . .	560
9.3	Example 2. Typical floor of a storehouse . . . . .	565
9.3.1	Alternative (a) . . . . .	566
9.3.2	Alternative (b) . . . . .	569

9.4 Example 3. Frame leaning to a braced structure . . . . . 574

9.5 Example 4. A fixed-ended portal frame . . . . . 583

**References . . . . . 600**

**List of Czechoslovak Standards referred to in the text . . . . . 629**

**Subject index . . . . . 630**