

CONTENTS

PREFACE	V
LIST OF SYMBOLS USED	XI

Part I. General Introduction and Essentials

I. ON ANALOGIES	3
II. A HYPOTHETICAL EQUATION OF METABOLISM	9
1. Introduction	9
2. The organization of Life	10
3. A generalized conception of metabolism	11
4. The mathematical formulation of certain processes of metabolism	13
III. SOME GENERAL PROPERTIES	18

Part II. Electrical Excitation of the Nerve

I. INTRODUCTION, SUPPLEMENTARY HYPOTHESES, AND DEFINITIONS	25
1. The existing theories	25
2. The basis of a new theory	28
3. The origin of the Physical Electrotonus	30
4. The Physiological Electrotonus	33
5. The condition for excitation	35
6. The two possibilities: $\tau_1 > \tau_2$ and $\tau_1 < \tau_2$	35
II. THE CASE $\tau_1 > \tau_2$	36
<i>a. Electrotonic complications will not occur</i>	
($c_1 = c_2$; $c_3 = c_4$)	37
1. Constant current of short duration which causes no excitation	37
2. Constant current of infinitely long duration which causes no excitation	39

3. Rectangular current-pulse eliciting excitation. "Make-excitation"	41
4. Influence of various factors on the magnitudes introduced	43
5. Condenser-discharge	44
6. Exponentially rising currents	48
7. Linearly rising currents	55
8. "Break-excitation"	55
9. Gap in a constant current	61
10. Alternating current	64
11. Excitability	68
12. The experiments of Erlanger and Blair	70
13. The "état d'excitation" after a short current-pulse ..	72
14. Changes of the Rheobase after accomodation	73
 <i>b. The influence of the Physiological Electrotonus ($c_1 > c_2$, $c_3 > c_4$)</i>	 77
1. The general equation	77
2. Cases in which the Physiological Electrotonus has no influence	78
3. Subliminal constant current of finite duration	79
4. Subliminal constant current of infinitely long duration. Pflüger's scheme	79
5. Chweitzer's scheme	81
6. Exponentially rising currents	83
 III. THE CASE $\tau_1 < \tau_2$	 86
 <i>a. Electrotonic complications will not occur ($c_1 = c_2$, $c_3 = c_4$)</i>	 87
1. The reduced equations	87
2. Constant direct current of short duration	88
3. Constant current of infinitely long duration, which does not excite	89
4. Make-excitation	91
5. Condenser-discharge	94
6. The other cases	99
7. Excitability	100
8. Changes of the Rheobase after accomodation	100

<i>b. The influence of the Physiological Electrotonus ($c_1 < c_2$, $c_3 < c_4$)</i>	I01
1. The general equation	I01
2. Cases in which the Physiological Electrotonus has no influence	I01
3. The schemes of Pflüger and Chweitzer	I02
IV. CRITICISM AND EXTENSION	I03
1. The quantitative discrepancies	I03
2. The generalized equations	I05
3. The "état d'excitation" with constant current	I10
4. The Constant Quantity Relation	I15
5. Exponentially rising currents	I17
6. Chweitzer's scheme	I20
V. SUMMARY AND CONCLUSIONS	I23

Part III. Biological Reactions caused by X-and γ -Rays

I. INTRODUCTION	I33
1. General aspects of the problems	I33
2. The primum movens	I34
3. The potency of recovery. Sievert's theory	I36
II. METABOLISM UNDER THE INFLUENCE OF X-RAYS	I39
1. Hypotheses to be used	I39
2. The limited applicability of the general equations	I42
III. THE EXPERIMENTS OF A. FORSSBERG	I45
1. Results of the experiments	I45
2. The second series of observations and the theory	I48
3. Comparison of the theory with the observed properties of the reactions	I50
IV. OTHER REACTIONS	I56
1. Reversible changes	I56
2. Irreversible changes. The Radiobase	I59

3. The limited applicability of the proposed equation of metabolism	161
V. THE TIME-FACTOR	164
1. Schwarzschild's law	164
2. The cumulative dosage	170
VI. RELATIONSHIP TO THE HIT-THEORY	171
VII. A HYDRAULIC MODEL	176
VIII. POSSIBILITIES AND LIMITATIONS OF X-RAY THERAPY ..	178
1. Problems and technique	178
2. Can the theory be of use in therapy?	179
3. Some applications of the theory	181
4. Possibility of a method with creeping-up dosage	181
IX. SUMMARY AND CONCLUSIONS	185
EPILOGUE	192
LIST OF AUTHORS MENTIONED	195
AUTHOR INDEX	198
SUBJECT INDEX	200