

Contents

Part I

List of Figures	→ xviii
List of Tables	→ xix
Foreword	→ xxi
Preface	→ xxiii
Chapter 1 Introduction	→ 1
Chapter 2 The Structure of a $\LaTeX$ Document	→ 21
Chapter 3 Basic Formatting Tools — Paragraph Level	→ 119
Chapter 4 Basic Formatting Tools — Larger Structures	→ 253
Chapter 5 The Layout of the Page	→ 365
Chapter 6 Tabular Material	→ 431
Chapter 7 Mastering Floats	→ 505
Chapter 8 Graphics Generation and Manipulation	→ 575
Chapter 9 Font Selection and Encodings	→ 647

Bibliography	→I 777
Index of Commands and Concepts	→I 793
People	→I 943

Part II

List of Figures	xxii
List of Tables	xxiv
Foreword, Part II	xxix
Preface, Part II	xxxix
Chapter 10 Text and Symbol Fonts	1
10.1 Overview	2
10.1.1 Notes on the font samples	4
10.1.2 Notes on the font family tables	5
10.1.3 Font support packages	7
10.1.4 Direct use of the fonts (without a package)	10
10.2 Samples of larger font families	11
10.2.1 Alegreya	11
10.2.2 CM Bright—A design based on Computer Modern Sans	12
10.2.3 DejaVu—A fork of Bitstream Vera	12
10.2.4 Fira fonts	14
10.2.5 Gandhi fonts	15
10.2.6 Go fonts	15
10.2.7 Inria fonts	16
10.2.8 Kp (Johannes Kepler) fonts	17
10.2.9 Libertinus—A fork of Linux Libertine and Biolinum	19
10.2.10 Lucida fonts	21
10.2.11 Merriweather fonts	25
10.2.12 Google's Noto and Droid fonts	26
10.2.13 IBM Plex	30
10.2.14 PT fonts	31
10.2.15 Quattrocento	33
10.2.16 Google Roboto families	34
10.2.17 Adobe Source Pro	35
10.3 Humanist (Oldstyle) serif fonts	36
10.3.1 Alegreya	37
10.3.2 Coelacanth	37
10.3.3 fbb—A version of Cardo	37

10.4	Garalde (Oldstyle) serif fonts.....	38
10.4.1	Accanthis	39
10.4.2	GFS Artemisia	39
10.4.3	Crimson, Crimson Pro, and Cochineal.	40
10.4.4	Cormorant Garamond	41
10.4.5	EB Garamond	41
10.4.6	Garamond Libre.	42
10.4.7	URW Garamond No. 8	43
10.4.8	Gentium Plus	45
10.4.9	Kp (Johannes Kepler) Roman	45
10.4.10	Palatino (T _E X Gyre Pagella)	46
10.5	Transitional/Neoclassical serif fonts.....	46
10.5.1	Antykwa Poltawskiego	46
10.5.2	BaskervilleF and Libre Baskerville	47
10.5.3	Baskervald (Baskervaldx)	48
10.5.4	ITC Bookman (T _E X Gyre Bonum)	48
10.5.5	Cambria.	49
10.5.6	Bitstream Charter	50
10.5.7	Charis SIL—A design based on Bitstream Charter.	51
10.5.8	Caslon—Reinterpreted as Libre Caslon	51
10.5.9	Gandhi Serif.	52
10.5.10	Inria Serif	52
10.5.11	Libertinus Serif	52
10.5.12	Literaturnaya—A favorite in the days of the USSR.	53
10.5.13	Lucida Bright	53
10.5.14	Lucida Fax	54
10.5.15	Merriweather	54
10.5.16	New Century Schoolbook (T _E X Gyre Schola)	54
10.5.17	Plex Serif	55
10.5.18	PT Serif	55
10.5.19	Quattrocento	55
10.5.20	Times Roman (T _E X Gyre Termes and Tempora)	55
10.5.21	Tinos	57
10.5.22	STIX 2	57
10.5.23	Utopia (Heuristica, Erewhon, and Linguistics Pro)	58
10.6	Didone (Modern) serif fonts.....	60
10.6.1	Computer Modern Roman / Latin Modern Roman	60
10.6.2	GFS Bodoni	61
10.6.3	Libre Bodoni	61
10.6.4	GFS Didot	62
10.6.5	Theano Didot	62
10.6.6	Noto Serif	63
10.6.7	Old Standard	63
10.6.8	Playfair Display	64

10.7	Slab serif (Egyptian) fonts	64
10.7.1	Bitter	65
10.7.2	Concrete Roman	65
10.7.3	DejaVu Serif.	67
10.7.4	Roboto Slab Serif	67
10.7.5	Source Serif Pro	67
10.8	Sans serif fonts	67
10.8.1	Alegreya Sans	68
10.8.2	Arimo	68
10.8.3	ITC Avant Garde Gothic (T _E X Gyre Adventor)	69
10.8.4	Cabin	70
10.8.5	Chivo	70
10.8.6	Classico — A design based on Optima.	71
10.8.7	Clear Sans.	72
10.8.8	CM Bright	72
10.8.9	Cuprum	73
10.8.10	Cyklop	73
10.8.11	DejaVu Sans.	74
10.8.12	Fira Sans	74
10.8.13	Gandhi Sans.	74
10.8.14	GFS Neo-Hellenic	75
10.8.15	Gillius.	75
10.8.16	Helvetica (T _E X Gyre Heros).	76
10.8.17	Inria Sans	77
10.8.18	Iwona	77
10.8.19	Kp (Johannes Kepler) Sans.	79
10.8.20	Kurier	79
10.8.21	Latin Modern Sans	80
10.8.22	Lato	80
10.8.23	Libertinus Sans	81
10.8.24	Libre Franklin	81
10.8.25	Lucida Sans	82
10.8.26	Merriweather Sans	82
10.8.27	Mint Spirit.	82
10.8.28	Montserrat	83
10.8.29	Noto Sans	84
10.8.30	Overlock	84
10.8.31	Plex Sans	85
10.8.32	PT Sans	85
10.8.33	Quattrocento Sans	85
10.8.34	Raleway	86
10.8.35	Roboto Sans.	86
10.8.36	Rosario	86

10.8.37	Source Sans Pro	87
10.8.38	Universalis	87
10.9	Monospaced (typewriter) fonts	88
10.9.1	Algol	89
10.9.2	Anonymous Pro	90
10.9.3	CM Bright Typewriter Light	90
10.9.4	Courier	91
10.9.5	DejaVu Sans Mono	91
10.9.6	Fira Mono	92
10.9.7	Go Mono	92
10.9.8	Inconsolata	92
10.9.9	Kp (Johannes Kepler) Typewriter	93
10.9.10	Latin Modern Typewriter	93
10.9.11	Libertinus Mono.	94
10.9.12	Lucida's monospaced families	94
10.9.13	Luximono	95
10.9.14	Noto Sans Mono.	96
10.9.15	Plex Mono.	96
10.9.16	PT Mono	96
10.9.17	Roboto Mono	97
10.9.18	Source Code Pro	97
10.10	Historical and other fonts	97
10.10.1	Cinzel	98
10.10.2	Marcellus	99
10.10.3	The Fell Types.	99
10.10.4	Almendra	100
10.10.5	Antykwa Toruńska	100
10.10.6	Lucida Casual, Calligraphy, and Handwriting	102
10.10.7	Zapf Chancery (T _E X Gyre Chorus)	102
10.10.8	Miama Nueva	103
10.10.9	Lucida Blackletter	104
10.10.10	Blackletter — Yannis Gothic, Schwabacher, and Fraktur.	104
10.11	Fonts supporting Latin and polytonic Greek	106
10.11.1	Serif designs	107
10.11.2	Sans Serif designs.	109
10.11.3	Monospaced fonts	109
10.11.4	Handwriting fonts.	110
10.12	Fonts supporting Latin and Cyrillic	110
10.12.1	Serif designs	110
10.12.2	Sans Serif designs.	111
10.12.3	Monospaced fonts	112
10.12.4	Handwriting fonts.	113

10.13	The $\text{\LaTeX}$ world of symbols	113
10.13.1	pifont — Accessing Pi and Symbol fonts	113
10.13.2	wasysym — Waldi's symbol font	116
10.13.3	marvosym — Interface to the MarVoSym font	117
10.13.4	adorn — Adding ornaments to your document	118
10.13.5	fourier-orns — GUTenberg-Fourier's ornaments	119
10.13.6	Web-O-Mints — Another collection of ornaments and borders .	119
10.13.7	fontawesome5 — Accessing Font Awesome icons	120
10.13.8	tipa — International Phonetic Alphabet symbols	125
Chapter 11	Higher Mathematics	127
11.1	Introduction to amsmath and mathtools	128
11.2	Display and alignment structures for equations	131
11.2.1	Comparison of amsmath/mathtools with standard $\text{\LaTeX}$	132
11.2.2	A single equation on one line	133
11.2.3	A single equation on several lines: no alignment	134
11.2.4	A single equation on several lines: with alignment	135
11.2.5	Equation groups without alignment.	137
11.2.6	Equation groups with simple alignment.	138
11.2.7	Multiple alignments: align, flalign, and alignat	138
11.2.8	Display environments as mini-pages	140
11.2.9	Interrupting displays with short text	143
11.2.10	Vertical space in and around displays	143
11.2.11	Page breaks in and around displays.	145
11.2.12	breqn — Automatic line breaking in math displays	146
11.2.13	Equation numbering and tags.	149
11.2.14	Fine-tuning tag placement	150
11.2.15	Subordinate numbering sequences	152
11.2.16	Resetting the equation counter	153
11.3	Matrix-like environments	153
11.3.1	amsmath, mathtools — The matrix environments	154
11.3.2	amsmath, mathtools, cases — Some case environments. . . .	156
11.3.3	delarray — Delimiters surrounding an array	157
11.3.4	bigdelim — Delimiters around and inside arrays.	158
11.3.5	Commutative diagrams with standard $\text{\LaTeX}$	159
11.3.6	amscd — Commutative diagrams à la AMS	160
11.3.7	tikz-cd — Commutative diagrams based on tikz	161
11.4	Compound structures and decorations	163
11.4.1	amsmath, mathtools, extarrows — Decorated arrows	163
11.4.2	Fractions and their generalizations	164
11.4.3	Continued fractions	166
11.4.4	Limiting positions.	166
11.4.5	Stacking in subscripts and superscripts.	167
11.4.6	amsmath, esint, wasysym — Multiple integral signs	168

11.4.7	diffcoeff — Handling derivatives of arbitrary order	170
11.4.8	Modular relations	171
11.4.9	mathtools, interval — Properly spaced intervals	171
11.4.10	braket — Dirac bra-ket and set notation	173
11.4.11	amsmath, mathtools, empheq — Boxed formulas	174
11.4.12	amsmath, accents, mathdots — Various accents	176
11.4.13	mattens — Commands to typeset tensors	178
11.4.14	Extra decorations for symbols	179
11.5	Variable symbol commands	180
11.5.1	Ellipsis and other kinds of	180
11.5.2	Horizontal extensions in standard L ^A T _E X	182
11.5.3	Further horizontal extensions	183
11.5.4	abraces — Customizable over and under braces	185
11.5.5	underoverlap — Partly overlapping horizontal braces	189
11.5.6	Vertical extensions	191
11.6	Words in mathematics	191
11.6.1	The <code>\text</code> command	192
11.6.2	Operator and function names	192
11.7	Fine-tuning the mathematical layout	194
11.7.1	Controlling the automatic sizing and spacing	195
11.7.2	Subformulas	197
11.7.3	Line breaking in inline formulas	197
11.7.4	Big-g delimiters	199
11.7.5	Radical movements	199
11.7.6	Ghostbusters™	200
11.7.7	Horizontal spaces	204
11.7.8	resizegather — Downscaling an equation	206
11.7.9	subdepth — Normalizing subscript positions	206
11.7.10	Color in formulas	207
11.8	Symbols in formulas	208
11.8.1	Mathematical symbol classes	209
11.8.2	Letters, numerals, and other Ordinary symbols	211
11.8.3	Mathematical accents	214
11.8.4	Binary operator symbols	214
11.8.5	Relation symbols	216
11.8.6	Operator symbols	222
11.8.7	Punctuation	222
11.8.8	Opening and Closing symbols	223
Chapter 12	Fonts in Formulas	225
12.1	The world of (Latin) math alphabets	226
12.1.1	mathalpha — Simplified setup for math alphabets	230
12.2	Making it bold	235
12.2.1	bm — Making bold	235

12.3	Traditional math font setup through packages.....	238
12.3.1	ccfonts — The Concrete fonts for text and math.	238
12.3.2	cmbright — The Computer Modern Bright fonts	239
12.3.3	euler, eulervm — Accessing Zapf's Euler fonts.	240
12.3.4	newtxmath — A Swiss knife for math font support	243
12.3.5	newpxmath — Using the PX fonts for math	248
12.3.6	mathpazo — Another Palatino-based approach for math . . .	251
12.3.7	notomath — Setting up Noto fonts for math and text	252
12.4	unicode-math — Using Unicode math fonts	253
12.4.1	Math alphabets revisited	254
12.4.2	Adjusting the formula style	257
12.4.3	Setting up Unicode math fonts	259
12.5	A visual comparison of different math setups.....	261
12.5.1	Garalde (Oldstyle) serif fonts with math support	263
12.5.2	Transitional serif fonts with math support	271
12.5.3	Didone serif fonts with math support	284
12.5.4	Slab serif fonts with math support	288
12.5.5	Sans serif fonts with math support	290
12.5.6	Historical fonts with math support	295
Chapter 13 Localizing Documents		297
13.1	T _E X and non-English languages	297
13.1.1	Language-related aspects of typesetting	299
13.1.2	Culture-related aspects of typesetting.	300
13.1.3	babel — L ^A T _E X speaks multiple languages	300
13.2	The babel user interface	301
13.2.1	Setting or getting the current language	302
13.2.2	Handling shorthands	304
13.2.3	Language attributes.	307
13.2.4	BCP 47 tags	308
13.3	User commands provided by language options	308
13.3.1	Translations of fixed texts	309
13.3.2	Available shorthands	310
13.3.3	Language-specific commands	315
13.3.4	Layout considerations.	320
13.3.5	Languages and font encoding.	322
13.4	Support for Cyrillic and Greek	324
13.4.1	The Cyrillic alphabet	324
13.4.2	The Greek alphabet	328
13.5	Complex scripts	330
13.6	Tailoring babel.....	332
13.6.1	User level	333
13.6.2	Package level	336

13.6.3	The package file	339
13.7	Other approaches	341
13.7.1	Complex languages with 8-bit engines	341
13.7.2	Polyglossia	342
Chapter 14	Index Generation	343
14.1	Syntax of the index entries	345
14.1.1	Simple index entries	346
14.1.2	Generating subentries.	347
14.1.3	Page ranges and cross-references.	347
14.1.4	Controlling the presentation form.	347
14.1.5	Printing special characters	348
14.1.6	Creating a glossary	349
14.1.7	Defining your own index commands	349
14.1.8	Special considerations	350
14.2	<i>MakeIndex</i> —A program to sort and format indexes	350
14.2.1	Generating the formatted index.	351
14.2.2	Detailed options of the <i>MakeIndex</i> program	351
14.2.3	Error and warning messages	355
14.2.4	Customizing the index	356
14.2.5	Pitfalls to watch out for	362
14.3	upmendex—A Unicode-aware indexing program	364
14.3.1	Options, warnings, and errors of the program	364
14.3.2	Customizing the index with upmendex	366
14.4	xindy, xindex—Two other indexing programs	370
14.5	Enhancing the index with $\LaTeX$ features	371
14.5.1	Modifying the layout	371
14.5.2	showidx, repeatindex, tocbibind, indxcite—Little helpers	372
14.5.3	index—Producing multiple indexes.	372
Chapter 15	Bibliography Generation	375
15.1	The standard $\LaTeX$ bibliography environment	376
15.2	The biber and $\BibTeX$ programs	378
15.2.1	bibtex8—An 8-bit reimplementa-tion of $\BibTeX$	379
15.2.2	biber—A Unicode-aware bibliography processor	379
15.3	The $\BibTeX$ database format	380
15.3.1	Entry types and fields	384
15.3.2	Additional fields	390
15.3.3	The text part of a field explained	393
15.3.4	Abbreviations in $\BibTeX$	401
15.3.5	Extended data references with biber: the xdata entry type	403
15.3.6	The $\BibTeX$ database preamble command.	405
15.3.7	Cross-referencing entries	406
15.3.8	Managing the $\BibTeX$ and biber differences	408

15.4	Using BibTeX or biber to produce the bibliography.....	409
15.5	On-line bibliographies	413
15.6	Bibliography database management tools	414
15.6.1	checkcites — Which citations are used, unused, or missing?..	414
15.6.2	biblist — Printing BibTeX database files.	415
15.6.3	bibclean, etc. — A set of command-line tools	415
15.6.4	Using biber as a tool	417
15.7	Formatting the bibliography with styles.....	418
15.7.1	A collection of BibTeX style files	419
15.7.2	custom-bib — Generate BibTeX styles with ease	426
15.7.3	An overview of biblatex styles.	432
15.7.4	Generic styles	435
15.7.5	Implementations of style guides	439
15.7.6	Implementations of university and institution styles	445
15.7.7	Implementations of journal styles.	455
15.7.8	Styles that extend the data model.	461
15.7.9	Styles not fitting in the other categories	464
Chapter 16 Managing Citations		469
16.1	Introduction	469
16.1.1	Bibliographical reference schemes	470
16.2	The number-only system.....	473
16.2.1	Standard L ^A T _E X — Reference by number	475
16.2.2	cite — Enhanced references by number	478
16.2.3	notoccite — Solving a problem with unsorted citations	483
16.2.4	natbib's approach to number-only references.	484
16.2.5	biblatex's approach to number-only references	484
16.3	The author-date system.....	487
16.3.1	Early attempts.	489
16.3.2	natbib — Customizable author-date references	490
16.3.3	biblatex's approach to author-date references	500
16.4	The author-number system	502
16.4.1	natbib — Revisited.	503
16.4.2	biblatex's approach to author-number references.	506
16.5	The author-title system	507
16.5.1	jurabib — Customizable short-title references	507
16.5.2	biblatex's approach to author-title references.	534
16.6	The verbose system.....	537
16.6.1	bibentry — Full bibliographic entries in running text	537
16.6.2	biblatex's approach to verbose citations	538
16.7	biblatex — One ring to rule them all	541
16.7.1	Basic biblatex setup.	543
16.7.2	Package options.	543
16.7.3	Citing with biblatex	544

16.7.4	Indexing citations automatically	546
16.7.5	Back references and links	547
16.7.6	Bibliography entries with multiple authors	547
16.7.7	Unambiguous citations	548
16.7.8	Printing the bibliography	550
16.7.9	The sorting of the bibliography	554
16.7.10	Document divisions	556
16.7.11	Annotated bibliographies	557
16.7.12	Bibliography lists	558
16.7.13	Language support.	559
16.7.14	Distinguishing the author's gender	560
16.7.15	Sentence casing	561
16.7.16	Customizing	562
16.8	Multiple bibliographies in one document	569
16.8.1	chapterbib — Bibliographies per included file	571
16.8.2	bibunits — Bibliographies for arbitrary units.	574
16.8.3	bibtoc — Combining references by topic	578
16.8.4	multibib — Separate global bibliographies.	580
Chapter 17	L^AT_EX Package Documentation Tools	583
17.1	doc — Documenting L ^A T _E X and other code	584
17.1.1	General conventions for the source file	585
17.1.2	Describing new macros and environments	585
17.1.3	Cross-referencing all macros used	588
17.1.4	The documentation driver.	589
17.1.5	Conditional code in the source	590
17.1.6	Providing additional documentation elements	592
17.1.7	Producing the actual index entries	593
17.1.8	Overview about all doc commands	594
17.1.9	ltxdoc — A simple L ^A T _E X documentation class	597
17.2	docstrip.tex — Producing ready-to-run code	599
17.2.1	Invocation of the docstrip utility	600
17.2.2	docstrip script commands	601
17.2.3	Using docstrip with L ³ programming layer code	605
17.2.4	Using docstrip with other languages	605
17.3	l3build — A versatile development environment	606
17.3.1	The basic interface	607
17.3.2	Creating tests	608
17.3.3	Releasing to CTAN	611
17.3.4	Common configurations	613
17.4	Making use of version control tools	615
17.4.1	gitinfo2 — Accessing metadata from Git.	616
17.4.2	svn-multi — Accessing Subversion keywords	617
17.4.3	filemod — Printing or checking file modification dates	619

Appendix A	$\LaTeX$ Overview for Preamble, Package, and Class Writers	621
A.1	Linking markup and formatting.....	622
A.1.1	Command and environment names	622
A.1.2	Defining simple commands	624
A.1.3	Defining simple environments	629
A.1.4	Defining more complex commands and environments	632
A.1.5	Changing arguments to command names.	644
A.2	Counters and length expressions.....	646
A.2.1	Defining and changing counters	646
A.2.2	fmtcount — Specially formatted counters and numbers	650
A.2.3	sillypage — Page and other counting à la Monty Python	651
A.2.4	Defining and changing space parameters	651
A.2.5	The L3 programming layer — Computation support	657
A.3	Page markup — Boxes and rules.....	660
A.3.1	LR boxes	661
A.3.2	Paragraph boxes	663
A.3.3	Rule boxes	667
A.3.4	Manipulating boxed material	669
A.3.5	Box commands and color	670
A.4	$\LaTeX$'s hook management.....	671
A.4.1	Working with existing hooks	671
A.4.2	Declaring hooks and using them in code	681
A.5	Control structure extensions.....	685
A.5.1	iftex — On which $\TeX$ engine are we running on?	685
A.5.2	calc — Arithmetic calculations	687
A.5.3	ifthen — Advanced control structures	689
A.6	Package and class file structure.....	693
A.6.1	The rollback part	693
A.6.2	The identification part	696
A.6.3	The initial code part.	697
A.6.4	The declaration of options	697
A.6.5	The execution of options	699
A.6.6	Declaring and using options with a key/value syntax	700
A.6.7	The package loading part	703
A.6.8	The main code part	704
A.6.9	Special commands for package and class files	704
A.6.10	Special commands for class files	708
A.6.11	A minimal class file	710
Appendix B	Tracing and Resolving Problems	711
B.1	Error messages.....	712
B.2	Dying with memory exceeded.....	744
B.3	Warnings and informational messages.....	749

B.4	T _E X and L ^A T _E X commands for tracing.....	765
B.4.1	Displaying command definitions and register values	766
B.4.2	Diagnosing page-breaking problems	769
B.4.3	Diagnosing and solving paragraph-breaking problems	773
B.4.4	Other low-level tracing tools	779
B.4.5	trace — Selectively tracing command execution	781
Appendix C Going Beyond		783
C.1	Learn L ^A T _E X — A L ^A T _E X online course for beginners.....	784
C.2	Finding information available on your computer.....	785
C.2.1	kpsewhich — Find files the way T _E X does	785
C.2.2	texdoc — A command-line interface to local T _E X information .	786
C.3	Accessing online information and getting help	787
C.3.1	texdoc.org — searchable documentation on the Web	787
C.3.2	Frequently Asked Questions (FAQ) resources	787
C.3.3	Using news groups and forums	788
C.3.4	The L ^A T _E X Project's web presence	789
C.4	Getting all those T _E X files	789
C.4.1	CTAN — The Comprehensive T _E X Archive Network.	789
C.4.2	T _E X distributions — past and present	790
C.5	Giving back to the community	792
Bibliography		795
Index of Commands and Concepts		805
People		955
Biographies		961
Production Notes		965