
Contents

Preface	IX
---------------	----

Introduction

<i>Dancis, J.</i> (New York, N.Y.): Why Perfuse the Human Placenta	1
--	---

Morphology

<i>Kaufmann, P.</i> (Hamburg): Basic Morphology of the Fetal and Maternal Circuits in the Human Placenta	5
<i>Kaufmann, P.</i> (Hamburg): Influence of Ischemia and Artificial Perfusion on Placental Ultrastructure and Morphometry	18
<i>Leiser, R.</i> (Bern): Fetal Vasculature of the Human Placenta: Scanning Electron Microscopy of Microvascular Casts	27
<i>Challier, J.-C.</i> (Paris): Criteria for Evaluating Perfusion Experiments and Presentation of Results	32
<i>Schneider, H.; Huch, A.</i> (Zürich): Dual in vitro Perfusion of an Isolated Lobe of Human Placenta: Method and Instrumentation	40

Biochemistry

<i>Hearse, D.J.</i> (London): Detection and Prevention of Tissue Injury during Hypoxia and Ischemia	48
<i>Bloxam, D.L.</i> (London): Human Placental Energy Metabolism: Its Relevance to in vitro Perfusion	59
<i>Leichtweiss, H.-P.; Carstensen, M.; Schröder, H.; Rachor, D.</i> (Hamburg): Some Physiological Properties of the Isolated Human Placenta	70
<i>Miller, R.K.; Wier, P.J.; Maulik, D.; di Sant'Agnese, P.A.</i> (Rochester, N.Y.): Human Placenta in vitro: Characterization during 12h of Dual Perfusion	77

Physiology

<i>Štulc, J.</i> (Prague): Validity of the Equivalent Pores Model in Placental Physiology	85
<i>Illsley, N.P.; Hall, S.; Penfold, P.; Stacey, T.E.</i> (Harrow, Middx.): Diffusional Permeability of the Human Placenta	92
<i>Schneider, H.; Sodha, R.J.; Prögler, M.; Young, M.P.A.</i> (Zürich): Permeability of the Human Placenta for Hydrophilic Substances Studied in the Isolated Dually in vitro Perfused Lobe	98
Discussion of the Two Preceding Articles	104
<i>Schröder, H.; Leichtweiss, H.-P.; Rachor, D.</i> (Hamburg): Passive Exchange and the Distribution of Flows in the Isolated Human Placenta	106
<i>Schneider, H.; Prögler, M.; Sodha, R.J.</i> (Zürich): Effect of Flow Rate Ratio on the Diffusion of Antipyrine and $^3\text{H}_2\text{O}$ in the Isolated Dually in vitro Perfused Lobe of the Human Placenta	114
Discussion of the Two Preceding Articles	124
<i>Wier, P.J.; Miller, R.K.</i> (Rochester, N.Y.): Oxygen Transfer as an Indicator of Perfusion Variability in the Isolated Human Placental Lobule	127
<i>Panigel, M.</i> (Paris): Past, Present, and Future of Placental Perfusion Experiments	132

Short Communications

<i>Browne, M.J.; Eaton, B.M.; Contractor, S.F.</i> (London): Effect of Nicotine on AIB Transport in the Perfused Human Placenta	137
<i>Kuhn, D.C.</i> (Charleston, S.C.); <i>Crawford, M.A.; Stevens, P.</i> (London): Transport and Metabolism of Essential Fatty Acids by the Human Placenta	139
<i>Schmidt-Sommerfeld, E.; Penn, D.</i> (Giessen); <i>Sodha, R.J.; Prögler, M.; Schneider, H.</i> (Zürich): Transfer and Metabolism of Carnitine and Carnitine Esters in the in vitro Perfused Human Placenta	141
<i>Challier, J.-C.; Hauguel de Mouzon, S.; Desmaizières, V.</i> (Paris): Metabolism and Transfer of Radioactive Glucose in the Human Placenta Studied by Dual Perfusion	144
<i>Brandes, J.M.</i> (Haifa); <i>Berk, P.D.</i> (New York, N.Y.); <i>Urbach, J.; Sideman, S.; Mor, L.</i> (Haifa): Transport of Bilirubin and Glucose by the Isolated Perfused Human Placenta	147
<i>Eaton, B.M.; Browne, M.J.; Contractor, S.F.</i> (London): Transferrin-Mediated Iron Transport in the Perfused Isolated Human Placental Lobule	149
<i>Page, K.R.; Abramovich, D.R.; Dacke, C.G.; Henderson, N.; Menon, H.</i> (Aberdeen): Calcium Fluxes Across the Isolated Perfused Human Cotyledon	151
<i>Mor, L.; Bental, E.; Lightman, A.; Shachar, H.; Mor, L.A.; Urbach, J.; Sideman, S.; Brandes, J.M.</i> (Haifa): A Theoretical and an in vitro Experimental Model for Estimation of Drug Transfer through the Human Placenta	155
<i>Yudilevich, D.L.; Sweiry, J.H.</i> (London): Membrane Carriers and Receptors at Maternal and Fetal Sides of the Placenta by Single Circulation Paired-Tracer Dilution: Evidence for a Choline Transport System	158

<i>Wolf, A.S.; Henrichs, I.; Benz, R.; Lauritzen, C.</i> (Ulm): Influence of Human Chorionic Gonadotropin and Prostaglandins on the Steroid Metabolism of the Perfused Human Placenta	162
<i>Henrichs, I.; Froesch, D.; Wolf, A.S.; Teller, W.M.</i> (Ulm): Phagocytosis by Syncytiotrophoblastic Cells during in vitro Perfusion of Human Placenta	165
<i>Zrubek, H.; Grudzien, M.; Sawulicka-Oleszczuk, H.; Oleszczuk, J.; Panczyk, T.; Czajka, R.</i> (Lublin): Influence of Fenoterol on Glucose Utilization by Human Placental Tissue in an in vitro Perfusion System	168
<i>Maguire, M.H.; Howard, R.B.; Hosokawa, T.</i> (Kansas City, Kans.): Autacoid Receptors in the Human Fetoplacental Vasculature	170
<i>Ekblad, U.; Erkkola, R.; Uotila, P.</i> (Turku): Effect of Hypoxia on the Release of Prostaglandin, Prostacyclin, and Thromboxane in Perfused Human Placenta	173
<i>de Moura, R.S.; Withrington, P.G.</i> (Rio de Janeiro): Vascular Actions of VIP, Substance P and Neurotensin on the Isolated Perfused Human Fetal Placenta ..	174
Concluding Remarks	176
List of Contributors and Attendees	179
Subject Index	182