
Contents

Acknowledgment	VI
Preface	VII

History and Principle

Suzuki, J.-I.; Shono, H.; Koga, K.; Akiyama, T. (Tokyo): Early Studies and the History of Development of the Middle Ear Implant in Japan	1
Suzuki, J.-I. (Tokyo); Yanagihara, N. (Ehime); Toriyama, M.; Sakabe, N. (Tokyo): Principle, Construction and Indication of the Middle Ear Implant . . .	15
Goode, R. L. (Stanford, Calif.): Electromagnetic Implantable Hearing Aids	22
Heide, J.; Tatge, G.; Sander, T.; Gooch, T.; Prescott, T. (Memphis, Tenn.): Development of a Semi-Implantable Hearing Device	32
Tjellström, A. (Göteborg): Vibratory Stimulation of the Cochlea through a Percutaneous Transducer	44

Technical Aspect

Ohno, T.; Kajiya, T. (Tokyo); Miura, H. (Tsukuba): Structure and Performance of the Main Components	51
Ikeda, H.; Furukawa, N.; Narukawa, S. (Osaka); Yoshizawa, S. (Kyoto): Energy Source for the Middle Ear Implant	73
Ohno, T.; Kajiya, T. (Tokyo): Performance of the Middle Ear Implants	85

Experimental Assessment

Kodera, K.; Yamane, H.; Suzuki, K.; Ohno, T. (Tokyo): Evaluation of the Ceramic Vibrator in the Cat	97
---	----

Gyo, Kiyofumi (Ehime); Goode, R. L. (Stanford/Palo Alto, Calif.): Measurement of Stapes Vibration Driven by the Ceramic Vibrator of a Middle Ear Implant – Human Temporal Bone Experiments	107
Kodera, K.; Suzuki, K.; Ohno, T. (Tokyo): Evaluation of the Implantable Microphone in the Cat	117

Human Application

Yanagihara, N.; Aritomo, H.; Yamanaka, E.; Gyo, K. (Ehime): Intraoperative Assessment of Vibrator-Induced Hearing	124
Hiki, S. (Tokorozawa); Takahashi, N. (Ehime): Audiological Evaluation of the Middle Ear Implant	134
Yanagihara, N.; Yamanaka, E.; Sato, H.; Gyo, K. (Ehime): Efficacy of the Partially Implantable Middle Ear Implant in Middle and Inner Ear Disorders .	149
Suzuki, J.-I.; Kodera, K.; Ashikawa, H.; Suzuki, M. (Tokyo): Implantation of Partially Implantable Middle Ear Implant in the Indication	160
Publication List	167
Subject Index	171

Acknowledgment

The authors extend their thanks to Mrs. Chizuko Umezawa, Agency of Industry, Science and Technology, for her valuable suggestions related to this publication, and also to Miss Hiroko Banno and Tomoko Yokoyama for their excellent secretarial work.