

# CONTENTS

## *Preface*

ix

## ONE

### **Changing conceptions of health and illness**

1

The modern increase in life expectancy

1

From disease control to health promotion

4

The impact of behaviour on health

5

The impact of stress on health

7

From the biomedical to the biopsychosocial model of disease

8

Social psychology and health

9

Plan of the book

9

## TWO

### **Determinants of health behaviour: a social psychological analysis**

12

Health behaviour

12

*The concept*

12

*The structure of health behaviour*

13

Attitudes, beliefs and behaviour

14

*The concept of attitude*

14

*The relationship between attitude and beliefs*

14

*The relationship between attitude and behaviour*

15

Models of behaviour

18

*The health belief model*

18

*Protection motivation theory*

23

*The theory of reasoned action*

27

*The theory of planned behaviour*

31

*Beyond reasons and plans: the role of habits in planned behaviour*

36

Summary and conclusions

40

## THREE

### **Beyond persuasion: the modification of health behaviour**

43

The nature of change

43

*Precaution adoption process model*

44

<i>The transtheoretical model of behaviour change</i>	46
<i>Implications of stage model for interventions</i>	50
<i>Conclusions</i>	52
The public health model	52
<i>Persuasion</i>	53
<i>Limits to persuasion</i>	65
<i>Beyond persuasion: changing the incentive structure</i>	68
<i>Summary and conclusions</i>	69
Settings for health promotion	70
<i>The physician's office</i>	70
<i>Schools</i>	71
<i>Worksite</i>	71
<i>Community</i>	72
<i>Summary and conclusions</i>	74
The therapy model: changing and maintaining change	74
<i>Cognitive-behavioural treatment procedures</i>	75
<i>Relapse and relapse prevention</i>	77
Summary and conclusions	81
<b>FOUR</b>	
<b>Behaviour and health: excessive appetites</b>	84
Smoking	84
<i>The health consequences of smoking</i>	84
<i>Determinants of smoking</i>	88
<i>Stopping smoking</i>	92
<i>Helping smokers to stop</i>	94
<i>Primary prevention</i>	103
<i>Conclusions</i>	105
Alcohol and alcohol abuse	106
<i>Alcohol and health</i>	106
<i>Behavioural and cognitive consequences of alcohol consumption</i>	111
<i>Hazardous consumption levels and alcoholism</i>	112
<i>Theories of alcohol abuse</i>	114
<i>Clinical treatment of alcohol problems</i>	119
<i>Community-based interventions for alcohol problems</i>	124
<i>Primary prevention</i>	126
<i>Summary and conclusions</i>	129
Eating control, overweight and obesity	129
<i>Overweight, obesity and body weight standards</i>	129
<i>Obesity and health</i>	130
<i>The social consequences of obesity</i>	132
<i>Genetics and weight</i>	133
<i>The physiological regulation of eating behaviour</i>	134
<i>The cognitive regulation of eating behaviour</i>	135
<i>Clinical treatment of obesity</i>	144
<i>Self-help and self-help groups</i>	151
<i>Trying to lose weight without help</i>	152
<i>Can dieting be harmful?</i>	152
<i>Conclusions</i>	154
<i>Obesity and eating disorders</i>	155
General conclusions	158

<b>FIVE</b>	<b>Behaviour and health: self-protection</b>	160
	Healthy diet	160
	<i>Cholesterol and coronary heart disease</i>	160
	<i>Salt intake and hypertension</i>	167
	Exercise	168
	<i>Exercise and physical health</i>	168
	<i>Exercise and psychological health</i>	174
	<i>Exercise and healthy aging</i>	178
	<i>The determinants of regular exercise</i>	179
	<i>Research on interventions to promote physical activity</i>	182
	The primary prevention of AIDS	184
	<i>The cause of AIDS</i>	184
	<i>Modes of transmission</i>	185
	<i>The epidemiology</i>	186
	<i>Methods of safe(r) sex</i>	187
	<i>Psychosocial determinants of sexual risk behaviour</i>	189
	<i>Interventions to reduce risk behaviour: from risk education to skill training</i>	193
	<i>Pharmacological treatment of HIV and AIDS</i>	199
	<i>Summary and conclusions</i>	200
	Injury prevention and control	200
	<i>The epidemiology</i>	201
	<i>The control of injury</i>	201
	<i>Conclusions</i>	204
	General conclusions	204
 <b>SIX</b>	 <b>Stress and health</b>	 207
	Physiological stress and the breakdown of adaptation	207
	Psychosocial stress and health	209
	<i>The health impact of cumulative life stress</i>	209
	<i>The health impact of specific life events: the case of partner loss</i>	215
	What makes critical life events stressful?	218
	<i>Stress as a person-environment interaction</i>	218
	<i>Stress as learned helplessness</i>	221
	<i>Conclusions</i>	224
	How does psychosocial stress affect health?	224
	<i>Physiological responses to stress</i>	225
	<i>Behavioural responses to stress</i>	226
	<i>Stress and disease</i>	227
	Summary and conclusions	234
 <b>SEVEN</b>	 <b>Moderators of the stress-health relationship</b>	 236
	Strategies of coping	236
	<i>Dimensions of coping</i>	237
	<i>The differential effectiveness of strategies of coping</i>	239
	Coping resources as moderators of the stress-health relationship	243
	Extrapersonal coping resources	243
	<i>Material resources</i>	244
	<i>Social support</i>	244
	Intrapersonal coping resources	254

	<i>The hardy personality</i>	255
	<i>Dispositional optimism</i>	258
	Other moderators of the stress-health relationship: the case of hostility	261
	Summary and conclusions	264
<b>EIGHT</b>	<b>The role of social psychology in health promotion</b>	267
	Limits to persuasion	267
	Some side effects of health education	269
	Beyond persuasion: changing the incentive structure	270
	Freedom and constraint	271
	Summary and implications	272
	<i>Glossary</i>	274
	<i>References</i>	284
	<i>Author index</i>	329
	<i>Subject index</i>	336



# SUBJECT INDEX

- absolute risk, 66, 267-8, 274
- abstinence violation effect, 80-1
- accident control, 13
- accidents, 107-9
  - see also* injury prevention and control
- action, 48
  - cue for action, 20
- action recommendations, 60-3
- adaptation, 207-9
- addiction, 274
  - smoking, 90-1
  - see also* alcohol abuse
- adoption studies, 116-17
- aerobic exercise, 168, 274
  - see also* exercise
- age restrictions, legal, 68-9, 129
- aging, exercise and, 178-9
- AIDS (Acquired Immune Deficiency Syndrome), 1, 36, 184-200, 269, 274
  - cause, 184-5
  - epidemiology, 186-7
  - interventions to reduce risk
    - behaviour, 193-9
  - methods of safe(r) sex, 187-9
  - modes of transmission, 185
  - pharmacological treatment, 199-200
  - psychosocial determinants of sexual risk behaviour, 189-93
- AIDS Community Demonstration Projects, 197-8
- alcohol, 68-9, 106-29
  - behavioural and cognitive consequences of consumption, 111-12
  - hazardous consumption levels, 112-14
  - and health, 106-11
  - abuse, 113-29, 274
    - clinical treatment, 119-24
    - community-based interventions, 124-6
    - effectiveness of therapies, 122-4
    - primary prevention, 126-9
    - theories of, 114-19
  - dependence, 114, 129, 274
  - myopia, 111-12, 274
  - Alcoholics Anonymous (AA), 125-6
  - anger, 263
  - angina pectoris, 231, 274
    - see also* coronary heart disease
  - anorectic drugs, 146-8
  - anorexia nervosa, 155-6, 274
  - anti-smoking campaign, 64-5, 70, 81-2
  - appetitive behaviours, *see* health-impairing behaviour
  - appraisal support, 245
  - atherosclerosis, 161, 165, 231, 232, 233, 274
  - attitudes, 14-18, 275
    - concept, 14
    - and exercise, 179-80
    - relationship with behaviour, 15-18
    - relationship to beliefs, 14-15
    - smoking, 89-90
    - theory of reasoned action, 27-30
  - attribution, 275
    - blaming patients for illness, 269-70
    - theory of learned helplessness, 221-4
  - attributional style, 222-4, 275
  - Attributional Style Questionnaire (ASQ), 222-3
  - aversion therapy, 75-6, 95, 275
    - alcohol, 76, 120
  - avoidant coping, 239-40, 275

- barriers, 19, 20, 22
- behaviour, *see* health behaviour
- behaviour modification, 10, 43-83
  - nature of change, 43-52
  - precaution adoption process model, 44-6
  - public health model, 52-70
  - settings for health promotion, 70-4
  - therapy model, 74-81, 283
  - transtheoretical model, 46-50
- behaviour therapy, 275
  - see also* cognitive-behavioural therapy
- behavioural models of alcohol abuse, 117-19
- beliefs, 14-15, 275
- benefits, 19, 20, 22
- bereavement, 215-18
- binge eating, 156, 275
- binge eating disorder, 157, 275
- biomedical model, 8, 275
- biopsychosocial model, 8, 275
- Body Mass Index (BMI), 130, 131, 275
- body weight, *see* weight
- boundary model of eating, 136-41, 275
  - critique of, 138-40
  - reformulated, 140-1
- buffering hypothesis of social support, 250-1, 275
- bulimia nervosa, 156-7, 275
- CAGE, 114
- cancer, 4, 85
- car accidents, 107, 109
- cardiovascular diseases, 4
  - see also* coronary heart disease
- cardiovascular reactivity, 233, 254, 275-6
- cardiovascular system, 254, 276
- casual relationships, 191-2
- catecholamines, 225, 232-3, 276
- CAVE (Content Analysis of Verbatim Explanations), 222-3
- challenge, 255
- chemical aversion therapy, 120
- Child and Adolescent Trial for Cardiovascular Health (CATCH), 163, 182-3
- cholesterol, 160-7, 276
  - effectiveness of cholesterol-lowering interventions, 165-6
  - effectiveness of dietary interventions, 162-5
  - fat and coronary heart disease, 160-2
- cirrhosis of the liver, 107, 108, 276
- Class of 1989 Study, 183
- classical conditioning, 75-6, 276
- clinical intervention programmes
  - alcohol, 119-24
  - obesity, 144-51
  - smoking, 94-9
- cognitive appraisal, 219, 276
- cognitive-behavioural therapy, 75-7, 276
  - alcohol, 119-24
  - obesity, 144-6
  - smoking, 94-9
- cognitive functions, 178-9
- cognitive regulation of eating, 135-43
- cognitive response model, 54-5, 276
- cognitive restructuring, 77, 276
- cognitive stress model, 219-20
- combination drug therapies for AIDS and HIV, 199-200, 276
- commitment, 255
- communication, content of, 66-8
- community-based interventions, 72-4
  - AIDS, 196-9
  - alcohol, 124-6
  - exercise promotion, 182
  - smoking, 99-100
- community reinforcement approach, 122
- compatibility, 16-18, 276
- condom use, 188, 189-93, 268
  - among heterosexuals, 189-91
  - among homosexuals, 191-2
- confrontative coping, 239, 240-1, 276
- constraint, 271-2
- contemplation, 47-8
- content of communication, 66-8
- contingency contracting, 76, 96, 121, 276
- contingency management, 121, 144
- continuous abstinence, 92, 276
- continuum, change as, 44
- control, 255
  - perceived behavioural control, 31-6, 78-80
  - volitional, 30-1
- coping, 219-20, 236-60, 276
  - dimensions of, 237-9
- coping appraisal, 24-6
- coping resources, 10, 219-20, 243-60, 276
  - extrapersonal, 243-54
  - intrapersonal, 243, 254-60
- coping skills, 122
- coping strategies, 236-43, 277
  - differential effectiveness, 239-43
- coping styles, 236-43, 277
- coronary angioplasty, 277
- coronary heart disease, 269, 277
  - alcohol and, 109-10
  - cholesterol and, 160-7
  - exercise and, 169-70, 171, 173
  - hostility and, 262-3
  - smoking and, 85
  - social support and, 248-50
  - stress and, 231-3
- correlation coefficient, 277
- cortisol, 225, 232, 277
- counter-regulation, 137, 138-9
- covert sensitization, 95, 120
- Crixivan, 200
- cross-sectional study, 277



- cue to action, 20
- cumulative life stress, 209–15
- daily hassles, 214–15, 277
- decision making, 111–12
- decisional balance, 50
- defence motivation, 57, 60–1, 277
- delta alcoholism, 114–15
- depression
  - dieting, obesity and, 153
  - exercise and, 175–8
  - learned helplessness, 221–3
- detoxification, 120, 277
- diet, 160–8
  - cholesterol and coronary heart disease, 160–7
  - effectiveness of dietary interventions, 162–5
  - salt intake and hypertension, 167–8
- diet boundary, *see* boundary model of eating
- dietary restraint, 136, 139
- dietary violation, 138
- dieting, 151–5
  - harmful effects, 152–4
  - very low-calorie diet, 148, 149
  - without help, 152
- disclosure, 241
- discrimination, obesity and, 132–3
- disease concept of alcohol abuse, 114–16, 277
- disease control, 4–5
- diseases
  - of adaptation, 208
  - infectious, 1–4, 227–31
  - stress and, 227–33
- dispositional optimism, 258–60
- dissonance, 80–1
- distraction, 55
- disulfiram, 120–1, 277
- drive model, 58
- driving, 68–9
  - alcohol myopia, 111–12
- dual-process theories of persuasion, 55–7, 277
  - fear appeals, 60–3
- eating behaviour, 129–57
  - boundary model of eating, 136–41
  - cognitive regulation, 135–43
  - physiological regulation, 134–5
- eating disorders, 154, 155–7
- economic measures, 5, 69, 104–5, 128–9, 270–1
- economic resources, 244
- education, *see* health education
- effectiveness
  - coping strategies, 239–43
  - therapies for alcohol abuse, 122–4
- efficacy expectancy, 34
- electrical aversion therapy, 95, 120
- emotion-focused coping, 219, 237–9, 240–1, 277
- emotion hypothesis, 137
- emotional support, 245
- endocrine system, 225–6, 254, 277
- endorphins, 177
- enumerative tests of the immune system, 228, 281
- environment-person interaction, 218–20
- epidemiology, 278
  - AIDS, 186–7
  - injury prevention, 201
- epinephrine, 225, 278
- exercise, 168–84
  - amount needed for physical health, 174
  - and depression, 175–8
  - determinants of regular exercise, 179–82
  - and healthy aging, 178–9
  - and physical health, 168–74
  - and psychological health, 174–8
  - research on interventions to promote, 182–4
  - and weight reduction, 148–51
- expectancy-value models, 14–15, 18, 278
- experiments, 278
- externality hypothesis, 135–6, 278
- extrapersonal coping resources, 243–54
  - material resources, 244
  - social support, 244–54
- fat, dietary, 160–2
- fat cells, 135
- fear appeals, 58–64, 278
  - dual-process theory, 60–3
- financial contingencies, 144
- fiscal measures, 5, 69, 104–5, 128–9, 270–1
- foetal alcohol syndrome (FAS), 110–11, 278
- freedom, 271–2
- functional analysis of behaviour, 144
- functional measures of the immune system, 228–9, 278
- functional measures of social support, 245–7, 278
- gamma alcoholism, 114–15
- general adaptation syndrome, 208, 278
- genetics
  - and alcoholism, 116–17
  - and smoking, 91–2
  - and weight, 133–4
- globality, 222
- goal violation effect, 80–1
- goals
  - setting and self-management, 77
  - treatment goals and alcoholism, 119–20
- group-level interventions, 193–6
- habits, 36–40, 278
  - and behaviour, 37–8
  - breaking, 40
  - and prediction of behaviour, 38–40

- hardiness, 255-8
  - and health, 256-8
  - measurement of, 255
- Hassles Scale, 214-15
- health (defining), 4-5, 278
- health behaviour, 10, 12-42, 279
  - attitudes, beliefs and behaviour, 14-18
  - concept, 12-13
  - dimensions of, 13
  - impact on health, 5-7, 84-7,  
106-11, 130-2, 160-6, 167-79,  
185, 187-9
  - models of, *see* models of behaviour
  - modification, *see* behaviour  
modification
  - role of habits, 36-40
  - structure, 13
  - targeted and limits to persuasion,  
65-6
- health belief model, 18-23, 59, 279
  - empirical evaluation, 22
  - implications for planning  
interventions, 22-3
- health care systems, 9
- health education, 5, 279
  - AIDS, 193-9
  - alcohol, 127-8
  - side effects of, 269-70
  - smoking, 103-4
  - see also* health promotion
- health-enhancing behaviour, *see*  
selfprotective behaviour
- health-impairing behaviour, 10, 12-13,  
84-159
  - alcohol, 106-29
  - eating control, overweight and  
obesity, 129-57
  - hostility and, 264
  - smoking, 84-106
- health promotion, 4-5, 43, 279
  - changing the incentive structure,  
68-70, 270-1
  - exercise, 182-4
  - freedom and constraint, 271-2
  - goals of, 7
  - limits of persuasion, 65-8, 267-9
  - public health model, 52-70
  - role of social psychology in, 267-73
  - settings for, 70-4
  - see also* fiscal measures; health  
education; legal measures
- heart disease, *see* coronary heart  
disease
- helplessness, learned, 221-4, 279
- heterosexuals: condom use, 189-91
- heuristic processing, 55-7, 279
- high-density lipoproteins (HDLs), 161
- high-risk situations, 78-81
- Ho scale, 262
- homosexuals, 186-7, 188-9
  - condom use, 191-2
- hopelessness, 279
- hormones, 225-6, 279
- hostility, 261-4, 279
  - and coronary heart disease, 262-3
  - measurement of, 261-2
  - mechanism linking health and, 263-4
- human immunodeficiency virus (HIV),  
184-5, 186, 279
  - pharmacological treatment, 199-200
  - see also* AIDS
- hypertension, 167-8, 279
- ileal bypass, 165, 279
- imaginal aversion, 95, 120
- immune function, 254
  - stress, infectious disease and, 227-31
- incentive structure, changing, 68-70,  
270-1
  - see also* fiscal measures; legal  
measures
- incidence, 279
- infectious disease
  - decline in mortality from, 1-4
  - stress, immune functioning and,  
227-31
- information processing theories, 53-4
- informational support, 245
- inhibition, theory of, 241
- injury prevention and control, 200-4
  - epidemiology, 201
  - legal measures, 203
  - persuasion, 202-3
  - structural changes, 203-4
- instrumental support, 245
- intentions, 36
  - exercise, 180-1
  - and losing weight, 141-2
  - smoking, 89-90
  - theory of planned behaviour, 31-3, 35
  - theory of reasoned action, 27-31
- internality, 222
- interpersonal conflicts, 79
- Interpersonal Support Evaluation List  
(ISEL), 246
- intrapersonal coping resources, 243,  
254-60
  - dispositional optimism, 258-60
  - hardy personality, 255-8
- intrapersonal skills, 122
- Inventory of Socially Supportive  
Behaviors (ISSB), 246
- ironic process theory of eating  
regulation, 140-1
- learned helplessness, 221-4, 279
- legal measures, 5, 270-1
  - age restrictions, 68-9, 129
  - injury control, 203
  - smoking, 104-5
- leisure time activity, 169-70
- leptin, 135
- life events, *see* stressful life events
- Life Events and Difficulties Schedule  
(LEDS), 213
- life expectancy, 272
  - modern increase, 1-4



- Life Orientation Test (LOT), 259
- Life-style Heart Trial, 165
- lipoproteins, 161, 279
- liver cirrhosis, 107, 108, 276
- longitudinal studies, 279
- loss of control hypothesis, 115
- loss orientation, 217-18
- low-density lipoproteins (LDLs), 161
- lung cancer, 4, 85
- lymphocytic proliferation, 228-9
- maintenance, 48
- major life events, 209-14
- mass media campaigns, 64-5
- matched communications, 50-2
- material resources, 244
- mediating variables/processes, 279-80
- meta-analyses, 17, 280
- Metropolitan Relative Weight, 130
- minimum legal drinking age, 68-9, 129
- Minnesota Heart Health Project (MHHP), 73-4, 182
- minor life events, 214-15
- mitogens, 228
- MODE model, 39
- models of behaviour, 18-40
  - health belief model, 18-23, 59, 279
  - protection motivation theory, 23-7, 59, 281
  - role of habits, 36-40
  - theory of planned behaviour, 31-6, 67, 283
  - theory of reasoned action, 27-31, 67, 283
- mood, 175
- morbidity, 280
  - alcohol, 106-7
  - smoking, 86
- mortality, 280
  - alcohol, 106-9
    - changing causes of death, 1-4
    - dieting and weight loss, 153
    - exercise, 169-72
    - health practices and, 6
    - obesity, underweight and, 131-2
    - smoking, 85
    - social support and, 247-8, 249
  - motivation to comply, 27
  - multi-component programmes, 97-8
  - myocardial infarction, 212-13, 231-2, 280
    - see also* coronary heart disease
  - negative affectivity, 212, 280
  - negative emotional states, 79
    - see also* depression; stress
  - negotiated safety, 188-9, 280
  - nicotine regulation model, 90-1, 280
  - nicotine replacement therapy, 95, 98-9, 280
  - norepinephrine, 177, 225, 280
  - normative beliefs, 27
  - North Karelia project, 72, 99
  - nucleoside analogue reverse transcriptase inhibitors (NRTIs), 199-200
  - obesity, 129-57, 280
    - body weight standards, 129-30
    - clinical treatment, 144-51
    - dieting, *see* dieting and eating disorders, 155-7
    - and health, 130-2
    - self-help and self-help groups, 151-2
    - social consequences, 132-3
    - occupational activity, 169
  - operant conditioning, 76, 280
    - alcohol, 121
    - smoking, 95-6
  - opiates, endogenous, 225
  - opinion leaders, 196-7
  - optimism, dispositional, 258-60
  - osteoporosis, 46
  - outcome expectancy, 34
  - overweight, 129-57, 280
  - parallel response model, 58-9
  - partner loss, 215-18
  - passive smoking, 87, 280
  - Pavlov, I., 75
  - Pawtucket Heart Health Project, 73-4
  - penetrative sex, abstinence from, 187
  - perceived behavioural control, 31-6
    - determinants, 33-4
    - relapse and, 78-80
    - see also* self-efficacy
  - perceived social support, 245-7, 280
  - personal control model of alcohol abuse, 118-19
  - personality
    - dispositions, social support and health, 251-2
    - hostility, 261-4
    - intrapersonal coping resources, 254-60
  - persuasion, 53-68, 280
    - accident and injury prevention, 202-3
    - fear appeals, 58-64
    - impact of, 57-8
    - limits to, 65-8, 267-9
    - media campaigns, 64-5
    - theories of, 53-7
  - pharmacological treatment, 199-200
  - pharmacotherapy, 146-8
  - physical fitness, 170-2
  - physicians' advice, 70-1
    - alcohol, 124-5
    - smoking, 102-3
  - physiological reactivity, 263
  - physiological regulation of eating, 134-5
  - physiological stress, 207-9
  - pituitary-adrenal-cortical system, 225-6
  - placebo control groups, 280

- planned behaviour, theory of, 31-6,  
67, 283
  - determinants of perceived behavioural control, 33-4
  - empirical evaluation, 34-5
  - implications for interventions, 35-6
- plaque, 161, 280
- point prevalence abstinence, 92, 280
- population attributable risk, 65-6,  
267-8, 280
- precaution adoption process model,  
44-6
- precontemplation, 47
- prediction of behaviour, 38-40
- preparation, 48
- prevalence, 281
- primary appraisal, 219, 220, 281
- primary prevention, 281
  - AIDS, 184-200
  - alcohol problems, 126-9
  - smoking, 103-5
- problem-focused coping, 219, 237-9,  
281
- processing motivation and ability,  
54-5
- prospective studies, 281
- protease inhibitors, 199-200
- protection motivation theory, 23-7,  
59, 281
  - implications for interventions, 26
  - original model, 23-4
  - revised model, 24-6
- psychoneuroimmunology, 228-31, 281
- psychosocial stress, *see* stress
- psychosocial vulnerability model, 264
- public goods, 271-2
- public health model, 52-70, 281
  - changing the incentive structure,  
68-70
  - fear appeals, 58-64
  - persuasion, 53-68
- quality of life, 272-3
- quantitative tests of the immune  
system, 228, 281
- rapid smoking, 95, 281
- reappraisal, 219
- reasoned action, theory of, 27-31, 67,  
283
  - empirical evaluation, 28-9
  - implications for interventions,  
29-30
  - omissions from the model, 30
  - volitional control, 30-1
- received social support, 246-7, 281
- relapse, 77-81, 281
- relative risk, 65-6, 267-8, 281
- reliability, 15-16
- resistance training, 168
- restoration orientation, 217-18
- restrained eaters, 136-43, 281
- Restraint Scale, 136
- risk education, 193-9
- risk factors, 281
  - perceptions of risk, 65-6, 267-8
- role model stories, 197-8
- rumination, 241, 281
- safe sex, 187-9, 281
- safer sex, 187-9, 282
- salt intake, 167-8
- scheduled smoking, 95-6
- school-based interventions, 71
  - AIDS prevention, 198-9
  - alcohol, 127-8
  - exercise, 182-3
  - smoking, 103-4
- seat belts, 202, 203
- secondary appraisal, 219, 220, 282
- secondary prevention, 282
- self-attribution, 80
- self-awareness, 119
- self-efficacy, 24, 26, 34, 48, 282
  - relapse and relapse prevention,  
78-80
  - see also* perceived behavioural control
- self-esteem, 133, 253
- self-help, 151-2
- self-help groups, 125-6, 151-2
- self-help materials, 97, 125
- self-management procedures, 76-7,  
282
  - alcohol, 121-2
  - smoking, 96-9
- self-protective behaviour, 10, 12-13,  
160-206
  - exercise, 168-84
  - healthy diet, 160-8
  - injury prevention and control,  
200-4
  - primary prevention of AIDS,  
184-200
- self-reinforcement, 144
- set point theory of weight regulation,  
134, 282
- settings, health promotion, 70-4
- severity, 19-20, 22
- sexual behaviour
  - interventions to reduce risk  
behaviour, 193-9
  - psychosocial determinants of sexual  
risk behaviour, 189-93
  - safe(r) sex, 187-9
- sexual communications skills, 196
- shock aversion, 95, 120
- skill training, 77, 282
  - alcohol, 122
  - sexual risk behaviour, 193-9
- smoking, 84-106
  - anti-smoking campaign, 64-5, 70,  
81-2
  - attitudes and intentions, 89-90
  - determinants of, 88-92
  - economic costs of, 87-8
  - genetics and, 91-2
  - health benefits of stopping, 86



- health consequences, 84-8
- helping smokers to stop, 94-103
- passive, 87, 280
- primary prevention, 103-5
- reasons for smoking, 88-9
- stopping, 92-4
- and weight, 87
- social identity, 253
- Social Network List, 245
- social pressure, 79
- social psychology, 9, 10, 267-73
  - changing the incentive structure, 270-1
  - freedom and constraint, 271-2
  - limits to persuasion, 267-9
  - side effects of health education, 269-70
- Social Readjustment Rating Scale (SRRS), 210, 211
- social skills training, 122
- social support, 239, 244-54, 282
  - conceptualization and measurement, 245-6
  - impact on health, 247-51
  - mediators of relationship with health, 252-4
  - personality dispositions and research on social support and health, 251-2
  - relationship between measures, 246-7
- Social Support Questionnaire (SSQ), 246
- socio-economic status, 67-8
- spontaneous processing model, 39
- stage models of change, 44-52, 282
  - implications for interventions, 50-2
- precaution adoption process model, 44-6
- transtheoretical model, 46-50
- stages of change, 44, 282
- Stanford Five-City Project, 73-4
- Stanford Three Community Study, 72-3
- statins, 165-6, 282
- steady relationships, 191-2
- strength training, 168
- stress, 9, 10, 207-35, 282
  - behavioural responses, 226-7
  - coping, *see* coping; coping resources and disease, 227-33
  - how psychosocial stress affects health, 224-33
  - impact on health, 7-8
  - as learned helplessness, 221-4
  - as a person-environment interaction, 218-20
  - physiological and the breakdown of adaptation, 207-9
  - physiological responses, 225-6
  - psychosocial, 209-18
  - stressful life events, 209-24, 282
    - major, 209-14
    - minor, 214-15
    - partner loss, 215-18
    - source of stress in, 218-24
  - structural changes, 203-4
  - structural measures of social support, 245-7, 282
  - Structured Interview (SI), 261-2
  - subjective norms, 27-30, 282
  - substance risk taking, 13
  - successful aging, 10, 178
  - susceptibility, 19-20, 22
  - sympathetic-adrenal-medullary system, 225-6
  - systematic processing, 55-7, 282
  - T-helper cells, 184-5, 228, 283
  - tailoring, 50-2, 282-3
  - taste of food, 142-3
  - taxation, 69, 104-5, 128-9, 270-1
  - tension reduction hypothesis, 76, 117-19, 283
  - therapy model, 74-81, 283
    - cognitive-behavioural treatment, 75-7
    - relapse and relapse prevention, 77-81
  - threat appraisal, 24-6
  - TOPS (Take Off Pounds Sensibly), 151
  - traffic risk taking, 13
  - transtheoretical model of behaviour change, 46-50
    - evaluation of model, 49-50
  - travel mode habits, 37-8
  - twin studies, 116-17
  - Type A Behaviour Pattern, 261
  - underweight, 131-2
  - verbal aversion therapy, 120
  - very low-calorie diets (VLCD), 148, 149, 283
  - vigilance, 263
  - violent deaths, 201
    - alcohol and, 107-9
  - volitional control, 30-1
  - vulnerability, 59-60, 61-2, 63, 268
  - weight, 129-57
    - genetics and, 133-4
    - harmfulness of dieting, 152-4
    - overweight, obesity and body weight standards, 129-30
    - self-help and self-help groups, 151-2
    - smoking and, 87, 94
    - trying to lose weight without help, 152
  - wellness behaviour, 13
  - Working Well Trial, 100-1
  - worksite-based interventions, 71-2
    - smoking, 100-2