

CONTENTS

<i>P. Bakala, E. Šrámková, Z. Stuchlík and G. Török</i> Dipole magnetic field on a Schwarzschild background and related epicyclic frequencies	1
<i>M. Bursa</i> Modulation of high-frequency QPOs	11
<i>M. Bursa, M. A. Abramowicz, V. Karas, W. Kluźniak and A. Schwarzenberg-Czerny</i> The timescale of encircling light	21
<i>M. Czapla and W. Kluźniak</i> Thin accretion disks in the Paczyński–Wiita pseudo-potential	27
<i>B. Czerny, M. Mościbrodzka, D. Proga, T. K. Das and A. Siemiginowska</i> Low angular momentum accretion flow model of Sgr A* activity	35
<i>M. Dovčiak, V. Karas, G. Matt and R. W. Goosmann</i> Variation of the primary and reprocessed radiation in the flare-spot model	45
<i>R. W. Goosmann</i> Modelling the polarization dichotomy of Active Galactic Nuclei	61
<i>P. Hadrava</i> Optical spectroscopy of Cyg X-1	71
<i>J. Horák</i> Disc instability as an energy source for quasi-periodic oscillations	79
<i>H. Kadlecová</i> Relativistic gyratons	89
<i>V. Karas, M. Dovčiak, A. Eckart and L. Meyer</i> Flares from spiral waves by lensing and time-delay amplification?	99
<i>M. Kološ, Z. Stuchlík and S. Hledík</i> Test particle motion in brany black hole spacetimes with a nonzero cosmological constant	109
<i>J. Kovář, Z. Stuchlík and V. Karas</i> On existence of halo orbits in Kerr–Newman spacetimes	125
<i>P. Krtouš</i> Geodesic motion and test fields in the background of higher-dimensional black holes	139
<i>G. Matt</i> Evidence for relativistic iron lines in AGN	151
<i>J. C. Miller</i> Ideas in relativistic hydrodynamics	167
<i>T. Pecháček and V. Karas</i> Modelling an accretion disc stochastic variability	177

<i>M. Petrásek and S. Hledík</i>	
Stationary observers on the symmetry axis of rotating supermassive black holes	189
<i>M. Petrásek and S. Hledík</i>	
On privileged stationary observers in the Kerr–de Sitter geometry	193
<i>A. Róžańska and J. Madej</i>	
Accretion disk atmospheres: soft X-ray excess and Compton shoulder	201
<i>J. Schee and Z. Stuchlík</i>	
Spectral line profile of radiating ring orbiting a brany Kerr black hole	209
<i>J. Schee and Z. Stuchlík</i>	
Optical effects in brany Kerr spacetimes	221
<i>P. Slaný and Z. Stuchlík</i>	
Extended orbital resonance model applied to QPOs observed in three near-extreme Kerr black hole candidate systems	257
<i>P. Slaný and Z. Stuchlík</i>	
Humpy LNRF-related orbital velocity profiles of test-particle and perfect-fluid discs in Kerr–(anti-)de Sitter spacetimes	267
<i>O. Straub</i>	
Oscillations of non-slender tori in Kerr metric	275
<i>Z. Stuchlík, J. Hladík and M. Urbanec</i>	
Trapping of neutrinos in brany extremely compact stars	279
<i>Z. Stuchlík, S. Konar, J. C. Miller and S. Hledík</i>	
Excitation of oscillations in accretion discs orbiting compact objects	293
<i>Z. Stuchlík and A. Kotrlová</i>	
Orbital resonance model of QPOs in braneworld Kerr black hole spacetimes	323
<i>Z. Stuchlík, A. Kotrlová and G. Török</i>	
Multi-resonance models of QPOs	363
<i>Z. Stuchlík and J. Kovář</i>	
Properties of pseudo-Newtonian gravitational potential in Schwarzschild–de Sitter spacetimes	417
<i>Z. Stuchlík, H. Kučáková and P. Slaný</i>	
Equilibrium configurations of perfect fluid in Reissner–Nordström–de Sitter spacetimes	433
<i>Z. Stuchlík, P. Slaný and G. Török</i>	
Extended orbital resonance model with hump-induced oscillations	449
<i>P. Taylor</i>	
Long-duration gamma-ray bursts: SPH simulations with microphysics	469
<i>G. Török, P. Bakala, Z. Stuchlík and P. Čech</i>	
Modelling the twin peak QPO distribution in the atoll source 4U 1636–53	479

<i>G. Török, P. Bakala, Z. Stuchlík and E. Šrámková</i> On a multi-resonant origin of high frequency QPOs in the atoll source 4U 1636–53	489
<i>G. Török, M. Bursa, J. Horák, Z. Stuchlík and P. Bakala</i> On mutual relation of kHz QPOs	501
<i>G. Török, Z. Stuchlík and P. Čermák</i> Reverse of twin peak kHz QPO interrelationship in the six atoll sources	511
<i>M. Urbanec, Z. Stuchlík, G. Török, P. Bakala and P. Čermák</i> Neutron star equation of state and QPO observations	523