

CONTENTS

BIODIVERSITY AND CONSERVATION	6
Aromatic plants for food industry in the collections of National Botanical Garden of the National Academy of Sciences of Ukraine, <i>Korablova Olga</i>	7
Medicinal and essential oils plants in collection of Introductory nursery of Komarov Botanical Institute of RAS, <i>Kirill G. Tkachenko</i>	8
The Cornelian Cherry (<i>Cornus mas</i> L.) in Ukraine: collection, preservation and new cultivars, <i>Svetlana Klymenko, Olga Grygorieva</i>	10
Study on the genetic diversity of some medicinal plants and selection of starting materials for breeding and production practice, <i>Karel Dušek, Elena Dušková, Kateřina Karlová</i>	11
Implementation of the International Standard for Sustainable Wild Collection of Medicinal and Aromatic Plants (ISSC-MAP), <i>Anastasiya Timoshyna, Britta Paetzold, Susanne Honnef</i>	12
Ex situ conservation of medicinal and aromatic plants in Lithuania, <i>Laima Šveistytė</i>	13
MAP and rural development – Slovenian experience, <i>Janko Rode</i>	14
The capitalization of some Lamiaceae species of natural populations in the context of sustainable rural development of the upstream Bistrita Valley, <i>Doina Danila, Virgil Apopei, Carmen Tebrencu, Emilian Pricop, Adrian Spac, Monica Hancianu</i>	15
Measures for conservation of MAPs and their habitats in Europe, <i>Dea Baricevic</i>	16
BOTANY AND PHARMACOGNOSY	17
Ex situ studies on chemical variability of <i>Hypericum perforatum</i> L. in Lithuania, <i>Edita Bagdonaite, Valdimaras Janulis, Juozas Labokas, Liudas Ivanauskas</i>	18
Antioxidative properties of extracts from fruits of <i>Rhus typhina</i> L., <i>František Šeršeň, Daniel Grančai, Vojtech Valko</i>	19
Antibacterial activity of <i>Mentha piperita</i> and <i>Mentha pulegium</i> extracts, <i>Aleksandra Stanojković, Jelena Ceković, Radmila Pivić, Srboľjub Maksimović</i>	20
Essential oils from species of Lamiaceae family as perspective sources for abiotic preparations, <i>Kirill G. Tkachenko, Natalia V. Kazarinova</i>	21
Botanical and phytochemical studies of <i>Hypericum perforatum</i> L. and <i>H. maculatum</i> Crantz from Romania, <i>Iliara Oniga, Mircea Tămaş, Laurian Vlase, Anca Toiu, Daniela Benedec, Radu Julia</i>	22
Influence of different strains of <i>Agrobacterium rhizogenes</i> on induction of hairy roots and lignan production in <i>Linum tauricum</i> ssp. <i>tauricum</i> , <i>Iliana Ionkova, Elisabeth Fuss</i>	23

Oxidative stress and flavonoid production by <i>Ononis arvensis</i> L. culture in vitro, <i>Lenka Tůmová, Jiří Tůma, José Cheel, Jaroslav Dušek</i>	24
Vitamin C contents of wild herbs used in the production of Van Herby Cheese, <i>Murat Tunçtürk, Nazım Şekeroğlu, Yusuf Tunçtürk, Fevzi Özgökçe</i>	25
Study of morphological variation and relationship of flower yield and yield components in <i>Rosa damascena</i> , <i>Hossein Zeinali, Said Reza, Tabaei-Aghdaei, Saied Mohamad Asfa</i>	26
Screening of insecticidal activity of some <i>Salvia</i> species on <i>Spodoptera littoralis</i> Boisd. larvae, <i>Roman Pavela, Jarmila Neugebauerová</i>	27
Leaf secretory structures in <i>Hypericum barbatum</i> Jacq., <i>Svetlana Ačić, Zora Dajić Stevanović, Marina Mačukanović-Jocić</i>	28
Antimicrobial properties of onion (<i>Allium cepa</i> L.), <i>Marina Mačukanović-Jocić, Marina Radojičić</i>	29
Efficiency of the morphological descriptors for accession identification in basil (<i>Ocimum</i> L.), <i>Klaudija Carović-Stanko, Ana Šalinović, Martina Grdiša, Ivan Kolak and Zlatko Satović</i>	30
Antioxidant activity of Eucalyptus leaf extract as antihyperglycemic dietary adjunct, <i>Renata Kubínová, Veronika Jungová</i>	31
Effect of <i>Equisetum arvense</i> L. on cells isolated from newborn rat calvarial bones, <i>Elena Iulia Oprita, Valentina Alexandru, Viorica Coroiu, Lucia Moldovan</i>	32
Nutritional attribute of some Macedonian edible mushrooms, <i>Biljana Bauer Petrovska,</i> <i>Mitko Karadelev, Olga Kirovska Cigulevska, Sami Suleymani, Liljana Ugrinova, Shevalj Memishi</i>	33
Susceptibility of three <i>Paenibacillus</i> larvae strains to geranylflavonoids from <i>Paulownia</i> <i>tomentosa</i> , <i>Pavel Klouček, Karel Šmejkal, Jaroslav Flesar, Ladislav Kokoška, Dalibor Titěra</i>	34
Favourable biological effects of phenolic acids, <i>Mária Mikulášová, Štefánia Vaverková</i>	35
The antioxidant activity of some extracts of medicinal plants containing polyphenolcarboxylic compounds, <i>Carmen Elena Tebrencu, Roxana Mihailescu, Ruxandra Cretu, Elena Ionescu,</i> <i>Anthone Neculae, Vlad Ionescu</i>	36
The antistress effect of the total saponins extracted from the bark of <i>Aralia mandshurica</i> Rupr. et Maxim. cultivated in Moldavia, <i>Marin Zagnat, Catalina Elena Lupusoru, Cristina Mihaela</i> <i>Ghiciuc, Raoul Lupusoru, Dana Mihaela Zagnat, Ursula Stănescu, Emanoil Grigorescu</i>	37
Preliminary investigation of antioxidant potential and flavonoid content of Pinaceae species needles, <i>Milena Nikolova, Dimitar Peev</i>	38
Assessment of Anti-inflammatory and Antinociceptive Activities of <i>Centaurea tchihatcheffii</i> (Asteraceae) by Using Various in vivo Models, <i>Esra Küpeli Akkol, Ufuk Koca</i>	39

Anti-inflammatory and Wound Healing activities of <i>Hypericum perforatum</i> L. and <i>Hypericum scabrum</i> L., <i>Ipek Peşin, Esra Küpeli Akkol, Turhan Baykal, Erdem Yeşilada</i>	40
Assesment of the wound healing activity of <i>Arnebia densiflora</i> Normd. (Ledeb), <i>Ufuk Koca, Ipek Peşin, Esra Küpeli Akkol</i>	41
Naphthoquinones and utilization of naphthoquinones-containing herbs in traditional medicines, <i>Petr Babula, Vojtěch Adam, René Kizek</i>	42
<i>Betula pendula</i> Roth outer bark and its skin protective properties with low toxicity activity, <i>Cristina A. Dehelean, Camelia Peev, Codruta Soica, Diana Antal, Vicentiu Vlaia</i>	43
Application of some phytochemicals in the treatment of DMBA induced breast cancer, <i>Adriana Kaycsa, Cristina A. Dehelean, Camelia Peev, Codruta Soica, Brindusa Dumitriu</i>	44
Plane (<i>Platanus</i>) tree outerbark – its biological and toxicological aspects, <i>Cristina A. Dehelean, Codruta Soica, Camelia I. Peev, Diana Antal, Valentin Ordodi</i>	45
Anti-inflammatory activity of some plant extracts, <i>Daniela Benedec, Alina Elena Pârvu, Ilioara Oniga, Brînduşa Tiperciuc, Anca Toiu, Mircea Tămaş</i>	46
Antimicrobial activity of in vitro grown <i>Nepeta</i> species differing in qualitative nepetalactone content, <i>Jasmina Nestorović, Danijela Mišić, Branislav Šiler, Marina Soković, Ana Ćirić, Jasmina Glamočlija, Vuk Maksimović, Mihajlo Ristić, Dragoljub Grubišić</i>	47
Rust on lovage (<i>Levisticum officinale</i> Koch.), <i>Ivana Šafránková, Jiří Müller</i>	48
Occurrence and control of pests on caraway in the Czech Republic – the historical survey to 2005, <i>František Muška, Marek Seidenglanz</i>	49
Pharmacognostic research on <i>Viola arvensis</i> Murray (Violaceae), <i>Anca Toiu, Ilioara Oniga, E. Muntean, O. Vostinaru, M. Tamas, Daniela Benedec</i>	50
Evaluation of the cytotoxic and antioxidant effects of some terpene derivatives from <i>Viscum album</i> L. extract, <i>Tatjana Čebović, Mira Popović, Slavica Spasić</i>	51
Aspects of medicinal plants use by adult population in the Czech Republic, <i>Karel Knotek, Ladislav Kokoška</i>	52
Antibacterial effect of the essential oil of Genovese basil, <i>Jelačić Slavica, Raičević Vera, Ključev Igor, Beatović Damir, Klaus Anita</i>	53
In vitro studies on antioxidant activity of an extractive fraction isolated from white cabbage leaves, <i>Anca Miron, Ofelia Padurarur, Bogdan Alexandru Stoica, Ana Clara Aprotosoia, Ursula Stanescu, Ioana Padurarur</i>	54
Morpho-structural peculiarities of two <i>Ajuga</i> Species from Romania; <i>Ajuga genevensis</i> L. and <i>Ajuga reptans</i> L., <i>Anca Hemcinschi, Ramona Gales, Constantin Toma</i>	55

The study of a new extract obtained from <i>Ocimum basilicum</i> L. and <i>Ocimum sanctum</i> L.: hematological status in rats, <i>Monica Hancianu, Elvira Gille, Clara Aprotosoia, Oana Cioanca, Liliana Cconstantin, D. Curca, Ursula Stanescu</i>	56
The microbiological properties of <i>Foeniculum vulgare</i> Mill. essential oil, <i>Antonia Poiata, Cristina Tuchilus, Clara Aprotosoia, Cornelia Mircea, Monica Hancianu, Oana Cioanca, Ursula Stanescu</i>	57
Antimicrobial activity of <i>Melissa officinalis</i> L. essential oil, <i>Cristina Tuchilus, Antonia Poiata, Monica Hancianu, Elvira Gille, Oana Cioanca, Ana Clara Aprotosoia, Ursula Stanescu</i>	58
Differential effects of alcoholic vegetal extracts on cell mediated immunity of farmed herbivores, <i>Marina Spinu, Carmen Dana Șandru, GH. F. Brudașcă, GH. Duca</i>	59
Screening of some Lamiaceae extracts for antibacterial potential against animal pathogens, <i>Mihaela Niculae, Marina Spinu, Carmen Dana Sandru, F. Brudasca</i>	60
A study of plane foliar buds: triterpenic compounds, phytobiologic analysis and in vitro antitumor activity, <i>Camelia Peev, Simona Cinta Pinzaru, Cristina Dehelean, Codruța Șoica, Adriana Kaycsa, Stefana Feflea</i>	61
Skin anti-aging effect of some foliar buds extracts, <i>Anca Dragomirescu, Camelia Peev, Cristina Dehelean, Ștefana Feflea, Mircea Tămaș</i>	62
Experimental study of skin depigmenting effect of a <i>Glycyrrhiza glabra</i> L. extract, <i>Anca Dragomirescu, Carmen Canciu, Camelia Peev, Cristina Dehelean, Ștefana Feflea, Sorina Ciurlea, Bogdan Bumbacila</i>	63
Green biomass of barley as a source of substances beneficial to health, <i>J. Kopáček, J. Ehrenbergerová, L. Melišová, A. Kleckerová, S. Macuchová, K. Vaculová, J. Marková</i>	64
Safflower (<i>Carthamus tinctorius</i> L.) as a medicinal plant, <i>Jiří Uher</i>	65
Antioxidant appraisal and total phenol contents of various parts of <i>Maclura pomifera</i> (Rafin.) Schneider tree and its two major isoflavonoids, <i>Ilkay Orhan, F. Sezer Şenol, Murat Kartal, Margita Dvorska, Milan Zemlicka</i>	66
Anti-inflammatory and hepatoprotective activities of <i>Zosima absinthifolia</i> , <i>Bahadır Özlem, Çitoğlu Saltan Gülçin, Özbek Hanefi</i>	67
The antitumoral activity of some vegetal extracts: an in vitro study, <i>Laura Olariu, Cristina Dehelean, Camelia Peev, Codruța Șoica, Ștefana Feflea, Diana Ene</i>	68
Sea Buckthorn (<i>Hippophae rhamnoides</i> L.) - The effective source of vitamine C, <i>Vojtěch Řezníček, Jan Plíšek</i>	69
The Bulgarian endemic species <i>Alchemilla achtarowii</i> Pawl. (Rosaceae), <i>Antonina Vitkova, Alexander Tashev; Anna Gavrilova</i>	70
BUSINESS SESSION	71

The popularization of medicinal, aromatic and spice plants in specialized journal "Medicinal Plants" for almost 45 years, <i>Miroslav Habán, Daniel Grančai, Pavol Otepka</i>	72
Trends of Chamomile Research, Development and Production, <i>Ivan Šalamon</i>	73
The importance of marketing mix for a successful business with products of medicinal and aromatic plants and spices, <i>Radmila Presová, Oldřich Tvrdoň, Jana Stávková</i>	74
Cultivation and MAP industry development in Albania, <i>Elvira Bazina</i>	75
From Science to Business: How to bring our ideas to the Market, <i>Tatiana Onisei, Cornelia Muraru, Gabriela Paun</i>	76
CULTIVATION AND BREEDING	77
Qualitative characteristics of <i>Mentha piperita</i> after application of JUWEL, <i>Štefánia Vaverková, Miroslav Habán, Mária Mikulášová, Magdalenka Hollá, Jozef Tekel'</i>	78
Seed technology and breeding of Sage (<i>Salvia officinalis</i> L.), <i>Jan Hofbauer</i>	79
Influence of foliar fertilization and growth effector 5-tert-butyl-N-m-tolylpyrazine-2-carboxamide on the milk thistle (<i>Silybum marianum</i> L.) seed yield and quality, <i>Ira Stancheva, Georgi Georgiev, Maria Geneva, Albena Ivanova, Martin Dolezal, Lenka Tumova</i>	80
Influence of year on poppy straw quality in the Czech Republic, <i>Jana Doležalová, Helena Zukalová, Pavel Cihlář, Jan Vašák</i>	81
Results of experiments with <i>Panax quinquefolium</i> L. in Poland, <i>Barbara Kołodziej, Janusz Wiśniewski</i>	82
Results of the studies on goldenrod (<i>Solidago virgaurea</i> L. ssp. <i>virgaurea</i>) cultivation in Poland, <i>Barbara Kołodziej</i>	83
Trials with <i>Arnica montana</i> and <i>Arnica chamissonis</i> var. <i>foliosa</i> cultivation in Poland, <i>Danuta Sugier</i>	84
The influence of storage temperature on seed germination in coneflower (<i>Echinacea</i>) cultivars, <i>Delia Banga, Marin Ardelean</i>	85
Cultivation and preliminary phytochemical study of endangered species <i>Gypsophila trichotoma</i> Wend. occurring in Bulgarian flora, <i>Vessela Balabanova, Petranka Zdraveva, Ekaterina Kozuharova, Ilina Krasteva, Ivanka Pencheva, Stefan Nikolov</i>	86
A study of seed propagation of <i>Arnica montana</i> L. (<i>Asteraceae</i>), <i>Vessela Balabanova, Antonina Vitkova, Alexander Tashev</i>	87
Micropropagation of valerian (<i>Valeriana officinalis</i> L.), <i>Ely Zayova, Maria Petrova, Krasimira Tasheva</i>	88
The Effects of Different Harvesting Time and Drying Methods on the Yield and Essential Oil Content of <i>Thymus eigi</i> (M. Zohary et P. H. Davis) Jalas, <i>M. Özgüven, N. Şekeroğlu</i>	89

Effects of different media compositions on the production of shikonin derivatives in callus cultures of <i>Arnebia densiflora</i> (Normd.) Ledeb, <i>Ufuk Koca, Tuğba Erçetin</i>	90
Determination of Optimum Phosphorus Doses for High Flower Yield and Essential Oil Content in Common Lavender (<i>Lavandula angustifolia</i> ill.), <i>Nazım Şekeroğlu, Menşure Özgüven</i>	91
Effect of sowing and harvesting technology on yield and raw matter value of milk thistle (<i>Silybum marianum</i> (L.) Gaertn.) cultivated on light soil, <i>Katarzyna Sadowska, Jadwiga Andrzejewska</i>	92
The comparative study of the micro and macro elements content of medicinal plants samples and their extracted solutions, <i>Carmen Elena Tebrencu, Gabriela Rodica Mitroi, Elena Iakob, Elena Ionescu, Neculae Antohe, Vlad Ionescu</i>	93
A review regarding yielding capacity and qualitative parameters of marigold (<i>Calendula officinalis</i> L.) cultivars in a collection field, Cluj Napoca, Romania, <i>Marcel M. Duda, Dan I. Vârban, Sorin Muntean, Delia Banga</i>	94
Phenotypic, genetic and functional variation in the selected genotypes of caraway (<i>Carum carvi</i> L.), <i>Katarzyna Seidler-Łożykowska</i>	95
Herb yield, essential oil content and its composition of two cultivars of sweet basil (<i>Ocimum basilicum</i> L.) grown in two different location, <i>Katarzyna Seidler-Łożykowska, Bertalan Galambosi</i>	96
Effect of the genotype and the time of planting on the production-biological characteristics of <i>Perilla frutescens</i> L., <i>Péter Radácsi, Krisztina Szabó, Szilvia Sárosi, Antal Ferenczy, Jenő Bernáth</i>	97
Investigation of the effect of storage conditions on the germination ability of lovage (<i>Levisticum officinale</i> Koch.) seeds, <i>Ildikó Novák, László Bányai, Antal Ferenczy, Gabriella Kutta, Péter Rajhárt, Zoltán Riba</i>	98
Reserch regarding in vivo multiplication and growing of <i>Rosmarinus officinalis</i> L. pecies, <i>D. I. Vârban, M. M. Duda, Rodica Vârban</i>	99
Influence of the year, the variety and the locality on dormancy of caraway achenes (<i>Carum carvi</i> L.), <i>Helena Fišerová, Věra Vašatová, Marek Klemš, Blanka Kocourková</i>	100
Mycopopulation in five important cultivated medicinal plants in Serbia, <i>Snežana Pavlović, Vera Stojšin, Saša Stojanović, Mira Starović</i>	101
Selection of medicinal and aromatic plant species for special flavouring purposes, <i>Victor Kharchenko</i>	102
The use of biostimulators and slow decomposing fertili-zers with different ways of lavender seedlings production, <i>Slavica Jelačić, Jan Kišgeci, Damir Beatović, Đorđe Moravčević, Vukašin Bjelić, Ana Vujošević</i>	103

The effect of different doses of slow decomposing fertilizers on the quality of basil as fresh seasoning herb, <i>Damir Beatović, Slavica Jelačić, Jan Kišgeci</i>	104
Effect of cultivar on carotene and vitamin C content in carrot root, <i>Vukašin Bjelić, Đorđe Moravčević, Slavica Jelačić, Damir Beatović</i>	105
Estimation of genetic polymorphism of several vegetable, aromatic and medicinal plants belonging to Apiaceae family by Random Amplified Polymorphic DNA, <i>Arthur Domblides</i>	106
Assessment of somaclonal variation in valerian (<i>Valeriana officinalis</i> L.) by RAPD fingerprinting analyses, <i>Leon Muntean</i>	107
Moulds and mycotoxins occurrence in medicinal plants, herbal teas and spices, <i>Gorica Vuković, Snežana Pavlović, Mihailo Ristić, Marinela Tadić</i>	108
Preliminary data regarding the in vitro reaction of <i>Rhodiola rosea</i> L., <i>Gogu Ghiorghiță, Mihaela Hârțan, Daniela Nicuță, Diana-Elena Maftei</i>	109
Comparison of economic features in caraway breeding (<i>Carum carvi</i> L.), <i>Prokop Šmirous, Gabriela Růžičková</i>	110
Influence of preemergently applied herbicides on the yield and quality of caraway achenes (<i>Carum carvi</i> L.), <i>Antonin Vaculik</i>	111
<i>Arnica Chamissonis</i> Less. - A new medicinal plant for Bulgaria, <i>Ljuba Evstatieva</i>	112
Influence of variety and growing locality on microbiological purity of caraway (<i>Carum carvi</i> L.) achenes, <i>Gabriela Růžičková, Libor Kalhotka, Blanka Kocourková, Petra Kaláčková</i>	113
The effect of drought stress on the accumulation of sugar and proline in essential oil bearing medicinal plants, <i>Katalin Inotai, Péter Radácsi, Sz. Sárosi, D. Miklódy, G. Sándor, N. Lukács, É. Németh, J. Bernáth</i>	114
Elaboration of field cultivation methods of <i>Bergenia</i> sp., <i>Bertalan Galambosi, Zsuzsanna Galambosi</i>	115
Harvesting experiences of medicinal herb flowers with hand harvesters, <i>Bertalan Galambosi, Zsuzsanna Galambosi</i>	116
Experiences with cultivation of creeping herbs, <i>Bertalan Galambosi, Zsuzsanna Galambosi</i>	117
Salt affected soils as natural resource for collection and production of medicinal and aromatic plants, <i>Zora Dajić Stevanović, Srboljub Maksimović, Jan Kišgeci</i>	118
Yield and quality of Yellow Gentian (<i>Gentiana lutea</i> L.) root grown in mountaneous region of Serbia, <i>Dragoja Radanović, Tatjana Marković, Teodora Janković, Dejan Pljevljakušić</i>	119

Heavy metals in cultivated medicinal and aromatic plants from Serbia, <i>Dragoja Radanović, Svetlana Antić – Mladenović</i>	120
Influence of the substrate type on the chemical composition of <i>Jasminum tortuosum</i> Willd. and <i>Murraya exotica</i> L. ultivated in Romania, <i>Cristina Alexandra Asanica, Elvira Gille</i>	121
Influence of agrotechnology factors to content the lignans and lutein in the flaxseed, <i>Marie Bjelková, Jana Hajšlová, Věra Schulzová</i>	122
PHYTOCHEMISTRY AND ANALYTICAL METHODS	123
Phytochemistry and Analytical Methods Analysis of <i>Nigella</i> (Ranunculaceae) compounds after hydrolysis, <i>Věra Javorková, Věra Závodníková</i>	124
Study of qualitative characteristics of essential oil from the flower heads of <i>Chamaemelum nobile</i> (L.) All., <i>Štefánia Vaverková, Eva Urgeová, Ivan Vozár, Ludovít Polívka, Peter Sloboda</i>	125
Comparison of Quality Composition in Chamomile (<i>Matricaria recutita</i> L.) Teas, <i>Anna Vildová, Matyáš Orsák, Alena Hejtmánková, Miluše Štolcová, Pavel Klouček</i>	126
Cascade of bioactive compounds from <i>Plantago major</i> L. originated in Romania, <i>Gabriela Pintilie, Daniela. Ocnaru, Alice Armatu, Ileana Paraschiv, Nuta Manaila</i>	127
Cascade of bioactive compounds from <i>Leonurus cardiaca</i> L. originated in Romania, <i>Daniela Ocnaru, Gabriela Pintilie, Alice Armatu, Nuta Manaila, Ileana Paraschiv</i>	128
Effect of different techniques on extraction of phenolic compounds from <i>Alchemilla mollis</i> (Buser) Rothm., <i>Antoaneta Trendafilova, Milka Todorova1, Antonina Vitkova</i>	129
Bioactive constituents and DNA profiling of raspberry germplasm collection in Bulgaria, <i>Ilian Badjakov, Reneta Gevrenova, Milena Niklova, Violeta Kondakova, Elena Todorovska, Atanas Atanassov</i>	130
The content of heavy metals in different children herbal Teas, <i>Habán Miroslav, Habánová Marta, Otepká Pavol</i>	131
Free radical scavenging activity and phenolic content of <i>Glycyrrhiza</i> species, <i>José Cheel, Lenka Tůmová, Jiri Tuma, Jarmila Neugebauerová, Jaroslav Dušek</i>	132
Essential Oil Content, Its Composition and Quality of Peppermint Teas, <i>Ivan Šalamon</i>	133
Chemical variation in the essential oil of <i>Origanum vulgare</i> subsp. <i>hirtum</i> , <i>Thymus capitatus</i> and <i>Satureja montana</i> colleted in the Llogora park situated in the south part of Albania, <i>Alban Ibraliu, Ndoc Fasliá, Alfred Mullaĵ</i>	134
Phytochemical investigation of <i>Helianthus annuus</i> L. and their biological activity, <i>Jana Karličková, Kateřina Macáková, Petr Jílek, Luděk Jahodář, Jana Podlipná</i>	135
Sulfated triterpenoid saponins from <i>Gypsophila trichotoma</i> Wend., <i>Iliina Krasteva, Stefan Nikolov, Kristina Jenett-Siems, Maki Kaloga</i>	136

A new isocoumarin from <i>Hypericum annulatum</i> , <i>Paraskev Nedialkov, Dimitrina Zheleva-Dimitrova, Ulrich Girreser, Gerassim Kitanov</i>	137
Benzophenone O-glycosides from <i>Hypericum elegans</i> , <i>Dimitrina Zheleva-Dimitrova, Paraskev Nedialkov, Ulrich Girreser, Gerassim Kitanov</i>	138
Mineral composition of <i>Gentiana olivieri</i> Griseb. (Gentianaceae): A traditional remedy for diabetes in Turkey, <i>Ufuk Koca, Nazım Şekeroğlu, Faruk Özkutlu</i>	139
Comparative study of the essential oils of genus <i>Angelica</i> L. growing in Bulgaria, <i>Svetla Dzhuneva, Angel Konakchiev, Ljuba Evstatieva</i>	140
Volatile constituents of some Albanian Northern Pines growing in natural stands, <i>Anilda Guri, Vassilios Roussis, Ferdi Brahushi</i>	141
Selenium in selected species of edible mushrooms from Republic of Macedonia, <i>Biljana Bauer Petrovska, Mitko Karadelev, Olga Kirovska Cigulevska, Sami Sulejmani, Shevalj Memishi, Liljana Ugrinova</i>	142
Separation of the diosgenin resulted from vegetal extracts, using molecularly printed polymers, <i>Antohe Neculae, Elena Ionescu, Carmen Tebrencu, Adrian Sarbu, Tanase Dobre, Marta Stroescu, Maria Huminiuc, Valeriu Stefan</i>	143
Obtaining of phytoproducts for the cardiovascular diseases profilaxy Note I: Some investigations of the <i>Allium ursinum</i> chemical composition, <i>Roxana Mihailescu, Gabriela Mitroi, Elena Iacob, Anca Miron, Ursula Stanescu, Elvira Gille, Ruxandra Cretu, Elena Ionescu, Catrinel Giurescu, Lucia Cioclu</i>	144
Studies for the obtaining of <i>Aralia mandschurica</i> extracts, <i>Roxana Mihailescu, Gabriela Mitroi, Elena Iacob, Elvira Gille, Anca Miron, Ursula Stanescu, Ruxandra Cretu, Elena Ionescu, Catrinel Giurescu</i>	145
The qualitative and quantitative determination of diosgenin from <i>Trigonella foenum-graecum</i> by High Performance Thin-Layer Chromatography and densitometric methods. <i>Maria Chiriac, Roxana Mihailescu, Gabriela Mitroi, Elena Iacob, Elvira Gille, Elena Ionescu, Catrinel Giurescu</i>	146
Studies in obtaining of phytotherapeutical bioproducts with hypocholesterolemiat action. Note 1. The qualitative and quantitative assays of the active principles with hypocholesterolemiat action from <i>Trigonella foenum-graecum</i> , <i>Medicago sativa</i> , <i>Helianthus tuberosus</i> and <i>Vitis vinifera</i> . <i>Maria Chiriac, Roxana Mihailescu, Monica Hancianu, Gabriela Mitroi, Elena Iacob, Elena Ionescu, Catrinel Giurescu</i>	147
Galanthamine biosynthesis and biomass production of liquid organ cultures of <i>Leucojum aestivum</i> L. (Amaryllidaceae), <i>Marina Stanilova, Yuliyana Bogdanova, Teodora Ivanova, Bozhidarka Pandova, Stanislav Yanev</i>	148
Variability in the content of phenolic compounds and mucus in <i>Plantago media</i> L. in the Czech Republic, <i>Karel Dušek, Elena Dušková, Kateřina Karlová</i>	149

Chemical composition of winter savory essential oil isolated by hydrodistillation and supercritical CO ₂ extraction, <i>Biljana Damjanović-Vratnica</i>	150
Yield and composition of supercritical fluid extracts of different Lamiaceae herbs: basil (<i>Ocimum basilicum</i> L.) and lemon balm (<i>Melissa officinalis</i> L.), <i>Gabriella Kutta, Zsuzsanna Pluhár, Sz. Sárosi, G. Sándor</i>	151
Phytochemical investigation of coumarins in extracts of <i>Melilotus officinalis</i> , <i>Elvira Kovač-Bešović, Kemal Durić, Amila Čeljo, Sedat Serjani</i>	152
Qualitative and quantitative content of nepetalactone in shoot cultures of three <i>Nepeta</i> species grown under various carbohydrate sources, <i>Danijela Mišić, Jasmina Nestorović, Vuk Maksimović, Branislav Šiler, Dragoljub Grubišić</i>	153
Investigation of saponins in some parts of wild chestnut, <i>Aesculus hypocastanum</i> L., <i>Elvira Kovač-Bešović, Amila Čeljo, Kemal Durić, Dina Polić</i>	154
Chemical composition of <i>Allium ursinum</i> L. of Bulgarian origin, <i>Antoaneta Ivanova, Bozhana Mikhova, Ivanka Kostova</i>	155
Phytochemical analysis of non-polar extract from <i>Viscum album</i> L., <i>Tatjana Čebović, Mira Popović, Žika Lepojević, Neda Mimica-Dukić</i>	156
Purification and antiproliferative activity of <i>Helleborus purpurascens</i> polysaccharides, <i>Oana Craciunescu, Alexandra Gaspar, Mirela Balan, Liana Toma, Laura Stefan, Lucia Moldovan</i>	157
Ultrasonic and Microwave Assisted Extraction of <i>Rhodiola rosea</i> L., <i>Jordanka Staneva, Mariam Bozhilova, Milka Todorova</i>	158
Salidroside content in in vitro propagated <i>Rhodiola rosea</i> L., <i>Mariam Bozhilova, Liuba Evstatieva, Krasimira Tasheva</i>	159
Contributions to the Chemical Composition Study of some Natural Populations of <i>Ajuga genevensis</i> and <i>Ajuga reptans</i> , <i>Elvira Gille, Doina Danila, Cristina Florea, Anca Hemicnschi, Ursula Stanescu</i>	160
Citrus peel extracts phytochemical analysis, <i>Ștefana Feflea, Adriana Kaycsa, Camelia Peev, Cristina Dehelean, Carmen Canciu</i>	161
HPLC analysis of polyphenols in methanol extracts of foliar buds of hip rose, blackberry and raspberry, <i>Camelia Peev, Laurian Vlase, Cristina Dehelean, Ștefana Feflea</i>	162
HPLC analysis of polyphenols from ethanolic extracts of <i>Liquiritiae radix</i> , phytobiological and antiproliferative in vitro tests, <i>Carmen Canciu, Laurian Vlase, Cristina Dehelean, Camelia Peev, Ștefana Feflea, Mircea Tămaș</i>	163
Analysis of naphthodianthrone, phloroglucinol and flavonoid derivatives, fatty acids and chemical values of traditional St. John's wort oils, <i>Ilkay Orhan, Murat Kartal, Ali Rifat Gülpınar, Gülin Yetkin</i>	164

High performance liquid chromatographic analysis of chlorogenic acid of <i>Cynara scolymus</i> L., <i>Çitoğlu Saltan Gülçin, Özbilgin Serkan</i>	165
The relationship between heavy metal content and bedrock in some species of genus <i>Teucrium</i> in Serbia, <i>Dragica Obratov-Petković, Ivana Bjedov, Snežana Belanović</i>	166
LC and LC-MS Analysis of <i>Echinacea purpurea</i> and <i>Echinacea pallida</i> Cultivated in Turkey, <i>Murat Kartal, Yüksel Kan, Ali Rifat Gülpinar, Milan Zemlicka, Emil Svajdlenka</i>	167
Quality control of extracts of <i>Rhodiola rosea</i> L. based on the content of salidroside and rosavines, <i>Ljuba Evstatieva, Milka Todorova, D. Antonova</i>	168
Formation of phenolic compounds in <i>Taxus</i> , <i>N. V. Zagoskina</i>	169
Analysis of carotenoid content in Marigold flowers variety Plamen Plus during the production season 2007, <i>Andrea Plačková</i>	170
Radical scavenging ability and phenolic compounds of Marigold flowers cultivated under different environmental conditions, <i>Martina Fikselová, Andrea Plačková, Eva Ivanišová, Marek Bennár</i>	171
Determination of aescin content in <i>Aesculus</i> sp., <i>Dušica Čalić-Dragosavac, Dragana Stojanović, Snežana Zdravković-Korać</i>	172
Determination of chemotaxonomic markers for carnivorous plants in relation to therapeutical potential utilization, <i>Zbynek Gazdik, Petr Babula, Jan Saloun, Vojtech Adam, Vojtech Reznicek,</i> <i>Jan Plsek, Tunde Jurikova-Pokorna, Boris Krska, Rene Kizek</i>	173
HPLC-CoulArray - the tool for the antioxidant capacity assessment, <i>Zbynek Gazdik, Petr Babula,</i> <i>Jan Saloun, Vojtech Adam, Vojtech Reznicek, Jan Plsek, Tunde Jurikova-Pokorna, Boris Krska,</i> <i>Rene Kizek</i>	174
Quality assessment of functional foods and plant products with respect to their therapeutic potential, <i>Zbynek Gazdik, Petr Babula, Jan Saloun, Vojtech Adam, Vojtech Reznicek,</i> <i>Jan Plsek, Tunde Jurikova-Pokorna, Boris Krska, Rene Kizek</i>	175
HPLC-ED assay of plant phenolic content, <i>Zbynek Gazdik, Petr Babula, Jan Saloun,</i> <i>Vojtech Adam, Vojtech Reznicek, Jan Plsek, Tunde Jurikova-Pokorna, Boris Krska, Rene Kizek</i>	176
Obtaining and characterizing some vegetal extracts with antioxidant action of natural <i>Galium</i> , <i>Mycelis</i> and <i>Hypericum</i> Populations, <i>Elvira Gille, Doina Danila, Virgil Apopei, Oana Gacea, Florentina Gatea</i>	177
Comparative phytochemical studies of <i>Salvia officinalis</i> L. experimental variants, <i>Doina Danila, Elvira Gille, Maria Gonciariuc, Catalina Drutu, Clara Aprotosoie</i>	178
Variability of content of phenolic compounds in <i>Betonica officinalis</i> L. in the Czech Republic, <i>Karel Dušek, Elena Dušková, Kateřina Karlová</i>	179