

Table of contents

Acronyms and abbreviations	10
Executive summary	13
Assessment and recommendations	15
Chapter 1. The burden of cardiovascular disease and diabetes	31
Introduction	32
Cardiovascular disease and diabetes defined	34
Despite substantial gains, CVD remains the leading cause of mortality	36
Fewer CVD deaths have led to greater life expectancy, but gains have not been uniform	37
Explaining the fall in CVD mortality	39
CVD and diabetes take a heavier toll in some countries than in others	40
CVD and diabetes strike at different ages across countries	45
The health care costs of CVD and diabetes	47
Summary	49
Notes	49
References	49
Chapter 2. Improving cardiovascular disease and diabetes outcomes through lifestyles: Trends and policies	53
Lifestyles play an important part in predicting cardiovascular disease and diabetes risk	54
Improving lifestyles to reduce CVD and diabetes risk: Recent experiences in OECD countries	61
Lifestyle patterns across OECD countries vary considerably	70
Summary	73
Note	74
References	74
Annex 2.A1. Tobacco control policies	76
Chapter 3. Improved control of cardiovascular disease risk factors and diabetes: The central role of primary care	77
The ever increasing importance of primary care in managing cardiovascular disease and diabetes	78
Opportunities to reduce cardiovascular risk in primary care	80
Towards a better understanding of primary care quality in OECD countries	85
Most countries provide good access to primary care but there are some important challenges	93
Examining primary care quality initiatives	98

The growing recognition of empowering patients to take effective control of their chronic diseases	102
Summary	103
Notes	104
References	105
Chapter 4. Improving acute cardiovascular care quality and access	111
Advances in acute care treatments are improving CVD outcomes	112
The evidence on optimum acute treatments has widespread implications for health service delivery models	113
Out-of-hospital survival for some CVD events is low and could be improved	115
Timeliness of care: Evidence of variation across countries, but there is room for optimism	118
Access to revascularisation procedures has improved, but some countries are lagging behind	121
Care in specialised facilities improves outcomes but access remains limited in some countries	123
Hospital care resources	127
Better access and quality of care have improved survival after a heart attack and stroke	130
From onset to discharge: Full pathway monitoring and governance	131
Summary	134
Notes	135
References	135
Annex 4.A1. Data coverage for case-fatality indicators	139
Chapter 5. Acute care cardiovascular disease: Examining hospital performance	141
Examining the links between hospital expenditure and quality	142
New opportunities to measure hospital performance	142
Measuring hospital performance	143
Performance is linked to resources but some countries derive more quality for money	146
Payment systems, technology, quality measurement are linked to better hospital performance	155
Summary	157
Notes	157
References	158
Annex 5.A1. Empirical framework for analysing acute care CVD performance	159
Annex 5.A2. Full CVD acute care performance analysis results	160
Chapter 6. Adherence to recommended cardiovascular care in OECD health systems	163
Improving adherence to chronic heart failure treatment is an important health care issue	164
Combining individual patient and national health system data to study the problem of adherence	165

Results show substantial cross and within country variation found in adherence	169
Better adherence is linked to some national health system characteristics but within-country variation needs to be better understood	174
Summary	176
Notes	176
References	176
 Tables	
0.1. Policies to improve quality of care in primary care	21
1.1. Explaining the fall in CHD mortality: Summary of studies using the IMPACT model	39
2.1. Predicting the ten-year likelihood of a CVD event: Smoking and body mass index	55
2.2. Predicting the ten-year likelihood of developing diabetes: Exercise, body mass index and waist size	55
2.3. The relationship between tobacco policies and smoking rates	63
2.4. The relationship between tobacco policies and smoking rates	64
2.5. Smoking among males and females: Country rankings and trends	71
2.6. Overweight and obesity rates among males and females: Country rankings and trends	72
2.A1.1. Tobacco policy categories by country: Higher scores indicate stricter policy ...	76
3.1. Patients with CVD and diabetes often have multiple conditions	80
3.2. Predicting the ten-year likelihood of a CVD event: Diabetes, cholesterol and blood pressure	81
3.3. Policies to improve quality of care in primary care	99
4.1. Treatment times (measured in minutes) for ischemic stroke and heart attacks, 2012 (or nearest year)	119
4.2. Case-fatality rates and trends for AMI, ischemic and haemorrhagic stroke, 2011 (or nearest year)	132
4.A1.1. Observation periods for AMI, ischemic and haemorrhagic stroke case-fatality data	139
5.1. Variable definitions, descriptive statistics (selected years) and data sources ...	147
5.2. Regression results: Case-fatality rates by gender	148
5.3. Testing for country differences in the relationship between hospital expenditure and CVD quality	150
5.4. Country rankings for case-fatality performance	153
5.5. Summary of health system characteristic results	155
5.A2.1. CVD acute care performance analysis results	160
6.1. Descriptive national health system characteristics data by country	168
6.2. Number of patients enrolled, number of centres and non-adherence to drug treatment	169
6.3. Characteristics of the study population and odds ratio for non-adherence estimated by univariate models	172
6.4. Odds ratios by the multi-level logistic model	173

Figures

1.1. Analytical framework for the OECD project on cardiovascular disease and diabetes	33
1.2. Mortality rates for cardiovascular diseases and all other causes of death in OECD countries	36
1.3. Trends in potential years of life lost (PYLL) due to CVD and other diseases, by gender	37
1.4. Declining CVD mortality rates have improved life expectancy at birth and at age 65	38
1.5. Mortality rates for CVD per 100 000 population, 2011 (or latest year)	41
1.6. End-stage renal failure patients per 100 000 population, 2000 and 2011 (or nearest year)	43
1.7. CVD mortality rates and potential years of life lost, 2011 (or nearest year)	45
1.8. AMI admissions per 100 000 population by age group: OECD average, quartile range and selected countries, 2011 (or nearest year)	46
1.9. Diabetes prevalence in OECD countries by age, 2011	47
1.10. Proportion of hospital expenditure by major diagnostic category	48
2.1. Obesity is a strong predictor of diabetes	56
2.2. Smoking is a strong predictor of cerebrovascular disease mortality	57
2.3. Trends in OECD lifestyles: Tobacco, obesity and alcohol	59
2.4. Years of life lost in cardiovascular disease due to risky behaviours	59
2.5. Spending on prevention and public health services	60
2.6. Examples of plain cigarette packaging in Australia	65
2.7. Countries compared to the OECD average in smoking and overweight and obesity rates	73
3.1. High cholesterol and high blood pressure prevalence in OECD countries, 2008	82
3.2. Undiagnosed diabetes – percentage of diabetics unaware of their condition ...	84
3.3. Pharmaceutical consumption per patient with elevated CVD risk factor, defined daily doses 2008	87
3.4. The use of CVD risk-factor medication among diabetics, 2012	88
3.5. Diabetes admissions per 1 000 patients with diabetes, 2011 (or nearest year)	89
3.6. Comparing diabetes-related admissions and overall admissions across OECD countries	90
3.7. Heart failure admissions per 1 000 population, 2011 (or nearest year)	91
3.8. Comparing heart failure admissions and overall admissions across OECD countries	92
3.9. Per capita ambulatory care expenditure, 2011 (or nearest year)	94
3.10. Financing sources for ambulatory care and prescription drugs	95
3.11. Number of generalist doctors per 1 000 population, 2011 (or nearest year)	97
3.12. Unmet care needs for medical examination by income, European countries, 2012 (or nearest year)	98
4.1. Bypass surgery and percutaneous coronary interventions per 100 000 population, 2011 (or nearest year)	122
4.2. Percentage of patients treated in stroke units, 2011 (or latest year)	124
4.3. The number of PCI capable centres per million population	126
4.4. Specialist medical workforce, 2011 (or latest year)	128
4.5. Per capita hospital expenditure on cardiovascular diseases (USD PPP, 2005)	129

4.6. Per capita hospital expenditure on endocrine, nutritional and metabolic disease (USD PPP, 2005)	129
4.7. Governance and performance measurement of the full pathway of CVD acute care	133
5.1. Cross-country variation in the relationship between expenditure and quality: A hypothetical example	149
5.2. Country-specific relationships between health expenditure and AMI case fatality	151
5.3. Country-specific relationships between health expenditure and ischemic stroke case fatality	152
5.4. The role of health system characteristics in explaining performance: A hypothetical example	154
6.1. ESC-HFA Heart Failure Long-Term Registry: Patient disposition	166
6.2. Non-adherence in participating centres, within and across country variation	170

Follow OECD Publications on:



http://twitter.com/OECD_Pubs



<http://www.facebook.com/OECDPublications>



<http://www.linkedin.com/groups/OECD-Publications-4645871>



<http://www.youtube.com/oecdlibrary>



<http://www.oecd.org/oecdirect/>