

Contents

1	Introduction	1
1.1	What's So Special About Digital Things?	2
1.2	Terminology	5
1.3	Summary	5
2	The Really Foolproof Solution for Digital Preservation	7
Part I Theory – The Concepts and Techniques Which Are Essential for Preserving Digitally Encoded Information		
3	Introduction to OAIS Concepts and Terminology	13
3.1	Preserve What, for How Long and for Whom?	13
3.2	What “Metadata”, How Much “Metadata”?	16
3.3	Recursion – A Pervasive Concept	26
3.4	Disincentives Against Digital Preservation	28
3.5	Summary	30
4	Types of Digital Objects	31
4.1	Simple vs. Composite	31
4.2	Rendered vs. Non-rendered	33
4.3	Static vs. Dynamic	38
4.4	Active vs. Passive	38
4.5	Multiple-Classifications	39
4.6	Summary	39
5	Threats to Digital Preservation and Possible Solutions	41
5.1	What Can Be Relied on in the Long-Term?	43
5.2	What Others Think About Major Threats to Digital Preservation	44
5.3	Summary	45
6	OAIS in More Depth	47
6.1	OAIS Conformance	49
6.2	OAIS Mandatory Responsibilities	50
6.3	OAIS Information Model	53
6.4	OAIS Functional Model	63

16	Tools for Countering the Threats to Digital Preservation	271
16.1	Key Preservation Components and Infrastructure	272
16.2	Discipline Independent Aspects	276
16.3	Discipline Dependence: Toolboxes/Libraries	284
16.4	Key Infrastructure Components	284
16.5	Information Package Management	285
16.6	Information Access	287
16.7	Designated Community, Knowledge and Provenance Management	287
16.8	Communication Management	288
16.9	Security Management	289
17	The CASPAR Key Components Implementation	291
17.1	Design Considerations	291
17.2	Registry/Repository of Representation Information Details	291
17.3	Virtualizer	297
17.4	Knowledge Gap Manager	301
17.5	Preservation Orchestration Manager	303
17.6	Preservation DataStores	305
17.7	Data Access and Security	315
17.8	Digital Rights Management Details	318
17.9	Find – Finding Manager	321
17.10	Information Packaging Details	322
17.11	Authenticity Manager Toolkit	332
17.12	Representation Information Toolkit	333
17.13	Key Components – Summary	335
17.14	Integrated tools	337
18	Overview of the Testbeds	341
18.1	Typical Preservation Scenarios	341
18.2	Generic Criteria and Method to Organise and to Evaluate the Testbeds	342
18.3	Cross References Between Scenarios and Changes	343
19	STFC Science Testbed	345
19.1	Dataset Selection	345
19.2	Challenges Addressed	345
19.3	Preservation Aims	347
19.4	Preservation Analysis	347
19.5	MST RADAR Scenarios	347
19.6	Ionosonde Data and the WDC Scenarios	361
19.7	Summary of Testbed Checks	366
20	European Space Agency Testbed	367
20.1	Dataset Selection	369
20.2	Challenge Addressed	370
20.3	Preservation Aim	372

20.4	Preservation Analysis	372
20.5	Scenario ESA1 – Operating System Change	372
20.6	Additional Workflow Scenarios	384
20.7	Conclusions	386
21	Cultural Heritage Testbed	387
21.1	Dataset Selection	388
21.2	Challenges Addressed	396
21.3	Preservation Aim	396
21.4	Preservation Analysis	396
21.5	Scenario UNESCO1: Villa LIVIA	397
21.6	Related Documentation	406
21.7	Other Misc Data with a Brief Description	406
21.8	Glossary	406
22	Contemporary Performing Arts Testbed	407
22.1	Historical Introduction to the Issue	407
22.2	An Insight into Objects	409
22.3	Challenges of Preservation	411
22.4	Preserving the Real-Time Processes	412
22.5	Interactive Multimedia Performance	419
22.6	CIANT Testbed	426
22.7	Summary	428
Part III	Is Money Well Spent? Cutting the Cost and Making Sure Money Is Not Wasted	
23	Sharing the Effort	431
23.1	Chain of Preservation	431
23.2	Mechanisms for Sharing the Burden of Preservation	431
24	Infrastructure Roadmap	435
24.1	Requirements for a Science Data Infrastructure	435
24.2	Possible Financial Infrastructure Concepts and Components	436
24.3	Possible Organisational and Social Infrastructure Concepts and Components	437
24.4	Possible Policy Infrastructure Concepts and Components	446
24.5	Virtualisation of Policies, Resources and Processes	448
24.6	Technical Science Data Concepts and Components	449
24.7	Aspects Excluded from This Roadmap	456
24.8	Relationship to Other Infrastructures	457
24.9	Summary	459
25	Who Is Doing a Good Job? Audit and Certification	461
25.1	Background	461
25.2	TRAC and Related Documents	463

25.3	Development of an ISO Accreditation and Certification Process	464
25.4	Understanding the ISO Trusted Digital Repository Metrics . . .	465
25.5	Summary	480
26	Final Thoughts	481
	References	483
	Contributors	495
	Index	505

Index

A

AbstractTableModel, 173
Access, 21, 23–25, 29, 38, 45, 62–65, 113,
120–123, 130, 177, 179, 185–190,
198–200, 205, 210, 236, 271, 273,
282–283, 285, 287–290, 292, 307–308,
315–317, 322, 326, 334, 341, 343, 378,
437–438, 449, 458, 460, 476
Access control, 65, 120–122, 273, 282–283
Access rights, 185–190, 209–210, 341
information, 23, 177, 205
Active, 38–39, 111
Active digital object, 38
Administration, 63–64, 121, 281, 288, 290,
326
Archival information collection (AIC), 192
Archival information package, 60–63, 156,
189, 192, 222–223, 238, 241–245,
246–247, 256, 258–264, 275, 280–281,
294, 306, 308–311, 313, 321–322,
326–327, 329–332, 347, 351, 354,
356–357, 359–360, 364–366, 373–377,
380, 383–384, 401–406, 455, 466,
471–476
Archival information unit (AIU), 192, 199
Archival storage, 63–64, 178, 200–201, 275,
281, 284, 287, 326
Arecibo, 167–168
ARK, 179
Array, 73, 77, 83
ASCII, 34, 43, 55, 57, 78, 83, 86, 97, 103, 106,
244, 269, 349, 402–404, 406
Audit and certification, 51, 180, 443, 446–447,
456, 458, 461–480, 495, 502–503
Authenticity, 1, 14–15, 22, 24, 42, 45, 52–53,
96, 167, 172, 183, 197–198, 202–232,
271, 288, 290, 306, 309, 312, 332–333,
336, 342–343, 364, 409, 411–412, 415,

418, 420, 428, 435–436, 451–452, 458,
470, 476, 481
Authenticity model, 212–213, 222–223, 306,
309, 313, 333
Authenticity protocol, 208–209, 211–212,
221–224, 229, 306, 309, 313, 339, 418
Authenticity protocol report, 211
Authenticity step, 208–212, 221, 223, 229, 232
Automation, 70, 91, 111, 166, 247, 295

B

Backus naur form, 84
Big-endian, 77–81, 89, 380
BIOS, 102, 126, 128
Bitstream, 73
BOCHS, 135
Boolean, 77, 85, 88, 90–91, 206, 302, 305,
320, 322, 451
Byte order mark, 79

C

CASPAR, 1, 3, 52, 113–114, 120, 178, 206,
221, 223, 233–235, 247–248, 253, 257,
259, 262, 271–272, 284–288, 291–339,
341–342, 350, 355, 369, 372–373,
377–380, 382–385, 387–388, 392–393,
399–400, 406, 413, 415, 419, 420,
424–426, 453–455, 458, 495–502, 503
CASPAR foundation, 285, 337
CDPP, 92
CEDARS, 57, 215
Character, 77, 82, 89
Chimera virtual data language, 185
CIANT, 343, 426–427, 499
CIDOC-CRM, 185, 372, 385, 414, 424, 426,
451
CLI, 137
Communication management, 285, 288–289

- Complex object, 31, 62, 273–274, 297, 300–301, 390
- Composite object, 31–33, 118–119, 192
- Computational objects, 139–140, 142
- Conditional data values, 88
- Conjunctive, 145–148, 151, 153, 156, 163–165, 248–249
- Consultative committee for space data systems (CCSDS), 82, 91, 97, 193, 255, 257, 461, 464, 495, 498, 502
- Content information, 18, 21–26, 27, 59–62, 121, 156, 177–178, 184, 187, 192, 194, 199, 201, 205, 275, 280, 284–285, 287–288, 303, 322, 327, 458, 470, 473, 475–476
- Context, 21–22, 24–25, 62, 177, 184, 205, 210, 216, 242, 274, 326, 450
- Copyright, 25, 50, 121, 186–188, 242, 268, 315, 318
- CPU, 44, 102, 124–129, 131, 133, 135–136, 381
- Cryonics, 183
- CSV, 117, 201–202, 254, 363–365
- Curation persistent identifier (CPID), 179, 181, 260–262, 293–295, 327, 329
- Cyber infrastructure, 355, 459
- D**
- Data access, 95, 315–317, 349, 369
- Data access manager, 273, 290, 315–317
 - DAMS, 315–317, 337, 383, 400
- Data hierarchy, 86–88, 115
- Datalog, 146, 153, 165–166
- Data management, 48, 63–64, 67, 273, 281, 284, 287–288, 290, 305, 311, 326, 392
- Data object, 17–20, 23, 27, 38, 53–54, 62, 76, 122, 142, 190, 197–199, 257, 275, 278, 280, 291, 330, 472
 - content, 18, 189, 197, 199, 319
- Data request broker, 92, 103–104, 106, 403, 405
 - DRB, 92–96, 103–104, 106, 170, 257, 278, 334, 403, 405
- DDL, 56, 170–172, 280
- DEDSL, 56, 97–98, 101, 251, 255, 257, 334, 363–364, 403
- Dependencies, 139–148, 151–155, 157, 160, 163, 165–166, 243, 284, 301
- Designated community, 14–16, 20, 26–27, 34, 47, 49, 50–53, 55–57, 64–65, 70–72, 104, 122–123, 148–150, 161, 169, 197–199, 215–220, 238–239, 246–248, 250, 262, 268, 273, 278–279, 281, 285, 287–288, 294, 337, 341–342, 347, 373–375, 399–400, 426, 432, 462, 468, 472, 479, 481
- DFDL, 94–95, 278
- Digest, 22, 222
- Digital archaeology, 174
- Digital curation, 233, 463, 497, 499–500
- Digital forensics, 70, 174
- Digital information, 48, 58, 180, 193, 222, 233, 247–248, 277, 282, 305, 387–389, 398, 437, 461, 463, 467, 502
- Digital object, 14, 18, 35, 37–38, 54, 62, 69–138, 164–165, 169–171, 174, 178, 180, 194, 206, 280–281, 293, 451–452
- Digital object management, 463, 465–466, 470
- Digital preservation, 1, 5, 7, 14, 28–30, 34, 41–45, 47, 58, 64, 123, 129–133, 164, 167–168, 182–183, 185–187, 191, 197, 201, 204, 207, 233, 252, 267–269, 271–291, 305, 309–310, 312, 333, 338–339, 345, 387, 407, 426–427, 436–437, 445–446, 449, 459, 463, 481
- Digital rights, 1, 23, 50, 120–121, 185, 259, 271, 273, 283, 288, 290, 318–320, 337, 435, 443, 452–453, 458, 501
 - DRM, 120–121, 273–274, 283, 315, 318–320, 332, 337, 341, 453, 458, 501
- Dioscuri, 136, 244, 348
- Disjunctive, 145–148, 150–153, 155, 158, 162, 165–166, 248–249
- DNS, 3, 42, 45, 182–184, 268, 454
- Documents, 118, 299, 414, 457, 463–464
- DOI, 179, 183–184, 441, 454
- Dynamic digital object, 38
- E**
- EAST, 91–92, 94, 96, 170, 173, 278, 334, 366, 406
- EISCAT, 79, 230–233
- Emulation, 111, 123–137, 194, 196–200, 202, 206, 244, 347–348, 380, 443, 451
 - binary translation, 127, 129
 - instruction, 127–128, 130, 134
- Emulator, 124–136, 170, 196, 380–382, 450
- Enforcement, 23–25, 121–122, 187, 189–190, 315, 336
- Enumeration(s), 77, 79, 82, 90, 100–101
- e-Science, 459–460
- ESRI, 400–404
- Evidence, 1, 14–15, 22, 42, 45, 52–53, 172, 197, 202, 204–208, 211–212, 214, 217–218, 221–232, 245, 271, 342–343, 385, 435, 451–452, 458, 463, 466, 470, 473–474, 476, 481

Extended *Backus Naur Form*, 84
Extra-terrestrial, 167

F

Finding manager, 287, 321–324
FITS, 17, 31–34, 38, 55–57, 86, 88, 103, 117,
119, 145, 149–151, 154, 162, 169–170,
172, 201–202, 218, 279–280, 449

Fixity
 information, 21–23, 62, 177–178, 412
Floating point, 77, 80–82
Format, 57–58, 94, 96–97, 103–104, 193, 230,
239, 313, 330, 368, 401, 403
FSRI, 95–96
Functional model, 63–65, 277
Future generations, 29–30, 388, 459

H

Handle, 55, 70, 84, 140, 179, 184, 189, 202,
318, 332, 453
Hardware simulation, 127, 134
Hash function, 222
High level knowledge, 65, 341
Horn rules, 145, 165
Human readable, 71, 96, 146

I

Identity, 2, 204–207, 211, 213, 230, 309, 333,
336, 470
IEEE, 80–81, 94
IIWG, 228–230, 239, 253–255, 362–363, 366
i-Maestro, 421
Images, 1, 3, 31, 33, 37, 42, 74, 113–115,
118–120, 132, 140, 159, 216, 218–219,
225, 228, 250, 299, 342, 362, 388, 390,
395, 397, 401, 408, 411, 437
Independently understandable, 14–15, 17, 51,
426, 462
Industrial property rights, 187
Information model, 18, 49, 53–62, 71, 73, 240,
285, 334, 338, 462
Information object, 17–20, 22, 27–28, 53–55,
61, 65, 71, 74–76, 113, 140–142, 177,
184, 194, 201, 215–216, 220, 233,
240–245, 254, 256, 258–260, 273–274,
282, 321, 326, 330, 337, 424
Information package
 dissemination, 60, 64, 156, 190, 282
 submission, 60, 63, 281
Information package management, 285–287,
326
Information packaging, 23, 27, 58–60,
191–192, 258, 262–264, 285, 322–332,
338, 502

Information property, 24–25, 220–221
Information property description, 24–25, 220
Infrastructure, 28, 113, 116, 122, 137,
200–201, 271–276, 284–285, 291, 303,
306, 355, 369, 431–432, 435–460, 463,
465–467, 476–477, 481, 498
 financial, 436–437
 organisational, 463, 465–466
 organisational and social, 437–446
 policy, 441, 446, 448
Ingest, 22, 48, 63–65, 67, 205, 231, 258,
281–282, 285, 287, 296, 308–309, 314,
322, 326, 331–332, 364, 384–385,
413–414, 416, 418, 466, 470–471, 498,
502
Integer(s), 74, 76–83, 85–86, 88–89, 91, 98,
100, 106, 219, 320
Integrity, 42, 63, 178, 204–207, 211, 213, 306,
308–309, 312, 332–333, 336, 350, 436,
468, 473, 475
Intellectual property rights (IPR), 187, 189,
318–319, 469
Intelligibility, 139–167, 301, 337
Interactive multimedia performance, 419–426
Interfacing, 137, 172–173, 311
InterPARES, 204, 206, 499
IRCAM, 343, 408, 410–411, 413, 416, 496
IRODS, 311–312, 449
ISO accreditation and certification, 464
ISO/IEC, 78, 479

J

Java, 55–56, 84, 92, 97, 114, 116, 118, 124,
132, 135–137, 140–141, 143, 145–147,
153–155, 161, 164–165, 169–170,
172–174, 193, 245, 253, 257–259,
263–264, 280, 296, 314, 329–330,
349–350, 352, 362, 365–366, 378, 497
JPC, 135–136
JPEG, 42, 102, 110, 133, 201, 219, 257, 350,
352, 354, 365, 395

K

Key components, 285, 291–339, 347, 378
Knowledge
 base, 21, 26, 42, 50–52, 55, 57, 64, 70,
104, 149, 166, 169, 197, 215, 217,
219–220, 235, 238–239, 246–247, 268,
275, 278–279, 281, 288, 294–295, 301,
337–338, 342, 347, 366, 383, 385, 399,
432, 451, 460, 468, 479
 gap manager, 301–303, 436, 450, 458
 management, 119–120, 247, 279, 285, 501

L

- Laser scanning, 389–396
- Laws, 186–189, 318, 441
- Licenses, 186–189, 466, 469
- Little-endian, 77–81, 380
- Long term preservation, 14, 48, 50, 61, 96, 125–126, 185, 203, 253, 264, 271, 274–275, 288, 303, 310, 312, 318, 368, 398, 410, 436, 446, 455, 458, 462, 471, 496, 498

M

- Mandatory responsibilities, 47, 50–53, 186, 462, 478
- Manifest, 193–194, 259–262, 310–311, 327, 329–331
- Margaret thatcher, 435
- Marker(s), 77, 82, 86, 90
- Media layer, 73
- Metadata, 4, 14, 16–26, 58, 67, 69, 101, 115–116, 136, 164, 184, 191–196, 215, 258, 261, 274, 302–303, 306–312, 329, 331, 337, 356, 367, 392, 404, 425, 427, 442–443, 445, 470, 481, 503
- Metrics, 223, 465–480
- Migration, 48, 50, 59, 64, 67, 171–172, 198, 200–202, 206–207, 223, 259, 276, 306, 311, 314, 360, 369, 409, 412, 415, 418, 448, 450, 478
- MIME-type, 97
- MMM, 228, 253, 255–257, 362, 365
- MP3, 36, 150
- MST, 106–107, 109, 236–238, 240, 243–244, 249, 251, 256, 263–264, 329–330, 347–361

N

- Name spaces, 179
- NetCDF, 86, 103–104, 110, 244–245, 249–250, 252–253, 264, 329–330, 348–350, 352, 355–356
- Network modelling, 247
- Non-Rendered, 33–35, 39, 133, 139
- Non-Reversible transformation, 171
- Non-static, 110
- N2T, 179

O

- OAIS, 5, 13–18, 20–24, 26–28, 30, 38, 42, 47, 48–67, 69–71, 73, 75, 121–123, 130, 142, 145, 148–149, 156, 168, 171, 177–181, 184, 186–187, 189–194, 197–199, 202–209, 215, 217, 219–220, 233, 238, 240, 242, 246, 253, 257–259,

261, 273–277, 281–285, 287–288, 290–292, 296, 306–307, 310, 312, 314, 326–327, 329, 334–335, 338–339, 352, 368–369, 372, 383, 391–392, 398, 400, 412, 414, 446, 449–450, 455–456, 402–464, 480–481

OAIS conformance, 47, 49, 462

Object layer, 73, 74

On-demand objects, 119

Ontology, 42, 140, 163–164, 185, 302, 318–319, 372, 374–376, 385, 403, 413, 414–415

Open provenance model, 185

Operating system, 82, 124, 380–381, 409

Orchestration, 178, 243, 275–276, 278–279, 288, 303–305, 341, 360, 415

OWL, 101, 165–166

P

Package description, 26

Packaging

information, 23, 59, 60–61, 69, 201

PAIMAS, 50, 282

PAIS, 50, 282

PARSE.insight, 44, 435, 438–439

Passive, 38, 367

Passive digital object, 38

Patents, 186–187

Persistent identifiers, 260–261, 293, 327, 437, 441–442, 453–454

Physical data structure, 75–76

Physical object, 54, 114

PID, 180–183

Planets, 233, 348, 450–451

Plato, 233

PLATTER, 233

PREMIS, 185, 308

PreScan, 160, 301–303, 337

Preservation aims, 341–342, 347

Preservation analysis, 233–234, 246, 248, 255, 262, 341, 347, 352, 366, 372, 396

Preservation datastores (PDS), 287–288, 305–313, 326, 330–332, 337, 373, 379, 383–385, 401

Preservation description information (PDI), 21–24, 59, 61, 69, 121, 156, 184, 187, 193–194, 197, 201, 205, 221–222, 225–226, 228–229, 231–232, 258–259, 262, 274, 277, 280–284, 296, 308–309, 314, 319, 335, 347, 366, 373, 413–414, 431, 473

Preservation objective, 237–238, 240–241, 246–248, 251–253, 255–256, 262–263, 345, 351–352

Preservation planning, 64, 276–277, 288, 290, 326, 453
 Preservation plans, 326
 Preservation scenarios, 424
 Preservation strategies, 276
 Primitive data type (PDT), 76–78, 82–83, 86, 88, 90, 95
 Processes, 200, 207, 449, 458
 Prolog, 165–166
 Protection of minors, 186–187, 189
 Provenance, 21–22, 50, 62, 97, 111, 140, 164–165, 177–178, 183–185, 188, 194, 205–206, 209–210, 217, 222–223, 242, 250, 256, 271, 274, 281, 283, 285, 287–288, 308–309, 311, 314, 318–320
 Provenance information, 21–22, 24–25, 50, 62, 140, 164, 177
 PURL, 179

Q

QEMU, 128, 133–134, 380, 382

R

Records, 2, 43, 73–74, 77, 82, 87–88, 90–91, 95, 106, 123, 194, 203–204, 218, 236, 244, 268, 309, 311, 359, 368, 424, 444, 471, 473, 475
 Recursion, 20, 26–27, 55, 57, 70, 132, 165–166, 171, 178, 180, 206–207, 212, 221, 291, 295
 Reference information, 21, 177–178
 Refreshment, 281
 Registry/Repository of representation information, 252, 291, 293
 Registry, 28, 101, 169–170, 174, 178, 248, 252, 257–262, 264, 274, 277–279, 284, 287–288, 291, 293–296, 298, 301, 321–322, 324–327, 329, 338, 341, 349–350, 364–365, 384, 415, 431–433, 449
 Regular expressions, 86
 Rendered, 33, 39, 104, 174, 216–217, 219
 Rendered digital objects, 37, 104, 203–204
 Repackaging, 201, 206
 Replication, 237
 Representation data, 20, 26
 Representation information, 17–20, 23, 26–28, 38, 42–43, 50–55, 57–58, 62, 69, 70–72, 74–76, 78, 88, 95, 97, 101–104, 106, 110–111, 113–114, 123, 129–130, 132, 137–138, 140, 142, 157, 168–171, 173–175, 178–181, 184–185, 191–192, 196–199, 201–202, 204, 206, 214–215, 219–221, 234, 236, 238, 244, 246–247,

249–250, 252, 255, 257, 260–261, 268, 271, 273–274, 276–281, 284–288, 291–297, 300, 303, 306, 308–309, 322, 324, 326, 334–336, 338, 341, 347, 349–350, 366, 373–374, 377, 380, 383–384, 394, 400, 405, 412, 415, 418, 425, 431–433, 435–436, 446, 459–451, 458, 472
 other, 54, 101, 292
 repinfo, 26, 72–73, 75, 81, 83, 85–86, 88–89, 170, 193–194, 247, 256–264, 273–274, 276–280, 291, 293–298, 301–302, 305–306, 308–311, 314, 327, 329–332, 334, 341, 349, 351, 354–355, 364–365, 373, 379, 382, 384, 391, 393, 399–400, 402, 404, 413–415, 417, 426
 semantic, 97, 197
 structure, 75

Representation information network (RIN), 169–170, 247, 252, 259–264, 327–330
 Representation network, 41–42, 64, 82–85, 142, 145, 150, 192, 258, 261–262
 Reversible transformation, 221
 Right to privacy, 186, 189
 Rights enforcement, 189–190
 Risk management, 465–466
 Roadmap, 435–460, 464
 Root name resolver, 183
 Rule role-based access control, 315

S

SAFE, 193–194, 308, 368–369, 383
 SDF, 92, 94, 103, 403, 405
 Security, 42, 52, 121, 136, 178, 189, 217, 275, 283–284, 289–290, 315–317, 367–369, 444, 463–466
 Security management, 285, 289–290
 Semantics, 44, 54, 58, 71, 75, 84, 97–101, 106, 111, 121, 126, 142, 148, 153, 174, 191, 201–202, 220, 271, 273–274, 294, 343, 402, 412–414, 426, 435, 446, 449
 Semantic web rule language (SWRL), 165–166
 Significand, 80–81, 89
 SIMH, 124, 134–135, 411
 Simple object, 32, 113–118, 119, 274
 Software, 24–25, 32–33, 38–39, 54, 56, 63, 85, 92, 96, 102, 124, 126–132, 136–138, 140–144, 148, 171–174, 197, 199–200, 216, 229, 241, 252, 259, 267, 283, 309, 330, 372, 377, 381, 392, 411, 451
 SPARQL, 185
 Stakeholder, 303, 311
 Static, 38, 83, 89, 110

Static digital object, 38, 110
 Stream layer, 73–74
 String, 13–14, 74, 77, 82–86, 88, 90–91,
 179–180, 199, 421
 Structure layer, 73–74
Sun Tzu, 197

T

Tables, 115–116
 Tao Zhu Gong, 461
 TDO, 194
 Testability, 461
 Testbed, 132, 174, 220, 337–338, 341–343,
 345–366, 367–386, 387–406, 407–428
 contemporary performing arts, 407
 cultural heritage, 387–406
 european space agency, 367–386
 science, 345–366
 Testing, 267
 accelerated lifetime, 267
 Threats, 2, 41–45, 247–248, 262, 268,
 271–290, 291, 343, 435, 437, 458
 TIFF, 86, 91, 201
 Time-To-Live, 182
 Toolbox, 273–274, 284, 334, 415
 Toolkit, 324, 329–330, 332–333, 337, 347,
 433, 458, 463
 TRAC, 463–464
 Trademarks, 186–187
 Transformation, 171, 198–199, 200–202, 206,
 211, 218–221, 229–230, 259, 302, 306,
 308–309, 327, 332, 347, 364, 379,
 408–409, 417
 non-reversible, 171, 202, 221
 reversible, 171, 202, 221
 Transformational information properties, 172,
 200, 221, 470
 significant properties, 172, 214–221
 Trees, 118
 Trust, 120, 283
 Trustworthy digital repositories, 465

U

Understandability, 1, 16–20, 29, 42, 52–53,
 140, 142, 164, 167–175, 204, 216, 220,
 256, 258, 262, 268, 305, 312, 314, 473,
 475
 UNESCO, 343, 387–388, 391, 393, 396–401,
 404, 406
 Unicode, 56, 78–79, 170, 172, 280
 UNIDATA, 245, 250, 349–350, 355
 URL, 43, 45, 269, 360
 Usability, 1, 53, 167–175, 204, 215–217, 258,
 268, 278, 305, 368
 Use services, 199
 UUID, 179, 329
 UVC, 132–133, 194

V

VDL, 242
 Virtualisation, 2, 42, 62, 70, 112–123,
 127–128, 169, 185, 199, 212, 273–274,
 287, 297–298, 326, 334, 425, 448–449
 Virtualiser, 128, 273–274, 297–299
 Virtual machine (VM), 56, 113, 124, 127, 129,
 132–137, 141, 145, 170, 174, 366

W

Warwick workshop, 112, 122, 449
 WDC, 227–231, 235, 254, 256, 361–366

X

XAM, 307, 312
 XFDU, 191–196, 242, 259–263, 308, 326–327,
 329–331
 XML, 42, 45, 56–57, 84, 86, 92, 94–96, 101,
 103–104, 106–109, 111, 118, 145,
 149–151, 154, 183, 191, 193–194, 221,
 223–227, 229, 251, 255, 257–259, 261,
 268, 280, 296–297, 299, 327, 330,
 359–360, 363, 396, 403, 405, 425, 497,
 501