

Contents

Foreword by Howard B. Altman	vii
Preface	ix
1 What is research?	1
2 Variables	7
3 Data organization	20
4 Controlling extraneous variables	29
5 Critiquing statistical studies	43
6 The group and the individuals	63
7 Patterns in human behavior	75
8 Statistics for testing	95
9 Statistical logic	108
10 Correlation	126
11 Comparing means	154
12 Comparing frequencies	182
13 Hands-on critique and posttest	199
References	209
Index	211

Index

A page number followed by a *t* refers to the table on that page; *f* refers to a figure.

- abscissa, 64
- abstract section of reports, 44, 53, 59
- addition, *see* sum
- alpha (α), 116–17
- alpha decision level, 115–17, 123, 132, 159, 189
- analysis of variance (ANOVA), 174
 - Friedman's two-way, 174
 - one-way, 160, 176–7
 - two-way, 160, 177–80
- analysis section of report, 52–3
- appendix of research reports, 59, 61
- arithmetic average, 68
- articles, *see* case studies; experimental studies; statistical research reports
- artificiality, 30
- attrition, 31–2, 37, 39
- average, 66, 68
- bar graph, 65
- Bartlett test, 166
- bell curve, 78, 80*f*
- beta (β), *see* beta weights
- beta coefficients, 148–9
- beta weights (β), 148
- biases of researchers, 112
- biserial correlation coefficient (r_{bi}), 131, 146
- borderline cases, SEM and, 101
- calculations, 117
- case studies, 2–3
- case study approach, 2
- categories as data, 20
- causal relationship(s), correlations and, 146
- CEEB scores, *see* College Entrance Examination Board scores
- central tendency, 66–8, 81
- chance, critical value and, 119
- chance occurrences, 122
- chi-square (χ^2), 184–5, 187, 189–96
- cloze test, 144–5
- Cochran test, 166
- coefficient(s)
 - beta, 148–9
 - biserial correlation, 131, 146
 - of concordance, 147
 - correlation, 96–8, 135–6
 - of determination (r_{xy}^2), 104
 - of multiple determination, 148–9
 - Pearson product-moment correlation, 97, 117–18, 129–37, 139, 140*t*, 141–6
 - phi, 131, 150, 151
 - point biserial correlation, 131, 150
 - rank difference correlation, 150–1
 - reliability, 98–100
 - Spearman rank-order correlation, 130, 150–1
 - standard partial regression, 148–9
 - validity, 104
- coin flipping, 75
- College Entrance Examination Board (CEEB) scores, 88
- computers, 117, 141
- conclusions section of reports, 55–8, 60–1

Index

- consistency, *see* test consistency
- construct(s)
- defined, 8
 - operationalizing, 8–9, 109, 156
- controlling extraneous variables, 39*t*
- controlling for validity, 36–8, 40
 - environmental issues, 29–30, 36–7
 - grouping issues, 30–2, 37
 - interactions among extraneous variables and, 38, 40
 - measurement issues, 35–6, 38
 - people issues, 32–5, 37
- correlation
- biserial, 146
 - causality and, 146
 - between criterion and predictor variable, 146
 - focusing the study and, 126–8
 - independence and analysis for, 137
 - multiple (*R*), 148
 - necessary calculations for, 132–41
 - related analyses, 146–52
 - sampling and, 128–41
 - setting up statistical decisions for, 129, 132
 - statistical decisions and, 141–6
 - tetrachoric, 131, 151–2
- correlation analysis, 130–1*t*
- analyses related to, 146–52
 - potential pitfalls in, 144–6
- correlation coefficient (*r*), 96–8, 135–36
- in relation to dispersion, 145
- counterbalancing, 38
- covariance, statistics of, 126
- criterion-referenced tests (C-RTs), 95–6
- critical values
- for chi-square, 191, 192*t*
 - defined, 119
 - for Pearson *r*, 139, 140*t*, 141
 - for *t*, 167
- Cronbach alpha, 99
- cross-sectional studies, 3
- C-RTs, *see* criterion-referenced tests
- curvilinear relationships, 138–9
- D^2 , *see* Mahalanobis D^2
- data
- categories as, 20
 - measurement of, 20–1
 - procedures to gather, 157
 - quantifiable, 4
 - transformation of, 149–50
 - see also specific types of data (e.g., frequency) or method of presentation (e.g., graphs)*
- data organization
- change of form of scales and, 23–4
 - levels of measurement, 20–1
 - practical considerations in, 24–5
 - types of scales, 21–3
- decision levels, directional and non-directional, 132
- see also* alpha decision level
- decision(s), one- and two-tailed, 132
- degrees of freedom (*df*), 118–19, 191
- correlation studies, 139
 - in frequency comparison studies, 191
 - in mean comparison studies, 167
- descriptive statistics, 65–6
- design section of reports, 52
- deviations from mean, 69
- guessing and degrees of freedom and, 118
 - see also* standard deviation (SD)
- df*, *see* degrees of freedom
- dichotomies, relationship between two, 150
- differential-group experiment, 103
- discussion/conclusion section of reports, 44, 55–8, 60–1, 202–3
- dispersion, 66, 68–71, 81–2
- in relation to correlation coefficients, 145
- distribution
- bimodal, 67
 - binomial, 76–7, 78
 - normal, 78–83, 137
 - number of subjects and, 80, 81

- of outcomes, 76
- peaked, 91
- percentages falling throughout
 - normal, 82–3
 - skewed, 88–91
 - standard deviation and normal, 82–3
- double-blind technique, 34
- dropouts from studies, 31–2, 37, 39
- Duncan's multiple range test, 177, 178
- Dunn's test, 177, 178
- equivalent forms reliability, 99
- error, 99, 143
 - of variance, 149
 - see also* pitfalls
- error variation, proportion of systematic to unsystematic, 173
- estimated Y score ($\hat{Y}$), 135–6
- experimental-control group designs, 154–5
- experimental studies, 3, 5
 - see also* research
- experimental subjects, 48–50
 - attitudes of, 33, 37
 - counterbalancing and, 38
 - dropping out by, 31–2
 - expectations of, 33–4
 - grouping of, 30–1
 - halo effect, 33, 37
 - Hawthorne effect and, 32–3, 37
 - maturation and, 32
 - number of, 80, 81, 111
 - practice effect and, 35
 - reactivity effect and, 35, 38
 - sampling, 111–13
 - self-selection and, 31
 - volunteer, 31, 37
- extraneous variables, *see* controlling extraneous variables
- f , *see* frequency
- figures, 54
- Fisher's exact test, 194
- footnotes, 61
- F ratio, 170–5
- frequency (f), 63–4
 - expected (f_E), 188
 - graphic presentation of, 64–6
 - observed (f_O), 188
- frequency comparison studies
 - focusing the study, 182–5
 - necessary calculations, 189–91
 - related analyses, 194–6
 - sampling in, 185
 - setting up statistical decisions in, 185, 188–9
 - statistical decisions in, 191, 193–5
- frequency distribution, 64, 65*f*
- frequency polygon, 65, 78*f*, 79*f*
- Friedman's two-way analysis of variance, 174
- generalizability, 38–40, 113, 157
- grand mean, 172
- graphs, 64–5
- group behavior
 - statistical aspects of, 66, 80
 - statistical descriptions of, 70
- grouping, 30–2
- grouping factor, 156
- group means, comparing, 154–6
- groups
 - different sizes of, 166
 - initial composition of, 30–1
 - maturation and, 32
 - mortality and, 31–2
 - self-selection and, 31
 - sums of squares between and within, 172
- H_0 , *see* null hypothesis
- H_1 , H_2 , *see* hypotheses, alternative
- halo, 33, 37, 39
- Hartley's $F_{\max}$ test, 166
- Hawthorne effect, 32–3, 37, 39
- heteroscedasticity, 149
- histogram, 65
- homogeneity of variances, 166
- hypotheses, 109–11
 - alternative (H_1 , H_2 , etc.), 111, 128, 157, 158–9, 184–5, 188–9

- hypotheses (*cont.*)
 - in correlation studies, 128, 129, 130–1*t*, 132
 - directional, 109–10, 128, 132, 159, 184–5, 188–9
 - in frequency comparison studies, 184–5, 188–9
 - in mean comparison studies, 157, 158–9
 - nondirectional, 109, 110, 132, 159, 184–5, 188–9
 - null (H_0), 110–11, 116, 123, 132, 157, 159, 175, 184, 188
 - one-tailed, 110
 - statistical, 114–15, 129–32, 158–9, 188–9
 - testing of, 119–22, 141, 142*t*, 167, 169, 191, 193
 - two-tailed, 110
- independence, 118, 156, 166, 190
 - chi-square analysis and, 198
 - correlation analysis and, 137
- individual behavior, variations from group behavior, 70
- instability of measures and results, 35–6, 38, 39
- instruments, 35
- intercept, 135
- interpretation of results
 - in correlation studies, 141–4
 - in frequency comparison studies, 191, 193
 - in mean comparison studies, 167, 169–70
- interval scales, 22, 23–5, 138
- intervention experiment, 103
- introduction section of reports, 46–8, 53, 60, 200–2
- Kendall tau, 130, 147
- Kendall W, 130, 147
- K-R20, *see* Kuder-Richardson formula 20
- Kruskal-Wallis test, 160, 174–5
- Kuder-Richardson formula 20 (K-R20), 99
- kurtosis, 91
- levels, 157
- linear relationship, 138–9
- Mahalanobis D^2 , 176
- Mann-Whitney U test, 160, 174, 175, 180
- marginals, 188
- materials section of reports, 50–1, 105
- maturation, 32, 37, 39
- meaningful results, 122–3, 141–4, 167–70, 191–4
- mean(s) ($\bar{X}$), 66–7, 68
 - comparisons of, 154–81
 - differences between, 159, 162–3, 164–5
 - related analyses in comparing, 170–80
 - standard error of differences between, 163
 - statistics for comparison of, 160–1*t*
 - z distribution of differences between, 163–5
- mean squares (MS) between and within groups, 173
- measurement issues, extraneous variables and, 35–6, 38
- measurement of data, levels of, 20–1
- median, 67–8, 70–1, 81
- median test, 160, 175
- methods section of reports, 44, 48–53, 60
- mode, 67, 68, 70–1, 81
- mortality as extraneous variable, 31–2, 37, 39
- MS, *see* mean squares (MS) between and within groups
- mu (μ), 115
- multicollinearity, 149
- multiple comparisons, 177, 178

- multiple correlations (R), 130, 148–9
- multiple regression, 130, 147–50
- multiple t tests, problem of, 170
- multivariate analysis, 160, 175–6
- N (number), 66
- naturally occurring group designs, 155, 156
- Newman-Keuls test, 177, 178
- norm-referenced tests (N-RTs), 95–6
- null hypothesis (H_0), 110–11, 132, 157, 159, 184, 188
 - alpha decision level and accepting or rejecting, 123
 - rejecting, 116, 141
 - testing, 116, 175
 - see also* hypotheses
- observed statistic(s), 117, 120 t , 121 t
- omega squared, 179, 180
- operational definition, 8–9
- operationalization, 8–9, 109, 127–8, 156–7, 184
- ordinal data, agreement among three or more sets of, 147
- ordinal scale, 21, 23–5
- ordinate, 64
- orthogonal comparisons, 177, 178
- outcomes
 - histogram of, 76, 77 f
 - ratio of expected to possible, 75
- p , *see* probability
- parameters, 115
- patterns among students, 91
- Pearson product-moment correlation coefficient (r), 97, 117–18, 129–37, 139, 140 t , 141–6
 - assumptions underlying, 136–7
 - critical values of, 139, 140 t
- people issues, *see* experimental subjects
- percentages
 - normal distribution and, 82–3
 - using, 83–4
- percentiles
 - defined, 84
 - percentage and, 85
- phi coefficient (ϕ), 131, 150, 151
- pitfalls
 - in correlation studies, 144–6
 - in frequency comparison studies, 193–4
 - in mean comparison studies, 170
 - statistical logic and, 122–3
 - in using t test, 170
- point-biserial correlation coefficient (r_{pb_i}), 131, 150
- population, 111–13
 - calculations to describe, 114–15
 - defined, 114
 - see also* experimental subjects
- practice effect, 35, 38, 39
- prediction, 126–7, 132–3, 134, 135–6
- pretest-posttest design, 154, 156
- probability (p), 75–6, 115–16
 - distribution and, 76, 78
- procedures section of reports, 44, 51–2, 53, 60
- psychological construct, 8–9, 103
- purpose section of research reports, 60
- quasi-experimental design, 155, 156
- r , *see* correlation coefficient
- R , *see* multiple correlations
- r_{bi} , *see* biserial correlation coefficient
- r_{crit} , *see* critical values, for Pearson r
- r_{obs} , *see* statistics, observed
- r_{pb_i} , *see* point-biserial correlation coefficient
- r_{xx} , *see* reliability coefficient
- r_{xy} , *see* validity coefficient
- r^2_{xy} , *see* coefficient(s), of determination
- random variation, 143
- range, 68–9, 70–1, 81
 - statistics reflecting, 144–5
- rank-order (or rank difference) coefficient, 150–1

- ranks, tendency of agreement among, 147, 151
- ratio scale, 22–5
- raw scores, defined, 85
- reactivity effect, 35, 38, 39
- references section of reports, 44, 58–9, 61
- regression, simple, 130, 132–6
- regression analysis, 132–6
- regression equation, 135–6, 147, 148
- regression line on scatterplot, 133–4
- reliability, 98, 99–101
- reliability coefficient (r_{xx}), 98–100
- replicability, 43
- reports, *see* statistical research reports
- research
 - artificial conditions inherent in, 30
 - case studies, 2–3
 - environment of, 29–30
 - evaluating, 24–5, 59–61
 - experimental studies, 3
 - logical and meaningful, 29, 40
 - longitudinal, 2
 - primary, 2
 - secondary, 1–2
 - speculation in, 58
 - suggestions for further (in reports), 58
 - survey studies, 3
- researcher expectancy, 33–4, 37, 39
- research instruments, 35
- response rate, 3, 185
- restriction of range, 144–5
- results
 - of hypothesis testing, 122
 - interpretation in correlation studies, 141–4
 - interpretation in frequency comparison studies, 191, 193
 - interpretation in mean comparison studies, 167, 169–70
 - significant, 122–3, 141–4, 167–70, 191–4
- results section of reports, 44, 54–5, 60, 105, 202
- review of literature section of reports, 46–7, 60
- rho (ρ), 150
- rows, 191
- sample(s)
 - comparing means of two groups, 164–5
 - defined, 114
 - effects on correlational analysis, 144
 - inferences and estimates from, 115
 - random, 111–13
 - size of, 112–13, 118–19
 - standard deviation and, 118–19
 - statistics as calculations to describe, 114
 - stratified random, 112
 - t test and, 165, 166
 - z statistic and, 165
- sampling, 111–13, 154–6
 - in correlation studies, 128
 - effect on generalizability and validity, 157–8
 - in frequency comparison studies, 185
 - in mean comparison studies, 157–8
- scales, 26–8
 - categorical, 21
 - change in form of, 23–4
 - defined, 20
 - dichotomous, 21
 - discontinuous, 21
 - discrete, 21
 - effects on variables of changing, 24
 - information from different types of, 23
 - interval, 22, 138
 - as levels of measurement, 20–1
 - nominal, 21, 23–25, 138
 - ordinal, 21–2, 138
 - ratio, 22–3
 - variables and, 24–5
- scatterplot, 79*f*, 133
 - visual examination of, 139
- Scheffe's test, 177, 178

- scores
 correlation of two sets of, 96–7
 observed, 99
 Pearson r correlation coefficient
 and interval scale, 132
 true, 99
 z , 118
see also standard scores
- SD, *see* standard deviation
- SEE, *see* standard error, of estimate
- self-selection, 31, 37, 39
- SEM, *see* standard error, of measurement
- setting up statistical decisions
 in correlation studies, 129, 132
 in frequency comparison studies, 185, 188–9
 in mean comparison studies, 158–9, 167–70
 statistical logic and, 113–17
see also statistical decisions
- sigma (lower case) (σ), 115
- sigma (upper case) (Σ), *see* sum (Σ)
- significance, 122, 167, 168*t*, 170
- significance level, 116–17
- skewedness, 88–91, 137, 166
 correlation coefficients and, 145–6
- slope, 134–5
- Spearman-Brown prophecy formula, 99
- Spearman rho (ρ), 130, 150–1
- speculation in research reports, 58
- split-half method of estimating
 internal-consistency reliability, 99
- standard deviation (SD), 70–1, 81
 defined, 69
 formula for, 69, 118, 119
- standard error
 of differences between means, 163–5
 of estimate (SEE), 143–4
 of measurement (SEM), 100–1
- standard partial regression coefficients, 148–9
- standard scores, 85–7, 88
see also scores
- statement of purpose in reports, 47–8, 53, 60
- statistical decisions, 132, 159, 189
 choosing the correct statistics, 113–14
 in correlation studies, 141–6
 in frequency comparison studies, 191, 193–5
 hypothesis testing and, 119–22
 in mean comparison studies, 167–70
 statistical hypotheses and, 114–15
see also setting up statistical decisions
- statistical hypotheses, *see* hypotheses, statistical
- statistical logic
 focusing the study and, 108–11
 necessary considerations, 117–19
 related analyses, 123
 sampling and, 111–13
 setting up statistical decisions and, 113–17
 statistical decisions and, 119–23
- statistical procedures, potential pitfalls of, 122–3
see also pitfalls
- statistical procedures section of reports, 52
- statistical research
 assumptions in, 52
 characteristics of, 3–5
 design of, 154–6
 evaluating, 59–61
 generalizability of, 113
 identifying a problem, 108–109, 126–8
 logical, 4
 logic underlying, 199
 reductive, 5
 replicable, 5
 systematic, 4
 tangible, 4
see also research
- statistical research reports
 abstract section of, 44–6, 53, 59, 199–200

- statistical research reports (*cont.*)
 - analysis section of, 45, 52–3, 201–2
 - APA format for, 44
 - appendixes of, 45, 59, 61
 - discussion/conclusions section of, 45, 55–8, 60–1, 202–203
 - evaluating, 59–61
 - introduction section of, 46–8, 53, 60, 200
 - materials section of, 50–1, 105
 - methods section of, 44, 48–53, 60, 200–202
 - organization of, 108
 - procedures section of, 45, 51–2, 53, 60, 201
 - references in, 58–9, 203
 - results section of, 54–5, 105, 202
 - speculation in, 58
 - subjects section of, 45, 48–50, 53, 60, 201
 - typical headings and sections of, 45, 53
 - statistics
 - assumptions for, 117
 - as calculations to describe a sample, 114
 - choosing the correct, 113–14, 129, 132, 158, 185
 - observed, 117, 120*t*, 121*t*, 132–6, 159–66, 189–90
 - parameters and, 114, 115
 - symbols for, 66, 115
 - uses for correlational, 126
 - stratified random sample, 112
 - subject expectancy, 33–4, 37, 39
 - subjects, *see* experimental subjects
 - sum (Σ) (upper case sigma), 66
 - sums of squares between and within groups (SS_{BG} and SS_{WG}), 172–3
 - surveys, 3, 5, 185
 - symbols, 66, 115
- table of random numbers, 111–12
- tables, 54
- tau, 147
- test consistency, 95, 98–101
- Test of English as a Foreign Language (TOEFL), 88, 101
- test practicality, 95
- test reliability, 99
 - defined, 98
- test-retest reliability, 99
- tests, types of, 95–6
- test validity, 95, 101–5
- tetrachoric correlation, 131, 151–2
- time, variables as a function of, 139
- TOEFL, *see* Test of English as a Foreign Language
- transformation of data, 149–50
- T* scores, 87–8
- t* test, 157, 159, 160, 168, 169
 - for correlated means, 165–6
 - critical value for, 167
 - hypothesis testing and, 167
 - for independent means, 165–6
 - potential pitfalls in using, 170
- Tukey's test, 177, 178
- U* test, 160, 174–5
- validity
 - concurrent, 105
 - construct, 103–4
 - content, 102
 - criterion-related, 104–5
 - defined, 29
 - external, 36, 40
 - internal, 36, 40
 - predictive, 105
 - sampling and, 157
 - of a study, 29, 36–40
 - of a test, 101–5
- validity coefficient (r_{xy}), 104
- variable(s)
 - analysis in language studies, 176
 - clarity of definitions of, 25
 - vs. constructs, 8
 - control, 11–12, 13–18
 - criterion, 127–8
 - defined, 7
 - dependent, 10, 13–18, 110, 127, 149, 156

- effects of changing scales on, 24
- environmental, 29–30
- as a function of time, 139
- independent, 10–11, 13–18, 110, 130–14, 149, 156
- intervening, 10–12, 13–18
- levels of, 157
- moderator, 11, 13–18
- naturally occurring, 29–30, 36–37, 39
- nominal, 152
- operationalization of, 8, 56–7
- operationalizing constructs as, 109, 127–8
- predictor, 127–8
- relationships among, 12–14, 148
- research and, 7–9
- types of, 9
- variance
 - between and within groups, 171
 - equal, 166
 - see also* analysis of variance
 - volunteering, 31
- Wilcoxon test, 180
- Wilks's lambda, 176
- $\bar{X}$, *see* mean(s)
- x-axis, 64
- $\hat{Y}$, *see* estimated Y score
- Yates's correction for continuity, 190–1
- y-axis, 64
- y (variable), 128
- z distribution, 163–5
- z scores, 85–6, 118
- z statistic, 160, 163–5