

Contents

Preface	xi
Introduction	xiii
1 List of selected zinc coating technologies	1
1.1 Electroplating of zinc	1
1.2 Thermal spraying of zinc (metallizing)	1
1.3 Hot-dip galvanizing (by immersion in molten zinc)	2
1.4 Sherardizing (diffusion zinc coating)	3
1.5 Mechanical plating	4
1.6 Zinc coating comparisons	4
2 Hot-dip galvanizing	7
2.1 Continuous galvanizing	7
2.2 Batch galvanizing	8
3 Chemical pre-treatment	17
3.1 Degreasing	17
3.2 Pickling	18
3.3 Rinsing	24
3.4 Flux	24
3.5 Drying	25
3.6 Harmful effects of hydrogen	25
4 Hot-dip galvanized coating formation	29
4.1 Iron–zinc system	29
4.2 Conventional (low-temperature) galvanizing	35
4.3 High-temperature galvanizing	38
5 Morphology of hot-dip galvanized coatings	41
5.1 Influence of silicon (Si)	41
5.2 Other influences of chemical composition of steel	49
5.3 Influence of additions in the zinc bath	51
5.4 Influence of other factors	54
6 Phenomena on galvanized coatings	67
6.1 Coating roughness	67
6.2 Color shade	78
6.3 Coating on thermally cut surfaces	86

7	Tests of hot-dip galvanized coatings and assessment of their quality	93
7.1	Order acceptance by the galvanizer	93
7.2	Quality management system	94
7.3	Acceptance inspections on order completion	94
7.4	Coating thickness measurement and assessment	95
7.5	Coating adhesion tests	104
7.6	Zinc corrosion	105
7.7	Coating defects and verification of an attainable quality standard	108
7.8	Delamination of a hot-dip galvanized coating	115
7.9	Repairs of defects of galvanized coating	126
8	Service life of hot-dip galvanized coatings	133
8.1	Anti-corrosion action of zinc	133
8.2	Atmospheric corrosion	136
8.3	Duplex systems	140
9	Proper design principles for hot-dip galvanizing	145
9.1	Drain holes	145
9.2	Variable thermal stress during hot-dip galvanizing	149
9.3	The galvanizing plant must be allowed to suspend parts	151
9.4	Clean metallic surface	152
9.5	Welds	154
9.6	Holes for pins and screws	155
9.7	Three-dimensional components	156
9.8	Overlapping joints	157
9.9	Closed cavities	158
9.10	Asymmetric parts	160
9.11	Deposition of dirt and debris	160
9.12	Moving assemblies	161
10	Maintaining the integrity of hot-dip galvanized steel structures	163
10.1	Defects caused by hydrogen	164
10.2	Tempering brittleness	165
10.3	Cold working and strain age embrittlement	165
10.4	Precipitation hardening	166
10.5	Welds	167
10.6	Structure with an unsuitable design or poor quality	168
10.7	Thermal stress caused by thermodynamics of hot-dip galvanizing	169
10.8	Liquid Metal Assisted Cracking (LMAC)	169
11	Standardization	191
11.1	Basic standards for hot-dip galvanizing	191
11.2	Technical standards related to hot-dip galvanizing	192
11.3	Tests	192
11.4	Corrosivity of atmospheres	194

11.5	Other selected standards and regulations	195
11.6	Management systems	196
12	Legislation	197
12.1	Evaluation of environmental influences	197
12.2	Integrated permitting	197
12.3	Reference documents about the Best Available Techniques	197
12.4	Waste	198
12.5	Atmosphere	198
12.6	Land	198
13	Hot-dip galvanizing and the environment	199
13.1	Degreasing solutions	199
13.2	Pickling solutions	199
13.3	Stripping	200
13.4	Zinc ashes	201
13.5	Skimmings	201
13.6	Filter dusts from air pollution control equipment	201
13.7	Dross	202
13.8	HCl emissions	202
13.9	Heat recovery	202
13.10	Low water consumption	202
14	Sustainable development	203
References		207
Index		211