
Contents

1 Introduction	1
-----------------------------	---

Part I How Therapy Works

2 Layers of Pathology	7
2.1 Jack	7
2.2 Dividing the Problem.....	8
2.3 Jack's Personality.....	8
2.4 Dealing with Jack's Reluctance.....	9
2.5 Jack's Panic Attack	10
2.6 Asking Why	11
2.7 A Third Module	11
2.8 A More Complete Picture	12
2.9 The Basic Unit of Pathology	13
2.10 Advantages of the EDP Concept	13
2.11 Resisting Positive Change	15
2.12 A Fresh Approach to Jack's Treatment	16
2.13 Integrated, Modular Treatment	17
References.....	18
3 The Affect Avoidance Model	19
3.1 Affect Avoidance	19
3.2 Use of the Word Affect.....	20
3.3 The Mind as a Control Structure	20
3.4 A Silver Lining	22
3.5 Affect Avoidance Is Not a New Concept.....	22
3.6 What Is the Role of Pleasure?	23
3.7 What About Biology?	24
3.8 Relating the Affect Avoidance Model to Other Therapies.....	25
3.9 Compatibility with Other Models	26
3.10 The Detailed Structure of EDPs.....	28

3.11	The Nonconscious Problem Solver	30
3.11.1	Potential Behaviors	30
3.11.2	Helpers	31
3.11.3	Symptoms	32
3.12	How Protections Become Problems	32
3.13	The Gifts of Consciousness	34
3.14	The Affect Avoidance Model Applied to Psychotherapy	34
3.15	A Unifying View of Psychotherapy	35
3.16	Making Use of Different Therapies	36
3.17	Putting It All Together	36
3.18	Modular Therapy	37
3.19	Cyclical Therapy	37
3.20	Conclusion	38
	References	38
4	Avoidance Patterns and Mechanisms	4
4.1	What Shapes Avoidance Patterns?	4
4.2	The New Science of Memory	4
4.3	Practical Application	4
4.4	Procedural Memory	4
4.5	A Catalog of EDPs	4
4.5.1	Dysfunctional Behaviors	4
4.5.2	Helpers	4
4.5.3	Symptoms	4
4.5.4	Anxiety-Based Symptoms	4
4.6	Conclusion	4
	References	5
5	How Affects Are Healed	5
5.1	Breaking the Chain	5
5.2	How Healing Works	5
5.3	Extinction	5
5.4	Reconsolidation	5
5.5	Anna O.: A Case of Reconsolidation	5
5.6	Healing in the Real World	5
5.7	Repetition	5
5.8	From Words to Healing	5
5.9	Healing Beyond Trauma	5
5.9.1	Pride, Guilt, and Shame	5
5.9.2	Attachment	5
5.9.3	Ideas	5
5.9.4	Psychological Development	5
5.10	Conclusion	5
	References	6

6	A Context of Connection	61
6.1	A Prototype	61
6.2	The Ubiquity of Emotional Healing	62
6.3	Are There Exceptions?	63
6.4	Mindfulness	63
6.5	A Proposed Explanation of Mindfulness	64
6.6	When a Witness Is Necessary	64
6.7	What if the Therapist Is Overwhelmed	65
6.8	What About Involuntary EDPs?	65
6.9	Conclusion	66
	References	66
7	Motivation, Internal and External	67
7.1	The Special Situation of the Trainee	67
7.2	What Makes Patients Seek Therapy?	67
7.2.1	The Chief Complaint	67
7.2.2	Location of the Problem	68
7.2.3	Hopes and Expectations	68
7.2.4	Eliciting Expectations	68
7.2.5	The Inner Child	69
7.3	Hope and the SEEKING System	69
7.4	Outside Motivation	70
7.4.1	Leverage	71
7.4.2	When There Is No Leverage	71
7.5	Why Do Patients Stay?	71
7.6	Why Do Patients Quit?	72
7.6.1	Missing Sessions	72
7.6.2	Deciding to Quit	72
7.7	Internal Resistance to Change	73
7.8	Biological Motivation	73
7.9	Timing and Motivation	73
7.10	The Therapist as Motivator	73
7.11	“Cat and Mouse”	74
7.12	The Patient Is Part of a System	75
7.13	Enabling	76
7.14	Patients Don’t Tell Us Unless We Ask	76
	References	77
8	A Developmental Primer	79
8.1	Developmental Theory	79
8.2	Knowledge Brings Compassion	80
8.3	An EDP Most of Us Have	80
8.4	Young and Adult Thinking Mixed	81
8.5	Working with Rationalizations	81

8.6	Developmental Challenges	82
8.6.1	Self-Other Differentiation	82
8.6.2	Attachment and Separation	83
8.6.3	Power Struggles	84
8.6.4	Crime and Punishment	85
8.6.5	The Rules	86
8.6.6	Someday	87
8.6.7	Later Childhood	88
8.6.8	Adolescence	88
8.6.9	Young Adulthood	89
8.6.10	Adulthood	89
8.6.11	Old Age	90
	References	91

Part II What Therapists Do

9	Conducting an Initial Assessment	95
9.1	Do We Need to Ask Why?	96
9.2	Working with Uncertainty	96
9.3	Beginning the Session	97
9.4	Show, Don't Tell	98
9.5	Listening for Style and Content	98
9.6	Formulating Questions	99
9.7	Following Leads	99
9.8	The Patient's Mind Has the Map	100
9.9	The "Chief Complaint"	100
9.10	Spiral Organization	101
9.11	Listening for What We Don't Know	102
9.12	To Get Feelings, Ask for Facts	102
9.13	What if You Get an Evasive Answer?	102
9.14	Trauma and Substance Abuse	103
9.15	Beginning to Wrap Up	103
9.16	Assembling the Data	103
9.17	Building a Hypothesis	105
9.18	Making a Plan	106
9.19	Walking in Thick Fog	108
9.20	Arriving at an Agreement	108
	References	109
10	Conducting Generic Talk Therapy	111
10.1	Putting the Patient in Charge	112
10.2	Every Session Has a Topic	112
10.3	A Third Participant	113
10.4	The Frame	114
10.5	First Follow the Flow	115
10.6	When to Intervene	115
10.7	The "Three-Step Dance"	116

10.8	The Three-Step Dance in Perspective	117
10.9	Second Priority: Understanding	118
10.10	Many Kinds of EDP	119
10.11	The Value of Listening	119
10.12	Beyond the Three-Step Dance	120
10.13	Putting Words to Feelings	120
10.14	Tell, Don't Ask	121
10.15	When Not to Tell	121
10.16	Ending a Session	121
10.17	Phases of Therapy	122
10.18	Long-Term Resistance	122
10.19	Discovery, Emotional Healing, and Behavior Change: Three Tasks	123
10.20	How Long Does Change Take?	124
10.21	Conclusion	124
11	Building and Maintaining the Therapeutic Relationship	125
11.1	The Therapist's Role	125
11.2	Boundaries	126
11.3	Effective Boundary Management	127
11.4	The Frame	128
11.5	Flexibility	128
11.6	Attunement	129
11.7	How to Achieve Empathy	129
11.8	Two Exceptions	129
11.9	Breaks in Empathy	130
11.10	Eliciting Feedback	130
11.11	Maximum Empathy, Optimal Expectancy	131
11.12	Agreement Between Patient and Therapist	132
11.13	Matching Stages of Change	133
11.14	Matching Culture, Religion, and Spirituality	134
11.15	Matching Gender and Sexual Orientation	135
11.16	Therapists' Feelings About Patients	135
11.17	Liking or Not Liking the Patient	136
11.18	The Working Alliance	137
11.19	What Doesn't Work	137
11.20	Terminating the Therapeutic Relationship	138
11.21	Goals of Termination Sessions	138
	References	139
12	Working with the Inner Child	141
12.1	History of the Inner Child Concept	143
12.2	Before Meeting the Inner Child	143
12.3	How to Recognize the Inner Child	144
12.4	A Word of Caution	145
12.5	Adult Temper Tantrums	146

12.6	Accepting Unmet Needs	147
12.7	Containment	147
12.8	Schema Therapy	148
12.9	The Manipulative Patient	148
12.10	The Self-Sufficient Patient	148
12.11	Compassion	149
12.12	The Corrective Emotional Experience	149
	References	150
13	Adjustments	153
13.1	How Much to Talk	153
13.1.1	Arguments for Active Therapist Communication	153
13.1.2	Pros and Cons of Less Talk	154
13.1.3	Liabilities of More Talk	154
13.1.4	Some Goals Furthered by Speaking Up	155
13.2	Using Language to Regulate Emotional Arousal	155
13.2.1	Emotion-Heightening Words	156
13.2.2	Emotion-Lowering Words	156
13.3	How Much Support?	156
13.4	How Much Authority?	157
13.5	Adapting to Attachment Style	158
13.6	Internalizing vs. Externalizing	159
13.7	Length and Frequency of Sessions	159
13.7.1	Length of Sessions	160
13.8	How Much Structure?	160
13.9	Use of Homework	160
13.10	Frame as a Variable	161
	References	162

Part III A Catalog of EDPs

14	Behavioral EDPs	165
14.1	Eight Behavioral Avoidance Patterns	165
14.1.1	Simple Avoidance	166
14.1.2	Nonverbal Schemas	167
14.1.3	Reenactment	171
14.1.4	Acting Out	172
14.1.5	Hidden Agendas	173
14.1.6	Guilty Quests	176
14.1.7	Developmental Arrest	178
	References	181
15	Addictions	183
15.1	Baffling, Cunning, and Powerful	183
15.2	Why Do Some People Get Addicted?	184
15.3	Secondary Psychopathology	184

15.4	The Role of Value Systems	184
15.5	Codependency in Five Easy Lessons	185
15.6	Treatment Principles	186
15.6.1	Hitting Rock Bottom	186
15.6.2	Key Questions	186
15.6.3	External Motivation Is Acceptable	187
15.6.4	Leverage	187
15.6.5	Anti-craving Medications	188
15.6.6	The Role of the Therapist	188
15.6.7	Motivational Interviewing	189
15.6.8	Pitting Biology Against Biology	189
15.6.9	Positive Prognostic Signs	190
	References	191
16	The First Helper: Emotion	193
16.1	Introduction: The Three Helpers	193
16.2	EDP #9: Emotions as Helpers	194
16.3	Sadness and Tears	195
16.4	Helplessness and Hopelessness	197
16.5	Anger	197
16.6	Panic, Fear, and Anxiety	199
16.7	Impulses	200
17	The Second Helper: Conscience-Based Emotion	203
17.1	Values, Attitudes, Ideals, and Prohibitions	204
17.2	Neurophysiology of the Conscience	204
17.3	Becoming Aware of the Conscience	205
17.4	Like a Justice System	205
17.5	Pathology of the Conscience	206
17.6	Shame vs. Guilt	206
17.7	Internalization of Values	207
17.8	Internalization, Fast and Slow	208
17.9	Internal Electric Fences	208
17.10	Adult Internalization	209
17.11	Resistance to Change	209
17.12	Values Are Permanent	209
17.13	Self-Contradictory Values	210
17.14	Treatment Principles	210
17.14.1	Tread Lightly	210
17.14.2	New Values vs. Old Ones Recovered	211
17.14.3	Education	211
17.14.4	Modeling Positive Values and Attitudes	211
17.14.5	Working with Shame	212
17.14.6	"Civil Disobedience"	212
	References	213

18 The Third Helper: Thoughts	215
18.1 Thoughts as Helpers	215
18.2 The Contents of Influencer Thoughts	217
18.3 Avoiding Thoughts Makes Them Stronger	217
18.4 Treatment Principles	218
18.4.1 Consciousness Raising	218
18.4.2 Distinguishing Healthy Thoughts from Unhealthy Ones	218
18.4.3 Resistance	218
18.4.4 Mindfulness	219
18.4.5 Other Techniques	219
References	220
19 Involuntary Symptoms: Grief and Depression	221
19.1 Grief: A Healthy Response	221
19.1.1 Loss and the SEEKING System	222
19.1.2 Pathological Grief	222
19.2 EDP #12: Depression	223
19.2.1 Some Good News	224
19.2.2 Focusing on "Major Depression"	224
19.2.3 Some Bad News	224
19.2.4 Financial Influences	225
19.3 Melancholic Depression	225
19.3.1 Unique Aspects of Melancholic Depression	226
19.3.2 Bipolar Illness	226
19.3.3 Two Vicious Cycles	227
19.3.4 First Work with the Biological Dysregulation	227
19.3.5 The Behavioral Aspect of Depression	228
19.3.6 The Emotional Aspect of Depression	229
19.3.7 Emotional Components of Milder Depressions	230
19.3.8 Agitated Depression and Mania	230
19.4 Conditions That Look Like Depression but Are Not	231
19.4.1 Stuck in an Unhealthy Lifestyle	231
19.4.2 Grief	231
19.4.3 Not Getting One's Way	231
19.4.4 Miscellaneous Symptoms	232
19.5 Treatment Principles	232
19.5.1 Antidepressant Medication	232
19.5.2 Psychotherapy	233
19.5.3 The Behavioral Approach to Depression	233
19.5.4 The Emotional Approach to Treatment	233
References	236
20 Involuntary Symptoms: Anxiety-Related Problems	237
20.1 Two Layers of EDP	237
20.1.1 The Surface Layer EDP	238
20.1.2 The Deeper Layer of EDP	239

20.2	A Brief Catalog of Anxiety-Related Syndromes	241
20.2.1	Anxiety	241
20.2.2	Panic	241
20.2.3	Obsessions and Compulsions	242
20.2.4	Somatization	243
20.3	Treatment Principles	244
20.3.1	Trying to Control Anxiety Makes It Worse	244
20.3.2	Medication Treatment	244
20.3.3	The Behavioral Approach to the Preoccupation	245
20.3.4	The Emotional Approach to Preoccupation	245
20.3.5	Mindfulness Helps	246
20.3.6	Healing the Deeper Layer of EDP	247
20.3.7	Time Sometimes Heals	247
	References	248
21	Involuntary Symptoms: Trauma and Dissociation	251
21.1	Taking the Mystery Out of Dissociation	251
21.2	PTSD and Dissociation	252
21.3	Complex Trauma	253
21.4	The Nature of Dissociation	253
21.5	Multiple Personalities	254
21.6	Treatment Principles	256
21.6.1	The Flight–Fight Cycle	256
21.6.2	Accessing Dissociated Facts and Feelings	256
21.6.3	Basic Healing	257
21.6.4	Building a Perspective and Narrative	257
	References	258
22	Going Forward	259
22.1	For the New Therapist	259
22.1.1	Psychotherapy Is Still Best Learned Experientially	260
22.2	For the Seasoned Practitioner	260
22.3	For Knowledge Seekers and Researchers	261
22.3.1	Some Specific Questions for Investigation	261
22.4	For Students and Teachers	262
22.4.1	Today’s Teaching Model	263
22.4.2	Moving Out of the Middle Ages	263
22.4.3	We Can’t Afford to Waste Resources	263
22.5	Conclusion	264
	References	264
	Index	265