

CONTENT

ABSTRACTS:		
BAČUVČÍK, M. MARTAUZ, P. JANOTKA, I.	LONG-TERM OBSERVATION OF THE RESISTANCE OF NOVEL HYBRID CEMENT EXPOSED TO SULPHATE SOLUTION	1
BÍLEK, V. JR. KALINA, L. FOJTÍK, O.	SHRINKAGE-REDUCING ADMIXTURE EFFICIENCY IN ALKALI-ACTIVATED SLAG ACROSS THE DIFFERENT DOSES OF ACTIVATOR	3
BÍLEK, V. PYTLÍK, D. BAMBUCHOVÁ, M.	HIGH PERFORMANCE CONCRETE WITH TERNARY BINDERS	5
GHORAB, H. Y. AHMED, H. E. H. SHANOUR, ALI. S. WAHDAN, H. M. A.	THE BEHAVIOR OF PORTLAND LESTONE-CALCINED CLAYS CEMENT AT 5 °C	7
KONEČNÝ, P. LEHNER, P. GHOSH, P. TRAN, Q.	VARIATION OF DIFFUSION COEFFICIENT FOR SELECTED BINARY AND TERNARY CONCRETE MIXTURES CONSIDERING CONCRETE AGING EFFECT	8
KOPLÍK, J. SOLNÝ, T. KALINA, L. MÁSILKO, J.	IMMOBILIZATION OF Sr^{2+} , Bi^{3+} AND Zn^{2+} IN ALKALI ACTIVATED MATERIALS BASED ON BLAST FURNACE SLAG AND FLY ASH	10
KOTWICA, Ł. CHOREMBAŁA, M. KAPELUSZNA, E. STĘPIEŃ, P. DEJA, J. ILLIKAINEN, M. GOŁEK, Ł.	EFFECT OF METAKAOLINITE ON PROPERTIES OF ALKALI ACTIVATED SLAG MATERIALS	12
KOTWICA, Ł. CHOREMBAŁA, M. KAPELUSZNA, E. STĘPIEŃ, P. DEJA, J. ILLIKAINEN, M. GOŁEK, Ł.	INFLUENCE OF CALCINED MAIN TAILINGS ON THE PROPERTIES OF ALKALI ACTIVATED SLAG MORTARS	14
KOTWICA, Ł. KAPELUSZNA, E. STĘPIEŃ, P. DEJA, J. ILLIKAINEN, M. GOŁEK, Ł.	INFLUENCE OF SULPHIDES ON HYDRATION OF GROUND GRANULATED SLAG ALKALI ACTIVATED MORTARS AND PASTES	16
KRIVENKO, P. KOVALCHUK, O. PASKO, A.	UTILIZATION OF INDUSTRIAL WASTE WATER TREATMENT RESIDUES IN ALKALI ACTIVATED CEMENT AND CONCRETES	18
KUCHARCZYKOVÁ, B. BÍLEK, V. JR. KOCÁB, D. KAREL, O.	SHRINKAGE OF FINE-GRAINED COMPOSITES BASED ON ALKALI-ACTIVATED SLAG	20

LAHUTA, H. HRUBESOVA, E. MOHYLA, M. DURIS, L. PINKA, M.	ASSESSMENT OF FIBER REINFORCED CONCRETE SLAB AND SUBSOIL INTERACTION – EXPERIMENT	22
MATEČKOVÁ, P. ŠMIŘÁKOVÁ, M. LITVAN, D.	TESTING OF FIBRE CONCRETE FOUNDATION SLAB FOCUSED ON STRAIN GAUGE MEASUREMENT	24
MERTA, I. MLADENOVICH, A. TURK, J. ŠAJNA, A. MAUKO PRANJIĆ, A.	SUSTAINABILITY OF NATURAL FIBRE CEMENTITIOUS COMPOSITES	26
NEDELJKOVIĆ, M. ZUO, Y. ARBI, K. YE, G.	NEW TEST METHOD FOR ASSESSING THE CARBONATION FRONT IN ALKALI-ACTIVATED FLY ASH/SLAG PASTES	28
NIKOLIĆ, V. KOMLJENOVIC, M. DŽUNUZOVIC, N. IVANOVIĆ, T.	THE INFLUENCE OF MECHANICAL ACTIVATION OF FLY ASH ON THE TOXIC METALS IMMOBILIZATION BY FLY ASH GEOPOLYMERS	30
OMELCHUK, V. YE, G. RUNOVA, R. RUDENKO, I.	SHRINKAGE BEHAVIOR OF ALKALI-ACTIVATED SLAG CEMENT PASTES	32
PALOU, M. T. ŽIVICA, V. KUZIELOVÁ, E. ŽEMLIČKA, M. OREŠKOVÁ, G. TKACZ, J.	FORMATION AND STABILITY OF PHOSPHATE CERAMIC BINDERS UNDER HYDROTHERMAL CURING CONDITIONS	34
PAPAYIANNI, I. KESIKIDOU, F. KONOPISI, S.	ALKALI ACTIVATION OF HCFA MIXTURES WITH ALUMINOSILICATE ADDITIVES. MECHANICAL CHARACTERISTICS	36
PAPAYIANNI, I. KONOPISI, S. KESIKIDOU, F.	PHYSICO-MECHANICAL PROPERTIES AND DURABILITY ASPECTS OF ALKALI-ACTIVATED CALCAREOUS FLY ASH/SLAG MORTARS	38
RUDENKO, I. I. KONSTANTYNOVSKYI, O. P. KOVALCHUK, A. V. NIKOLAINKO, M. V. OBREMSKY, D. V.	EFFICIENCY OF REDISPERSIBLE POLYMER POWDERS IN MORTARS FOR ANCHORING APPLICATION BASED ON ALKALI ACTIVATED PORTLAND CEMENTS	40
SANYTSKY, M. KROPYVNYTSKA, T. KRUTS, T. HORPYNKO, O. GEVIUK, I.	DESIGN OF GREEN MULTI-COMPONENT CEMENTS FOR IMPROVED SUSTAINABILITY	42
SANYTSKY, M. MARUSHCHAK, U. RUSYN, B.	DEVELOPMENT OF NANO-MODIFIED HIGH PERFORMANCE CONCRETE	44

SEITL, S. MIARKA, P. KLUSÁK, J. DOMSKI, J. KATZER, J. ŠIMONOVÁ, H. KERŠNER, Z.	CHANGE OF A CRACK PROPAGATION RATE IN FINE- GRAINED CEMENT-BASED COMPOSITES DUE TO PARTIAL REPLACEMENT OF AGGREGATE BY CERAMIC WASTE	46
ŠILER, P. KOLÁŘOVÁ, I. MÁSILKO, J. NOVOTNÝ, R. OPRAVIL, T.	THE EFFECT OF ZINC ON THE PORTLAND CEMENT HYDRATION	48
ŠIMONOVÁ, H. KERŠNER, Z. SCHMID, P. ROVNANÍKOVÁ, P.	EFFECT OF CURING TEMPERATURE OF ALKALI- ACTIVATED BRICK POWDER BASED COMPOSITE ON MECHANICAL FRACTURE PROPERTIES	50
ŠIMONOVÁ, H. TOPOLÁŘ, L. ROVNANÍK, P. SCHMID, P. KERŠNER, Z.	EFFECT OF GRAPHITE FILLER ON CRACK INITIATION OF ALKALI-ACTIVATED SLAG BASED COMPOSITES	52
ŠOMODÍKOVÁ, M. TEPLÝ, B. VOŘECHOVSKÁ, D.	INPUT VALUE CORRELATION IN CHLORIDE ION INGRESS MODELLING AND CONCRETE STRUCTURES RELIABILITY	54
ŠTĚPÁNKOVÁ, E. KALINA, L. BÍLEK, V. JR. BARTONÍČKOVÁ, E.	UTILIZATION OF BY-PASS CEMENT KILN DUST IN ALKALI-ACTIVATED MATERIALS	56
VAN DEN HEEDE, P. BELLEGHEM, B. VAN ARAÚJO, M. A. FEITEIRA, J. DE BELIE, N.	SCREENING OF DIFFERENT ENCAPSULATED POLYMER- BASED HEALING AGENTS FOR CHLORIDE EXPOSED SELF-HEALING CONCRETE USING CHLORIDE MIGRATION TESTS	58
ZUO, Y. NEDELJKOVIC, M. YE, G.	PORE SOLUTION COMPOSITION AND SOLUBILITY OF ALKALI-ACTIVATED FLY ASH	60
SUPPLEMENTARY PAPERS:		
AĚTCIN, P.-C. LESSARD, J.-M.	INCREASING THE EARLY AND LONG TERM STRENGTH OF CONCRETE MADE WITH NONTRADITIONAL CEMENTITIOUS MATERIAL	62
ALAM, Q. SCHOLLBACH, K. FLOREA, M. V. A. BROUWERS, H. J. H.	CHLORIDE LEACHING FROM MUNICIPAL SOLID WASTE INCINERATION (MSWI) BOTTOM ASH	72
CAO, Y. YU, Q. L. BROUWERS, H. J. H.	MESOSCALE MODELLING OF CONCRETE DAMAGE UNDER DYNAMIC LOADING	80
CAPRAI, V. SCHOLLBACH, K. FLOREA, M. V. A. BROUWERS, H. J. H.	EVALUATION OF THE EFFECTS OF HYDROTHERMAL CURING ON THE MECHANICAL BEHAVIOR OF MORTARS CHARACTERIZED BY MSWI BOTTOM ASH FINE AGGREGATES	89

ERMILOVA, E. U. RAKHIMOV, R. Z. KAMALOVA, Z. A.	HYBRID ADDITIVES IN BLENDED PORTLAND CEMENT	98
EZECHIËLS, J. YU, Q. SCHOLLBACH, K. BROUWERS, J.	DESIGN OF AN INNOVATIVE BIO-CONCRETE USING MISCANTHUS FIBRES	105
FERNÁNDEZ-JIMÉNEZ, A. MALTSEVA, O. PALOMO, A.	ALKALINE ACTIVATION OF BOTTOM ASH	113
FERRARI, G. MIYAMOTO, M. FERRARI, A. SECCO, M.	DURABILITY OF CONCRETE WITH ARTIFICIAL AGGREGATES FROM RETURNED CONCRETE	118
GAO, X. YU, Q. L. LAZARO, A. BROUWERS, H. J. H.	APPLICATION OF AN ALTERNATIVE NANO-SILICA BASED ACTIVATOR IN ALKALI ACTIVATED MATERIALS	126
GAUVIN, F. CAPRAI, V. DE LA GRÉE, G. C. H. D. YU, Q. BROUWERS, J.	INFLUENCE OF THE PHOTO-CATALYST SUBSTRATE FOR INDOOR AIR PURIFICATION	132
GLAS, D. YU, Q. BROUWERS, J.	PERFORMANCE BASED DESIGN OF A STRUCTURAL LIGHTWEIGHT CONCRETE, REACHING AN OPTIMAL BALANCE BETWEEN DENSITY, MECHANICAL, AND DURABILITY PROPERTIES	141
GLUTH, G. J. G. HLAVÁČEK, P. REINEMANN, S. RÜNGER, M. EBELL, G. MIETZ, J. KÜHNE, H.-C.	DURABILITY-RELATED TRANSPORT COEFFICIENTS OF GEOPOLYMER MORTARS BASED ON FLY ASH AND GROUND GRANULATED BLAST FURNACE SLAG	148
HENDRIX, Y. ZHENG, Y. KAJA, A. M. LAZARO, A. YU, Q. L. BROUWERS, H. J. H.	DESIGN AND EVALUATION OF PHOTOCATALYTIC LIGHTWEIGHT CONCRETE APPLYING NEWLY SYNTHESIZED TiO ₂ -SiO ₂ NANO-COMPOSITES	149
KAJA, A. YU, Q. LAZARO GARCIA, A. BROUWERS, J.	AMBIENT CURED FLY ASH GEOPOLYMERS	155
KANASHIRO, M. K. DE ANCHIETA RODRIGUES, J. DE FARIA, L. I. L.	BAUXITE RESIDUE – TRENDS IN SCIENTIFIC RESEARCH AND OPPORTUNITIES FOR ITS VALORIZATION IN CEMENT INDUSTRY	164
KARIMI, H. YU, Q. L. BROUWERS, H. J. H.	EVALUATION OF A NOVEL CELLULOSE-BASED VISCOSITY MODIFYING ADMIXTURE IN RHEOLOGICAL PROPERTIES OF CEMENTITIOUS PASTES	172
KOCHOVA, K. SCHOLLBACH, K. GAUVIN, F. BROUWERS, H. J. H.	INTERACTION EFFECT OF ORGANIC FIBRES ON THE CEMENT HYDRATION	180

KURDOWSKI, W. PICHNIARCZYK, P. ZAJD, P. BOCHENEK, A.	THE UNCOMMON INFLUENCE OF ZINC ON THE SETTING TIME OF PORTLAND CEMENT	187
KUZIELOVÁ, E. ŽEMLIČKA, M. MÁSILKO, J. PALOU, M. T.	EFFECT OF COMPOSITION ON MICROSTRUCTURE AND PHASE DEVELOPMENT OF HYDROTHERMALLY CURED G-OIL WELL CEMENT	188
LAZARO, A. BROUWERS, H. J. H.	REVIEW ABOUT THE CHEMICAL AND PHYSICAL PROPERTIES OF WATERGLASS	196
LI, P. P. YU, Q. L. CHUNG, C. P. BROUWERS, H. J. H.	MIX DESIGN AND PERFORMANCE EVALUATION OF ULTRA-HIGH PERFORMANCE CONCRETE (UHPC) WITH BASALT AGGREGATE	202
LIU, G. FLOREA, M. V. A. BROUWERS, H. J. H.	CHARACTERIZATION AND TREATMENT OF CONTAMINATED GLASS FRACTIONS AS BUILDING MATERIALS	210
LOGINOVA, E. FLOREA, M. V. A. BROUWERS, H. J. H.	ESTIMATION OF THE ENVIRONMENTAL IMPACT OF MSWI BOTTOM ASH FOR REUSE AS A BUILDING MATERIAL BASED ON ITS COMPOSITION	217
MEYER, V. DECRISTOFARO, N. BRYANT, J. SAHU, S.	SOLIDIA CEMENT AN EXAMPLE OF CARBON CAPTURE AND UTILIZATION	226
NEGRO, P. TRUPPI, A. PETRONELLA, F. SARDELLA, E. GIANNINI, C. AGOSTIANO, A. LUCIA CURRI, M. COMPARELLI, R.	MODIFIED TiO ₂ PHOTOCATALYSTS: MORTARS AND PLASTER FOR INDOOR APPLICATIONS	234
PALOMO, A. MALTSEVA, O. FERNÁNDEZ-JIMÉNEZ, A.	HYBRID CEMENTS BASED ON COAL COMBUSTION PRODUCTS: A COMPARISON BETWEEN FLY ASH BINDERS AND BOTTOM ASH BINDERS	235
QUAAS, L. FLOREA, M. BROUWERS, J.	IMMOBILISATION OF THE MAIN CONTAMINANTS OF MSWI RESIDUES: CHLORIDES AND THEIR COUNTER IONS	247
QU, Z. Y. YU, Q. L. BROUWERS, H. J. H.	ENHANCED BARRIER EFFECT OF CONCRETE WITH LDH NANO-FLAKES	255
RAKHIMOV, R. Z. KAMALOVA, Z. A. ERMILOVA, E. U.	THE BLENDED PORTLAND CEMENT WITH COMPLEX ADDITIVE BASED ON CALCINED MIX OF CLAY AND LIMESTONE	261
RAKHIMOV, R. KHALIULLIN, M. FAIZRAKHMANOV, I.	COMPOSITE GYPSUM BINDER WITH THE ADDITION OF THERMALLY ACTIVATED CLAY GROUND	269
SCHOLLBACH, K. QU, Z. BROUWERS, J.	INVESTIGATING BUILDING MATERIALS FOR ARTIFICIAL REEFS	274
ŠPAK, M. RASCHMAN, P.	INFLUENCE OF DIFFERENT MINERAL PRECURSORS ON THE PROPERTIES OF FLY ASH BASED ALKALI- ACTIVATED MORTARS	281

STRAUB, CH. SEGRS, S. FLOREA, M. BROUWERS, J.	THE INFLUENCE OF GRANITE ON THE PERFORMANCE OF AUTOCLAVED AERATED CONCRETE	288
STROKOVA, V. NELUBOVA, V. SIVALNEVA, M. KOBZEV, V.	NANOSTRUCTURED BINDER BASED ON ALUMINOSILICATE RAW MATERIALS	296
STURM, P. GLUTH, G. J. G. GREISER, S. JÄGER, CH. BROUWERS, H. J. H. KÜHNE, H.-C.	INVESTIGATIONS ON ONE-PART GEOPOLYMERS SYNTHESIZED FROM DIFFERENT SILICA SOURCES	299
STURM, P. LÜCHTENBORG, J. HLAVÁČEK, P. GLUTH, G. J. G. KÜHNE, H.-C. GÜNSTER, J.	ADDITIVE MANUFACTURING OF GEOPOLYMERS BY SELECTIVE LASER CURING	307
TANTAWI, M. QU, Z. YU, Q. BROUWERS, J.	HYDROPHOBIC LIGHTWEIGHT CONCRETE USING TREATED GROUND GRANULATED BLAST FURNACE SLAG AS WATER-RESISTING ADDITIVE	308
VAN DE WOUW, P. M. F. FLOREA, M. V. A. BROUWERS, H. J. H.	LIBERATION OF ORIGINAL NATURAL AGGREGATES FROM RECYCLED CONCRETE BY ABRASION COMMUNUTION	316
WESTERHOUT, W. FLOREA, M. BROUWERS, J.	USE OF MUNICIPAL SOLID WASTE INCINERATED (MSWI) BOTTOM ASH AS FINE AGGREGATES IN MORTARS	324
YUAN, B. YU, Q. L. BROUWERS, H. J. H.	CONTROLLING THE REACTION KINETICS OF SODIUM CARBONATE ACTIVATION WITH DIFFERENT SLAG CHARACTERISTICS	332
YU, Q. GAO, X. VAN DEN HEUVEL, J. BROUWERS, J.	THE EFFECT OF ALKALI AND Si CONTENT ON THE PERFORMANCE OF ULTRA-LIGHTWEIGHT ALKALI ACTIVATED CONCRETE	339
AUTHOR INDEX		347
SUBJECT INDEX		349