

# Content

<b>1. Introduction</b>	<b>4</b>
<b>2. Sites, sampling, and analyses</b>	<b>5</b>
2.1 Sampled sites	5
2.1.1 <i>Shetpe: Zharmysh farm</i>	6
2.1.2 <i>Aktau: Baskuduk</i>	6
2.1.3 <i>Kuryk</i>	8
2.1.4 <i>Akshukur</i>	9
2.1.5 <i>Tauchik</i>	9
2.1.6 <i>Kyzyl Tube</i>	10
2.2 Sampling and analytical methods	10
2.2.1 <i>Sampling</i>	11
2.2.2 <i>Chemical analyses</i>	11
<b>3. The Kazakhstani, EU, and other limits for POPs and heavy metals in milk</b>	<b>12</b>
<b>4. Results and discussion</b>	<b>14</b>
4.1 Unintentionally produced POPs: Dioxins (PCDD/Fs), dioxin-like PCBs (DL PCBs) and chlorobenzenes	15
4.2 Polychlorinated biphenyls (PCBs)	16
4.2.1 <i>Indicator PCBs</i>	16
4.2.2 <i>Dioxin-like PCBs (DL PCBs)</i>	18
4.2.3 <i>Intake of PCB congeners and other POPs by different species of ruminants</i>	20
4.2.4 <i>PCB congeners pattern in camel milk samples from Mangystau Region</i>	22
4.2.5 <i>Potential contribution of contaminated camel milk to total daily intake of PCBs and PCDD/Fs by local residents in Mangystau Region</i>	22
4.3 Polycyclic aromatic hydrocarbons (PAHs)	24
4.4 Organochlorinated pesticides (OCPs)	27
4.5 Heavy metals	28
4.6 Discussion on the levels of camel milk contamination and its potential sources in Mangystau Region	29
4.7 Discussion on the potential solutions of contamination by PCBs	31
<b>5. Conclusions and recommendations</b>	<b>34</b>
5.1 Unintentionally produced POPs (PCDD/Fs, DL PCBs)	34
5.2 PCBs	35
5.3 PAHs	35
5.4 OCPs	35
5.5 Heavy metals:	35
5.6 Recommendations for addressing contamination by PCBs	35
<b>6. Limitations of the study</b>	<b>36</b>
<b>7. Photographic supplement</b>	<b>37</b>
<b>8. References</b>	<b>41</b>