

CONTENTS

ABSTRACTS OF THE ORAL PRESENTATIONS – Plenary talks

Invited lectures

E. Cardarelli and F. Fischanger: 2-D data modelling by electrical resistivity tomography for complex subsurface geology (Is it possible to improve interpretation of electric resistivity measurements with multielectrode devices in undetermined cases?) (INV-01)

Čárová D.: Geoinformation system of Czech Geological Survey – Geofond (INV-02)

Commercial presentation

Hrvoic I. and G. M. Hollyer, R. Groom and R. Jia and A. Szeto: Applications and modelling of high sensitivity potassium gradiometers for near surface geophysics (COM-02)

Best of SAGEEP 2003

Gamey T. J., W.E. Doll, L. P. Beard and David T. Bell: Analysis of noise coherence in airborne magnetic gradients for UXO detection (SAGEEP-01)

French R.B.¹, M. D. Jenks and G. G. Connard: Geophysical investigations for groundwater in the Lower Klamath Lake basin, Oregon (SAGEEP-02)

Paine J.G. and E. W. Collins: Applying airborne electromagnetic induction in groundwater salinization and resource studies, West Texas (SAGEEP-03)

Ryden N., Ch. B.* Park, P. Ulriksen, and R. D. Miller.: Lamb wave analysis for non-destructive testing of concrete plate structures (SAGEEP-04)

ABSTRACTS OF THE ORAL PRESENTATIONS – Section 1

Slope stability, Landslides, Mining

Frasheri A., F. Dhima and B. Canga: Outlook on the possibility for slope stability evaluation according to petrophysical data (O-001)

Wisén R.: Application of 2D laterally constrained inversion and 2D smooth inversion of CVES resistivity data in a slope stability investigation (O-002)

M. Jeannin, S. Garambois, D. Jongmans and C. Grégoire: Ground penetrating radar investigation of limestone cliff fracturing in the French Alps (O-003)

Supper R. and Römer A.: New achievements in developing a high speed geoelectrical monitoring system for landslide monitoring (O-004)

Orlowsky D., U. Hunfeld and B. Lehmann.: Seismic tomography to explore cleft zones in the area of a stress system induced by deep coal mining activities (O-005)

Mazzotti A. and F. Rocca: Satellite radar interferometry and reflection seismic: An integrated geophysical study of the great Ancona landslides (O-006)

Bernardie S.: Hydroacoustic monitoring in the Tressange pilot site (Moselle, France) (O-007)

- Campos, D., Chouteau, M., Aubertin, M. and Bussière, B.: Using geophysical methods to image the internal structure of mine waste rock piles (**O-008**)
- Bates, R. and Duff, M.: Geophysical surveys at a reclaimed mining site in Scotland (**O-009**)
- Saad R., Nawawi M. N. M. and Z. Z. T. Harith: Using seismic refraction and 2-D electrical imaging methods to detect boulders in Penang, Malaysia (**O-010**)
- Civil Engineering**
- Müller K. and Bláha P.: Czech environmental and engineering geophysics (**O-011**)
- Heleika A. and Kamh, G.M.E.: Comparative study between the shallow seismic refraction and laboratory methods for detecting the mechanical properties of some limestone rocks (**O-012**)
- Vilhelm J., J. Skopec and Jaroslav Bárta: Experimental seismic measurements with the application of a vibrator (**O-013**)
- Bárta J., V.Beneš, K.Drozd , J.Kněz, J.Skopec and J. Vilhelm: Application of geophysical methods for checking the condition of Czech Railway tracks (**O-014**)
- Sjödahl P., Dahlin T. and Johansson S.: Resistivity monitoring for leakage detection at Hällby embankment dam (**O-015**)
- Canh T., N. Trong Vu, A.Weller: Multi-electrode measurements at Thai Binh dikes (Vietnam) (**O-016**)
- Whiteley B.: Geophysical applications to geotechnical projects in Australia and China (**O-017**)
- Kirsch R., D. Eberle, B. Röttger, B. Siemon and W. Voss: Geothermal planning maps based on geophysical measurements (**O-018**)
- Picha B. and V. Gregor: Application of the 2-D resistivity tomography, electromagnetic profiling method and soil thermometry for a remedy of the existing road endangered by the slope instability, shallow caves and other inhomogeneities in the karst area (**O-019**)
- Cavities, Voids, Faults**
- Gelis C., D. Leparoux , J. Virieux , A. Bitri and S. Operto: Dispersion diagram analysis for underground cavities: a finite difference approach (**O-020**)
- Leparoux D., G.Grandjean, O.Abraham and P.Côte: Experimentation at a test site for detecting voids and buried objects with seismic methods (**O-021**)
- Lachapelle R. and C. Suteu: 2D resistivity imaging at the Alba Iulia citadel, Romania (**O-022**)
- Blecha V.: Microgravity detection of the chambers caused by a battery breast coal mining (**O-023**)
- Marillier F., D. Dupuy, C. Proietti and M. Scheidhauer: High-resolution seismic reflection data reveal major fault zone in Lake Geneva, Switzerland (**O-024**)
- Shtivelman V. and S. Marco: Seismic characteristics of shallow fault zones (**O-025**)
- Kim K. Y., S. Y. Lee, D. H. Kim, H. C. Shin, Y.J. Kim, and H. J. Kim: Shallow seismic surveys across the Ulsan fault near a province boundary in Korea (**O-026**)
- Sun R.: Detecting fault of $M = 7.6$ Chi-Chi, Taiwan earthquake of 21 September 1999 using geophysical methods (**O-027**)
- Harith Z. and A. Devendran: Mapping karst features using a 2-D resistivity survey (**O-028**)
- Müller M., O. Mohnke, J. Schmalholz and U. Yarama: Assessment of water dynamics and solute transport in urban soils (**O-029**)

New technologies and Research trends

- Apostopoulos G.: Combined Schlumberger and dipole-dipole array. 2D approach in resistivity interpretation (**O-029**)
- Christiansen A. V. and E. Auken : Optimizing the 2D laterally constrained inversion (2D-LCI) using a Quasi-Newton method and 1D derivatives (**O-030**)
- Marescot L., S. P. Lopes, S. Rigobert, R. Lagabrielle, D. Chapellier: 3D resistivity finite element modelling using mesh-independent electrode location (**O-031**)
- Maurer H., P. Stummer, and A. G. Green: Optimizing the information content of DC resistivity data (**O-032**)
- Strobbia C. and S. Foti: Phase difference analysis for surface wave methods (**O-033**)
- Socco L. V. and C. L. Strobbia: Study on surface wave resolution (**O-034**)
- Ghose R.: Laterally consistent, correct elimination of the source signature in shallow, high-resolution seismic reflection surveys: possibility and benefits (**O-035**)
- M. Wathelet¹, Ohrnberger M.², D. Jongmans¹, Camelbeeck T.³, Scherbaum F.²: Non linear inversion of noise array measurements for determining S-wave velocity vertical profiles (**O-036**)
- Ranada A., E. Slob and C. P. A. Wapenaar: Wavefield composition and decomposition for the electro-kinetic reflection (**O-037**)
- Filippidou N., S. Abe, G. G. Drijkoningen: Using a lattice solid model for vertical seismic profiles (**O-038**)
- Gamey T. J., W.E. Doll, L. P. Beard, D. T. Bell: Airborne geophysics for shallow object detection: technology update 2003 – electromagnetics (**O-039**)
- Hyvönen E., J. Lerssi and T. Väänänen: Airborne geophysical surveys assessing the general scale Quaternary mapping project in Finland (**O-040**)
- Tolbold R. J. and N. B. Christensen: A detailed inversion scheme for helicopter-borne electromagnetic frequency-domain data (**O-041**)
- Sørensen K. I. and E. Auken: SkyTEM – new development in high-resolution airborne TEM (presented by A. Christiansen) (**O-042**)
- Giannopoulos A. and N. Diamandi: Ground penetrating radar modelling of rough underground interfaces (**O-043**)
- Ardestani V. E.: Mineral detection by a new approach to the compact inversion of gravity data (**O-044**)
- Capizzi P., P.L. Cosentino and L. Romano: Polarization and acquisition in GPR surveys: tests on physical models (**O-045**)
- Altonen J.: Increase in measurement capacity of low frequency GPR investigations (**O-046**)
- Roy J. and M. Lubczynski: Tests of the MRS technique in Southern Africa (**O-047**)
- Legchenko A.: On the inversion of complex magnetic resonance signals (**O-048**)
- Braun M. and Ugur Yaramanci: Inversions of surface-NMR signals using complex kernels (**O-049**)
- Saiful Bahari A. B., Safid, M. S., Nawawi, M. N. M. and Abdullah, K. : Correlation of remote sensing data and 2-D resistivity imaging method for evaluating paddy yields in Kedah, Malaysia – a preliminary study (**O-050**)
- Valli T., Tarmo Jokinen, Jukka Lehtimäki and Heikki Vanhala: Sampo – frequency domain wide-band EM system for deep hydrogeological and environmental studies (**O-051**)
- Leroux V. and T. Dahlin : Site conditions requiring extra precautions for induced polarisation measurements (**O-052**)