

# Contents

## CHAPTER 1 INTRODUCTION TO THE STUDY OF EPIGENETICS

1.1 THE CORE ISSUE: CONTROLLING THE EXPRESSION OF SPECIFIC GENES	1
1.2 DEFINING EPIGENETICS	1
1.3 THE NATURE OF EPIGENETIC MARKS	2
1.4 THE IMPORTANCE OF EPIGENETICS	2
FURTHER READING	4

## CHAPTER 2 THE BASIS OF THE TRANSCRIPTION PROCESS

2.1 THE NEED FOR SPECIFICITY	7
2.2 PROMOTERS AND THEIR TATA BOXES	8
2.3 ASSEMBLY OF THE PRE-INITIATION COMPLEX	10
2.4 INITIATION OF TRANSCRIPTION	11
KEY CONCEPTS	12
FURTHER READING	12

## CHAPTER 3 DNA PACKAGING AND CHROMATIN ARCHITECTURE

3.1 NUCLEOSOME STRUCTURE AND CHROMATIN	15
Chromatin consists of DNA plus many proteins	15
The nucleosome is the basic unit of chromatin	16
DNA binds to the histone octamer	17

3.2 CHROMATIN ARCHITECTURE	21
Chains of nucleosomes organize into chromatin fibers	21
Chromatin fibers are further organized into euchromatin and heterochromatin	23
A variety of mechanisms are involved in compacting chromatin beyond the 30 nm fiber stage	24
Chromatin compaction restricts access to the information content of DNA	26
KEY CONCEPTS	26
FURTHER READING	27

## CHAPTER 4 MODIFYING THE STRUCTURE OF CHROMATIN

4.1 CHROMATIN REMODELING	29
Chromatin remodeling transiently exposes DNA to binding proteins	29
Chromatin remodeling is mediated by the SWI/SNF family of proteins in eukaryotes	30
Chromatin remodeling by SWI/SNF works by repositioning nucleosomes	31
Transcription factor binding sites are often located in regions of low nucleosome occupancy	32
4.2 CHROMATIN MODIFICATION	33
Spontaneous conformational changes and covalent modifications can also expose DNA to transcription factors	33
Epigenetic modification of DNA or histones regulates nucleosome occupancy and repositioning	35
KEY CONCEPTS	37
FURTHER READING	37



**CHAPTER 5 DNA METHYLATION****5.1 PATTERNS OF DNA METHYLATION 39**

CpG-rich islands are infrequently methylated 40

CpG-poor islands are frequently methylated 40

**5.2 EFFECTS OF DNA METHYLATION ON TRANSCRIPTION 42**

Proteins controlling cellular function interact with methylated DNA 42

Transcription factors and methylated-DNA-binding proteins can repress transcription 44

**5.3 THE MOLECULES THAT METHYLATE DNA 45**

*De novo* methylation of cytosine establishes the methylation pattern 45

Existing patterns of DNA methylation are maintained 47

**5.4 DNA METHYLTRANSFERASE ACTIVITY 48**

Enzyme activity can be controlled by small molecules *in vivo* 48

DNA methyltransferase activity can be controlled transcriptionally 49

**5.5 METHYLATION REGULATION AT SPECIFIC GENE LOCI 51**

Histone interaction with DNA methyltransferases affects where DNA is methylated 51

Transcription factors may control DNA methyltransferases 52

Noncoding RNA may control DNA methyltransferases 53

Noncoding RNA can influence chromatin regulation directly 55

**5.6 GENOME FUNCTION CONTROL ACROSS SPECIES 56****KEY CONCEPTS 57****FURTHER READING 57****CHAPTER 6 POST-TRANSLATIONAL MODIFICATION OF HISTONES****6.1 ACETYLATION AND METHYLATION OF LYSINE 60**

Lysine is often acetylated in histone tails 61

Proteins with bromodomains recognize and bind to acetylated histones 62

The multiple methylation states of lysine can alter transcriptional response 63

**6.2 PHOSPHORYLATION OF SERINE AND THREONINE 65****6.3 ADDITION OF UBIQUITIN TO SPECIFIC LYSINES 66****6.4 SUMOYLATION OF LYSINES 68****6.5 BIOTINYLATION OF HISTONES 69****6.6 ADP-RIBOSYLATION OF HISTONES 71****6.7 THE HISTONE CODE HYPOTHESIS 71****KEY CONCEPTS 73****FURTHER READING 73****CHAPTER 7 HISTONE MODIFICATION MACHINERY****7.1 ENZYMES THAT ACETYLATE OR DEACETYLATE HISTONES 77**

Acetyl groups are added by a class of enzymes known as histone acetyltransferases 77

Histone acetyltransferases add acetyl groups to specific lysine residues 77

Histone deacetylase enzymes remove acetyl groups from histone lysine residues 80

**7.2 ENZYMES THAT METHYLATE OR DEMETHYLATE HISTONES 80**

The histone methyltransferases add methyl groups to histone residues 80

The SET domain 83

SET 7/9 83

EZH2 85

Human SET domain proteins 85

MLL-family proteins 86

Non-SET-dependent methyltransferases 87

The histone arginyl methyltransferases 87

Histone methylation is reversible using histone demethylases 90

Lysine-specific demethylase 1 90

Demethylating trimethylated lysine 4 on H3 93

Demethylating methylated arginine 93



<b>7.3 ENZYMES THAT PHOSPHORYLATE OR DEPHOSPHORYLATE HISTONES</b>	<b>96</b>	<b>8.2 COMPLEXES OF THE HISTONE METHYLTRANSFERASES</b>	<b>115</b>
Kinases catalyze the phosphorylation of specific amino acids on histones	96	<b>8.3 KINASE COMPLEXES FOR HISTONE PHOSPHORYLATION</b>	<b>118</b>
A variety of serine kinases phosphorylate serine 10 on histone H3	98	<b>8.4 COORDINATION AMONG CHROMATIN-MODIFYING COMPLEXES</b>	<b>119</b>
Ribosomal S6 kinases	98	HDAC complexes respond to other histone modifications	119
MSK1 and MSK2	98	Noncoding RNA can regulate histone-modifying complexes	119
Aurora kinases	99	Polycomb and trithorax are examples of chromatin activator and repressor complexes controlled by noncoding RNA	120
MST1 kinase phosphorylates Ser 14 on histone H2B	99	<b>KEY CONCEPTS</b>	<b>125</b>
Histone phosphatases remove phosphates from histone residues	100	<b>FURTHER READING</b>	<b>125</b>
<b>7.4 ENZYMES THAT ADD AND REMOVE UBIQUITIN ON HISTONES</b>	<b>102</b>	<b>CHAPTER 9 EPIGENETIC CONTROL OF CELL-SPECIFIC GENE EXPRESSION</b>	
E3 ubiquitin ligases add ubiquitin to lysine	102	<b>9.1 EPIGENETIC CONTROL OF CHROMOSOME ARCHITECTURE</b>	<b>129</b>
A variety of enzymes remove ubiquitin from lysine	102	The position of DNA within separate subnuclear compartments reflects the expression or repression of genes	129
<b>7.5 ENZYMES THAT ADD AND REMOVE THE SUMO GROUP ON HISTONES</b>	<b>103</b>	The nuclear skeleton is central to subnuclear organization	131
E3 SUMO ligases add the SUMO group to lysine	103	<b>9.2 SPATIAL ORGANIZATION OF GENE TRANSCRIPTION IN THE NUCLEUS</b>	<b>132</b>
SUMO-specific proteases remove the SUMO group from lysine	104	The nucleolus is formed from multiple chromatin loops	132
<b>7.6 ENZYMES THAT ADD AND REMOVE BIOTIN ON HISTONES</b>	<b>104</b>	rRNA genes are clustered for transcription in the nucleus	133
Biotinidase and biotin holocarboxylase synthetase can biotinylate histones	104	rRNA gene structure	134
Enzymes that remove biotin from histone lysine residues	105	Regulation of rRNA gene transcription	134
<b>KEY CONCEPTS</b>	<b>106</b>	Proteins that protect or target rDNA for methylation and demethylation	136
<b>FURTHER READING</b>	<b>107</b>	Genes transcribed by RNA polymerase II show a different organization	137
<b>CHAPTER 8 LOCUS-SPECIFIC CONTROL OF HISTONE-MODIFYING ENZYME ACTION</b>		Transcription factories may be semi-permanent structures	139
<b>8.1 HISTONE ACETYLATION AND DEACETYLATION AS A PROTEIN COMPLEX ACTIVITY</b>	<b>109</b>	<b>9.3 THE EPIGENETIC CONTRIBUTION TO TRANSCRIPTION FACTORY ORGANIZATION</b>	<b>140</b>
NURD is a well-known deacetylation complex	109	The $\beta$ -globin locus control region is subject to epigenetic control	140
SIN3A acts as a scaffold on which repressor proteins may assemble	110		
Protein complexes containing histone acetyltransferases promote transcription	112		



The <i>HOX</i> clusters are also subject to epigenetic control of gene expression	142	Genes of progenitor germ cells undergo two rounds of demethylation	165
RAREs occur in open-chromatin regions	144		
<i>HOX</i> gene expression levels	146	<b>11.4 THE NEED FOR IMPRINTING</b>	<b>168</b>
<b>KEY CONCEPTS</b>	<b>147</b>	<b>KEY CONCEPTS</b>	<b>169</b>
<b>FURTHER READING</b>	<b>147</b>	<b>FURTHER READING</b>	<b>169</b>
 <b>CHAPTER 10 EPIGENETIC CONTROL OF THE MITOTIC CELL CYCLE</b>		 <b>CHAPTER 12 EPIGENETIC CONTROL OF CELLULAR DIFFERENTIATION</b>	
<b>10.1 S PHASE INVOLVES DNA REPLICATION</b>	<b>149</b>	<b>12.1 FROM CELLULAR TOTIPOTENCY TO PLURIPOTENCY</b>	<b>171</b>
<b>10.2 THE CELL DIVIDES IN M PHASE</b>	<b>153</b>	<b>12.2 MAINTENANCE OF PLURIPOTENCY IN EMBRYONIC STEM CELLS</b>	<b>173</b>
<b>KEY CONCEPTS</b>	<b>154</b>	<b>12.3 DIFFERENTIATION OF EMBRYONIC STEM CELLS</b>	<b>174</b>
<b>FURTHER READING</b>	<b>155</b>	<b>12.4 BIVALENT CHROMATIN DOMAINS IN NEURAL STEM CELLS</b>	<b>176</b>
 <b>CHAPTER 11 THE EPIGENETIC BASIS OF GENE IMPRINTING</b>		<b>12.5 CHROMATIN PROFILE OF HEMATOPOIETIC PROGENITORS</b>	<b>177</b>
<b>11.1 CONTROLLING MONOALLELIC EXPRESSION OF IMPRINTED GENES</b>	<b>157</b>	<b>KEY CONCEPTS</b>	<b>178</b>
Imprinted genes share few characteristics in common	157	<b>FURTHER READING</b>	<b>179</b>
Imprinting control regions (ICRs) regulate the imprinted expression of genes	158		
Differentially methylated regions contain imprinting signals	159	 <b>CHAPTER 13 REVERSIBILITY OF EPIGENETIC MODIFICATION PATTERNS</b>	
Chromatin modifications at DMR sites affect gene imprinting	159	<b>13.1 REPROGRAMMING THE EPIGENOME BY SOMATIC CELL NUCLEAR TRANSFER</b>	<b>182</b>
<b>11.2 EXAMPLES OF IMPRINTING</b>	<b>160</b>	What happens to the somatic genome during SCNT?	183
The imprinting of <i>IGF2/H19</i> is well documented	160	Epigenetic modification is the basis of SCNT reprogramming	185
Binding of CTCF at the <i>IGF2/H19</i> imprint control region to an insulator mechanism to control imprinted gene expression	161	Epigenetic reprogramming is a normal feature of fertilization that is hijacked by SCNT	186
The mechanism by which insulation occurs is uncertain	162	There are several possible mechanisms by which the somatic genome might be remodeled in SCNT	187
There are other examples of imprinting on the same stretch of DNA	163	The epigenetic remodeling that occurs in SCNT differs from the remodeling that occurs after fertilization	189
<b>11.3 ESTABLISHING DIFFERENTIALLY METHYLATED REGIONS</b>	<b>164</b>	Some aspects of reprogramming of the somatic epigenome are outside the oocyte's capacity	190
Most genes undergo demethylation after fertilization	164		
Imprinted genes retain their DNA methylation patterns at their DMRs during fertilization	165		



Somatic gene expression must be turned off for epigenetic reprogramming to occur in SCNT embryos	191	Assisted reproductive technologies may increase the incidence of imprinting diseases	218
<b>13.2 REPROGRAMMING THE EPIGENOME BY CELL FUSION</b>	<b>192</b>	<b>14.3 EPIGENETICS OF MAJOR DISEASE GROUPS</b>	<b>219</b>
Fusion of somatic cells with pluripotent cells can reprogram the somatic genome	192	Cardiovascular disease is the major killer in high-income countries	219
OCT4 is involved in genome reprogramming in heterokaryons	194	The basic problem in cardiovascular disease is atherosclerosis	220
There are several possible mechanisms by which the OCT4/SOX2/NANOG trinity of pluripotency factors may work to reprogram genomes	195	Epigenetic events may promote atherosclerosis by increasing known risk factors	221
Reprogramming may not be the sole purview of ESCs	196	Epigenetics has a role in the regulation of arterial hypertension	224
<b>13.3 REPROGRAMMING THE EPIGENOME BY CELL EXTRACTS</b>	<b>197</b>	Hypertension increases with age	224
Cell extracts can effect epigenetic reprogramming by providing the needed regulatory factors	197	Cardiac hypertrophy and heart failure also have an epigenetic component	227
Cell extract reprogramming has the potential to be clinically useful	198	Epigenetic drift may contribute to cardiovascular disease	228
<b>13.4 REPROGRAMMING THE EPIGENOME BY INDUCED PLURIPOTENCY</b>	<b>199</b>	<b>14.4 EPIGENETICS OF KIDNEY DISEASE</b>	<b>229</b>
Epigenetic reprogramming occurs during iPSC derivation	201	<b>14.5 EPIGENETICS OF DIABETES</b>	<b>231</b>
Making iPSCs safe for clinical application	203	<b>KEY CONCEPTS</b>	<b>233</b>
<b>KEY CONCEPTS</b>	<b>204</b>	<b>FURTHER READING</b>	<b>234</b>
<b>FURTHER READING</b>	<b>205</b>	<b>CHAPTER 15 EPIGENETICS OF MEMORY, NEURODEGENERATION, AND MENTAL HEALTH</b>	
<b>CHAPTER 14 EPIGENETIC PREDISPOSITION TO DISEASE AND IMPRINTING-BASED DISORDERS</b>		<b>15.1 MEMORY</b>	<b>235</b>
<b>14.1 PREDISPOSITION TO DISEASE</b>	<b>208</b>	Memory formation relies on specific regions of the brain	235
Life-course epidemiology seeks to explain disease	208	Structural changes and plasticity of synapses could be the basis of long-term memory	237
Epigenetics may be the basis of stochastic variation in disease	210	Epigenetic control of synaptic plasticity may contribute to memory maintenance	237
<b>14.2 IMPRINTING-BASED DISORDERS</b>	<b>210</b>	<b>15.2 EPIGENETIC INVOLVEMENT IN NEURODEGENERATION</b>	<b>240</b>
Imprinting disorders can persist beyond embryogenesis	211	Epigenetic alterations may contribute to the development of Alzheimer's disease	240
Prader-Willi and Angelman syndromes result from disruptions on chromosome 15	212	There is some evidence that epigenetic mechanisms may contribute to Parkinson's disease	243
Beckwith-Wiedemann and Silver-Russell syndromes are consequences of disruptions of the <i>IGF-H19</i> locus	216	<b>15.3 THE IMPACT OF EPIGENETIC CONTROL OF GENE EXPRESSION ON MENTAL HEALTH</b>	<b>244</b>
		Disruption of epigenetic regulation may explain some features of bipolar disorder	245



Epigenetic regulation is a factor in major depressive disorder	247	The mechanisms controlling DNA methylation are imperfect	264
<b>15.4 SUMMARY</b>	<b>251</b>	Abnormal DNA hypomethylation contributes to cancer formation and progression	267
<b>KEY CONCEPTS</b>	<b>251</b>	Oxidative stress has additional effects on epigenetic processes that impinge on cancer	270
<b>FURTHER READING</b>	<b>252</b>	The influence of microRNA on DNA methylation in cancer	271
 <b>CHAPTER 16 EPIGENETICS OF CANCER</b>		 <b>16.4 HISTONE MODIFICATION PATTERNS AND CANCER</b>	<b>273</b>
<b>16.1 UNCONTROLLED CELL REPLICATION</b>	<b>254</b>	How does histone acetylation contribute to tumorigenesis?	273
Loss of control of tissue homeostasis is a root cause of cancer	254	The HAT/HDAC balance requires dysregulation of other factors	274
Tissue homeostasis requires cell death	256	Histone methylation contributes to tumorigenesis	275
Loss of control of cell division is also known as cell transformation	256	 <b>16.5 EXAMPLES OF EPIGENETIC DYSREGULATION LEADING TO CANCER</b>	<b>276</b>
Dysfunctional genes are the basis of transformation	257	Hematological malignancies such as leukemia are good examples of epigenetic dysregulation	276
 <b>16.2 CHANGES LEADING TO NEOPLASTIC TRANSFORMATION</b>	<b>258</b>	DNA hypermethylation and hypomethylation contribute to the leukemic phenotype	278
Oncogenes and tumor suppressor genes are often altered during cancer progression	258	How epigenetics contributes to lung cancers	281
Genomic instability is a common trait of cancer cells	260	 <b>KEY CONCEPTS</b>	<b>284</b>
Cancer cells frequently show major disruption in their DNA methylation profiles	261	 <b>FURTHER READING</b>	<b>285</b>
Impairment of DNA-repair mechanisms enhances cancer progression	262	  <b>GLOSSARY</b>	<b>287</b>
 <b>16.3 ABNORMAL PATTERNS OF DNA METHYLATION IN CANCER</b>	<b>263</b>	  <b>INDEX</b>	<b>291</b>
DNA hypermethylation is typically mediated by DNMT1	263		