

Proceedings of the 13th International Conference on Polysaccharides-Glycoscience

CONTENTS:

KEY-NOTE LECTURES

<i>P. Wintersteller, A. Muriqi, D. Bajrami, G. Hoti, A. Huber</i>	Molecular and hydrocolloidal characteristics of xanthan in aqueous media	6
<i>G. Lewandowicz</i>	Physical modification of starch – really physical?	9
<i>A. Sionkowska*, B. Kaczmarek</i>	Polysaccharides from natural sources for biomedical and cosmetic applications	15
<i>X. Qi, R. Tester</i>	Seaweed derived carbohydrates – health related applications	19

ORAL PRESENTATIONS

<i>A. Antczak-Chrobot*, M. Wojtczak*</i>	Structure and chemical composition of exopolymers extracted from deteriorated beets	27
<i>Ł. Masewicz, K. Pers, J. Le Thanh- Blicharz, J. Lewandowicz, H. M. Baranowska</i>	The effect of degree of substitution on dynamics of molecules of hydration water in acetylated distarch adipate powders	29
<i>R. Bleha, A. Sinica, A. Kollmannová, P. Kaštánek, K. Demnerová, J. Čopíková</i>	Chlorophyll-deficient clones of microalgae <i>Chlorella</i> sp. as a source of polysaccharides	33
<i>W. Ciesielski*, T. Girek, B. Herman, P. Rychter</i>	Formulation of β -cyclodextrin/herbicide conjugate containing 2,4-dichlorophenoxyacetic acid for agrochemical purposes	38
<i>D. Čožíková*, M. Hermannová, D. Šmejkalová, K. Nešporová, Ž. Černohousová, V. Velebný</i>	Degradation products originating from acid-catalyzed hydrolysis of hyaluronan	43
<i>S. Gillarová*, S. Henke, N. Shakhno, Z. Bubník</i>	Modern separation technology for mannose production	46
<i>D. Gumul*, H. Gambuś, R. Ziobro, R. Sabat, A. Wywrocka-Gurgul</i>	Baking of model bread with an addition of starch isolated from pre-harvested wheat	52
<i>K. Khachatryan*, G. Khachatryan</i>	Starch based nanocomposites as sensors for silver ions	55
<i>J. Le Thanh-Blicharz, J. Lewandowicz, H. Śmigielńska</i>	Functionality of food grade modified starches enriched with selected ions	59
<i>M. Mueller*, H. Viernstein, R. Loeppert, W. Praznik</i>	Prebiotic potential of fructans, galactans and heteropolysaccharides from different plant sources related to their structure and molecular dimension	63
<i>Ya. Troshchynska*, P. Smrčková, I. Saloň, A. Sinica, J. Štětina</i>	Integrity of flaxseed mucilage: an influence of isolation and drying conditions	67
<i>M. Witek*, I. Maciejaszek, K. Surówka</i>	The application of nmr relaxation measurements to specify the role of endogenous polysaccharides in forming hydration properties of soy protein preparations	74
<i>P. Žádníková*, M. Hermannová, K. Nešporová, V. Velebný</i>	Methodological approach to detect polysaccharides and their degrading enzymes in the skin: hyaluronan and hyaluronidases as an example	78

POSTERS

<u>K. Pers</u> , <u>L. Masewicz</u> , <u>Z. Małysek</u> , <u>J. Le Thanh-Blicharz</u> , <u>J. Lewandowicz</u> , <u>H. M. Baranowska</u>	Dynamics of water molecules in pastes of cross-linked and acetylated starches	84
<u>A. Korus*</u> , <u>E. Bernaś</u> , <u>P. Gębczyński</u> , <u>J. Ślupski</u> , <u>M. Tabaszewska</u>	Effect of technological processing on the content of carbohydrate compounds in kale (<i>Brassica oleracea</i> L. var. <i>acephala</i>) leaves	90
<u>E. Bernaś*</u> , <u>G. Jaworska</u> , <u>A. Korus</u> , <u>J. Ślupski</u> , <u>P. Gębczyński</u>	Effect of pre-treatment on chitin and chitosan content in frozen mushrooms	93
<u>A. Botvynko*</u> , <u>L. Čurda</u>	Enzymatic synthesis of galactooligosaccharides: comparison of the three soluble β -galactosidases	96
<u>J. Bradová*</u> , <u>L. Štěrbová</u> , <u>T. Sedláček</u> , <u>B. Klitschová</u> , <u>V. Dvořáček</u>	The effect of elevated amylose content on starch digestibility and technological quality of bakery products	100
<u>K. Buksa</u> , <u>A. Łakomy</u> , <u>K. Syga</u> , <u>D. Litwinek</u> , <u>M. Kowalczyk</u> , <u>J. Boreczek</u> , <u>A. Nowotna</u> , <u>H. Gambuś</u>	Degradation of polysaccharides during sourdough fermentation process	104
<u>K. Buksa*</u> , <u>A. Łakomy</u> , <u>A. Nowotna</u>	HPSEC with post column derivatization for improved amylose detection	108
<u>W. Ciesielski*</u> , <u>D. Kulawik</u> , <u>P. Tomasiak</u>	Metal ion catalyzed carbonization of cereals straw	112
<u>V. Dvořáček</u> , <u>E. Matějová</u>	Effect of starch rheological properties on rheological characteristics of wheat flour	120
<u>S. Gillarová*</u> , <u>S. Henke</u> , <u>Z. Bubník</u>	Processing of hydrolyzed galactomannans from carob gum	124
<u>D. Gumul*</u> , <u>H. Gambuś</u> , <u>R. Ziobro</u> , <u>R. Sabat</u> , <u>A. Wywrocka-Gurgul</u> , <u>M. Kruczek</u>	Quality and texture of wheat bread with an addition of starch isolated from pre-harvested wheat	130
<u>M. Hrušková</u> , <u>I. Švec</u> , <u>L. Mrvíková</u>	Influence of fiber from gold linseed on viscosity characteristics of different composite mixtures	135
<u>S. Jonnalagadda</u> , <u>E. Baeva</u> , <u>T. T. Vuová</u> , <u>R. S. Dhale</u> , <u>R. Bleha</u> , <u>J. Čopíková</u>	Identification of polysaccharides in confectionery jelly	139
<u>L. Juszczyk*</u> , <u>K. Pycia</u> , <u>S. Grabowska</u>	Effect of esterification time with tartaric acid of waxy maize starch on its selected physicochemical properties	143
<u>K. Pycia</u> , <u>L. Juszczyk*</u> , <u>G. Jaworska</u>	Resistance of maltodextrins of varying degree of saccharification based on chemically modified starches to the action of glucoamylase	147
<u>G. Khachatryan*</u> , <u>K. Khachatryan</u> , <u>M. Krystijan</u> , <u>L. Stobiński</u>	Formation and properties of novel silver/hyaluronan/graphene bio-nanocomposites	152
<u>G. Khachatryan*</u> , <u>K. Khachatryan</u> , <u>M. Krystijan</u> , <u>J. Grzyb</u> , <u>L. Stobiński</u>	Polysaccharides-modified graphene oxide as new packing materials	156
<u>K. Khachatryan*</u> , <u>G. Khachatryan</u>	Polysaccharide/quantum dots nanocomposites as freshness markers in packaging	161
<u>A. Komisarczyk*</u> , <u>J. Rosicka-Kaczmarek</u> , <u>E. Nebesny</u>	Utilization of cereal bran to obtain heteropolysaccharides with antioxidative properties	164
<u>J. Rosicka-Kaczmarek</u> , <u>A. Nowak</u> , <u>A. Komisarczyk</u> , <u>E. Nebesny</u>	Cyto- and genotoxic activity of heteropolysaccharides isolated from rye bran	165
<u>M. Krystijan*</u> , <u>K. Buksa</u>	The influence of gelatinized/freeze-dried starch addition on gluten-free pasta properties	166
<u>M. Krystijan*</u> , <u>K. Buksa</u>	Properties of gluten-free pasta dough modified by gelatinized/freeze-dried starch addition	169

<u>A. Łakomy*</u> , K. Buksa	Degradation of non starch polysaccharides obtained from chia and flax seeds by enzymatic and acid treatment	171
<u>A. Łakomy*</u> , K. Buksa, K. Syga	Extraction and purification of polysaccharides from seeds of chia and flax	176
A. Szewngiel, <u>J. Le Thanh-Blicharz*</u> , G. Lewandowicz	Molecular structure of acetylated starches with different degree of substitution	180
<u>J. Le Thanh-Blicharz*</u> , J. Lewandowicz	The effect of counterpart ions on the rheological properties of normal and waxy potato starches	183
H. M. Baranowska, J. Le Thanh-Blicharz, <u>G. Lewandowicz*</u>	The effect of divalent ions on water dynamics in native potato starch pastes	187
<u>J. Lewandowicz</u> , Z. Malyszek, J. Le Thanh-Blicharz	Rheological properties of esters of waxy potato starch	192
<u>I. Maciejaszek*</u> , M. Witek, J. Banaś, K. Surówka	Impact of polysaccharides in soy flour and soy protein concentrate on water-biopolymer interactions	196
<u>I. Maciejaszek*</u> , M. Witek, I. Tesarowicz, J. Banaś, K. Surówka	Properties of complexes obtained from lupin protein isolate and polysaccharides	199
<u>P. Pająk*</u> , M. Peciak, T. Fortuna	Preparation and characteristics of edible films based on different types of starch and plasticizer concentrations	205
J. Sobolewska-Zielińska*, K. Królikowska, <u>P. Pająk</u> , T. Fortuna, K. Ścieszka	Effect of maltodextrin addition on selected physical properties of sponge cakes	210
<u>J. Rosicka-Kaczmarek</u> , K. Dędek, W. Maniukiewicz, E. Nebesny, A. Komisarzyk, K. Miskiewicz	Obtaining and functional properties of starch-ferulic acid complex	214
M. Piestrzyński, J. Kozłara, <u>J. Rosicka-Kaczmarek</u> , M. Krzemiński, G. Krzywańska, E. Krawczyk, E. Nebesny, W. Krysiak, K. Miśkiewicz, J. Arkusiński	Influence of the fondant cooking method on sucrose crystallization and the quality of finished product	215
<u>J. M. Cruz Rubio*</u> , M. Mueller, H. Viernstein, R. Loeppert, W. Praznik	Prebiotic potential of the heat-treated mucilages of two nopal species (<i>Opuntia ficus-indica</i> and <i>Opuntia xocconostle</i>)	217
<u>P. Skřivan</u> , M. Sluková*, K. Vaculová, T. Kozelková, D. Perner	Characterization and comparison of whole grain flours with different damaged starch and fibre content	221
<u>M. Sluková*</u> , P. Skřivan, L. Kumbárová, K. Vaculová, Š. Horáčková, D. Havelková	Physico-chemical properties of wholemeal flour and sourdough prepared from a new food barley variety	225
<u>J. Słupski*</u> , A. Korus, E. Bernaś, M. Tabaszewska, Ł. Skoczylas	Effect of canning on the content of dietary fiber in immature seeds of six cultivars of common bean (<i>Phaseolus vulgaris</i> L.)	229
<u>J. Słupski</u> , P. Gębczyński, A. Korus, E. Bernaś, M. Tabaszewska	The content of dietary fiber in the fresh and frozen immature bean seeds depending on type and method of processing prior to freezing	232
<u>H. Śmigielska</u> , H. M. Baranowska, J. Lewandowicz	Fortification of oxidised starches with Cu ²⁺ ions	237
<u>H. Śmigielska</u> , W. Błaszczak, J. Lewandowicz	Microstructure of starch pastes containing Cu ²⁺ ions	241
<u>P. Smrčková</u> , K. Lukschová, E. Šárka	Influence of heat treatment of food on starch digestibility	246
<u>R. Socha*</u> , M. Bączkiewicz, T. Fortuna, M. Pastuszyńska	Influence of polyols on the selected properties of cookies	251
D. Gałkowska*, <u>R. Socha</u> , M. Krężołek	Effect of partial substitution of spelt flour with other ancient wheat and quinoa flours on quality characteristics of pasta	256
<u>K. Surówka*</u> , M. Witek, I. Maciejaszek, K. L. D. Krokosz, J. Rychlicka-Rybska	Influence of soybean endogenous polysaccharides on thermogravimetric characteristics of soy protein preparations	261

<i>D. Krokosz, J. Rychlicka-Rybska, M. Witek, I. Maciejaszek, K. Surówka*</i>	Characterisation of semi-refined κ and ι - carrageenan	265
<i>L. Sushytskyi, R. Bleha, A. Sinica, A. Kollmannová, P. Kaštánek, J. Čopíková</i>	Biomass of chlorophyll-deficient clones of micro algae	271
<i>E. Šárka, A. Němečková, D. Chena Aldao, P. Smrčková</i>	Properties of oral disintegrating tablets prepared from wheat starch and powdered cellulose using extrusion cooking	275
<i>L. Štěrbová*, J. Bradová, M. Hutař</i>	Does “healthy” food choice matter? comparison of starch digestibility in ordinary starchy food and its wholemeal/ multicereal alternatives	280
<i>I. Švec, M. Hrušková, L. Mrvíková</i>	Effect of fiber from brown linseed on viscosity profiles of different composite flour	284
<i>M. Tabaszewska*, J. Slupski, P. Gębczyński, K. Pogoń, Ł. Skoczylas</i>	Fiber content in aril yew (<i>Taxus baccata</i> L.) originates from different area of poland	287
<i>P. Gębczyński*, M. Tabaszewska, A. Korus, J. Slupski, E. Bernaś</i>	Effect of technological process and storage on dietary fibre in tomato purée products	289
<i>T. Taubner*, M. Marounek, A. Sinica, Z. Volek, E. Skřivanová, D. Dušková</i>	Preparation of the amidated alginate and comparison of the hypocholesterolemic and hypolipidemic activity with alginate in rats	293
<i>L. Třešnáková, R. Bleha, A. Sinica, J. Čopíková</i>	Polysaccharides from sporocarp of fungi <i>Ganoderma resinaceum</i> : isolation and structure	299
<i>K. Vaculová*, I. Sedláčková, O. Jirsa, M. Sluková, P. Skřivan^C</i>	Changes in chemical composition and nutritional properties of wholemeal flours from different barley materials due to controlled germination	302
<i>M. Witek*, I. Maciejaszek, G. Fiutak, K. Surówka</i>	Comparison of water state in xanthan gum, xanthan gum – soy protein isolate mixtures and electrocomplexes suspensions by combined nmr relaxation and thermogravimetric approach	307
<i>N. Yavorov*, S. Petrin, P. Velichkova, D. Todorova, I. Valchev, I. Lalov</i>	Effect of parameters of mild acid hardwood pulp hydrolysis on the released wastewater sugars and methane production potential	311