

Chapter One COMPLEXES WITH WEAKLY COORDINATED LIGANDS

1. Metal Complexes with Weakly Bonded Anions: General Considerations.....	1
2. Carbonyl(η^5 -cyclopentadienyl)(tetrafluoroborato)molybdenum and -tungsten complexes: $\text{CpM}(\text{CO})_2(\text{L})(\text{BF}_4)$ ($\text{M} = \text{Mo}, \text{W}$; $\text{L} = \text{CO}, \text{PPh}_3$).....	5
A. Tricarbonyl(η^5 -cyclopentadienyl)(tetrafluoroborato)molybdenum and -tungsten.....	5
B. Dicarbonyl(η^5 -cyclopentadienyl)(tetrafluoroborato)(triphenylphosphine)molybdenum and -tungsten, $\text{MCp}(\text{CO})_2(\text{PPh}_3)(\text{FBF}_3)$ ($\text{M} = \text{Mo}, \text{W}$).....	7
C. Tricarbonyl(η^5 -cyclopentadienyl)(η^2 -ethene)molybdenum (1 +) Tetrafluoroborate(1 -).....	11
D. Carbonyl(η^5 -cyclopentadienyl)bis(diphenylacetylene)molybdenum (1 +) Tetrafluoroborate(1 -).....	11
E. Carbonyl(η^5 -cyclopentadienyl)(diphenylacetylene)(triphenylphosphine)molybdenum(1 +) Tetrafluoroborate(1 -).....	13
F. (Acetone)(tricarbonyl)(η^5 -cyclopentadienyl)molybdenum-(1 +) and -tungsten(1 +) Tetrafluoroborate(1 -).....	14
3. Pentacarbonyl(tetrafluoroborato)rhenium and -manganese and Reactions Thereof: $\text{M}(\text{CO})_5(\text{BF}_4)$ ($\text{M} = \text{Mn}, \text{Re}$).....	15
A. Pentacarbonylmethylrhenium: $\text{Re}(\text{CO})_5\text{Me}$	16
B. Pentacarbonyl(tetrafluoroborato)rhenium(I).....	17
C. Pentacarbonyl(η^2 -ethene)rhenium(1 +) Tetrafluoroborate(1 -): $\text{Re}(\text{CO})_5(\eta^2\text{-C}_2\text{H}_4)^+$	19
D. Octadecacarbonyl-bis(μ_3 -carbon dioxide)-tetrarhenium: $\text{Re}_4(\text{CO})_{18}(\text{CO}_2)_2$	20
4. Iridium(III) Complexes with the Weakly Bonded Anions $[\text{BF}_4^-]$ and $[\text{OSO}_2\text{CF}_3^-]$	22
A. Carbonylchlorohydrido(tetrafluoroborato)bis(triphenylphosphine)iridium(III): $\text{Ir}(\text{Cl})(\text{CO})(\text{PPh}_3)_2(\text{H})(\text{BF}_4)$	23

B.	Carbonylchloromethyl(tetrafluoroborato)bis(triphenylphosphine)iridium(III): $\text{Ir}(\text{Cl})(\text{CO})(\text{PPh}_3)_2(\text{CH}_3)(\text{BF}_4)$	24
C.	Chloro(dinitrogen)hydrido(tetrafluoroborato)bis(triphenylphosphine)iridium(III): $\text{Ir}(\text{Cl})(\text{N}_2)(\text{PPh}_3)_2(\text{H})(\text{BF}_4)$	25
D.	Carbonylhydridobis(trifluoromethanesulfonato)bis(triphenylphosphine)iridium(III): $\text{Ir}(\text{CO})(\text{PPh}_3)_2(\text{H})(\text{O}_3\text{SCF}_3)_2$	26
5.	<i>cis</i> -Chlorobis(triethylphosphine)(trifluoromethanesulfonato)-platinum(II)	27
6.	Tricarbonyltris(nitrile) Complexes of Cr, Mo, and W: $\text{M}(\text{CO})_3(\text{NCtEt})_3$ (M = Cr, Mo, W)	29
A.	Tricarbonyltris(propionitrile)tungsten(0)	30
B.	Tricarbonyltris(propionitrile)molybdenum(0).	31
C.	Tricarbonyltris(propionitrile)chromium(0)	32
7.	The Synthesis of Molybdenum and Tungsten Dinitrogen Complexes: $\text{MoCl}_4(\text{L})_2$, $\text{MoCl}_3(\text{L})_3$ (L = NCMe, THF), $\text{Mo}(\text{N}_2)_2(\text{dppe})_2$, $\text{W}(\text{N}_2)_2(\text{dppe})_2$	33
A.	Bis(acetonitrile)tetrachloromolybdenum(IV), $[\text{MoCl}_4(\text{CH}_3\text{CN})_2]$	34
B.	Tetrachlorobis(tetrahydrofuran)molybdenum(IV), $[\text{MoCl}_4(\text{THF})_2]$	35
C.	Trichlorotris(tetrahydrofuran)molybdenum(III), $[\text{MoCl}_3(\text{THF})_3]$	36
D.	Trichlorotris(acetonitrile)molybdenum(III), $[\text{MoCl}_3(\text{MeCN})_3]$	37
E.	<i>trans</i> -Bis(dinitrogen)bis[1,2-ethanediylbis-(diphenylphosphine)]molybdenum(0), <i>trans</i> - $[\text{Mo}(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$	38
F.	Tetrachlorobis(triphenylphosphine)tungsten(IV), $[\text{WCl}_4(\text{PPh}_3)_2]$	40
G.	Tetrachloro[1,2-ethanediylbis(diphenylphosphine)]tungsten(IV), $[\text{WCl}_4(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$. . .	41
H.	<i>trans</i> -Bis(dinitrogen)-bis[1,2-ethanediylbis(diphenylphosphine)]tungsten(0), <i>trans</i> - $[\text{W}(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$	41
8.	<i>trans</i> -Bis[1,2-ethanediylbis(diphenylphosphine)]bis-(isocyanomethane)tungsten(0): <i>trans</i> - $[\text{W}(\text{CNR})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$	43
9.	Tricarbonyl(cycloheptatriene)molybdenum(0): $\text{Mo}(\text{CO})_3(\text{C}_7\text{H}_8)$	45
10.	Tetracarbonyl(η^2 -Methyl Acrylate)Ruthenium: $\text{Ru}(\text{CO})_4(\eta^2\text{-CH}_2=\text{C}(\text{H})(\text{CO}_2\text{Me}))$	47
11.	Reagents for the Synthesis of η -Diene Complexes of Tricarbonyliron and Tricarbonylruthenium	52

A.	(Benzylideneacetone)tricarbonyliron(0)	52
B.	(1,5-Cyclooctadiene)tricarbonylruthenium(0)	54
12.	Dihydridobis(solvent)bis(triphenylphosphine)iridium(III) Tetrafluoroborates: $\text{Ir}(\text{COD})(\text{PPh}_3)_2^+$, $\text{Ir}(\text{H})_2(\text{PPh}_3)_2(\text{L})_2^+$ (L = acetone, H_2O)	56
A.	(η^4 -1,5-Cyclooctadiene)bis(triphenylphosphine)iridium(I) Tetrafluoroborate(1 -)	56
B.	Bis(acetone)dihydridobis(triphenylphosphine)iridium(III) Tetrafluoroborate(1 -)	57
C.	Diaquadihydridobis(triphenylphosphine)iridium(III) Tetrafluoroborate(1 -)	58
D.	(1,2-Diiodobenzene)dihydridobis(triphenylphosphine)- iridium(III) Tetrafluoroborate(1 -)	59
13.	Bis(benzonitrile)dichloro Complexes of Palladium and Platinum: $\text{MCl}_2(\text{NCPh})_2$ (M = Pd, Pt)	60
A.	Bis(benzonitrile)dichloropalladium	61
B.	Bis(benzonitrile)dichloroplatinum	62
14.	Acetonitrile Complexes of Selected Transition Metal Cations: $\text{Pd}(\text{NCMe})_4^{2+}$, $\text{M}(\text{NO})_2(\text{NCMe})_4^{2+}$ (M = Mo, W)	63
A.	Tetrakis(acetonitrile)palladium(2 +) Bis[tetrafluoroborate- (1 -)]	63
B.	<i>cis</i> -Tetrakis(acetonitrile)dinitrosylmolybdenum(2 +) Bis[tetrafluoroborate(1 -)]	65
C.	<i>cis</i> -Tetrakis(acetonitrile)dinitrosyltungsten(2 +) Bis[tetrafluoroborate(1 -)]	66
15.	Tetrakis(acetonitrile)copper(1 +) Hexafluorophosphate(1 -): $[\text{Cu}(\text{NCMe})_4]^+$	68
16.	Trifluoromethanesulfonates and Trifluoromethanesulfonato-O Complexes	70
A.	Triflate Salts from Chloride Salts	72
B.	Triflate Salts from Sulphate Salts	73
C.	Triflate Salts Using Silver Triflate	73
D.	Triflate Complexes from Chloro Complexes	74
E.	Triflate Complexes from Solid State Reactions of Triflate Salts	75
F.	Regeneration of Triflate Complexes	76

Chapter Two LOW-VALENT COMPLEXES OF Rh, Ir, Ni, Pd, and Pt

17.	Chlorotris(triphenylphosphine)rhodium(I) (Wilkinson's Catalyst): $\text{Rh}(\text{Cl})(\text{PPh}_3)_3$	77
-----	--	----

18.	<i>trans</i> -Carbonylchlorobis(triphenylphosphine)rhodium and Related Complexes: Rh(Cl)(CO)(PPh ₃) ₂	79
19.	Hydrido Phosphine Complexes of Rhodium(I): Rh(H)(PPh ₃) ₄ , Rh(H)(CO)(PPh ₃) ₃	81
	A. Hydridotetrakis(triphenylphosphine)rhodium(I).....	81
	B. Carbonylhydridotris(triphenylphosphine)rhodium(I).....	82
20.	Tetracarbonyldichlorodirrhodium: [Rh(Cl)(CO) ₂] ₂	84
21.	Di- μ -chlorotetrakis(ethene)dirrhodium(I): [Rh(Cl)(C ₂ H ₄) ₂] ₂	86
22.	Di- μ -chloro-bis(η^4 -1,5-cyclooctadiene)dirrhodium(I): [Rh(Cl)(COD)] ₂	88
23.	Chlorobis(cyclooctene)rhodium(I) and -iridium(I) Complexes: [M(Cl)(C ₈ H ₁₄) ₂] ₂ (M = Rh, Ir).....	90
	A. Chlorobis(cyclooctene)rhodium(I).....	90
	B. Di- μ -chlorobis[bis(cyclooctene)iridium].....	91
24.	<i>trans</i> -Carbonylchlorobis(triphenylphosphine)iridium: Ir(Cl)(CO)(PPh ₃) ₂	92
25.	Bis(1,5-cyclooctadiene)nickel(0): Ni(COD) ₂	94
26.	Complexes of Nickel(0): Ni(CN- <i>t</i> -Bu) ₄ , Ni(PPh ₃) ₄	98
	A. Tetrakis(<i>tert</i> -butyl isocyanide)nickel(0).....	99
	B. Tetrakis(triphenylphosphine)nickel(0).....	102
27.	Tetrakis(triethyl phosphite)nickel(0), palladium(0), and platinum(0) Complexes: M[P(OEt) ₃] ₄	104
	A. Tetrakis(triethyl phosphite)nickel(0).....	104
	B. Tetrakis(triethyl phosphite)palladium(0).....	105
	C. Tetrakis(triethyl phosphite)platinum(0).....	106
28.	Tetrakis(triphenylphosphine)palladium(0): Pd(PPh ₃) ₄	107
29.	Tetrakis(<i>tert</i> -butyl isocyanide)di- μ -chlorodipalladium(I): Pd(dba) ₂ , Pd ₂ Cl ₂ (CN- <i>t</i> -Bu) ₄	110
30.	Two-Coordinate Phosphine Complexes of Palladium(0) and Platinum(0): M(PR ₃) ₂ (M = Pd, Pt).....	113
	A. Bis(di- <i>tert</i> -butylphenylphosphine)palladium(0).....	114
	B. Bis(tricyclohexylphosphine)palladium(0).....	114
	C. Bis(tri- <i>tert</i> -butylphosphine)palladium(0).....	115
	D. Bis(di- <i>tert</i> -butylphenylphosphine)platinum(0).....	116
	E. Bis(tricyclohexylphosphine)platinum(0).....	116
31.	Three-Coordinate Phosphine Complexes of Platinum(0): Pt(PR ₃) ₃	119
	A. Tris(triethylphosphine)platinum(0).....	120
	B. Tris(triisopropylphosphine)platinum(0).....	120
32.	Tetrakis(triethylphosphine)platinum(0): Pt(PEt ₃) ₄	122
33.	Tris- and tetrakis(triphenylphosphine)platinum(0): Pt(PPh ₃) _{3,4}	123
	A. Tetrakis(triphenylphosphine)platinum(0).....	124
	B. Tris(triphenylphosphine)platinum(0).....	125

34.	Olefin Complexes of Platinum: $\text{Pt}(\text{COD})_2$, $\text{Pt}(\text{C}_2\text{H}_4)_3$, $\text{Pt}(\text{C}_2\text{H}_4)_2(\text{PR}_3)$	126
A.	Bis(1,5-cyclooctadiene)platinum(0)	126
1.	(1,3,5,7-Cyclooctatetraene)dilithium ($\text{Li}_2\text{C}_8\text{H}_8$)	127
2.	Tris(bicyclo[2.2.1]heptene)platinum(0)	127
3.	Bis(1,5-cyclooctadiene)platinum(0).....	128
B.	Tris(ethene)platinum(0)	129
C.	Bis(ethene)(tricyclohexylphosphine)platinum(0).....	130
35.	Ethene Complexes of Bis(trialkylphosphine)platinum(0): $\text{Pt}(\text{C}_2\text{H}_4)(\text{PR}_3)_2$	132
A.	(Ethene)bis(triethylphosphine)platinum(0).....	133
B.	(Ethene)bis(phosphine)platinum(0)	135

Chapter Three SUBSTITUTED METAL CARBONYL COMPLEXES

36.	(η^6 -Arene)tricarbonylchromium Complexes: $\text{Cr}(\eta^6\text{-Arene})(\text{CO})_3$	136
A.	(η^6 -Anisole)tricarbonylchromium	137
B.	Other Arenetricarbonylchromium Complexes.....	138
37.	Zero-Valent Isocyanide Complexes of Chromium, Molybdenum, and Tungsten: $\text{M}(\text{CO})_x(\text{CNR})_{6-x}$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$)...	140
A.	$[\text{M}(\text{CO})_{6-n}(\text{CNBu}^t)_n]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; n = 1-3$) Using Cobalt(II) Chloride as Catalyst	142
B.	$[\text{M}(\text{CO})_{6-n}(\text{CNBu}^t)_n]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; n = 1-3$) Using Palladium(II) Oxide as Catalyst.....	144
C.	Other Zero-Valent Isocyanide Complexes of Chromium, Molybdenum and Tungsten	144
38.	<i>cis</i> -Bis(diethyldithiocarbamato)dinitrosylmolybdenum, Dibromotetracarbonylmolybdenum(II), and Di- and Tricarbonylbis(diethyldithiocarbamato)molybdenum(II): $\text{Mo}(\text{Br})_2(\text{CO})_4$, $\text{Mo}(\text{CO})_2, 3[\text{S}_2\text{CNEt}_2]_2$, $\text{Mo}(\text{NO})_2[\text{S}_2\text{CNEt}_2]_2$	145
39.	Hexacarbonylbis(η^5 -cyclopentadienyl)dichromium, molybdenum, and tungsten and Their Analogs: $\text{M}_2(\eta^5\text{-C}_5\text{H}_4\text{R})_2(\text{CO})_6$ ($\text{M} = \text{Cr}, \text{Mo}$, and W ; $\text{R} = \text{H}, \text{Me}$, or PhCH_2).....	148
40.	Cyclopentadienyl Metal Carbonyl Dimers of Molybdenum and Tungsten: $[\text{CpM}(\text{CO})_3]_2$, $[\text{CpM}(\text{CO})_2]_2$ ($\text{M} = \text{Mo}, \text{W}$).....	150
A.	Hexacarbonylbis(η^5 -cyclopentadienyl)dimolybdenum(Mo-Mo).....	151
B.	Tetracarbonylbis(η^5 -cyclopentadienyl)dimolybdenum- ($\text{Mo}\equiv\text{Mo}$)	152
41.	Pentacarbonylmanganese Halides: $\text{Mn}(\text{CO})_5\text{X}$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$) .	154
A.	Pentacarbonylchloromanganese, $\text{MnCl}(\text{CO})_5$	155

B.	Bromopentacarbonylmanganese, $\text{MnBr}(\text{CO})_5$	156
C.	Pentacarbonyliodomanganese, $\text{MnI}(\text{CO})_5$	157
D.	Pentacarbonyliodomanganese, Alternate Procedure.....	158
42.	Pentacarbonylrhenium Halides: $\text{Re}(\text{CO})_5\text{X}$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$).....	160
A.	Pentacarbonylchlororhenium, $[\text{ReCl}(\text{CO})_5]$	161
B.	Pentacarbonylchlororhenium (Alternate Procedure).....	161
C.	Bromopentacarbonylrhenium, $[\text{ReBr}(\text{CO})_5]$	162
D.	Pentacarbonyliodorhenium, $[\text{ReI}(\text{CO})_5]$	163
43.	Pentacarbonylhydridorhenium: $\text{Re}(\text{CO})_5\text{H}$	165
44.	Tetracarbonyliron(0) Complexes Containing Group V Donor Ligands: $\text{Fe}(\text{CO})_4(\text{PR}_3)$	168
A.	Tetracarbonyl(triphenylphosphine)iron(0).....	170
B.	Other Tetracarbonyl(Group V Donor Ligand)iron(0) Complexes.....	170
45.	Bis(phosphine) Derivatives of Iron Pentacarbonyl and Tetracarbonyl(tri- <i>tert</i> -butylphosphine)iron(0): $\text{Fe}(\text{CO})_3(\text{PR}_3)_2$..	173
A.	Tricarbonylbis(triphenylphosphine)iron(0).....	176
B.	Tricarbonylbis(tricyclohexylphosphine)iron(0).....	176
C.	Tricarbonylbis(tri- <i>n</i> -butylphosphine)iron(0).....	177
D.	Tricarbonylbis(trimethylphosphine)iron(0).....	177
E.	Tetracarbonyl(tri- <i>tert</i> -butylphosphine)iron(0).....	177
46.	Zero-Valent Iron Isocyanide Complexes: $\text{Fe}(\text{CO})_x(\text{CNR})_{5-x}$...	179
A.	Tetracarbonyl(2-isocyano-1,3-dimethylbenzene)iron(0)....	180
B.	Tricarbonylbis(2-isocyano-1,3-dimethylbenzene)iron(0)....	181
C.	Dicarbonyltris(2-isocyano-1,3-dimethylbenzene)iron(0)....	182
D.	Carbonyltetrakis(2-isocyano-1,3-dimethylbenzene)iron(0)..	183
E.	Pentakis(2-isocyano-1,3-dimethylbenzene)iron(0).....	184
47.	Dicarbonyl(η^5 -cyclopentadienyl)(thiocarbonyl)iron(1 +) Tri-fluoromethanesulfonate (1 -) and Dicarbonyl(η^5 -cyclopentadienyl)[methylthio]thiocarbonyl]iron: $\text{CpFe}(\text{CO})_2(\text{CS})^+$, $\text{CpFe}(\text{CO})_2[\text{C}(=\text{S})\text{SMe}]$	186
48.	Tetracarbonylbis(η^5 -cyclopentadienyl)diruthenium: $[\text{CpRu}(\text{CO})_2]_2$	189

Chapter Four METAL CARBONYL ANION COMPLEXES

49.	Sodium Hexacarbonylniobate(1 -): $\text{Nb}(\text{CO})_6^-$	192
50.	Dicarbonyl(η^5 -cyclopentadienyl)nitrosyl Complexes of Chromium, Molybdenum, and Tungsten: $\text{CpM}(\text{CO})_3^-$, $\text{CpM}(\text{CO})_2(\text{NO})$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$).....	196

51.	Acetylpentacarbonylmanganese and Acetylpentacarbonylrhenium: $M(CO)_5^-$, $M(CO)_5[C(=O)Me]$ ($M = Mn, Re$).....	199
A.	Acetylpentacarbonylmanganese.....	199
B.	Acetylpentacarbonylrhenium.....	201
52.	Sodium Carbonyl Ferrates, $Na_2[Fe(CO)_4]$, $Na_2[Fe_2(CO)_8]$, and $Na_2[Fe_3(CO)_{11}]$. Bis[μ -nitrido-bis(triphenylphosphorus)(1 +)] Undecacarbonyltriferrate(2 -), $[(Ph_3P)_2N]_2[Fe_3(CO)_{11}]$	203
53.	Dicarbonyl(η^5 -cyclopentadienyl)(2-methyl-1-propenyl- κC^1)iron and Dicarbonyl(η^5 -cyclopentadienyl)(η^2 -2-methyl-1-propene)iron(1 +) Tetrafluoroborate(1 -): $CpFe(CO)_2^-$, $CpFe(CO)_2[CH_2=CMe_2]^+$	207
A.	Dicarbonyl(η^5 -cyclopentadienyl)(2-methyl-1-propenyl- κC^1)iron.....	208
B.	Dicarbonyl(η^5 -cyclopentadienyl)(η^2 -2-methyl-1-propene)iron(1 +) Tetrafluoroborate.....	210
54.	μ -Nitrido-bis(triphenylphosphorus)(1 +) Tetracarbonylrhodate(1 -) and μ -Nitrido-bis(triphenylphosphorus)(1 +) Tetracarbonyliridate(1 -): $[(Ph_3P)_2N][M(CO)_4]$ ($M = Rh, Ir$).....	211
A.	μ -Nitrido-bis(triphenylphosphorus)(1 +) Tetracarbonylrhodate(1 -).....	213
B.	μ -Nitrido-bis(triphenylphosphorus)(1 +) Tetracarbonyliridate(1 -).....	214

Chapter Five METAL CLUSTER COMPLEXES

55.	Polynuclear Ruthenium Complexes: $Ru_3(CO)_{12}$, $H_4Ru_4(CO)_{12}$	216
A.	Dodecacarbonyltriruthenium, $Ru_3(CO)_{12}$	216
B.	Dodecacarbonyltetra(μ -hydrido)tetraruthenium, $Ru_4(\mu-H)_4(CO)_{12}$	219
56.	Tri- and Tetranuclear Carbonyl-Ruthenium Clusters Containing Isocyanide, Tertiary Phosphine and Phosphite Ligands. Radical Ion-Initiated Substitution of Metal Cluster Carbonyl Complexes Under Mild Conditions: $Ru_3(CO)_{12-x}(L)_x$, $H_4Ru_4(CO)_{12-x}(L)_x$	221
A.	Sodium Benzophenone Ketyl Solution.....	222
B.	Undecacarbonyl(dimethylphenylphosphine)triruthenium, $Ru_3(CO)_{11}(PMe_2Ph)$	223
C.	Decacarbonyl(dimethylphenylphosphine)(2-isocyano-2-methylpropane)triruthenium, $Ru_3(CO)_{10}(CNBu^t)(PMe_2Ph)$	224

D.	Decacarbonyl[methylenebis(diphenylphosphine)]tri-ruthenium, $\text{Ru}_3(\text{CO})_{10}[(\text{Ph}_2\text{P})_2\text{CH}_2]$	225
E.	$[\mu\text{-Ethynediyl-bis(diphenylphosphine)}]\text{bis[undecacarbonyltriruthenium]}$, $[\text{Ru}_3(\text{CO})_{11}]_2[\mu\text{-C}_2(\text{PPh}_2)_2]$	226
F.	Undecacarbonyltetrahydrido[tris(4-methylphenyl)phosphite]tetraruthenium, $\text{Ru}_4\text{H}_4(\text{CO})_{11}[\text{P}(\text{OC}_6\text{H}_4\text{Me-p})_3]$	227
G.	Decacarbonyl(dimethylphenylphosphine)tetrahydrido[tris(4-methylphenyl)phosphite]tetraruthenium, $\text{Ru}_4\text{H}_4(\text{CO})_{10}(\text{PMe}_2\text{Ph})[\text{P}(\text{OC}_6\text{H}_4\text{Me-p})_3]$	228
57.	Dodecacarbonyltriosmium: $\text{Os}_3(\text{CO})_{12}$	230
58.	Some Useful Derivatives of Dodecacarbonyltriosmium: $\text{Os}_3(\text{CO})_{11}(\text{NCMe})$, $\text{Os}_3(\text{CO})_{10}(\text{NCMe})_2$	232
A.	(Acetonitrile)undecacarbonyltriosmium	232
B.	Undecacarbonyl(pyridine)triosmium	234
C.	Bis(acetonitrile)decacarbonyltriosmium	234
59.	$\mu\text{-Nitrido-bis(triphenylphosphorus)}(1 +)\mu\text{-carbonyl-decacarbonyl-}\mu\text{-hydridotriosmate}(1 -)$: $\text{HOs}_3(\text{CO})_{11}^-$	236
60.	Decacarbonyldi- $\mu\text{-hydridotriosmium}$: $\text{Os}_3(\mu\text{-H})_2(\text{CO})_{10}$	238
61.	Dodecacarbonyltetra- $\mu\text{-hydrido-tetrahedro-tetraosmium}$: $\text{H}_4\text{Os}_4(\text{CO})_{12}$	240
62.	Tri- $\mu\text{-carbonyl-nonacarbonyltettrrhodium}$: $\text{Rh}_4(\text{CO})_{12}$	242
63.	Dodecacarbonyltetrairidium: $\text{Ir}_4(\text{CO})_{12}$	245

Chapter Six CYCLOPENTADIENYL COMPLEXES

64.	Dicarbonylbis($\eta^5\text{-cyclopentadienyl}$) Complexes of Titanium, Zirconium, and Hafnium: $\text{Cp}'_2\text{M}(\text{CO})_2$ ($\text{Cp}' = \text{C}_5\text{H}_5, \text{C}_5\text{Me}_5$; $\text{M} = \text{Ti, Zr, Hf}$)	248
A.	Dicarbonylbis($\eta^5\text{-cyclopentadienyl}$)titanium	250
B.	Dicarbonylbis($\eta^5\text{-cyclopentadienyl}$)zirconium	251
C.	Dicarbonylbis($\eta^5\text{-cyclopentadienyl}$)hafnium	252
D.	Dicarbonylbis($\eta^5\text{-pentamethylcyclopentadienyl}$)titanium ..	253
E.	Dicarbonylbis($\eta^5\text{-pentamethylcyclopentadienyl}$)zirconium ..	254
F.	Dicarbonylbis($\eta^5\text{-pentamethylcyclopentadienyl}$)hafnium ..	255
65.	($\eta^5\text{-Cyclopentadienyl}$)hydrido- zirconium Complexes: Cp_2ZrH_2 , $\text{Cp}_2\text{Zr}(\text{H})(\text{Cl})$	257
A.	Bis($\eta^5\text{-cyclopentadienyl}$)dihydrido- zirconium	257
1.	$\mu\text{-Oxo-bis[chlorobis}(\eta^5\text{-cyclopentadienyl})\text{zirconium}]$..	257
2.	Bis($\eta^5\text{-cyclopentadienyl}$)dihydrido- zirconium	258
B.	Chlorobis($\eta^5\text{-cyclopentadienyl}$)hydrido- zirconium	259

66.	Cyclopentadienyl Complexes of Titanium(III) and Vanadium(III): Cp_2MCl ($\text{M} = \text{Ti}, \text{V}$).....	260
	A. Chlorobis(η^5 -cyclopentadienyl)titanium(III).....	261
	B. Chlorobis(η^5 -cyclopentadienyl)vanadium(III)	262
67.	Vanadocene, Bis(η^5 -cyclopentadienyl)vanadium: Cp_2V , $\text{V}_2(\mu\text{-Cl})_3(\text{THF})_6^{2+}$	263
68.	Dichlorobis(η^5 -cyclopentadienyl)niobium(IV): Cp_2NbCl_2	267
69.	Chloro(η^5 -cyclopentadienyl)bis(triphenylphosphine)-ruthenium(II): $\text{RuCl}(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)$	270
70.	(η^5 -Pentamethylcyclopentadienyl)cobalt Complexes: $\text{Cp}^*\text{Co}(\text{CO})_2$, $\text{Cp}^*\text{Co}(\text{C}_2\text{H}_4)_2$	273
	A. Dicarbonyl(η^5 -pentamethylcyclopentadienyl)cobalt(I).....	273
	B. Carbonyldiiodo(η^5 -pentamethylcyclopentadienyl)cobalt(III)	275
	C. Di- μ -iodo-bis[iodo(η^5 -pentamethylcyclopentadienyl)cobalt(III)].	276
	D. Bis(η^2 -ethene)(η^5 -pentamethylcyclopentadienyl)cobalt(I) ..	278
71.	Cyclopentadienylbis(trimethylphosphine) and Cyclopentadienylbis(trimethylphosphite) Complexes of Co and Rh: $\text{CpM}(\text{PMe}_3)_2$, $\text{CpM}[\text{P}(\text{OMe})_3]_2$ ($\text{M} = \text{Co}, \text{Rh}$)	280
	A. (η^5 -Cyclopentadienyl)bis(trimethylphosphine)rhodium(I) ..	280
	B. (η^5 -Cyclopentadienyl)bis(trimethylphosphine)cobalt(I)	281
	C. (η^5 -Cyclopentadienyl)bis(trimethylphosphite)cobalt(I).....	283
	D. (η^5 -Cyclopentadienyl)bis(trimethylphosphite)rhodium(I)...	284

Chapter Seven LANTHANIDE AND ACTINIDE COMPLEXES

72.	Lanthanide Trichlorides by Reaction of Lanthanide Metals with Mercury(II) Chloride in Tetrahydrofuran: $\text{LnCl}_3(\text{THF})_x$	286
	A. Ytterbium Trichloride–Tetrahydrofuran (1/3).....	289
	B. Erbium Trichloride–Tetrahydrofuran (2/7)	290
	C. Samarium Trichloride–Tetrahydrofuran (1/2).....	290
	D. Neodymium Trichloride–Tetrahydrofuran (2/3).....	290
73.	(η^5 -Cyclopentadienyl)lanthanide Complexes from the Metallic Elements: Cp_3Ln ($\text{Ln} = \text{Nd}, \text{Sm}$), $\text{Cp}_2\text{Y}(\text{DME})$	291
	A. Tris(η^5 -cyclopentadienyl)(tetrahydrofuran)neodymium(III)	293
	B. Tris(η^5 -cyclopentadienyl)(tetrahydrofuran)samarium(III) ..	294
	C. Bis(η^5 -cyclopentadienyl)(1,2-dimethoxyethane)-ytterbium(II).....	295
74.	Bis(η^5 -pentamethylcyclopentadienyl)bis(tetrahydrofuran)-samarium(II): $\text{Cp}_2^*\text{Sm}(\text{THF})_2$	297

75.	Chlorotris(η^5 -cyclopentadienyl) Complexes of Uranium(IV) and Thorium(IV): Cp_3MCl (M = U, Th)	300
A.	Chlorotris(η^5 -cyclopentadienyl)uranium(IV).....	301
B.	Chlorotris(η^5 -cyclopentadienyl)thorium(IV)	302

Chapter Eight LIGANDS AND OTHER TRANSITION METAL COMPLEXES

76.	Trimethylphosphine: PMe_3	305
77.	Phosphorus Trifluoride: PF_3	311
78.	Cyclopentadienylthallium: CpTl	315
79.	1,2,3,4,5-Pentamethylcyclopentadiene: $\text{C}_5\text{Me}_5\text{H}$	317
80.	Anhydrous Metal Chlorides.....	321
81.	Tungsten and Molybdenum Tetrachloride Oxides: MOCl_4 (M = Mo, W).....	323
A.	Tungsten Tetrachloride Oxide.....	324
B.	Molybdenum Tetrachloride Oxide.....	325
82.	Tungsten Chloro Phosphine Complexes: $\text{WCl}_4(\text{PR}_3)_2, 3,$ $\text{WCl}_2(\text{PR}_3)_4$	326
A.	Tetrachlorotris(trimethylphosphine)tungsten(IV)	327
B.	Tetrachlorobis(diphenylmethylphosphine)tungsten(IV)	328
C.	Dichlorotetrakis(trimethylphosphine)tungsten(II).....	329
D.	Dichlorotetrakis(dimethylphenylphosphine)tungsten(II)...	330
E.	Dichlorotetrakis(methyldiphenylphosphine)tungsten(II) ...	331
83.	Tetrabutylammonium Octachlorodirhenate(III): $\text{Re}_2\text{Cl}_8^{2-}$	332
84.	Di- μ -chloro-bis[tricarbonylchlororuthenium(II)]: $[\text{Ru}(\text{CO})_3\text{Cl}_2]_2$	334
85.	Dihydridotetrakis(triphenylphosphine)ruthenium(II): $\text{H}_2\text{Ru}(\text{PPh}_3)_4$	337
86.	Tris(2,2'-bipyridine)ruthenium(II) Dichloride Hexahydrate: $\text{Ru}(\text{bipy})_3^{2+}$	338
87.	Dichlorobis[μ -methylenebis(diphenylphosphine)]- dipalladium(I)(Pd—Pd): $\text{Pd}_2(\text{dppm})_2\text{Cl}_2$	340
88.	(η^3 -Allyl)palladium(II) Complexes: (η^3 - C_3H_5) $_2\text{Pd}_2\text{Cl}_2$, (η^3 - C_3H_5)(η^5 - C_5H_5)Pd.....	342
A.	Bis(η^3 -allyl)di- μ -chloro-dipalladium(II)	342
B.	(η^3 -Allyl)(η^5 -cyclopentadienyl)palladium(II).....	343
89.	Cyclic Diolefin Complexes of Platinum and Palladium: $\text{MCl}_2(\text{COD})$ (M = Pd, Pt)	346
A.	Dichloro(η^4 -1,5-cyclooctadiene)platinum(II).....	346
B.	Dichloro(η^4 -1,5-cyclooctadiene)palladium(II).....	348

90. Potassium Trichloro(ethene)platinate(II) (Zeise's Salt):	
$\text{K}[\text{PtCl}_3(\text{C}_2\text{H}_4)]$	349
<i>Index of Contributors</i>	353
<i>Subject Index</i>	361
<i>Formula Index</i>	387