

# Contents

Subject table of contents	ix
Editors' preface	xv
Introducing Stata tips	1
Stata tip 1: The eform() option of regress	R. Newson 2
Stata tip 2: Building with floors and ceilings	N. J. Cox 3
Stata tip 3: How to be assertive	W. Gould 5
Stata tip 4: Using display as an online calculator	P. Ryan 6
Stata tip 5: Ensuring programs preserve dataset sort order	R. Newson 7
Stata tip 6: Inserting awkward characters in the plot	N. J. Cox 8
Stata tip 7: Copying and pasting under Windows	S. Driver and P. Royston 10
Stata tip 8: Splitting time-span records with categorical time-varying covariates	B. Jann 11
Stata tip 9: Following special sequences	N. J. Cox 13
Stata tip 10: Fine control of axis title positions	P. Ryan and N. Winter 14
Stata tip 11: The nolog option with maximum-likelihood modeling commands	P. Royston 16
Stata tip 12: Tuning the plot region aspect ratio	N. J. Cox 17
Stata tip 13: generate and replace use the current sort order	R. Newson 19
Stata tip 14: Using value labels in expressions	K. Higbee 21
Stata tip 15: Function graphs on the fly	N. J. Cox 23
Stata tip 16: Using input to generate variables	U. Kohler 25
Stata tip 17: Filling in the gaps	N. J. Cox 26
Stata tip 18: Making keys functional	S. Driver 28
Stata tip 19: A way to leaner, faster graphs	P. Royston 30
Stata tip 20: Generating histogram bin variables	D. A. Harrison 31
Stata tip 21: The arrows of outrageous fortune	N. J. Cox 33
Stata tip 22: Variable name abbreviation	P. Ryan 36
Stata tip 23: Regaining control over axis ranges	N. Winter 38
Stata tip 24: Axis labels on two or more levels	N. J. Cox 40
Stata tip 25: Sequence index plots	U. Kohler and C. Brzinsky-Fay 41
Stata tip 26: Maximizing compatibility between Macintosh and Windows	M. S. Hanson 43



Stata tip 27: Classifying data points on scatter plots .....	N. J. Cox	44
Stata tip 28: Precise control of dataset sort order .....	P. Schumm	47
Stata tip 29: For all times and all places .....	C. H. Franklin	50
Stata tip 30: May the source be with you .....	N. J. Cox	52
Stata tip 31: Scalar or variable? The problem of ambiguous names ..	G. I. Kolev	54
Stata tip 32: Do not stop .....	S. P. Jenkins	56
Stata tip 33: Sweet sixteen: Hexadecimal formats and precision problems .....	N. J. Cox	57
Stata tip 34: Tabulation by listing .....	D. A. Harrison	59
Stata tip 35: Detecting whether data have changed .....	W. Gould	62
Stata tip 36: Which observations? .....	N. J. Cox	64
Stata tip 37: And the last shall be first .....	C. F. Baum	67
Stata tip 38: Testing for groupwise heteroskedasticity .....	C. F. Baum	69
Stata tip 39: In a list or out? In a range or out? .....	N. J. Cox	72
Stata tip 40: Taking care of business .....	C. F. Baum	75
Stata tip 41: Monitoring loop iterations .....	D. A. Harrison	78
Stata tip 42: The overlay problem: Offset for clarity .....	J. Cui	79
Stata tip 43: Remainders, selections, sequences, extractions: Uses of the modulus .....	N. J. Cox	81
Stata tip 44: Get a handle on your sample .....	B. Jann	84
Stata tip 45: Getting those data into shape .....	C. F. Baum and N. J. Cox	86
Stata tip 46: Step we gaily, on we go .....	R. Williams	90
Stata tip 47: Quantile-quantile plots without programming .....	N. J. Cox	93
Stata tip 48: Discrete uses for uniform() .....	M. L. Buis	98
Stata tip 49: Range frame plots .....	S. Merryman	100
Stata tip 50: Efficient use of summarize .....	N. J. Cox	102
Stata tip 51: Events in intervals .....	N. J. Cox	104
Stata tip 52: Generating composite categorical variables .....	N. J. Cox	108
Stata tip 53: Where did my p-values go? .....	M. L. Buis	110
Stata tip 54: Post your results .....	P. Van Kerm	113
Stata tip 55: Better axis labeling for time points and time intervals ...	N. J. Cox	116
Stata tip 56: Writing parameterized text files .....	R. Gini	119
Stata tip 57: How to reinstall Stata .....	W. Gould	122
Stata tip 58: nl is not just for nonlinear models .....	B. P. Poi	124
Stata tip 59: Plotting on any transformed scale .....	N. J. Cox	127
Stata tip 60: Making fast and easy changes to files with filefilter .....	A. R. Riley	131
Stata tip 61: Decimal commas in results output and data input .....	N. J. Cox	134
Stata tip 62: Plotting on reversed scales .....	N. J. Cox and N. L. M. Barlow	136
Stata tip 63: Modeling proportions .....	C. F. Baum	140



<b>Stata tip 64:</b> Cleaning up user-entered string variables . . . . J. Herrin and E. Poen	145
<b>Stata tip 65:</b> Beware the backstabbing backslash . . . . . N. J. Cox	147
<b>Stata tip 66:</b> ds—A hidden gem . . . . . M. Weiss	149
<b>Stata tip 67:</b> J() now has greater replicating powers . . . . . N. J. Cox	151
<b>Stata tip 68:</b> Week assumptions . . . . . N. J. Cox	153
<b>Stata tip 69:</b> Producing log files based on successful interactive commands . . . . . A. R. Riley	157
<b>Stata tip 70:</b> Beware the evaluating equal sign . . . . . N. J. Cox	160
<b>Stata tip 71:</b> The problem of split identity, or how to group dyads . . . . N. J. Cox	162
<b>Stata tip 72:</b> Using the Graph Recorder to create a pseudograph scheme . . . . . K. Crow	166
<b>Stata tip 73:</b> append with care! . . . . . C. F. Baum	168
<b>Stata tip 74:</b> firstly, a new option for tab2 . . . . . R. G. Gutierrez and P. A. Lachenbruch	171
<b>Stata tip 75:</b> Setting up Stata for a presentation . . . . . K. Crow	173
<b>Stata tip 76:</b> Separating seasonal time series . . . . . N. J. Cox	175
<b>Stata tip 77:</b> (Re)using macros in multiple do-files . . . . . J. Herrin	181
<b>Stata tip 78:</b> Going gray gracefully: Highlighting subsets and downplaying sub- strates . . . . . N. J. Cox	183
<b>Stata tip 79:</b> Optional arguments to options . . . . . N. J. Cox	188
<b>Stata tip 80:</b> Constructing a group variable with specified group sizes . . . . . M. Weiss	189
<b>Stata tip 81:</b> A table of graphs . . . . . M. L. Buis and M. Weiss	192
<b>Stata tip 82:</b> Grounds for grids on graphs . . . . . N. J. Cox	197
<b>Stata tip 83:</b> Merging multilingual datasets . . . . . D. L. Golbe	201
<b>Stata tip 84:</b> Summing missings . . . . . N. J. Cox	206
<b>Stata tip 85:</b> Looping over nonintegers . . . . . N. J. Cox	209
<b>Stata tip 86:</b> The missing() function . . . . . B. Rising	213
<b>Stata tip 87:</b> Interpretation of interactions in nonlinear models . . . . . M. L. Buis	215
<b>Stata tip 88:</b> Efficiently evaluating elasticities with the margins command . . . . . C. F. Baum	219
<b>Stata tip 89:</b> Estimating means and percentiles following multiple imputation . . . P. A. Lachenbruch	223
<b>Stata tip 90:</b> Displaying partial results . . . . . M. Weiss	227
<b>Stata tip 91:</b> Putting unabbreviated varlists into local macros . . . . . N. J. Cox	230
<b>Stata tip 92:</b> Manual implementation of permutations and bootstraps . . . . . L. Ångquist	232
<b>Stata tip 93:</b> Handling multiple y axes on twoway graphs . . . . . V. Wiggins	235
<b>Stata tip 94:</b> Manipulation of prediction parameters for parametric survival re- gression models . . . . . T. Boswell and R. G. Gutierrez	237



Stata tip 95: Estimation of error covariances in a linear model . . . . .	N. J. Horton	239
Stata tip 96: Cube roots . . . . .	N. J. Cox	243
Stata tip 97: Getting at $\rho$ 's and $\sigma$ 's . . . . .	M. L. Buis	249
Stata tip 98: Counting substrings within strings . . . . .	N. J. Cox	252
Stata tip 99: Taking extra care with encode . . . . .	C. Schechter	255
Stata tip 100: Mata and the case of the missing macros . . . . .	W. Gould and N. J. Cox	257
Stata tip 101: Previous but different . . . . .	N. J. Cox	259
Stata tip 102: Highlighting specific bars . . . . .	N. J. Cox	261
Stata tip 103: Expressing confidence with gradations . . . . .	U. Kohler and S. Eckman	265
Stata tip 104: Added text and title options . . . . .	N. J. Cox	270
Stata tip 105: Daily dates with missing days . . . . .	S. J. Samuels and N. J. Cox	272
Stata tip 106: With or without reference . . . . .	M. L. Buis	275
Stata tip 107: The baseline is now reported . . . . .	M. L. Buis	278
Stata tip 108: On adding and constraining . . . . .	M. L. Buis	280
Stata tip 109: How to combine variables with missing values . . . . .	P. A. Lachenbruch	283
Stata tip 110: How to get the optimal k-means cluster solution . . . . .	A. Makles	285
Stata tip 111: More on working with weeks . . . . .	N. J. Cox	290
Stata tip 112: Where did my p-values go? (Part 2) . . . . .	M. L. Buis	295
Stata tip 113: Changing a variable's format: What it does and does not mean . . . . .	N. J. Cox	297
Stata tip 114: Expand paired dates to pairs of dates . . . . .	N. J. Cox	301
Stata tip 115: How to properly estimate the multinomial probit model with heteroskedastic errors . . . . .	M. Herrmann	304
Stata tip 116: Where did my p-values go? (Part 3) . . . . .	M. L. Buis	309
Stata tip 117: graph combine—Combining graphs . . . . .	L. Ängquist	312
Stata tip 118: Orthogonalizing powered and product terms using residual centering . . . . .	C. Sauer	317
Stata tip 119: Expanding datasets for graphical ends . . . . .	N. J. Cox	321