

Contents

1	Why you should care about design	1
1.1	Why experiments need to be designed	1
1.2	The costs of poor design	2
1.2.1	Time and money	2
1.2.2	Ethical issues	3
1.3	The relationship between experimental design and statistics	4
1.4	Why good experimental design is particularly important to life scientists	5
1.4.1	Random variation	5
1.4.2	Confounding factors	6
	<i>Summary</i>	7

2	Starting with a well-defined hypothesis	8
2.1	Why your experiment should be focused: questions, hypotheses, and predictions	8
2.1.1	An example of moving from a question to hypotheses, and then to an experimental design	10
2.1.2	An example of multiple hypotheses	11
2.1.3	Where do (good) ideas come from in the first place?	13
2.2	Producing the strongest evidence with which to challenge a hypothesis	14
2.2.1	Indirect measures	15
2.2.2	Considering all possible outcomes of an experiment	15
2.3	Satisfying sceptics	17
2.4	The importance of a pilot study and preliminary data	17
2.4.1	Making sure that you are asking a sensible question	18
2.4.2	Making sure that your techniques work	19

2.5	Experimental manipulation versus natural variation	21
2.5.1	An example hypothesis that could be tackled by either manipulation or correlation	21
2.5.2	Arguments for doing a correlational study	23
2.5.3	Arguments for doing a manipulative study	24
2.5.4	Situations where manipulation is impossible	26
2.6	Deciding whether to work in the field or the laboratory	29
2.7	<i>In vivo</i> versus <i>in vitro</i> studies	31
2.8	There is no perfect study	31
	Summary	32

3	Between-individual variation, replication, and sampling	34
3.1	Between-individual variation	34
3.2	Replication	35
3.3	Pseudoreplication	45
3.3.1	Explaining what pseudoreplication is	45
3.3.2	Common sources of pseudoreplication	48
3.3.3	Dealing with pseudoreplication	51
3.3.4	Accepting that sometimes pseudoreplication is unavoidable	53
3.3.5	Pseudoreplication, third variables, and confounding variables	54
3.3.6	Cohort effects, confounding variables, and cross-sectional studies	54
3.4	Randomization	55
3.4.1	Why you often want a random sample	56
3.4.2	Haphazard sampling	56
3.4.3	Self-selection	57
3.4.4	Some pitfalls associated with randomization procedures	58
3.4.5	Randomizing the order in which you treat replicates	59
3.4.6	Random samples and representative samples	59
3.5	Selecting the appropriate number of replicates	60
3.5.1	Educated guesswork	61
3.5.2	Formal power analysis	61

3.5.3	Factors affecting the power of an experiment	61
3.5.4	Relation between power and type I and type II errors	63
Summary		74

4 Different experimental designs **75**

4.1 Controls **75**

4.1.1	Different types of control	76
4.1.2	Blind procedures	77
4.1.3	Making sure the control is as effective as possible	79
4.1.4	The ethics of controlling	80
4.1.5	Situations where a control is not required	80

4.2 Completely randomized and factorial experiments **81**

4.2.1	Experiments with several factors	82
4.2.2	Confusing levels and factors	85
4.2.3	Advantages and disadvantages of complete randomization	85

4.3 Blocking **88**

4.3.1	Blocking on individual characters, space, and time	89
4.3.2	The advantages and disadvantages of blocking	90
4.3.3	Paired designs	91
4.3.4	How to select blocks	91
4.3.5	Covariates	92

4.4 Within-subject designs **93**

4.4.1	The advantages of a within-subject design	93
4.4.2	The disadvantages of a within-subject design	94
4.4.3	Isn't repeatedly measuring the same individual pseudoreplication?	95
4.4.4	With multiple treatments, within-subject experiments can take a long time	96
4.4.5	Which sequences should you use?	97

4.5 Split-plot designs (sometimes called split-unit designs) **98**

4.6 Thinking about the statistics **100**

Summary **102**

5 Taking measurements	104
5.1 Calibration	105
5.2 Inaccuracy and imprecision	106
5.3 Intra-observer variability	108
5.3.1 Describing the problem	108
5.3.2 Tackling the problem	109
5.3.3 Repeatability	109
5.3.4 Remember, you can be consistent but still consistently wrong	110
5.4 Inter-observer variability	112
5.4.1 Describing the problem	112
5.4.2 Tackling the problem	112
5.5 Deciding how to measure	113
5.5.1 Defining categories	113
5.5.2 How fine-scale to make interval/ratio measurements	113
5.6 Observer effects	114
5.7 Recording data	115
5.7.1 Don't try to record too much information at once	115
5.7.2 Beware of shorthand codes	116
5.7.3 Keep more than one copy of your data	116
5.7.4 Write out your experimental protocol formally and in detail, and keep a detailed field journal or lab book	116
5.7.5 Don't over-work	117
5.8 Computers and automated data collection	117
5.9 Floor and ceiling effects	118
5.10 Observer bias	119
5.11 Taking measurements of humans and animals in the laboratory	119
5.12 Sensitivity and specificity	120
Summary	123

6 Final thoughts	124
6.1 How to select the levels for a treatment	125
6.2 Subsampling: more woods or more trees?	127
6.3 Using unbalanced groups for ethical reasons	129
6.4 Other sampling schemes	132
6.4.1 Sequential sampling	132
6.4.2 Stratified sampling	132
6.4.3 Systematic sampling	134
6.5 Latin square designs	134
6.6 More on interactions	136
6.6.1 Covariates can interact too	136
6.6.2 The importance of interactions (and the interaction fallacy)	138
6.6.3 Simpson's paradox	141
6.7 Dealing with human subjects	142
6.7.1 Deception	144
6.7.2 Collecting data without permission	144
6.7.3 Confidentiality	145
6.7.4 Discretion	145
6.7.5 Randomized response	146
6.7.6 Ethical guidelines	147
6.7.7 Volunteers	147
6.7.8 Honesty of subjects	147
6.7.9 There is no perfect study: a reprise	148
6.8 Special terminology of experimental design used in the biomedical literature	148
<i>Summary</i>	152
<i>Sample answers to self-test questions</i>	155
<i>Flow chart on experimental design</i>	167
<i>Bibliography</i>	172
<i>Index</i>	177