

# International Journal of GYNECOLOGY & OBSTETRICS

## CONTENTS

Volume 106, No. 1 July 2009

### SPECIAL EDITORIAL

J.J. Sciarra  
USA

**History of the FIGO World Report on Women's Health**

1

### CLINICAL ARTICLES

P. Christian, S.K. Khatri,  
S.C. LeClerq, S.M. Dali  
USA, Nepal

**Effects of prenatal micronutrient supplementation on complications of labor and delivery and puerperal morbidity in rural Nepal**

3

Prenatal micronutrient supplementation may result in reductions in maternal morbidity in rural Nepal. These results have program implications in settings where prenatal and intrapartum care are poor.

M. Charurat, P. Datong,  
B. Matawal, A. Ajene,  
W. Blattner, A. Abimiku  
USA, Nigeria

**Timing and determinants of mother-to-child transmission of HIV in Nigeria**

8

Risk factors for in utero HIV transmission differed from those for intrapartum and postnatal transmission. Reducing mixed feeding and low birth weight delivery reduced intrapartum and postnatal transmission.

J.K. Hoh, Y.-S. Park, K.-J. Cha,  
M.-I. Park  
USA, Korea

**Fetal heart rate after vibroacoustic stimulation**

14

Fetal heart rate parameters after vibroacoustic stimulation differed significantly according to gestational age. Gestational age should be considered when interpreting fetal heart rate patterns.

O. Aoekkasit, B. Uerpairojkit  
Thailand

**Doppler velocimetry of fetal pericardial fluid**

19

Flow velocity of fetal pericardial fluid increases linearly with gestational age in both systole and diastole.

M.B. Nagpal, C. Raghunandan,  
A. Saili  
India

**Oral misoprostol versus intracervical prostaglandin E2 gel for active management of premature rupture of membranes at term**

23

Active management of premature rupture of membranes at term with oral misoprostol leads to a shorter interval from induction to vaginal delivery compared with intracervical prostaglandin E2.

T. Grigoriadis, S. Athanasiou,  
A. Zisou, A. Antsaklis  
Greece

**Episiotomy and perineal repair practices among obstetricians in Greece**

27

Obstetricians in Greece have a preference for performing routine mediolateral and lateral episiotomies. Adoption of evidence-based information should be implemented while considering working and cultural backgrounds.

J. Ben-Nagi, A. Walker,  
D. Jurkovic, J. Yazbek, J.D. Aplin  
UK

**Effect of cesarean delivery on the endometrium**

30

The presence of a cesarean scar may affect leukocyte recruitment to the endometrium during the secretory phase.

<b>J.R. Pauleta, N. Clode, L.M. Graça</b> Portugal	<b>Expectant management of incomplete abortion in the first trimester</b> Expectant management of incomplete abortion in the first trimester may be an acceptable alternative to medical and surgical therapies.	35
<b>C. Karki, H. Pokharel, A. Kushwaha, D. Manandhar, H. Bracken, B. Winikoff</b> Nepal, USA	<b>Acceptability and feasibility of medical abortion in Nepal</b> A simplified medical abortion protocol, including home administration of misoprostol, can be successfully integrated into clinical services in Nepal, where abortion services were recently legalized.	39
<b>B. Kushwah, A. Singh</b> India	<b>Sublingual versus oral misoprostol for uterine evacuation following early pregnancy failure</b> Misoprostol treatment after early pregnancy failure was found to be faster, better tolerated, and at least as effective when it was administered sublingually rather than orally.	43
<b>S. Degani, Z. Leibovitz, I. Shapiro, G. Ohel</b> Israel	<b>Expectant management of pregnancy-related high-velocity uterine arteriovenous shunt diagnosed after abortion</b> Expectant management by ultrasound is an option in many cases of pregnancy-related uterine arteriovenous malformations diagnosed after abortion.	46
<b>Y. Fujii, M. Itakura</b> Japan	<b>Low-dose propofol to prevent nausea and vomiting after laparoscopic surgery</b> A low dose of propofol was found to be effective in preventing nausea/vomiting after gynecologic laparoscopic surgery.	50
<b>Yanfeng Song, Peixiang Ye, Xinru Hong, Guizhu Ke, Q. Sun, Ziqian Chen, Ming Ma</b> China, USA	<b>Changes in levator ani muscle after vaginal hysterectomy and prolapse repair using the Total Prolift procedure</b> The levator ani muscle angle was significantly decreased after vaginal hysterectomy followed by prolapse repair using the Gynecare Prolift Total Pelvic Floor Repair System.	53
<b>S. Özdemir, Ç. Çelik, H. Görkemli, A. Kiyıcı, B. Kaya</b> Turkey	<b>Compared effects of surgical and natural menopause on climacteric symptoms, osteoporosis, and metabolic syndrome</b> Climacteric symptoms and decreased bone mass were more prevalent among women in surgical menopause than in women in natural menopause; metabolic syndrome, however, was not.	57
<b>BRIEF COMMUNICATIONS</b>		
<b>A. Basu, P. Nishanth, O. Ifaturoti</b> UK	<b>Pregnancy in women with myotonia congenita</b> Early epidural analgesia and vaginal delivery are recommended over general anesthesia and cesarean delivery for women with myotonia congenita.	62
<b>G.M. Mansour, E.H. Nashaat</b> Egypt	<b><i>Helicobacter pylori</i> and hyperemesis gravidarum</b> <i>Helicobacter pylori</i> is common in patients with hyperemesis gravidarum. Appropriate treatment for <i>H. pylori</i> may be considered in intractable cases.	63
<b>V. Malinová, H. Poupětová, L. Dvořáková, J. Zeman</b> Czech Republic	<b>Enzyme replacement therapy for Gaucher disease in twin pregnancy</b> Enzyme replacement therapy before and during a twin pregnancy in women with Gaucher disease may help reduce the risks of complications associated with the disease.	64
<b>H.S. Opare-Addo, K.A. Danso, C.A. Turpin</b> Ghana	<b>Pregnancy after uretersigmoidostomy for vesicovaginal fistula</b> Report of a pregnancy and subsequent preterm delivery in a patient who underwent uretersigmoidostomy for incurable vesicovaginal fistula.	66

<b>N.L. Moreno-Ruiz, J.L. Vesona, S.J. Betstadt, K.-T. Feng, L. Borgatta USA</b>	<b>Misoprostol priming prior to second trimester medical abortion</b> Low-dose (50 µg) buccal misoprostol used as a priming agent 12 hours before induction abortion appears to shorten abortion time.	67
<b>F. Parveen, G. Tripathi, B. Singh, R.M. Faridi, S. Agrawal India</b>	<b>Acetylcholinesterase gene polymorphism and recurrent pregnancy loss</b> The DD genotype of the <i>ACHE</i> gene may be a major risk determinant for recurrent pregnancy loss among women from northern India.	68
<b>Hang Hong, Guo-Ping Ji, Dong-Qing Ye China</b>	<b>Long-term follow-up of a peer-led HIV/AIDS prevention program for married women in rural China</b> Education on HIV/AIDS prevention by and for married women is effective in both promoting knowledge and changing behavior.	69
<b>J.-R. Chen, C.-Y. Tzen, Y.-C. Yang Taiwan</b>	<b>Metronomic paclitaxel and thalidomide for rapidly metastatic primary vulvar malignant rhabdoid tumor</b> Rapidly metastatic primary vulvar malignant rhabdoid tumor was stabilized by metronomic chemotherapy with paclitaxel and thalidomide.	70

## **ETHICAL AND LEGAL ISSUES IN REPRODUCTIVE HEALTH**

<b>R.J. Cook, B.M. Dickens Canada</b>	<b>Dilemmas in intimate partner violence</b> This article provides estimates of intimate partner violence in different locations, and reviews the legal and ethical dilemmas that must be resolved in undertaking a professional response.	72
---	---	----

## **EVIDENCE BASED OBSTETRICS AND GYNECOLOGY**

<b>Abstracts of Cochrane Reviews</b>	76
<b>Virtual reality training for surgical trainees in laparoscopic surgery</b>	
<b>Interventions for preventing late postnatal mother-to-child transmission of HIV</b>	
<b>First line chemotherapy in low risk gestational trophoblastic neoplasia</b>	

## **AVERTING MATERNAL DEATH AND DISABILITY**

<b>J.A. Fortney USA</b>	<b>Editor's Comment</b>	79
<b>J. Hussein, L. D'Ambruoso, M. Armar-Kleemes, E. Achadi, D. Arhinful, Y. Izati, J. Ansong-Tornui UK, Ghana, Indonesia</b>	<b>Confidential inquiries into maternal deaths: Modifications and adaptations in Ghana and Indonesia</b> Confidential inquiries into maternal deaths can be modified to improve their uptake in low-income countries.	80

**G. Mbaruku, J. van Roosmalen,  
I. Kimondo, F. Bilango,  
S. Bergström**  
Tanzania, Sweden, The Netherlands,  
USA

**Perinatal audit using the 3-delays model in western Tanzania**  
Perinatal audit using the 3-delays model in a regional hospital in Tanzania identified that the majority of substandard care occurred after admission to the health facility.

85

**L. Pearson, L. deBernis, R. Shoo**  
Kenya, Ethiopia

**Maternal death review in Africa**  
Ministries of Health in all Sub-Saharan African countries were encouraged to begin maternal death review and were subsequently queried on the extent of their review activities.

89

**A.A. Creanga, R.R. Genadry**  
USA

**Corrigendum to "Obstetric fistulas: A clinical review" [International Journal of Gynecology and Obstetrics (2007) 99:S40-S46]**

95

## **Top 10 IJGO articles downloaded from ScienceDirect February 2008–February 2009**

96

## **ANNOUNCEMENT**

**John J. Sciarra Prize Paper Award for 2009**

97