

Contents

| | |
|---|-----------|
| CHAPTER 1 ■ Introduction | 1 |
| CHAPTER 2 ■ Transcription Networks: Basic Concepts | 5 |
| 2.1 Introduction | 5 |
| 2.2 The Cognitive Problem of the Cell | 5 |
| 2.3 Elements of Transcription Networks | 7 |
| 2.3.1 Separation of Timescales | 9 |
| 2.3.2 The Signs on the Edges: Activators and Repressors | 12 |
| 2.3.3 The Numbers on the Edges: The Input Function | 13 |
| 2.3.4 Logic Input Functions: A Simple Framework for Understanding Network Dynamics | 15 |
| 2.3.5 Multi-Dimensional Input Functions Govern Genes with Several Inputs | 16 |
| 2.3.6 Interim Summary | 18 |
| 2.4 Dynamics and Response Time of Simple Gene Regulation | 18 |
| 2.4.1 The Response Time of Stable Proteins Is One Cell Generation | 21 |
| Further Reading | 22 |
| Exercises | 22 |
| CHAPTER 3 ■ Autoregulation: A Network Motif | 27 |
| 3.1 Introduction | 27 |
| 3.2 Patterns, Randomized Networks, and Network Motifs | 27 |
| 3.2.1 Detecting Network Motifs by Comparison to Randomized Networks | 29 |
| 3.3 Autoregulation: A Network Motif | 30 |
| 3.4 Negative Autoregulation Speeds the Response Time of Gene Circuits | 31 |
| 3.5 Negative Autoregulation Promotes Robustness to Fluctuations in Production Rate | 34 |
| 3.5.1 Positive Autoregulation Slows Responses and Can Lead to Bi-Stability | 37 |

| | |
|---|-----------|
| 3.6 Summary | 37 |
| Further Reading | 37 |
| Exercises | 38 |
| CHAPTER 4 ■ The Feed-Forward Loop Network Motif | 41 |
| 4.1 Introduction | 41 |
| 4.2 The Number of Appearances of a Subgraph in Random Networks | 42 |
| 4.3 The Feed-Forward Loop Is a Network Motif | 45 |
| 4.4 The Structure of the Feed-Forward Loop Gene Circuit | 46 |
| 4.5 Dynamics of the Coherent Type-1 FFL with AND Logic | 49 |
| 4.6 The C1-FFL Is a Sign-Sensitive Delay Element | 50 |
| 4.6.1 Delay Following an ON Step of S_x | 51 |
| 4.6.2 No Delay Following an OFF Step of S_x | 52 |
| 4.6.3 The C1-FFL Is a Sign-Sensitive Delay Element | 52 |
| 4.6.4 Sign-Sensitive Delay Can Protect against Brief Input Fluctuations | 52 |
| 4.6.5 Sign-Sensitive Delay in the Arabinose System of <i>E. coli</i> | 54 |
| 4.6.6 The OR Gate C1-FFL Is a Sign-Sensitive Delay for OFF Steps of S_x | 56 |
| 4.6.7 Interim Summary | 56 |
| 4.7 The Incoherent Type-1 FFL | 57 |
| 4.7.1 The Structure of the Incoherent FFL | 57 |
| 4.7.2 Dynamics of the I1-FFL: A Pulse Generator | 58 |
| 4.7.3 The I1-FFL Speeds the Response Time | 62 |
| 4.7.4 Response Acceleration Is Sign Sensitive | 63 |
| 4.7.5 Experimental Study of the Dynamics of an I1-FFL | 63 |
| 4.7.6 Three Ways to Speed Your Responses (An Interim Summary) | 64 |
| 4.8 Why Are Some FFL Types Rare? | 65 |
| 4.8.1 Steady-State Logic of the I1-FFL: S_y Can Turn on High Expression | 65 |
| 4.8.2 I4-FFL, a Rarely Selected Circuit, Has Reduced Functionality | 65 |
| 4.9 Convergent Evolution of FFLs | 68 |
| 4.10 Summary | 69 |
| Further Reading | 70 |
| Exercises | 71 |

| | |
|--|-----------|
| CHAPTER 5 ■ Temporal Programs and the Global Structure of Transcription Networks | 75 |
| 5.1 Introduction | 75 |
| 5.2 The Single-Input Module (SIM) Network Motif | 76 |
| 5.3 SIMs Can Generate Temporal Expression Programs | 77 |
| 5.4 Topological Generalizations of Network Motifs | 81 |
| 5.5 The Multi-Output FFL Can Generate FIFO Temporal Order | 83 |
| 5.5.1 The Multi-Output FFL Can Also Act as a Persistence Detector for Each Output | 87 |
| 5.6 Signal Integration and Combinatorial Control: Bi-Fans and Dense Overlapping Regulons | 88 |
| 5.7 Network Motifs and the Global Structure of Sensory Transcription Networks | 89 |
| Further Reading | 92 |
| Exercises | 93 |
| CHAPTER 6 ■ Network Motifs in Developmental, Signal Transduction, and Neuronal Networks | 97 |
| 6.1 Introduction | 97 |
| 6.2 Network Motifs in Developmental Transcription Networks | 98 |
| 6.2.1 Two-Node Positive Feedback Loops for Decision Making | 99 |
| 6.2.2 Regulating Feedback and Regulated Feedback | 101 |
| 6.2.3 Long Transcription Cascades and Developmental Timing | 102 |
| 6.2.4 Interlocked Feed-Forward Loops in the <i>B. subtilis</i> Sporulation Network | 102 |
| 6.3 Network Motifs in Signal Transduction Networks | 104 |
| 6.4 Information Processing Using Multi-Layer Perceptrons | 106 |
| 6.4.1 Toy Model for Protein Kinase Perceptrons | 106 |
| 6.4.2 Multi-Layer Perceptrons Can Perform Detailed Computations | 111 |
| 6.5 Composite Network Motifs: Negative Feedback and Oscillator Motifs | 115 |
| 6.6 Network Motifs in the Neuronal Network of <i>C. elegans</i> | 118 |
| 6.6.1 The Multi-Input FFL in Neuronal Networks | 122 |
| 6.6.2 Multi-Layer Perceptrons in the <i>C. elegans</i> Neuronal Network | 125 |
| 6.7 Summary | 127 |
| Further Reading | 128 |
| Exercises | 129 |

| | |
|---|------------|
| CHAPTER 7 ■ Robustness of Protein Circuits: The Example of Bacterial Chemotaxis | 135 |
| 7.1 The Robustness Principle | 135 |
| 7.2 Bacterial Chemotaxis, or How Bacteria Think | 136 |
| 7.2.1 Chemotaxis Behavior | 136 |
| 7.2.2 Response and Exact Adaptation | 137 |
| 7.3 The Chemotaxis Protein Circuit of <i>E. coli</i> | 140 |
| 7.3.1 Attractants Lower the Activity of X | 141 |
| 7.3.2 Adaptation Is Due to Slow Modification of X That Increases Its Activity | 142 |
| 7.4 Two Models Can Explain Exact Adaptation: Robust and Fine-Tuned | 142 |
| 7.4.1 Fine-Tuned Model | 143 |
| 7.4.2 The Barkai-Leibler Robust Mechanism for Exact Adaptation | 146 |
| 7.4.3 Robust Adaptation and Integral Feedback | 148 |
| 7.4.4 Experiments Show That Exact Adaptation Is Robust, Whereas Steady-State Activity and Adaptation Times Are Fine-Tuned | 149 |
| 7.5 Individuality and Robustness in Bacterial Chemotaxis | 149 |
| Further Reading | 151 |
| Exercises | 152 |
| CHAPTER 8 ■ Robust Patterning in Development | 159 |
| 8.1 Introduction | 159 |
| 8.2 Exponential Morphogen Profiles Are Not Robust | 161 |
| 8.3 Increased Robustness by Self-Enhanced Morphogen Degradation | 163 |
| 8.4 Network Motifs That Provide Degradation Feedback for Robust Patterning | 165 |
| 8.5 The Robustness Principle Can Distinguish between Mechanisms of Fruit Fly Patterning | 166 |
| Further Reading | 172 |
| Exercises | 172 |
| CHAPTER 9 ■ Kinetic Proofreading | 175 |
| 9.1 Introduction | 175 |
| 9.2 Kinetic Proofreading of the Genetic Code Can Reduce Error Rates of Molecular Recognition | 176 |
| 9.2.1 Equilibrium Binding Cannot Explain the Precision of Translation | 177 |
| 9.2.2 Kinetic Proofreading Can Dramatically Reduce the Error Rate | 180 |
| 9.3 Recognizing Self and Non-Self by the Immune System | 182 |

| | |
|--|------------|
| 9.3.1 Equilibrium Binding Cannot Explain the Low Error Rate of Immune Recognition | 183 |
| 9.3.2 Kinetic Proofreading Increases Fidelity of T-Cell Recognition | 185 |
| 9.4 Kinetic Proofreading May Occur in Diverse Recognition Processes in the Cell | 187 |
| Further Reading | 188 |
| Exercises | 188 |
| CHAPTER 10 ■ Optimal Gene Circuit Design | 193 |
| 10.1 Introduction | 193 |
| 10.2 Optimal Expression Level of a Protein under Constant Conditions | 194 |
| 10.2.1 The Benefit of the LacZ Protein | 195 |
| 10.2.2 The Cost of the LacZ Protein | 196 |
| 10.2.3 The Fitness Function and the Optimal Expression Level | 197 |
| 10.2.4 Laboratory Evolution Experiment Shows That Cells Reach Optimal LacZ Levels in a Few Hundred Generations | 199 |
| 10.3 To Regulate or Not to Regulate: Optimal Regulation in Variable Environments | 201 |
| 10.4 Environmental Selection of the Feed-Forward Loop Network Motif | 203 |
| 10.5 Summary | 207 |
| Further Reading | 207 |
| Exercises | 208 |
| CHAPTER 11 ■ Demand Rules for Gene Regulation | 215 |
| 11.1 Introduction | 215 |
| 11.2 The Savageau Demand Rule | 217 |
| 11.2.1 Evidence for the Demand Rule in <i>E. coli</i> | 217 |
| 11.2.2 Mutational Explanation of the Demand Rule | 219 |
| 11.2.3 The Problem with Mutant-Selection Arguments | 220 |
| 11.3 Rules for Gene Regulation Based on Minimal Error Load | 220 |
| 11.4 The Selection Pressure for Optimal Regulation | 222 |
| 11.5 Demand Rules for Multi-Regulator Systems | 223 |
| 11.6 Summary | 228 |

| | |
|--|-----|
| Further Reading | 230 |
| Exercises | 230 |
| CHAPTER 12 ■ Epilogue: Simplicity in Biology | 233 |
| APPENDIX A ■ The Input Function of a Gene: Michaelis–Menten and Hill Equations | 241 |
| A.1 Binding of a Repressor to a Promoter | 241 |
| A.2 Binding of a Repressor Protein to an Inducer: Michaelis–Menten Equation | 244 |
| A.3 Cooperativity of Inducer Binding and the Hill Equation | 245 |
| A.4 The Monod, Changeux, and Wymann Model | 247 |
| A.5 The Input Function of a Gene Regulated by a Repressor | 247 |
| A.6 Binding of an Activator to Its DNA Site | 248 |
| A.6.1 Comparison of Dynamics with Logic and Hill Input Functions | 250 |
| A.7 Michaelis–Menten Enzyme Kinetics | 250 |
| Further Reading | 251 |
| Exercises | 251 |
| APPENDIX B ■ Multi-Dimensional Input Functions | 253 |
| B.1 Input Function That Integrates an Activator and a Repressor | 253 |
| Exercises | 255 |
| APPENDIX C ■ Graph Properties of Transcription Networks | 257 |
| C.1 Transcription Networks Are Sparse | 257 |
| C.2 Transcription Networks Have Long-Tailed Output Degree Sequences and Compact Input Degree Sequences | 257 |
| C.3 Clustering Coefficients of Transcription Networks | 259 |
| C.4 Quantitative Measures of Network Modularity | 259 |
| APPENDIX D ■ Cell-Cell Variability in Gene Expression | 261 |
| Further Reading | 264 |
| GLOSSARY | 265 |
| BIBLIOGRAPHY | 271 |
| INDEX | 295 |