

Table of contents

KEYNOTE LECTURES

Gabriel D., Kopačka J., Masák J., Plešek J. (#K01): <i>Development, assessment and verification of finite element procedures for contact problems</i>	1
Vítek J. L. (#K02): <i>Advanced concrete structures</i>	5

PAPERS

Aizikovitch S. M., Volkov S. S., Vasiliev A. S. (#326): <i>Plane contact of two elastic solids with functionally graded coatings joined by an imperfect interface</i>	13
Aleksandrowicz P. (#10): <i>Verification of airbag activation during collision of vehicles with the use of SDC method</i>	17
Aleksandrowicz P. (#11): <i>Selection of collision detection model on the basis of a collision of incompatible vehicles</i>	21
Andrzejewska A., Topoliński T., Mazurkiewicz A. (#73): <i>Evaluation of changes in elastic properties of animal trabecular bone for mechanical tests depending on the storage method</i>	25
Annusewicz A., Zwierzchowski J. (#311): <i>Generating the cutting path of the sheet of metal with visible photogrametric difference of the template and the object for industrial robot with the vision system</i>	29
Aydin E., Öztürk B., Dutkiewicz M. (#219): <i>Determination of optimal elastic springs for cantilever beams supported by elastic foundation</i>	33
Baláz I., Koleková Y., Moroczová L. (#106): <i>Shear resistance and its influences in eurocodes EN 1993-1-1 and EN 1999-1-1</i>	37
Balda M. (#50): <i>Fatigue life assessment of prestressed material</i>	41
Bansod Y. D., Jakka Veera V. S. V. P., Burša J. (#45): <i>Bendo-tensegrity model simulates compression test of animal cell</i>	45
Baranowski L. (#194): <i>Analysis of two-channel control according to the proportional navigation method</i>	49
Baranowski L., Gadomski B., Majewski P., Szymonik J. (#323): <i>The analysis of the 35 mm artillery projectile's motion model parameters' identification based on the recorded flight trajectory</i>	53
Bartoňová P., Polzer S., Burša J. (#221): <i>Definition of principal material directions at irregular arterial shapes</i>	57
Bartuli E., Brožová T., Raudenský M. (#265): <i>The influence of hollow fibers orientation inside the polymeric hollow fiber heat exchanger on the heat transfer intensity</i>	61
Bayer J., Urushadze S., Černý M. (#335): <i>Proposal for loading tests of bridges - simulation and laboratory experiments</i>	65
Bednář L., Tajč L., Kočárník P. (#198): <i>Optimization of dimensions of the valve chamber of the control valves of steam turbine</i>	69
Benčat J., Lukáč M. (#332): <i>Turbo-generator foundation dynamic analysis</i>	73
Bieniek A., et al. (#307): <i>The influence of muscle forces on musculoskeletal system loads during lifting – pilot study</i>	77
Bienioszek G., Kciuk S., Krzystała E. (#44): <i>Identification of the shockwave effect onto Explosive Ordnance Disposal (EOD) personnel during controlled airblast of TNT charge</i>	81
Biernacka M., Gilewski W., Obara P. (#247): <i>A simple model for parametric study of pneumatic-cable structures</i>	85
Blasiak S., Takosoglu J., Laski P.A. (#214): <i>Model and experimental research of pneumatic artificial muscles</i>	89

Bochat A., Zastempowski M. (#158): Modeling of the kinematic movement of the drum cutting unit in chaff-cutter	93
Bocian M., Lubecki M., Stosiak M. (#80): Experimental investigations of the vibration of hydraulic microhoses	97
Bold M., Garus S., Sochacki W. (#165): Damped vibrations of telescopic crane boom	101
Borsuk G., Dobrowolski B. (#124): Influence of flow direction change on the particle segregation in horizontal pipes	105
Bošanský M., Patzák B. (#344): Evaluation of linear system equations solvers on multicore architectures	109
Brabec P., Zhou X. (#49): Simulation of the ride for passenger car in NEDC and WLTP driving cycles	113
Brožová T., Bartuli E., Raudenský M. (#107): Condensation on the outer surface of polymer hollow fiber heat exchangers and its influence to the heat transfer	117
Bulín T., Rozehnal D. (#260): Determination of the energy performance of a helicopter in a hover	121
Bęczkowski R., Kordas P., Parzych S. (#232): Using experimental design to determine the wear resistance of the padded layers by FCAW	125
Cábová K., Lišková N., Zeman F., Benýšek M. (#251): Virtual test of fire resistance of a steel beam	129
Čada R., Frydryšek K., Sejda F., Tiller P. (#361): Evaluation of locking bone screw heads	133
Cekus D., Kwiaton P. (#104): Analysis of the motion of the load carried by a laboratory mobile crane	137
Červenka M., Boudná H. (#119): Visual guide of F and CR parameters influence on differential evolution solution quality	141
Chatys R., Kleinhofs M., Panich A., Miśków G. (#203): Composite laminates for automotive bumpers and lightweight support structures	145
Chatys R., Kleinhofs M., Panich A., Piernik K. (#393): Forecasting the strength of reinforced polymer composite using statistical analysis method	149
Chleboun J. (#341): Uncertainty quantification through a model-based fuzzy set membership function	153
Chojnacki J., Kaldunski P., Nagnajewicz S., Patyk R. (#274): Simulation tests of pelleting process in aspect of obtained stresses, contact pressure and fatigue strength for granulator flat die	157
Chołodowski J., Dudziński P. (#266): Method for estimation of road wheels rolling resistance in rubber track systems	161
Cieślicki R., Karliński J., Osiński P. (#181): Numerical analysis of stress in a positive displacement external gear pump loaded by the tension of the bolts	165
Čípek P., et al. (#321): Development of reciprocating tribometer for testing synovial joint	169
Čupr P., Cardoso M., Rudolf P. (#336): Design of a new cavitation tunnel at Brno University of Technology for FSI testing	173
Czernek K., Witczak S. (#126): Optoelectronic measurement of interfacial surface	177
Czyżewski P., Jójka J., Ślefarski R. (#268): High temperature two stage combustion concept for ammonia contained syngas fuel utilization	181
Dindorf R., Wos P. (#43): Sensorless position control system of hydraulic linear stepper actuator	185
Dittrich A., Beroun S. (#132): Heat stress on the spark plug	189
Doškár M., Novák J., Zeman J. (#292): Synthesis of microstructure-informed enrichment functions by means of Wang tiles	193
Dudziński P., Chołodowski J., Ketting M. (#153): Experimental tests on rolling resistance of road wheels in rubber tracked undercarriages	197
Dvořáková E., Patzák B. (#286): On application of isogeometric beam elements to modeling of gridshell structures	201
Dzierżek K., Rečko M. (#231): Improvement of PLCS programming to operate in an ModBus industrial network	205

Fialová D., Jegla Z. (#7): <i>Modelling of fluid flow and heat distribution in a specific heat exchanger</i> .	209
Fíla T. (#37): <i>Split Hopkinson pressure bar: design parameters and prediction of the experiment output</i>	213
Fillo L., Augustín T., Halvonik J., Marčíš M. (#168): <i>Punching shear load test monitored by photogrammetry</i>	217
Fillo L., Laco K., Augustín T. (#368): <i>Influence of footings rigidity and subsoil on punching resistance</i>	221
Frydrýšek K., Machalla V., Fojtík F., Pleva L. (#241): <i>Torsion tests for femoral, humeral and tibial nails</i>	225
Garus S., Sochacki W., Bold M. (#249): <i>Comparison of phononic structures with piezoelectric $0.62\text{PB}(\text{MG}_{1/3}\text{NB}_{1/3})\text{O}_3$-$0.38\text{PBTIO}_3$ defect layers</i>	229
Gierz Ł., et al. (#237): <i>Method of controlling the outflow of liquid from the sprayer during the dressing process</i>	233
Gierz Ł., et al. (#220): <i>A simulation analysis of the strength of an innovative supporting structure of a mechanical pneumatic seed drill</i>	237
Gierz Ł., et al. (#228): <i>A method and a station for measurement of the aerodynamic properties of crop seeds</i>	241
Gilewski W., Al Sabouni-Zawadzka A., Pelczynski J. (#253): <i>Computational modeling of perpendicular to grain stress in a non-standard glulam beam</i>	245
Gnatowska R. (#57): <i>CFD validation of ABL in short wind tunnel chamber along an empty domain</i> .	249
Gogolewski D. (#134): <i>The simulation method for the identification the surface irregularities</i>	253
Gołębiowska I., Dutkiewicz M., Usewicz B. (#239): <i>Galloping of overhead power lines conductors</i>	257
Grzyb M., Koruba Z. (#337): <i>Pre-programmed flight path of air-to-ground missile</i>	261
Grzymislawski P., Jojka J., Gołębiowski M., Czyzewski P. (#246): <i>Analysis of the combustion process of low-calorific gaseous fuels in experimental combustion chamber of gas turbine</i>	265
Grzywiński S., Żygadło S. (#254): <i>Experimental research of the power supply source parameters used in proximity sensors for artillery projectiles</i>	269
Gucwa M., Winczek J., Kukuryk M., Makles K. (#76): <i>The analysis of stainless steel welded connections made by low energy and classic welding processes</i>	273
Gzik-Zroska B., et al. (#42): <i>Application of digital image correlation to determine the mechanical properties of biomaterials</i>	277
Hadraba P., Hadaš Z. (#179): <i>Multi body vibration analysis of a three-axis slide for mass damper design</i>	281
Hána T., Eliášová M., Sokol Z. (#139): <i>Four point bending tests of double laminated glass panels</i> ..	285
Handke A., Bałchanowski J. (#160): <i>Synthesis of human-bike kinematic structures for direct kinematic analysis</i>	289
Hanzel J., Halvonik J., Bartók A., Vidakovič A. (#315): <i>The importance of shear slenderness for determining punching resistance of the foundation footings</i>	293
Havelka J., Sýkora J. (#69): <i>Transient model and boundary inverse problem</i>	297
Havelka R., Musil M., Havelka F., Mihelová S. (#70): <i>Application of modal synthesis to dynamic parameters modification</i>	301
Holka H., Jarzyna T. (#334): <i>Selected structural issues of the waterjet method in industrial recycling of tires</i>	305
Hollý I., Gažovičová N. (#284): <i>Experimental investigation of bond between GFRP reinforcement and concrete using pull-out test</i>	309
Hračov S. (#41): <i>Accuracy and numerical efficiency of approximate method for complex eigensolution of structure with specialized damping device</i>	313
Hubova O., Macak M. (#61): <i>Numerical and experimental investigation of wind flow in urban area</i>	317
Jamroziak K., et al. (#256): <i>Dissipative properties of non-Newtonian fluid under impact load</i>	321

Janouchová E., et al. (#78): Bayesian parameter identification of lattice discrete particle model for concrete	325
Jochymczyk-Woźniak K., et al. (#212): Development of the methodology of computer aided designing of tailor-made orthoses of the tarsal joint	329
Joszek K., et al. (#115): Dynamic and static tests of tendons for xenogeneic applications	333
Jureczko M., Chwiendacz A. (#324): Optimization of fastening construction for the portable tanks	337
Jurkoć J., et al. (#230): The influence of 3D virtual sceneries on ability to maintain balance	341
Kabaciński M., Pochwała S., Pospolita J., Krogulec D. (#95): Measurement of mass flow rate as a complex flow problem	345
Kaczmarek W., et al. (#74): Industrial and ROS-enabled mobile robots cooperation	349
Kadlíček T., Janda T., Šejnoha M. (#200): Automatic online calibration software EXCALIBRE	353
Kałaczyński T., et al. (#20): Analysis of the diagnostic potential research thermovision in the technical state of combustion engine injectors assessment	357
Kalina M., Frantík P. (#224): Finding of postcritical states of an arch	361
Kartvelishvili T., Yumashev M. (#190): Thermomechanical stresses in a solid sphere in conditions of pulsed heating over the surface	365
Kaszkowiak J., Markiewicz-Patalon M., Dorszewski P. (#17): Dependence of the selected properties of the motor oil on the characteristics on power consumption for engines supplied with biogas and gas	369
Katrňák T., Juračka J. (#71): Buckling analyses of compressed stiffener with finite element methods	373
Kazala R., Straczynski P. (#225): Increasing accuracy of the mobile robot positioning system by using ARTags	377
Kolber P., Perczyński D., Peszyński K., Landowski B. (#28): Efficiency testing of thermoelectric cooling cell based on Peltier module	381
Koleková Y., Baláž I., Moroczová L. (#217): Bimoment and its influence in the draft prEN 1993-1-1: 2017	385
Kolman R., Berezovski A., Berezovski M. (#319): Numerical study of elastic wave propagation in a layered bar	389
Kořínek T., Tisovský T., Hujer J. (#120): Large eddy simulation of flow through artificial macro-porous structure	393
Koruba Z., Krzysztofik I. (#183): Control of the non-stationary gyroscopic system in the target tracking process	397
Kosiara A. (#197): Development, construction and experimental testing of the system for monitoring the tip over stability of a single bucket excavator	401
Kosiara A. (#243): Research on working stability of a mini excavator boom hydrostatic control system	405
Kostek R. (#22): Arduino based diagnostics system dedicated to rolling bearings	409
Kotyk M., Maćkowiak P., Płaczek D., Sołtysiak R. (#116): Analysis of fatigue crack length during the determination of fracture toughness of the layer material Al-Ti	413
Koudelková V., Wolf B. (#333): Crystallization force of sodium chloride	417
Králik J., Králik jr. J. (#282): Probabilistic nonlinear analysis of failure of a reactor hermetic cover due to extreme pressure and temperature	421
Králik J., Roško P., Králik jr. J. (#310): Analysis of the impedance functions using 3D finite element model of subsoil	425
Kraus P., et al. (#322): Thermo-structural brake squeal FEM analysis considering temperature dependent thermal expansion	429
Krejša J., Věchet S. (#66): Low cost laser rangefinder evaluation	433
Krejša M., et al. (#199): Numerical analysis of fatigue damage on selected connection of the crane bridge support structure	437

Kruisová A., Kolman R., Trnka J., Mračko M. (#325): <i>Finite element modeling of the signal propagation in a thin tube and comparison with experimental data</i>	441
Kubík M., Macháček O., Mazůrek I. (#209): <i>Magnetorheological fluid seal with minimum friction torque</i>	445
Kučera P., Pštětk V., Prokop A., Řehák K. (#99): <i>Measurement of the powertrain torque</i>	449
Kujawa M. (#234): <i>The influence of deformation under tension on hardness, friction and wear in selected thermoplastics</i>	453
Kukliński M. (#53): <i>Effective Young's modulus of orthotropic laminate with oriented unidirectional fibrous laminas</i>	457
Kukuryk M., Winczek J., Gucwa M. (#75): <i>Analysis of hot deformation behavior and forecasting damage in the forging process of Waspaloy alloy</i>	461
Kurp P., Witkowski G. (#52): <i>Conceptual design and implementation of automatic inspection station for the weld quality visual testing</i>	465
Kyncl M., Pelant J. (#162): <i>Compressible gas flow through the diffusible barriers and the porous media</i>	469
Kyryl'chuk O., Kalivoda J., Neduzha L. (#155): <i>High speed stability of a railway vehicle equipped with independently rotating wheels</i>	473
Łabędzki P., Pawlikowski R. (#131): <i>Vibration of viscoelastic bars using a fractional Voigt and Scott-Blair models</i>	477
Łaganowska M., Zwierzchowski J. (#313): <i>Determining the trajectory of filling a rectangular flat area for an industrial robot using a marker and a single-camera vision system</i>	481
Landowski B., Muślewski Ł. (#33): <i>Numerical simulation of stochastic process as a model of technical object state changes</i>	485
Laski P.A., Zwierzchowski J., Pietrala D.S. (#308): <i>Development of delta-type parallel robot using pneumatic artificial muscles in application for rehabilitation</i>	489
Leppert T. (#125): <i>Experimental investigation of cooling and lubrication effects in plane grinding of AISI 304 steel</i>	493
Lewandowski B., Sperzyński P., Bałchanowski J. (#141): <i>Type synthesis and numerical reseach of a upper limb rehabilitation supporting device</i>	497
Ligaj B., Karolewska K. (#154): <i>Fatigue life calculations of machine components in approach of stress, strain and energy</i>	501
Ligaj B., Lewandowski M., Giętka T. (#169): <i>Calculations of fatigue life of welded construction elements made of aluminum alloy AW-5754</i>	505
Ligus G., Wasilewski M. (#192): <i>Flow pattern identification in a rectangular tank comprising stirrer in an off-center orientation</i>	509
Łukasiewicz M., et al. (#23): <i>Analysis of the thermovision diagnostics potential in the light system elements</i>	513
Lukeš V., Rohan E. (#327): <i>Validation of homogenized model of the fluid-saturated piezoelectric media</i>	517
Macháček O., et al. (#305): <i>Micro-fluidic system with grooved pole pieces of magnetic circuit</i>	521
Maćkowiak P., Ligaj B. (#129): <i>Manufacture of specimens and mechanical properties determination of structural adhesives under static loading condition</i>	525
Maj P., Miko E. (#133): <i>Linear and angle displacement measurment of vertical milling center using a multi-axis calibrator</i>	529
Majtánová L., Halvonik J. (#148): <i>Numerical analysis of the experimental flat slab for the parametrical study</i>	533
Makiela W., Świdorski J., Gogolewski D., Makiela K. (#127): <i>Compensation of temperature errors when measuring surface textures by applying a two-dimensional wavelet transform</i>	537
Małek T., Slomion M., Mazurkiewicz A. (#83): <i>Effects of trabecular bone structure on its fatigue life in test with stepwise increasing amplitude</i>	541
Matějů J. (#163): <i>Temperature measurement behind self-sustaining jet engine of a glider</i>	545

Mazurkiewicz A., Andrzejewska A., Małek T. (#289): <i>Changes dissipation energy of cortical bone depending on the storage method</i>	549
Mikeš K., Rokoš O., Peerlings R.H.J. (#314): <i>Molecular statics simulation of dislocation pileup using quasicontinuum method</i>	553
Mochar D., et al. (#339): <i>Experimental and finite element analysis of composite gun barrels</i>	557
Mračko M., et al. (#264): <i>Computational time reversal method based on finite element method: influence of temperature</i>	561
Murčínková Z. (#204): <i>Micro-fields of short fibre in matrix and macro-dynamic response of fibre composites</i>	565
Musiał J., et al. (#31): <i>Milling efficiency aspects during machining of 7075 aluminium alloy with reference to the surface geometrical structure</i>	569
Náprstek J., Fischer C. (#267): <i>Forced movement of a ball in spherical cavity under kinematic excitation</i>	573
Nawrot A., Pochwała S., Stęplowski S. (#135): <i>Recovery of some of waste gas derived from clinker production installation at Góraźdże cement plant</i>	577
Němeček J., Němeček J. (#291): <i>Numerical simulation of microlevel experiments on Mg alloy</i>	581
Neubauer A., Knopik L., Szubartowski M., Migawa K. (#207): <i>Semi-Markov model of replacement system with minimal repair</i>	585
Neubauer A., Knopik L., Szubartowski M., Migawa K. (#208): <i>Implementing distribution mixtures in developing reliability model for paper machine</i>	589
Nevrlý J., Němec Z., Pazdera I., Nožka M. (#164): <i>Modelling of electric drive for excavator pump</i>	593
Niemiec A. (#54): <i>Impact of gamma radiation of peek on its tribological properties</i>	597
Niemiec A., Sokolska J. (#354): <i>Study of peek as a friction lining concerning abrasion wear of parts of mining machines</i>	601
Nocoń Ł., Stefański K. (#96): <i>Range of safe zone from obstacles for unmanned aerial vehicle</i>	605
Novák L., Novák D., Slowik O. (#32): <i>Application of polynomial chaos expansion to reliability analysis of prestressed concrete roof girders</i>	609
Novák M., et al. (#223): <i>Mixing algorithms for fixed-point iterations in self-consistent electronic structure calculations</i>	613
Nowakowska K., Michnik R., Myśliwiec A., Zadoń H. (#118): <i>Identification of loads occurring in the lumbar spine section during the action of lifting objects</i>	617
Osiński P., Bury P. (#91): <i>Flow ripple in external helical gear pump</i>	621
Osowski P., Wolski M., Piątkowski T. (#92): <i>Dynamic compression of polyethylene foam with trapezoidal cross-section</i>	625
Ostaszewski M., Dzierżek K. (#297): <i>CanSat mini-satellite project. Test procedure and mission implementation</i>	629
Pach J., Dmitruk A., Mayer P. (#250): <i>Pull-off strength and impact resistance of polyurea coatings in hybrid composites</i>	633
Pan LX., Lehký D., Novák D., Cao M. (#196): <i>Sensitivity analysis for parameters of prestressed concrete bridge using neural network ensemble</i>	637
Panasiuk J., et al. (#111): <i>Study of the 3D scanning accuracy using industrial robot</i>	641
Pavlenko M. (#278): <i>Operational control of efficient and effective treatment of coal bed using complex action taking into account resonant natural frequencies of the block</i>	645
Pawlak W. (#240): <i>Wear and coefficient of friction of pla-graphite composite in 3D printing technology</i>	649
Pawlak Ż., Ligaj B. (#293): <i>Innovative method for the selection of orthoses used in the rehabilitation of children with cerebral palsy</i>	653
Pawlikowski R., Łabędzki P. (#130): <i>A damped harmonic oscillator in the classical and fractional differential calculus with the Liouville derivative</i>	657

Pečínka L., Krupa V. (#272): <i>Effect of the pulsations generated by the main circulation pumps on the measurement of the coolant flow in the VVER 1000/320 reactor</i>	661
Pejchar J., Hájek T. (#298): <i>Modern methods of parachute rescue system testing</i>	665
Pejkowski Ł. (#136): <i>A comparison of multiple step and single step methods for determining cyclic stress-strain relationship for two non-masing materials</i>	669
Perczyński D., Migawa K., Peszynski K., Knopik L. (#330): <i>Markov model of temperature changes in motor vehicles brake discs</i>	673
Piatkowski T., Wolski M., Osowski P. (#51): <i>Method for determining motion trajectories of characteristic points registered by a video camera</i>	677
Píchal R., Macháček J. (#144): <i>Buckling and postbuckling behaviour of stainless steel stayed double crossarm prestressed compression elements</i>	681
Pilis A., Rečko M., Dzierżek K. (#301): <i>Telemetric system of six degrees of freedom manipulator</i> ...	685
Polach P., et al. (#72): <i>Investigation of rotor dynamics with fluid film instabilities II</i>	689
Ptak A. (#309): <i>Effect of loading time on the static friction polymer-metal sliding pairs at low temperature</i>	693
Půst L., Pešek L., Škuderová A. (#79): <i>Dynamics of four-planetary gearing box</i>	697
Pyka D., et al. (#259): <i>Research on ballistic resistance of DCPD laminate under pistol ammunition fire</i>	701
Radolf V., Horáček J., Košina J., Vampola T. (#63): <i>Experimental investigation of acoustic characteristics of 3D human vocal tract model with nasal cavities</i>	705
Rebenda D., et al. (#320): <i>Effect of hyaluronic acid on friction of articular cartilage</i>	709
Rohan E., Lukeš V. (#285): <i>Acoustic wave transmission on homogenized perforated plate</i>	713
Rosenberg J., Krejčová M. (#77): <i>Simple qualitative deterministic model of dynein</i>	717
Rozehnal D., Nguyen V. B., Hnidka J. (#171): <i>Hysteresis assumptions for propeller in yaw in close stall conditions</i>	721
Rufagua R., et al. (#121): <i>The biochemical process of lubricant film formation in joint replacement</i> ..	725
Rutczynska-Wdowiak K., Zawarczynski L. (#215): <i>Parametric identification of induction motor mathematical model with the use of genetic algorithm</i>	729
Rychecký D., Hajžman M., Zeman V. (#201): <i>Modeling of rotating bladed disks by using conservative modal analysis</i>	733
Sant Z., Mifsud L., Muscat C. (#184): <i>Lumbar segment during the walk</i>	737
Schmidt J., et al. (#213): <i>Anisotropic phase-field description of von Kármán beams</i>	741
Šebek F., Kubík P., Petruška J. (#30): <i>Standard tensile test compared to the small punch test of aluminium alloy</i>	745
Šišmišová Z., Sokol M., Venglar M., Lamperová K. (#277): <i>Dynamic tests of two large-span bridges for SHM</i>	749
Sivčák M. (#328): <i>Generation of a motion function for optimal needle rack motion of a CAM EL weaving machine</i>	753
Siwek M., et al. (#140): <i>The effect of control signals time delays on the trajectory of a dispersed group of robots</i>	757
Siwulski T. (#189): <i>Study on the friction forces in a spool – sleeve pair of hydraulic directional control valve</i>	761
Škoda J., Šklíba J. (#55): <i>Non-linear damping in the system of two-axis gyroscopic stabilizer</i>	765
Skurjat A. (#383): <i>Tests of influence of geometry and elasticity of hoses of hydraulic articulated steering system on its stiffness</i>	769
Ślefarski R., Gołębiewski M., Wawrzyniak J. (#245): <i>Study on combustion process in large bore two-stroke gas engines GMVH-12</i>	773
Smyk E. (#29): <i>Comparison of acoustic synthetic jet actuator with one and two diaphragms</i>	777

Sobotka J. (#35): <i>Forced vibration analysis of Euler-Bernoulli beam with stress stiffening or weakening by means of distributions without using modal analysis</i>	781
Sokół K. (#98): <i>Numerical simulations of an influence of the parameters of loading heads on the loading capacity of a damaged column subjected to a specific load</i>	785
Softysiak R. (#58): <i>Effect of the load character and cryogenic temperature on elastic properties of Ti-6Al-4V titanium alloy</i>	789
Sonnenschein R., Gajdosova K. (#318): <i>Numerical analysis of the width control of the early-age cracks in concrete</i>	793
Šorf M., Jandera M. (#170): <i>Welded slender stainless steel I-beams</i>	797
Sosnowski M. (#137): <i>Computational domain discretization in numerical analysis of forced convective heat transfer within packed beds of granular materials</i>	801
Spadło S., Krajcarz D. (#102): <i>Influence of water pressure on surface roughness parameters in abrasive waterjet cutting on AM60 magnesium alloy</i>	805
Stefanow D. (#270): <i>Experimental determination of selected loading resistance forces of a single bucket loader</i>	809
Stefański K., Nocoń Ł. (#84): <i>Automatic control of a locating device detecting and tracking an air target</i>	813
Stosiak M., Towarnicki K., Lubecki M. (#81): <i>Preliminary tests of vibration resistance of hydraulic microvalves</i>	817
Straka P., Pelant J. (#109): <i>Numerical simulation of flow through a simplified model of the shaft-seal</i>	821
Stróżyk P., Bałchanowski J., Szrek J. (#145): <i>Modeling of the dynamic loads of the human stomatognathic system during biting off</i>	825
Šulc S., et al. (#48): <i>Validation of coupled simulation for fire-exposed structures</i>	829
Šuránek P., Czebe J., Pavelka V. (#187): <i>Experimental identification of LTI system using white noise excitation</i>	833
Symonov V. (#59): <i>FE simulation of bird strike tests of composite panels in MSC.Software</i>	837
Szmidla J., Jurczyńska A. (#222): <i>An influence of a non-prismatic rod as a part of a geometrically nonlinear system under generalized load with a force directed towards the positive pole on the value of the bifurcation load</i>	841
Szmidla J., Jurczyńska A. (#227): <i>Free vibrations of the slender nonprismatic column under the passive and active follower force directed towards the positive pole</i>	845
Szteblelak W. (#306): <i>Sensitivity analysis in optimal design of composite structures with curvilinear fibres</i>	849
Szubartowski M., Knopik L., Migawa K., Softysiak A. (#146): <i>Some remarks on the stability of the criteria for occurrence of maximum availability in the operation system</i>	853
Szubartowski M., Knopik L., Migawa K., Softysiak A. (#206): <i>An example of optimization problem in transport</i>	857
Topoliński T., Mazurkiewicz A., Ligaj B., Slomion M. (#82): <i>Fatigue life tests of thick bondline adhesively-bonded joints under constant amplitude loading conditions</i>	861
TranXuan T., Cirkil D. (#279): <i>Modelling of dynamical behavior of pneumatic spring – mass system</i>	865
Tůma J., Šimek J., Kozubková M. (#276): <i>Calculation of the fluid force acting on the bearing journal in the steady-state position</i>	869
Tyburec M., et al. (#288): <i>Wound composite beam internal structure optimization</i>	873
Tyszczyk K., Peszyński K., Mroziński A., Śmigielski G. (#290): <i>Pneumatic supporting of the precise fine oil seed grinding process</i>	877
Ulbrich D., et al. (#210): <i>Evaluation of adhesion between adhesive coating and steel substrate by ultrasonic method</i>	881
Ursel T. (#342): <i>Assessment of the approximation accuracy of the point trajectory with use of inertial sensors</i>	885

Uzny S., Osadnik M. (#105): <i>Influence of rotational stiffness of support of a partially tensioned column on its free vibrations</i>	889
Vampola T., Štorkán J., Horáček J., Radolf V. (#304): <i>Numerical investigation of acoustic characteristics of 3D human vocal tract model with nasal cavities</i>	893
Vaverka O., et al. (#157): <i>Effect of heat treatment on mechanical properties and residual stresses in additively manufactured parts</i>	897
Venglár M., Sokol M., Lamperová K., Marföldi M. (#149): <i>Simple supported composite beam – preparation for damage assessment</i>	901
Vítek P., Strecker Z., Roupec J. (#273): <i>Design of fast magnetorheological damper using selective laser melting technology</i>	905
Vlasák P., et al. (#64): <i>Experimental investigation of settling slurry flow in inclined pipe sections</i> ...	909
Warzyńska U., Kollek W. (#188): <i>Modelling of pressure pulsation in gas compressor station</i>	913
Wasilewski M., Ligus G. (#36): <i>The effect of vortex finder shape on separation efficiency and pressure drop in lower-stage cyclones used for clinker burning. A CFD study</i>	917
Wawrzyniak S., Peszyński K. (#26): <i>Innovative way to recover liquid cosmetics</i>	921
Winczek J. (#39): <i>Influence of heating rate on austenitization temperatures of S355J2G3 steel</i>	925
Wodarski P., et al. (#122): <i>Evaluation of the changes of gait stability on the treadmill due to treadmill velocity changes by means of time-frequency analysis</i>	929
Wolski M., Piatkowski T., Osowski P. (#112): <i>The geometrical and material parameters influence on the mechanical properties of active rotary fence</i>	933
Woś P., Dindorf R. (#161): <i>Admittance control of an electro-hydraulic servo-drive</i>	937
Wróbel J., Kulawik A. (#152): <i>Controlling the size of heat affected zone for the axisymmetric steel element with the use of ANN</i>	941
Wydrych J., Dobrowolski B. (#56): <i>Assessment of usefulness of selected erosion models for the prediction of erosive wear of flow systems</i>	945
Zachwieja J. (#329): <i>Limit strength of the reinforced concrete rotary kiln supports under time-variable load</i>	949
Zapoměl J., Ferfecký P., Sudhakar A., Kozánek J. (#60): <i>The influence of permanent magnetic rings on the loss power, vibration and stability of vertical rotors</i>	953
Židlický B., Jandera M. (#88): <i>SHS and RHS stainless steel slender beam-columns</i>	957
Zmarzły P. (#97): <i>Influence of the internal clearance of ball bearings on the vibration level</i>	961
Żółtowski B., Żółtowski M., Łukasiewicz M. (#18): <i>Statistical research space of measures of vibration energy in machines</i>	965
Zvolský T. (#93): <i>Power consumption of electromagnetic valve actuator</i>	969