

# Contents

|                   |      |
|-------------------|------|
| To the Student    | xv   |
| To the Instructor | xx   |
| Acknowledgments   | xxiv |

## Part I Mysteries, Metaphors, Models

|                  |   |          |
|------------------|---|----------|
| <b>Chapter 1</b> | <b>What the Ancients Knew</b>   | <b>3</b> |
| 1.1              | Heat  | 3        |
| 1.1.1            | Heat is a form of energy  | 4        |
| 1.1.2            | Just a little history   | 6        |
| 1.1.3            | Preview: The concept of free energy                                   | 8        |
| 1.2              | How life generates order  | 9        |
| 1.2.1            | The puzzle of biological order  | 9        |
| 1.2.2            | Osmotic flow as a paradigm for free energy transduction               | 12       |
| 1.2.3            | Preview: Disorder as information                                      | 14       |
| 1.3              | Excursion: Commercials, philosophy, pragmatics                        | 15       |
| 1.4              | How to do better on exams (and discover new physical laws)            | 18       |
| 1.4.1            | Most physical quantities carry dimensions                             | 18       |
| 1.4.2            | Dimensional analysis can help you catch errors and recall definitions | 20       |
| 1.4.3            | Dimensional analysis can also help you formulate hypotheses           | 22       |
| 1.4.4            | Some notational conventions involving flux and density                | 22       |
| 1.5              | Other key ideas from physics and chemistry                            | 23       |
| 1.5.1            | Molecules are small   | 23       |
| 1.5.2            | Molecules are particular spatial arrangements of atoms                | 25       |
| 1.5.3            | Molecules have well-defined internal energies                         | 26       |
| 1.5.4            | Low-density gases obey a universal law                                | 27       |
|                  | The big picture   | 28       |
|                  | Track 2   | 30       |
|                  | Problems  | 31       |



**Chapter 2****What's Inside Cells****35**

- 2.1 Cell physiology 37
  - 2.1.1 Internal gross anatomy 40
  - 2.1.2 External gross anatomy 43
- 2.2 The molecular parts list 45
  - 2.2.1 Small molecules 46
  - 2.2.2 Medium-sized molecules 48
  - 2.2.3 Big molecules 50
  - 2.2.4 Macromolecular assemblies 54
- 2.3 Bridging the gap: Molecular devices 54
  - 2.3.1 The plasma membrane 55
  - 2.3.2 Molecular motors 58
  - 2.3.3 Enzymes and regulatory proteins 58
  - 2.3.4 The overall flow of information in cells 59
- The big picture 62
- Track 2 63
- Problems 64

**Part II Diffusion, Dissipation, Drive****Chapter 3****The Molecular Dance****69**

- 3.1 The probabilistic facts of life 69
  - 3.1.1 Discrete distributions 70
  - 3.1.2 Continuous distributions 71
  - 3.1.3 Mean and variance 73
  - 3.1.4 Addition and multiplication rules 75
- 3.2 Decoding the ideal gas law 78
  - 3.2.1 Temperature reflects the average kinetic energy of thermal motion 78
  - 3.2.2 The complete distribution of molecular velocities is experimentally measurable 82
  - 3.2.3 The Boltzmann distribution 83
  - 3.2.4 Activation barriers control reaction rates 86
  - 3.2.5 Relaxation to equilibrium 87
- 3.3 Excursion: A lesson from heredity 89
  - 3.3.1 Aristotle weighs in 89
  - 3.3.2 Identifying the physical carrier of genetic information 90
  - 3.3.3 Schrödinger's summary: Genetic information is structural 96
- The big picture 101
- Track 2 104
- Problems 105



## Chapter 4 | Random Walks, Friction, and Diffusion 108

- 4.1 Brownian motion 109
  - 4.1.1 Just a little more history 109
  - 4.1.2 Random walks lead to diffusive behavior 110
  - 4.1.3 The diffusion law is model independent 117
  - 4.1.4 Friction is quantitatively related to diffusion 118
- 4.2 Excursion: Einstein's role 121
- 4.3 Other random walks 122
  - 4.3.1 The conformation of polymers 122
  - 4.3.2 Vista: Random walks on Wall Street 126
- 4.4 More about diffusion 127
  - 4.4.1 Diffusion rules the subcellular world 127
  - 4.4.2 Diffusion obeys a simple equation 128
  - 4.4.3 Precise statistical prediction of random processes 131
- 4.5 Functions, derivatives, and snakes under the rug 132
  - 4.5.1 Functions describe the details of quantitative relationships 132
  - 4.5.2 A function of two variables can be visualized as a landscape 134
- 4.6 Biological applications of diffusion 135
  - 4.6.1 The permeability of artificial membranes is diffusive 135
  - 4.6.2 Diffusion sets a fundamental limit on bacterial metabolism 138
  - 4.6.3 The Nernst relation sets the scale of membrane potentials 139
  - 4.6.4 The electrical resistance of a solution reflects frictional dissipation 142
  - 4.6.5 Diffusion from a point gives a spreading, Gaussian profile 142
- The big picture 144
- Track 2 147
- Problems 153

## Chapter 5 | Life in the Slow Lane: The Low Reynolds-Number World 158

- 5.1 Friction in fluids 158
  - 5.1.1 Sufficiently small particles can remain in suspension indefinitely 158
  - 5.1.2 The rate of sedimentation depends on solvent viscosity 160
  - 5.1.3 It's hard to mix a viscous liquid 161
- 5.2 Low Reynolds number 163
  - 5.2.1 A critical force demarcates the physical regime dominated by friction 164
  - 5.2.2 The Reynolds number quantifies the relative importance of friction and inertia 166
  - 5.2.3 The time-reversal properties of a dynamical law signal its dissipative character 169



|          |   |     |
|----------|---|-----|
| 5.3      | Biological applications                   | 172 |
| 5.3.1    | Swimming and pumping                      | 172 |
| 5.3.2    | To stir or not to stir?                   | 177 |
| 5.3.3    | Foraging, attack, and escape              | 178 |
| 5.3.4    | Vascular networks                         | 179 |
| 5.3.5    | Viscous drag at the DNA replication fork  | 182 |
| 5.4      | Excursion: The character of physical Laws | 184 |
|          | The big picture                           | 185 |
| Track 2  |   | 187 |
| Problems |   | 190 |

## **Chapter 6** | **Entropy, Temperature, and Free Energy** **195**

|       |  |     |
|-------|--|-----|
| 6.1   | How to measure disorder  | 196 |
| 6.2   | Entropy  | 199 |
| 6.2.1 | The Statistical Postulate  | 199 |
| 6.2.2 | Entropy is a constant times the maximal value of disorder                              | 200 |
| 6.3   | Temperature  | 202 |
| 6.3.1 | Heat flows to maximize disorder  | 202 |
| 6.3.2 | Temperature is a statistical property of a system in equilibrium                       | 203 |
| 6.4   | The Second Law   | 206 |
| 6.4.1 | Entropy increases spontaneously when a constraint is removed                           | 206 |
| 6.4.2 | Three remarks  | 209 |
| 6.5   | Open systems   | 210 |
| 6.5.1 | The free energy of a subsystem reflects the competition between entropy and energy     | 210 |
| 6.5.2 | Entropic forces can be expressed as derivatives of the free energy                     | 213 |
| 6.5.3 | Free energy transduction is most efficient when it proceeds in small, controlled steps | 214 |
| 6.5.4 | The biosphere as a thermal engine  | 216 |
| 6.6   | Microscopic systems  | 217 |
| 6.6.1 | The Boltzmann distribution follows from the Statistical Postulate                      | 218 |
| 6.6.2 | Kinetic interpretation of the Boltzmann distribution                                   | 220 |
| 6.6.3 | The minimum free energy principle also applies to microscopic subsystems               | 223 |
| 6.6.4 | The free energy determines the populations of complex two-state systems                | 225 |



|     |  |     |
|-----|--|-----|
| 6.7 | Excursion: “RNA folding as a two-state system” by J. Liphardt, I. Tinoco, Jr., and C. Bustamante | 226 |
|     | The big picture  | 229 |
|     | Track 2  | 232 |
|     | Problems   | 239 |

## **Chapter 7 | Entropic Forces at Work 245**

|       |  |     |
|-------|--|-----|
| 7.1   | Microscopic view of entropic forces  | 246 |
| 7.1.1 | Fixed-volume approach  | 246 |
| 7.1.2 | Fixed-pressure approach  | 247 |
| 7.2   | Osmotic pressure   | 248 |
| 7.2.1 | Equilibrium osmotic pressure follows the ideal gas law                             | 248 |
| 7.2.2 | Osmotic pressure creates a depletion force between large molecules                 | 251 |
| 7.3   | Beyond equilibrium: Osmotic flow   | 254 |
| 7.3.1 | Osmotic forces arise from the rectification of Brownian motion                     | 255 |
| 7.3.2 | Osmotic flow is quantitatively related to forced permeation                        | 259 |
| 7.4   | A repulsive interlude  | 260 |
| 7.4.1 | Electrostatic interactions are crucial for proper cell functioning                 | 261 |
| 7.4.2 | The Gauss Law  | 263 |
| 7.4.3 | Charged surfaces are surrounded by neutralizing ion clouds                         | 264 |
| 7.4.4 | The repulsion of like-charged surfaces arises from compression of their ion clouds | 269 |
| 7.4.5 | Oppositely charged surfaces attract by counterion release                          | 272 |
| 7.5   | Special properties of water  | 273 |
| 7.5.1 | Liquid water contains a loose network of hydrogen bonds                            | 273 |
| 7.5.2 | The hydrogen-bond network affects the solubility of small molecules in water       | 276 |
| 7.5.3 | Water generates an entropic attraction between nonpolar objects                    | 280 |
|       | The big picture  | 281 |
|       | Track 2  | 283 |
|       | Problems   | 290 |

## **Chapter 8 | Chemical Forces and Self-Assembly 294**

|       |   |     |
|-------|---|-----|
| 8.1   | Chemical potential  | 294 |
| 8.1.1 | $\mu$ measures the availability of a particle species                                   | 295 |
| 8.1.2 | The Boltzmann distribution has a simple generalization accounting for particle exchange | 298 |



|       |   |     |
|-------|---|-----|
| 8.2   | Chemical reactions  | 299 |
| 8.2.1 | Chemical equilibrium occurs when chemical forces balance                          | 299 |
| 8.2.2 | $\Delta G$ gives a universal criterion for the direction of a chemical reaction   | 301 |
| 8.2.3 | Kinetic interpretation of complex equilibria                                      | 306 |
| 8.2.4 | The primordial soup was not in chemical equilibrium                               | 307 |
| 8.3   | Dissociation  | 308 |
| 8.3.1 | Ionic and partially ionic bonds dissociate readily in water                       | 308 |
| 8.3.2 | The strengths of acids and bases reflect their dissociation equilibrium constants | 309 |
| 8.3.3 | The charge on a protein varies with its environment                               | 311 |
| 8.3.4 | Electrophoresis can give a sensitive measure of protein composition               | 312 |
| 8.4   | Self-assembly of amphiphiles  | 315 |
| 8.4.1 | Emulsions form when amphiphilic molecules reduce the oil–water interface tension  | 315 |
| 8.4.2 | Micelles self-assemble suddenly at a critical concentration                       | 317 |
| 8.5   | Excursion: On fitting models to data  | 321 |
| 8.6   | Self-assembly in cells  | 322 |
| 8.6.1 | Bilayers self-assemble from two-tailed amphiphiles                                | 322 |
| 8.6.2 | Vista: Macromolecular folding and aggregation                                     | 327 |
| 8.6.3 | Another trip to the kitchen   | 330 |
|       | The big picture   | 332 |
|       | Track 2   | 335 |
|       | Problems  | 337 |

## Part III Molecules, Machines, Mechanisms

|                  |  |            |
|------------------|--|------------|
| <b>Chapter 9</b> | <b>Cooperative Transitions in Macromolecules</b>                                 | <b>341</b> |
| 9.1              | Elasticity models of polymers  | 342        |
| 9.1.1            | Why physics works (when it does work)  | 342        |
| 9.1.2            | Four phenomenological parameters characterize the elasticity of a long, thin rod | 344        |
| 9.1.3            | Polymers resist stretching with an entropic force                                | 347        |
| 9.2              | Stretching single macromolecules   | 350        |
| 9.2.1            | The force–extension curve can be measured for single DNA molecules               | 350        |
| 9.2.2            | A two-state system qualitatively explains DNA stretching at low force            | 352        |



|       |  |     |
|-------|--|-----|
| 9.3   | Eigenvalues for the impatient  | 354 |
| 9.3.1 | Matrices and eigenvalues   | 354 |
| 9.3.2 | Matrix multiplication  | 357 |
| 9.4   | Cooperativity  | 358 |
| 9.4.1 | The transfer matrix technique allows a more accurate treatment of bend cooperativity         | 358 |
| 9.4.2 | DNA also exhibits linear stretching elasticity at moderate applied force                     | 361 |
| 9.4.3 | Cooperativity in higher-dimensional systems gives rise to infinitely sharp phase transitions | 363 |
| 9.5   | Thermal, chemical, and mechanical switching  | 363 |
| 9.5.1 | The helix–coil transition can be observed by using polarized light                           | 364 |
| 9.5.2 | Three phenomenological parameters describe a given helix–coil transition                     | 366 |
| 9.5.3 | Calculation of the helix–coil transition   | 369 |
| 9.5.4 | DNA also displays a cooperative “melting” transition   | 373 |
| 9.5.5 | Applied mechanical force can induce cooperative structural transitions in macromolecules     | 375 |
| 9.6   | Allostery  | 376 |
| 9.6.1 | Hemoglobin binds four oxygen molecules cooperatively   | 376 |
| 9.6.2 | Allostery often involves relative motion of molecular subunits                               | 379 |
| 9.6.3 | Vista: Protein substates   | 380 |
|       | The big picture  | 382 |
|       | Track 2  | 384 |
|       | Problems   | 396 |

## **Chapter 10** | **Enzymes and Molecular Machines** **401**

|        |  |     |
|--------|--|-----|
| 10.1   | Survey of molecular devices found in cells                           | 402 |
| 10.1.1 | Terminology  | 402 |
| 10.1.2 | Enzymes display saturation kinetics                                  | 403 |
| 10.1.3 | All eukaryotic cells contain cyclic motors                           | 404 |
| 10.1.4 | One-shot machines assist in cell locomotion and spatial organization | 407 |
| 10.2   | Purely mechanical machines   | 409 |
| 10.2.1 | Macroscopic machines can be described by an energy landscape         | 409 |
| 10.2.2 | Microscopic machines can step past energy barriers                   | 413 |
| 10.2.3 | The Smoluchowski equation gives the rate of a microscopic machine    | 415 |



|        |  |     |
|--------|--|-----|
| 10.3   | Molecular implementation of mechanical principles                              | 422 |
| 10.3.1 | Three ideas  | 423 |
| 10.3.2 | The reaction coordinate gives a useful reduced description of a chemical event | 423 |
| 10.3.3 | An enzyme catalyzes a reaction by binding to the transition state              | 425 |
| 10.3.4 | Mechanochemical motors move by random-walking on a two-dimensional landscape   | 431 |
| 10.4   | Kinetics of real enzymes and machines  | 432 |
| 10.4.1 | The Michaelis–Menten rule describes the kinetics of simple enzymes             | 433 |
| 10.4.2 | Modulation of enzyme activity  | 436 |
| 10.4.3 | Two-headed kinesin as a tightly coupled, perfect ratchet                       | 437 |
| 10.4.4 | Molecular motors can move even without tight coupling or a power stroke        | 446 |
| 10.5   | Vista: Other molecular motors  | 451 |
|        | The big picture  | 451 |
|        | Track 2  | 455 |
|        | Problems   | 464 |

## Chapter 11 Machines in Membranes 469

|        |  |     |
|--------|--|-----|
| 11.1   | Electroosmotic effects   | 469 |
| 11.1.1 | Before the ancients  | 469 |
| 11.1.2 | Ion concentration differences create Nernst potentials   | 470 |
| 11.1.3 | Donnan equilibrium can create a resting membrane potential                                       | 474 |
| 11.2   | Ion pumping  | 476 |
| 11.2.1 | Observed eukaryotic membrane potentials imply that these cells are far from Donnan equilibrium   | 476 |
| 11.2.2 | The Ohmic conductance hypothesis   | 478 |
| 11.2.3 | Active pumping maintains steady-state membrane potentials while avoiding large osmotic pressures | 481 |
| 11.3   | Mitochondria as factories  | 486 |
| 11.3.1 | Busbars and driveshafts distribute energy in factories   | 487 |
| 11.3.2 | The biochemical backdrop to respiration  | 487 |
| 11.3.3 | The chemiosmotic mechanism identifies the mitochondrial inner membrane as a busbar               | 491 |
| 11.3.4 | Evidence for the chemiosmotic mechanism  | 492 |
| 11.3.5 | Vista: Cells use chemiosmotic coupling in many other contexts                                    | 496 |



- 11.4 Excursion: “Powering up the flagellar motor” by H. C. Berg and D. Fung    497
- The big picture    499
- Track 2    501
- Problems    503

## Chapter 12

## Nerve Impulses

505

- 12.1 The problem of nerve impulses    506
- 12.1.1 Phenomenology of the action potential    506
- 12.1.2 The cell membrane can be viewed as an electrical network    509
- 12.1.3 Membranes with Ohmic conductance lead to a linear cable equation with no traveling wave solutions    514
- 12.2 Simplified mechanism of the action potential    518
- 12.2.1 The puzzle    518
- 12.2.2 A mechanical analogy    519
- 12.2.3 Just a little more history    521
- 12.2.4 The time course of an action potential suggests the hypothesis of voltage gating    524
- 12.2.5 Voltage gating leads to a nonlinear cable equation with traveling wave solutions    527
- 12.3 The full Hodgkin–Huxley mechanism and its molecular underpinnings    532
- 12.3.1 Each ion conductance follows a characteristic time course when the membrane potential changes    532
- 12.3.2 The patch clamp technique allows the study of single ion channel behavior    536
- 12.4 Nerve, muscle, synapse    545
- 12.4.1 Nerve cells are separated by narrow synapses    545
- 12.4.2 The neuromuscular junction    546
- 12.4.3 Vista: Neural computation    548
- The big picture    549
- Track 2    552
- Problems    553

## Epilogue

557

## Appendix A

## Global List of Symbols and Units

559

- Notation    559
- Named quantities    560
- Dimensions    565
- Units    565



## **Appendix B | Numerical Values 569**

|                       |     |
|-----------------------|-----|
| Fundamental constants | 569 |
| Magnitudes            | 569 |
| Specialized values    | 571 |

## **Appendix C | Additional Problems 575**

|                         |     |
|-------------------------|-----|
| Problems for Chapter 1  | 575 |
| Problems for Chapter 2  | 577 |
| Problems for Chapter 3  | 578 |
| Problems for Chapter 4  | 579 |
| Problems for Chapter 5  | 584 |
| Problems for Chapter 6  | 586 |
| Problems for Chapter 7  | 588 |
| Problems for Chapter 8  | 592 |
| Problems for Chapter 9  | 594 |
| Problems for Chapter 10 | 596 |
| Problems for Chapter 11 | 602 |
| Problems for Chapter 12 | 604 |

## **Credits 607**

## **Bibliography 609**

## **Index 623**