

Contents

Contributors	vii
Introduction	ix
Part One Processes	
1 Health beliefs and attributions <i>Theresa M. Marteau</i>	3
2 Stress, coping and physical health <i>Tom Cox</i>	21
3 Placebos: their effectiveness and modes of action <i>Phil Richardson</i>	35
4 Psychology in health and social care settings: the new opportunities <i>Bernard Kat</i>	53
5 Improving patients' understanding, recall, satisfaction and compliance <i>Philip Ley and Sue Llewelyn</i>	75
6 Institutional versus client-centred care in general hospitals <i>Keith Nichols</i>	99
7 Caring: the cost to nurses and families <i>Sue Llewelyn and Sheila Payne</i>	109
8 Patients' contributions to the consultation <i>Elizabeth Robinson</i>	123
Part Two Applications	
9 Cardiac disorders <i>Bob Lewin</i>	141
10 Dermatology <i>Peter James</i>	167

Contents

11	Diabetes mellitus <i>Richard Shillitoe</i>	187
12	Psychological aspects of physical disability <i>Stephen Wilkinson</i>	205
13	Disorders of the gut <i>Paul Bennett</i>	225
14	Elderly care medicine <i>Nicola Bradbury</i>	245
15	Gynaecology <i>Myra Hunter</i>	261
16	Psychological aspects of neurological illness <i>Louise Earll</i>	283
17	Emotional factors in hearing loss <i>Simon Jakes</i>	297
18	Obstetrics <i>Lorraine Sherr</i>	307
19	Behavioural paediatrics and childhood cancer <i>Nicola Whitehead</i>	329
20	Chronic pain <i>Amanda C. de C. Williams and Aleda Erskine</i>	353
21	Renal care <i>Clive Long</i>	377
22	Surgery <i>John Kincey</i>	391
23	Terminal care <i>Christine Wilson</i>	405
	Index	419

Index

Page numbers in **bold type** refer to figures; those in *italics* refer to tables.

- Abdominal pain, in children 337
- Abuse, during pregnancy 317–18
- Accidents, health targets 60
- Acne 172–3
- Acquired immunodeficiency syndrome, *see* AIDS
- Adrenal glands, and stress 23, 29
- Ageing, *see* Elderly
- AID, *see* Artificial insemination by donor
- AIDS, *see* Acquired immunodeficiency syndrome
- health targets 60, 70
- in pregnancy 311–14
- Alcohol
 - and diabetes 192
 - health targets 70
- Angina 148
 - see also* Cardiac disorders
- Antenatal care 309
 - attendance 309–10
 - consumer satisfaction 318–19
 - and fathers 323
 - predictors of postnatal outcomes 315
 - and preparedness 314–15
 - screening 310–11
 - see also* Childbirth; Pregnancy
- Anticipatory grief 414–15
- Antiemetics, after chemotherapy 342, 343
- Anxiety
 - and dialysis patients 378, 383
 - in the dying 408, 409
 - management of, in children 330–32
 - and postoperative stress 393
 - during pregnancy 324
 - reduction of, and placebo effects 44–6
- Arousal, and coronary artery disease 143
- Artificial insemination by donor (AID) 270
- Asthma, in childhood, and therapeutic adherence 334–5
- Attributions, *see* Beliefs
- Attribution theory 7–8
- health-related behaviour 8
- response to treatment 8–9
- and self-blame 9
- Back pain 356
- Behaviour
 - and changing cognitions 16
 - cognitions and outcomes, relationship with 13, 13–14
 - modification 215
 - prediction of 4, 5, 6
 - research emphasis xi
- Behaviour, cognitive models of
 - equivocal results 14–16
 - expectancy-value models 3, *see also* Health belief model; Reasoned action theory; Social learning theory
 - staff training in 16–17
 - see also* Attribution theory; Beliefs; Cognitions
- Behavioural therapy
 - in dialysis-related problems 383–4
 - and the disabled 216
- Beliefs
 - patients' 9–10
 - staff's 10–11
 - ways of influencing health 3
 - see also* Behaviour; Cognitions
- Bereavement, and the elderly 254–5
- Biofeedback 216
 - and irritable bowel syndrome 230–31
 - and pain control in the dying 410
 - and peptic ulcer disease 234
 - and tinnitus 304
- Birth, *see* Childbirth
- Blood pressure, health targets 70
- Bone marrow aspiration, in children 340, 341
- Breastfeeding 323
- Burns, pain in children 336
- CAD, *see* Coronary artery disease
- Caesarean section 321
- Cancer
 - gynaecological 267–8
 - health targets 60
 - and stress 30
- Cancer, in children
 - behavioural approaches 341–2
 - behavioural interventions 339–40
 - bone marrow aspiration 340, 341
 - chemotherapy, nausea and vomiting 342–5, 411
 - hypnotherapy 340–41, 342–3, 344–5
 - and parental anxiety 339
 - psychosocial issues 338–9
 - and siblings' distress 339
 - types of 338
- Cardiac disorders
 - death predictors 148–9
 - perception of pain 146–7
 - symptoms, psychological interventions to reduce 148
 - symptoms without coronary artery disease 147
 - see also* Angina; Coronary artery disease; Coronary heart disease; Myocardial infarction; Myocardial ischaemia
- Cardiac neurosis 150, 152–3
- Care
 - long-term, increase in number requiring 109–10
 - status of women in 120

- Care *contd*
theories of caring 212–13
see also Community care;
Emotional care; Health care;
Social care; *and under*
Hospitals; Patients
- Carers
families as 110–11
illness in 112–13
nurses as 111
relaxation techniques 118
resources for 113
similarities and differences in
115–16
stress in 111–14, *see also* Stress
reduction
women as 110, 116
see also Families; Nurses
- Caring, theories of 212–13
- Catecholamines, and stress 23
- Central nervous system, *see*
Neurological illness
- Cerebrovascular disease 284
- CHD, *see* Coronary heart disease
- Chemotherapy
in gynaecological cancer 268
nausea and vomiting 342–5,
411
- Childbirth
Caesarean section 321
delivery 319, 322
depression and psychosis 316,
324
enhancing care during 323–4
episiotomy 321–2
induction 320–21
labour 38, 319
medical intervention 321–2
multiple births 320
postnatal depression 317
premature babies 320
puerperium 322–3
special care baby units 319
see also Antenatal care;
Breastfeeding; Pregnancy
- Clients, *see* Patients
- Cognitions
and behaviour 16
behaviour and outcomes,
relationship with 13, 13–14
changing 16
effect on disease 10
patients', and health outcomes
9–10, 12–13
staff's 11–13
see also Behaviour; Beliefs
- Cognitive dissonance theory 42
and placebos 42–3
- Cognitive models, equivocal results
from 14–16
- Communication, with patients
benefits 91–4
differing perspectives in 286
disabled, and computer
technology 216
elderly patients 249
feedback for clinicians 77, 78
in gynaecological consultations
262
ill-defined terms 78
informed consent 92
oral 83–4
patients' satisfaction with 76–7,
83, 83, 84, 87, 92
during pregnancy and childbirth
324
readability formulae 85–6
time spent in 76
training for nurses 118
warnings 88–91
written 84–8
see also Consultations;
Information; Recall;
Understanding
- Community care
concept of 54–5
and the disabled 219
'seamless care' 55
- Compliance 80–83, 83, 84
in childhood asthma 334–5
in diabetes mellitus 192–3
effect of increased understanding
92–3
and the elderly 257
in juvenile diabetes 332–4
patients' responsibilities 104
practical problems of 192
- Computer technology, and the
disabled 216
- Confusion, in the elderly 251
- Consent, informed 92
- Consultations, patients'
contributions to
doctors' inhibiting behaviour
126, 127
failure to make, consequences of
127–8, 131–3
failure to make, reasons for
125–7, 130–31
gynaecological problems
262–3
incidence of 123–5
- increasing the incidence of
128–9, 133–4
from information during
consultation 130–34
negotiated approach 129
passive behaviour 125, 134
from preconsultation knowledge
125–9
preparation by health educators
128
types of 124–5
see also Recall
- Contraception, *see* Sterilization
- Control, *see* Locus of control
- Coping
difficulty in 26
effecting change 28
emotion-focused 27–8
features of 27
as problem-solving strategy 28
reduced ability in 21
reinforcement for 332
strategies, classifications of 27–8
task-focused 27–8
see also Stress
- Coronary artery disease (CAD)
aetiology 141
and arousal 143
bypass surgery 147
cardiac reactivity 144, 145–6
incidence 141
and life events 144–5
multiple risk behaviours 142–3
pain, perception of 146–7
personality theories 144
prevention 142–3
risk factors, 143–4, 144–5
symptoms 142, 145
symptoms without CAD 147
see also Angina; Cardiac
disorders; Coronary heart
disease; Myocardial
infarction; Myocardial
ischaemia
- Coronary heart disease (CHD),
health targets, 60
- Counselling 210
gynaecological problems 263,
268
after myocardial infarction 159
sexual, for disabled 217
see also Education
- Crohn's disease, *see* Inflammatory
bowel disease
- Culture, and psychological models
15–16

- Deafness, *see* Hearing loss
- Death
 cardiac predictors 148–9
 see also Dying
- Decision latitude, and stress 25
- Decision-making models 12–13
- Demand, 63–5, 66
- Dementia, in the elderly 251–2
- Denial
 and dialysis-related stress 381
 after myocardial infarction 149–50
- Dependence 65, 66
- Depression
 in childbirth 316, 324
 and chronic pain 356, 357
 and dialysis patients 378, 383
 in the dying 408, 409
 in the elderly 251
 and myocardial infarction 150
 and myocardial ischaemia 146
 postnatal 317
 and termination of pregnancy 308
- Dermatitis artefacta 176
 see also Trichotillomania
- Dermatology, *see* Skin disorders
- Desensitization 332
- Desynchrony 393
- Deviance 65–6, 66
- Diabetes, juvenile
 behavioural management 333
 goals, parents' vs doctors' 333–4
 knowledge of 334
 therapeutic adherence 332–4
- Diabetes mellitus
 adolescents with 197
 adults with 198
 behavioural self-management 188, 192
 blood glucose discrimination training 195
 brittle diabetes 195–6
 children with 197
 and compliance 192–3
 complications 187–8, 198–9
 diet 188–9
 and eating disorders 189
 education 193–4
 and empowerment 193
 exercise 192
 and family relationships 197–8
 health belief model 196–7
 health care delivery 199–200
 and the health professional 194
 hypoglycaemia 190–91
 incidence 188
 insulin treatment 190
 life events 195
 locus of control 196
 management of 188–92
 medication (tablets) 189
 monitoring 191
 mood disorders 199
 patients' attitudes and beliefs 196–7
 prevalence 188
 prevention 192
 risk factors 192
 stress management 194–6
 types of 187–8
- Dialysis, *see* End-stage renal disease
- Diet
 and diabetes mellitus 188–9
 health targets 70
- Disability
 definition 62
 see also Intellectual impairment;
 Physical disability
- Disease
 definition 62
 see also Health; Illness
- Distraction 332
 surgical patients 396
 and tinnitus 304
- Doctor–patient relationship
 in consultations 134–5
 encouraging questions 133–4
 and placebo use 41
 presentation of instructions 133
 and social power 12
- Doctors
 attitude to the dying 405–6
 patients' consultations with, *see* Consultations
 see also General practitioners;
 Health professionals
- Drug misuse
 and childbirth 316
 health targets 70
- Dying
 acknowledgement of 405–6
 anticipatory grief 414–15
 and anxiety 408, 409
 attitude of doctors 405–6
 awareness of 405–6
 and depression 408, 409
 emotional disturbances 407–9
 group therapy 412–13
 pain management 410–11
 physical symptoms in 410–11
 psychological reactions to 405–7
 psychotherapeutic interventions 412–15
 and quality of life 409
 reaction models 406–7
 sick role behaviour 411–12
 and stress in nurses 114, 115, 116
 see also Death
- Dysmenorrhoea 273
- Eating disorders, and diabetes mellitus 189
- Eczema, atopic 173
 behavioural habit breaking 175
 itching 173, 175
 and life events 174
 psychological factors in 173
 relaxation 174–5
 scratching 175
 and skin temperature 174
- Education
 and chronic pain 368–9
 and diabetes mellitus 193–4
 for families as carers 120
 after myocardial infarction 158
 see also Counselling; Training
- Elderly
 age-related changes 247–8
 assessment 252–3
 bereavement 254–5
 changing care practices 256
 and compliance 257
 confusion 251
 constructional approach 255
 continued activity theory 246
 coping with health problems 250–51
 dementia 251–2
 depression 251
 disengagement theory 246
 environmental organization 247–8
 family therapy 256–7
 goal planning 255–6
 increase in numbers of 245
 and intellectual functioning 245–6
 loss 254–5
 misconceptions about ageing 245–6
 normalization 248–9
 and personality changes 246
 physical environment 247–9
 prejudices against 246
 psychological therapy 253–4
 reality orientation 248, 249–50

- Elderly *contd*·
 reminiscence 250
 social environment 249–50
 staff–patient communication 249
 stroke 251
- Emotional care, and institution-centred approach 100–101, 102
- End-stage renal disease (ESRD)
 anxiety 378, 383
 denial, as a coping mechanism 381
 depression 378, 383
 emotional maladjustment to 377
 fluid compliance 378–9
 non-compliance 378–9, 383
 psychological care 382, 384–6
 psychological reactions to 377–9
 psychological treatment 382–4
 sexual problems 379, 383
 social consequences 379–80
 stress in patients 380–2
 suicide 378
see also Renal units
- Epilepsy 284
- Episiotomy 321–2
- ESRD, *see* End-stage renal disease
- Exercise
 and chronic pain 369
 and diabetes 192
 after myocardial infarction 155, 157–8
- Expectancy effects, of placebos
 patients' 41–2
 therapists' 40–41, 42
- Expectancy-value models of
 behaviour 3
see also Health belief model;
 Reasoned action theory;
 Social learning theory
- Families, as carers 110–11
 education of 120
 few breaks from caring 116
 interpersonal relationships 111
 NHS and Community Care Act provisions 110–11
 and physical disability 211–12
 stress in 112–14
 support groups 116–17
see also Stress reduction
- Family Health Services Authorities (FHSAs) 57–8
- Family therapy, and the elderly 256–7
- Feeding, of babies 323
- Fertility, *see* Infertility
- FHSAs, *see* Family Health Services Authorities
- Gate-control theory of pain 354
- General Practitioners
 fundholding scheme 57–8
see also Doctors; Health professionals
- Grief, anticipatory 414–15
- Group therapy, in terminal care 412–13
- Gynaecological problems
 background 261–2
 cancer 267–8
 chronic pelvic pain 267
 communication problems 262
 consultations 262–3
 counselling 263, 268
 decision making 263
 dysmenorrhoea 273
 emotional problems, risk factors 264
 hysterectomy 264–5
 menopause 274–7
 menorrhagia 271–2
 menstrual cycle 272–3
 premenstrual tension syndrome (PMS) 273–4
 psychosexual functioning 268–9
 sterilization 263–4
 surgical interventions 265–7
see also Infertility
- Haemodialysis, *see* End-stage renal disease
- Haemophilia, in children 337
- Handicap
 definition 62
see also Physical disability
- Headache, in children 336–7
- Head injury 284
- Health
 achievement of human potential 59
 biomedical model of xi
 definitions 62–3
 effect of social class and deprivation 69
 measurement of 61
 patients' perception of 69
 theories of 59–60
see also Disease; Illness
- Health Authorities, as purchasers of health care 57–8
- Health belief model 7, 15
 and diabetes mellitus 196–7
 health-related behaviour 7
 and neurological illness 288
 response to treatment 7
- Health care
 aims of reforms in 56–7
 history of 54
 levels of 55–6
 little local control of 54
 and neurological illness 292–3
 providers of 58–9
 psychology in 69–71
 purchasers of 57–8
see also Demand; Dependence; Deviance; Hospitals; Need; Prevention
- Health care models, and childbirth 324
- Health gains, *see* Outcomes
- Health of the Nation*
 (DoH publication)
 health gain targets 60, 61
 risk factor targets 69, 70
- Health outcomes, *see* Outcomes
- Health perception model, and myocardial infarction 154–5
- Health professionals
 behaviour 11–12
 behavioural models, training in 16–17
 beliefs 3, 10–11
 cognitions 11–13
 disabled, training in care of 217–18
 influence on patients 12
see also Doctors; Nurses, Staff;
- Health psychology, background x–xi
- Health value concept 4
- Hearing loss
 in children 300
 degree of 301
 and depression 299–300
 and emotional disturbance 299
 functions of hearing 297–8
 and the future 305
 and maladjustment 298–9
 non-verbal sounds 297–8
 problems resulting from 301
 temporarily induced 301
 unilateral vs bilateral 298
see also Tinnitus
- Heart disorders, *see* Cardiac disorders
- HIV (Human immunodeficiency virus) infection

- and breastfeeding 323
 fathers, testing of 313
 health targets 60, 70
 increasing prevalence 313
 mass screening 313
 in pregnancy 311–14
 testing 311–12, 313
 and twins 312
- Hives (Urticaria) 181–2
- Hospitals
 care in 99–101
 changing pattern of service 56
 client-centred care 101, 102–6
 and the disabled 217
 doctor- and nurse-centred approach 100
 and emotional care 101, 102
 impact on patients 103–4
 and information exchange 101–2
 institution-centred approach 100, 103–4
 money-centred approach 100
 and patient stress 100–101
 psychological neglect in 100
 reorientation of care needed 102–3
- Human Fertilization and Embryology Act (1990) 271
- Human immunodeficiency virus, *see* HIV infection
- Hyperhidrosis 176–7
- Hypnosis 332
- Hypnotherapy
 and childhood cancer 340–41, 342–3, 344–5
 and inflammatory bowel disease 237
 and irritable bowel syndrome 230
 pain control in the dying 411
 self-hypnosis, in burns 336
 and tinnitus 304
- Hypochondriacal pain 356–7
- Hypochondriasis 359
- Hypoglycaemia 190–91
- Hypothalamo-anterior pituitary-adrenal cortical system, and stress 29
- Hysterectomy 264–5
 emotional reaction, risk factors 264
- IBD, *see* Inflammatory bowel disease
- IBS, *see* Irritable bowel syndrome
- Illness (III-health)
 definition 62
 physical and mental, no psychological distinction 68
 prediction of, by explanatory style 10
 and stress 21, 23, 28–9, 30
see also Disease; Health
- Imagery 332
- Immune system
 and disease 9–10
 and stress 29–30
- Impairment
 definition 62
see also Intellectual impairment; Physical disability
- Induction, of labour 320–21
- Infertility
 artificial insemination by donor 270
 definition 269
 and emotional distress 269–70
 investigations 307–8
in vitro fertilization 270–71
 problems in the male 270, 308
- Inflammatory bowel disease (IBD)
 aetiology 234–6
 distress reduction 237–8
 effect on lifestyle 236
 hypnotherapy 237
 psychotherapy 236–7
 relaxation training 237, 238
 stress 235
 symptom reduction 236–7
 types and symptoms 234
- Information
 about gynaecological surgery 266
 helping patients to ask correct questions 105–6
 and institution-centred approach 101–2
 patients' need for 75, 76–7, 101–2
 provision of, for the disabled 217
 simplification of written 87
 for surgical patients 396–7, 399
 written 84–8
see also Communication; Consultations; Warnings
- Informed consent 92
- Institutions, *see* Hospitals
- Insulin therapy, in diabetes mellitus 190
- Intellectual impairment 214–15
 assessment tests 215
 cognitive retraining 215, 289–90
 health targets 60
 multiple disability 68, 214
see also Physical disability
- In vitro* fertilization (IVF) 270–71
- Irritable bowel syndrome (IBS)
 aetiology 226–8
 biofeedback 230–31
 hypnotherapy 230
 prevalence 225–6
 psychotherapy 229–30
 sensibility to abdominal pain 228
 and stress 226–8
 stress-management training 228–9
 symptoms 225
- Itching 171, 182–3
 in eczema 173, 175
- IVF (*In vitro* fertilization) 270–71
- Job demands, and stress 24–5, 29
- Kidney failure, *see* End-stage renal disease
- Labour 319
 induction 320–21
 pain, and use of placebos 38
see also Childbirth
- Locus of control
 in chronic pain 366
 and diabetes mellitus 196
 dialysis patients 381
 in neurological illness 291
 and physical disability 210–11
 in social learning theory 4
 surgical patients 394
- Loss, and the elderly 254–5
- Malingering 357
- Memory, *see* Recall
- Menopause 274–7
- Menorrhagia 271–2
- Menstruation
 dysmenorrhoea 273
 menstrual cycle 272–3
 premenstrual tension syndrome (PMS) 273–4
- Mental illness
 health targets 60
see also Intellectual impairment
- Migraine headaches, in children 336–7
- Miscarriage 308–9
- Misunderstanding, patients' 78–9, 127
- Motor neurone disease 284, 288, 292

- Multiple sclerosis 284
- Muscle tension 356, 370
- Myocardial infarction (MI)
 adjustment following 150–51, 154–5
 and cardiac neurosis 150, 152–3
 causes 142, 155–6
 counselling 159
 denial 149–50
 education 158
 exercise 155, 157–8
 health perception model 154–5
 illness behaviour after 153–4, 154–5
 misconceptions 155, 156
 the partner and family 152–3
 patients' attributions 155–6
 prevention 158–9
 psychiatric morbidity 150
 psychological reaction to 149–50
 rehabilitation programmes 157–9
 relaxation training 158–9
 return to work 151
 secondary prevention 158
 sexual adjustment 151–2
 stress-management training 159
see also Angina; Cardiac disorders; Coronary artery disease; Coronary heart disease; Myocardial ischaemia
- Myocardial ischaemia 142
 psychological factors 145–6
see also Cardiac disorders
- National Health Service 54, 55
see also Family Health Services
 Authorities; General Practitioners; Health Authorities; Hospitals
- Nausea, and chemotherapy 342–5, 411
- Need, 63–5, 66
- Neuroendocrine systems, and stress 22–3, 29
- Neurological illness
 aetiology 288–9
 cognitive impairment 289–90
 coping 288–9, 290–92
 early symptoms unnoticed 288
 health belief model 288
 and health care 292–3
 incidence and prevalence 283–5
 psychological sequelae 288–9
 references to 284
 symptoms 285–7, 287–8
see also Intellectual impairment; Physical disability
- Neurology 284
- Neuropsychology 284
- NHS and Community Care Act (1990) 57, 110–11
- Nocebo effect 37
- Non-compliance 80–82, 82
 cost of 82–3
 and dialysis patients 378–9, 383
 from diffidence 131
 from lack of understanding 131
 non-judgemental approach to questioning 82
 problems compounded by hospital staff 104
see also Compliance
- Norms 65–6
- Nurses
 as carers 111
 communication training 118
 and the dying 114, 115, 116
 stress in 111, 114–15
 support groups for 117
 work overload 114
see also Carers; Health Professionals; Stress reduction
- Nursing, in general hospitals 100, 115
- Nursing process 114
- Nutrition, health targets 70
- Obesity, health targets 70
- Obstetrics
 areas of 307
see also Antenatal care; Childbirth; Pregnancy; Puerperium
- Outcome expectancy, in social learning theory 5
- Outcomes (Health gains)
 behavioural 63
 biological 63
 cognitions and behaviour, relationship with 13, 13–14
 and cognitive models 14–16
 definitions 60–61, 61–8
 dimensions of 61–3, 64, 67
 effect of patients' beliefs on 10–11
 life expectancy and quality 63
 measurement of 67–8
 patients' perception of health 69
- processes leading to 68–9
 targets 60, 61
- Ovulation, and stress 270
- Paediatrics, behavioural
 and age, 332
 anxiety management 330–32
 asthma, therapeutic adherence in 334–5
 change of emphasis in 330
 conceptualization 329–30
 coping strategies 332
 definition 329
 evolution 330
 juvenile diabetes, therapeutic adherence in 332–4
 preparation for medical procedures 330–32
 psychological procedures 332
 therapeutic adherence 332–5
see also Pain management in children
- Pain
 in bone marrow aspiration 340
 effect of drugs in labour 319
 perception of, in cardiac disorders 146–7
 and placebos 37, 38, 45
 in terminal care 410–11
- Pain, chronic
 affective component 364–5
 assessment 361–7
 background 353
 back pain 356
 and behaviour 354–5
 behavioural change 371
 behavioural component 365–6
 central control component 366–7
 central summation 354
 confidence, improvement of 370–71
 coping strategies 360, 366–7
 definitions 353
 and depression 356, 357
 diary of 362, 363
 education 368–9
 exercise 369
 factors in development of 359–61
 gate-control theory 354
 hypochondriacal pain 356–7
 hypochondriasis 359
 inactivity, effect of 359
 after injury 355, 359
 inpatient vs outpatient treatment 368
 intervention 367–72

- Pain *contd*
 interviews 362–3
 lay models 358
 lifestyle impact component 366
 locus of control 366
 malingering 357
 management of 367–8, *see also*
 Pain management in children
 measuring 363–5, 366, 367
 medication reduction 370
 mood, improvement of 370–71
 multidisciplinary treatment 368
 muscle tension 356, 370
 neurophysiological component 365
 outcome of treatment 371–2
 pelvic 267
 personality profiles 356
 physical condition, improvement of 369
 and physiotherapy 359
 psychological origin 356
 psychosocial factors 366
 rating scales 363–5, 366, 367
 recovery of physical activities 369
 relapse, prevention of 371
 relaxation 370
 response levels 361
 self-efficacy 366
 sensory component 363–4
 sleep management 370
 specificity, theory of 354
 theories of 354–61
 three-process model 354
 typical problems 358–9
 visceral pain 355–6
- Pain diary 362, 363
- Pain management in children
 abdominal pain 337
 in burns 336
 categories of pain 335–6
 disease-related pain 337
 headache 336–7
 and painful procedures 336
 recurrent pain 336–8
- Parkinson's disease 284
- Passivity, in patients 103–4, 125, 134
- Patients
 client-centred care 101, 102–6
 contributions to consultations, *see* Consultations
 diffidence of 131
 impact of hospital system 103–4
 memory (recall) 79–80, 81, 83, 83, 84
 misunderstandings of 78–9, 127
 need for information 75, 76–7, 101–2
 participation 104–6
 passivity in 103–4, 125, 134
 satisfaction with communication 76–7, 83, 83, 84, 87, 92
see also Communication;
 Compliance; Information;
 Non-compliance;
 Understanding
- Pelvic pain, chronic 267
- Peptic ulcer disease (PUD)
 aetiology 231–2
 biofeedback 234
 and placebos 233
 and stress 231, 232
 stress management 233–4
- Pessimism, effect on health 10
- Physical disability
 adjustment 205–6, 209–10, 213–14
 attitudes towards 208–9
 behavioural learning view 209
 behaviour modification 215
 biofeedback 216
 caring 212–13
 cognitive behaviour therapy 216
 and computer technology 216
 coping, *see* adjustment *above*
 counselling 210
 family reactions 211–12
 health professionals, implications for 217–18
 incidence 205
 information provision 217
 locus of control 210–11
 multiple disability 68, 214
 personality-based considerations 206–8
 research, quality of 206
 service evaluation and planning 218–19
 sexual activity 211–12
 sexual counselling 217
 skills training 215–16
 social context 208–9
 stage theory 207
 training for carers 212–13
see also Intellectual impairment
- Pituitary-adreno cortical system, and stress 22
- Placebos
 action, mechanisms of 41
 anxiety reduction 44–6
 clinical practice, relevance to 35–6
 cognitive dissonance 42–3
 conditioning processes 43–4
 definitions 35
 effects of 36–7
 expectancy effects 40–41, 41–2
 forms of administration 38–9
 labour pain 38
 nocebo effect 37
 and pain 37, 38, 45
 patient characteristics 37–8
 in peptic ulcer disease 233
 pills and capsules 38–9
 reporting errors 42
 and self-limiting illnesses 36
 studies lacking no-treatment control 36
 and surgery 38, 39
 therapist influence 39–41
 treatment characteristics 38–9
 use of word 46
- PMS, *see* Premenstrual tension syndrome
- Population structure
 increases in elderly 245
 in UK 109–10
- Pregnancy 307–8
 abuse during 317–18
 and age 318
 AIDS and HIV infection 311–14
 anxiety during 324
 communication during 324
 confirmation of 308
 and drug use 316
 enhancing care during 323–4
 miscarriage 308–9
 predictors of mental health 316–17
 suicide 316
 termination of 264, 308–9, 312
 as a time to prepare 314–15
see also Antenatal care;
 Childbirth, Puerperium
- Premature babies 320
- Premenstrual tension syndrome (PMS) 273–4
- Prevention, of ill-health
 levels of 56–8
 risk factors 69, 70
see also under Coronary artery disease; Diabetes mellitus; Myocardial infarction
- Primary nursing 115
- Providers, of health and social care 58–9

- Pruritis, *see* Itching
- Psoriasis 177-9
- Psychologists, need for combined representation 70-71
- Puerperium 322-3
- Purchasers, of health and social care 57-8
- Quality of life
 - in the dying 409
 - as a health outcome 63
- Radiotherapy, in gynaecological cancer 268
- Raynaud's disease 179-80
- Readability formulae 85-6
- Reality orientation, and the elderly 248, 249-50
- Reasoned action theory 6-7, 291
- Recall, patient's 81, 83, 83, 84
 - characteristics of material presented 80
 - and expectations 80
 - and exposure to warnings 90-91
 - forgetting instructions 131
 - residual queries 132-3
 - studies of 79-80
 - and understanding of
 - consultations 127-8
 - and written information 86-7
 - see also* Communication; Consultations; Understanding
- Relaxation 332
 - in chronic pain 370
 - after myocardial infarction 158-9
 - surgical patients 396
 - and tinnitus 304-5
 - training for carers 118
 - and ulcerative colitis 237, 238
 - see also* Stress management
- Reminiscence 250
- Renal care, *see* End-stage renal disease
- Renal units
 - psychological care in 384-6
 - training and support of staff 385-6
 - see also* End-stage renal disease
- Risk factors 69, 70
 - see also* Coronary artery disease; Diabetes mellitus
- Scratching 171-2
 - in eczema 173, 175
- Self-efficacy
 - and chronic pain 366
 - and response to illness 5-6
 - in social learning theory 5
- Self-help groups, *see* Support groups
- Self-regulation theory (Leventhal's) 291-2
 - and chronic pain 355
 - and coping structure 210
 - in neurological illness 287, 292
- Sexual activity
 - dialysis patients 379, 383
 - and gynaecological cancer 268-9
 - and myocardial infarction 151-2
 - and physical disability 211-12, 217
- Sexual counselling, and physical disability 217
- Sexual health, targets 60
- Sickness, definition 62
- Skin disorders
 - acne 172-3
 - adjustment to 169
 - background 167-8
 - behavioural processes 171-2
 - bereavement process 168-9
 - depression 168
 - dermatitis artefacta 176
 - 'dermatological non-disease' 168
 - hives (urticaria) 181-2
 - hyperhidrosis 176-7
 - organ weakness model 170
 - patients' perception of 169
 - psoriasis 177-9
 - psychological consequences 168-70
 - psychological factors 167-8, 170
 - psychophysiological processes 170-71
 - Raynaud's disease 179-80
 - response specificity 170
 - scratching 171-2, 175
 - and stress 169, 170
 - trichotillomania 180-81
 - urticaria (hives) 181-2
 - see also* Eczema; Itching
- Sleep management, in chronic pain 370
- Smoking
 - and diabetes 192
 - health targets 70
 - and health warnings 90-91
- Social care
 - history of 54
 - providers of 58-9
- psychology in 69-71
- purchasers of 57-8
- Social learning theory 3-4, 15, 291
 - health-related behaviour 4-5
 - locus of control 4
 - and outcome expectancy 5
 - prediction of behaviours 4, 5, 6
 - response to treatment 5
 - and self-efficacy 5-6
 - see also* Locus of control
- Somatization 356-7
- Somatoform disorder 356-7
- Specificity theory of pain 354
- Staff
 - support groups 117-18
 - see also* Health professionals
- Sterilization, tubal 263-4
 - emotional reactions, risk factors 264
- Stress
 - and acne 172-3
 - and adrenal glands 23, 29
 - appraisal 25-6, 27
 - and cancer 30
 - in carers 111-14
 - and catecholamines 23
 - definitions 21-4
 - and dialysis patients 380-82
 - diseases, stress-related 23, 30
 - and eczema 174
 - effects on health 28-9
 - emotional changes 26, 28-9
 - engineering approach 22, 23-4
 - as factor in myocardial ischaemia 145-6
 - in families 112-14
 - five-stage model 26
 - health, not necessarily affecting 21
 - hospital-induced 100-101, 103
 - ill health as cause of 21
 - and immune system 29-30
 - in inflammatory bowel disease 235
 - interactional theories 24-5
 - and irritable bowel syndrome 226-8
 - measurement of 26-7
 - medicophysiological approach 22-4
 - and neuroendocrine systems 22-3, 29
 - in nurses 111, 114-15
 - in peptic ulcer disease 231, 232
 - and performance 26
 - and person-environment fit 24-5

- physiological changes 29–30
 predicting physical ill health 30
 and psoriasis 178–9
 psychological approach 24
 psychological effects of 29
 related to individuals' perception 112
 as response syndrome 22–3
 self-reporting 27
 and skin disorders 170
 and strain reaction 22
 threshold 22
 transactional theories 24, 25–6
 and urticaria 181–2
 and work characteristics 24–5, 29
see also Coping; Stress management; Stress reduction
- Stress inoculation 332
- Stress management
 and angina 148
 in diabetes mellitus 194–6
 in irritable bowel syndrome 228–9
 after myocardial infarction 159
 peptic ulcer disease 233–4
 training for carers 118–19
see also Relaxation
- Stress reduction, in carers 116
 communication training for nurses 118
 family education 120
 nursing profession and training 119
 self-help and support groups 116–18
 stress-management training 118–19
- Strokes
 in the elderly 251
 health targets 60
- Suicide
 and dialysis patients 378
 health targets 60
 during pregnancy 316
- Support groups
 for families 116–17
 individual needs in 118
 reservations about 117
 for staff 117–18
- Surgical patients
 anxiety and postoperative stress 393
 benefits of intervention 391
 care model 397–400
 children 393–4
 coping 394, 398–9
 differences between patients 393–5
 differences between types of surgery 395–6
 and information giving 396–7, 399
 locus of control 394
 placebo surgery 38, 39
 post discharge stage 399–400
 postoperative stage 399
 preoperative stage 397–9
 preparation for surgery 396
 psychological responses 392–3
 referral to specialist psychologists 400–401
 relaxation and distraction strategies 396
 screening for psychological problems 397
 support for 395
 understanding and decisions by 398
- Sweating, *see* Hyperhidrosis
- Sympathetic-adrenal medullary system, and stress 22, 29
- Terminal care, *see* Dying
- Termination, of pregnancy 308–9
 emotional reactions, risk factors 264
 and HIV infection 312
- Terminology, misunderstanding of 78
- Tinnitus 302
 biofeedback 304
 distraction training 304
 effects of 303
 and hypnosis 304
 loudness matching 302–3
 maskers 301, 303–4
 psychological interventions 303–5
 relaxation training 304–5
- Training
 in behavioural models 16–17
 blood glucose discrimination 195
 for carers of disabled 212–13
 cognitive retraining for intellectually impaired 215, 289–90
 communication, for nurses 118
 exercise, after myocardial infarction 157–8
 health professionals, and the disabled 217–18
 reality orientation therapy 250
 self-regulation, and migraine headaches 336–7
 skills, for disabled 215–16
see also Education; Relaxation; Stress management
- Trichotillomania 180–81
- Tubal sterilization 263–4
 emotional reactions, risk factors 264
- Ulcerative colitis, *see* Inflammatory bowel disease
- Understanding, patients' 77–9, 83, 83, 84
 effect on compliance 92–3
 effect on length of hospitalization 93–4
 feedback for clinicians 77, 78
 ill-defined terms 78
 misunderstandings 78–9, 127
 of written information 85–6, 88
see also Communication; Information; Recall
- Urticaria 181–2
- Vomiting, and chemotherapy 342–5, 411
- Warnings
 desirable characteristics of 88, 89–90
 false alarms 90–91
 familiarity with product 88, 90
 repeated exposure to 90–91
- Women
 as carers 110
 status in care 120
- Work characteristics, and stress 24–5, 29