

Contents

Foreword	xi
Preface	xiii
Acknowledgments	xv

Part I Introduction to floral diagrams 1

1	Introduction to flower morphology	3
1.1	Definition of flowers	3
1.2	Floral organs	5
1.2.1	Perianth	5
1.2.2	Androecium	8
1.2.3	Gynoecium	14
1.3	The floral axis and receptacle	18
1.4	Floral nectaries	21
1.5	Relationship of flowers with inflorescences	22
1.5.1	Terminal and lateral flowers	22
1.5.2	Pseudanthia	23
1.5.3	Bracts and bracteoles	24
1.5.4	Epicalyx and calyculus	24
1.6	Symmetry and orientation of flowers	25
1.7	Phyllotaxis	28
1.7.1	Whorls and spirals	28
1.7.2	Merism	30
1.7.3	Aestivation patterns	32
1.8	Fusion of floral parts	33
1.8.1	Congenital and postgenital fusion	33
1.8.2	Sympetaly and common stamen-petal tubes	34

2	Floral diagrams	36
2.1	Definition and significance of floral diagrams	36
2.2	Types of floral diagrams	37
2.3	Floral diagrams and floral formulae	38
2.4	Problems of three-dimensional complexity	39
2.5	Representation of accessory structures	41
2.6	Floral heteromorphism and unisexual flowers	43
2.7	Floral development and floral diagrams	44
2.8	Evolutionary developmental genetics and floral diagrams	48
3	Floral diagrams used in this book	51
Part II Floral diagrams in the major clades		55
4	Systematic significance of floral diagrams	57
4.1	Floral diagrams and molecular phylogeny	57
4.1.1	Molecular and morphological characters	57
4.1.2	The Angiosperm Phylogeny Group classification	59
4.1.3	Fossil flowers and floral diagrams	61
4.2	Overview of floral diagrams in the major clades of flowering plants	62
5	Basal angiosperms: the ascent of flowers	63
5.1	The ANA-grade: Amborellales, Austrobaileyales, Nymphaeales	63
5.2	Magnoliales	70
5.3	Laurales	75
5.4	Piperales	82
6	Monocots: variation on a trimerous Bauplan	88
6.1	The basal monocots: Acorales and Alismatales	88
6.2	The lilioids: Asparagales, Dioscoreales, Pandanales, Liliales	98
6.3	The commelinids: Arecales, Commelinales, Poales, Zingiberales	112
7	Early diverging eudicots: a transition between two worlds	129
7.1	Ranunculales	129
7.2	The basal eudicot grade: Sabiales, Proteales, Trochodendrales, Buxales	140
8	Basal core eudicots: the event of pentamerous flowers	149
8.1	Gunnerales and Berberidopsidales	149
8.2	Santalales	154
8.3	Dilleniales	159
9	Caryophyllids: how to reinvent lost petals	163
9.1	Polygonales	164
9.2	Core Caryophyllales	175

- 10 Rosids: the diplostemonous alliance 193
 - 10.1 Saxifragales 193
 - 10.2 Malvids 203
 - 10.2.1 Early diverging malvids: Geraniales, Myrtales 203
 - 10.2.2 Remaining malvids: Malvales, Brassicales, Sapindales 217
 - 10.3 Fabids 243
 - 10.3.1 COM-clade: Celastrales–Oxalidales–Malpighiales 244
 - 10.3.2 Remaining fabids: Cucurbitales, Fabales, Fagales, Rosales 269
- 11 Asterids: tubes and pseudanthia 292
 - 11.1 Basal asterids: Cornales, Ericales 292
 - 11.2 Lamiids: Solanales, Gentianales, Lamiales 314
 - 11.3 Campanulids: Dipsacales, Apiales, Asterales 333

Part III Conclusions 349

- 12 Distinctive systematic characters and cryptic apomorphies 351
- 13 Floral diagrams and major angiosperm groups 353
 - 13.1 Basal angiosperms, monocots and early diverging eudicots 353
 - 13.2 Core eudicots 357
- 14 Outlook 364

References 365

Glossary 403

Taxonomic index 414

Subject index 430