

CONTENTS

Environmental Contingencies as Sources of Stress in Animals	1
J. Bruce Overmier, Jeff Patterson, and Richard M. Wielkiewicz	
Psychobiology of Coping in Animals: The Effects of Predictability	39
Joanne Weinberg and Seymour Levine	
Associative and Non-Associative Mechanisms in the Development of Tolerance for Stress	61
Jeffrey Gray, Susan Owen, Nicola Davis, and Joram Feldon	
Associative and Non-Associative Mechanisms in the Development of Tolerance for Stress: The Problem of State-Dependent Learning	83
J.N.P. Rawlins	
A Coping Model of Mother-Infant Relationships	87
Seymour Levine	
Contingent Stimulation: A Review of its Role in Early Development	101
Megan R. Gunnar	
Early Adolescence as a Life Stress	121
Beatrix A. Hamburg	
When is a Little Information a Dangerous Thing? Coping with Stressful Events by Monitoring vs. Blunting	145
Suzanne M. Miller	
Managing the Stress of Aging: The Role of Control and Coping	171
Judith Rodin	

Psychobiological Aspects of Life Stress	203
Marianne Frankenhaeuser	
Adrenocortical Responses of Humans to Group Hierarchy, Confinement and Social Interaction	225
Joan Vernikos-Daniellis	
Coping with Mental Work Load	233
G. Mulder and L.J.M. Mulder	
Personality, Activation and Somatic Health: A New Psychosomatic Theory	259
Holger Ursin	
Gastric Ulceration in the Rat: An Experi- mental Approach to Psychosomatics	281
Robert Murison	
Coping and Health - A Clinician's Perspective	295
John Cullen	
A Perspective on the Effects of Stress and Coping on Disease and Health	323
Neal E. Miller	
Contributors	355
Index	359

INDEX

- Abnormality, 2,101,123,157,249
- Achievement, 128,131,204,205,207, 209,218,270,328
- Activation, 175,184,185,190-193, 204,205,209,236,239,240, 243,259-275,282,289,291, 300,325,341,343,344
- Adolescence, 121-140
- Adrenocortical system, 39,42,195, 203,225,267,269,289-291, 309,342
- Adrenocorticotrophic hormone, 40,85,309,324,338
- After-effect, 9,62-69,72-76,84, 85,210,213,332,340
(see also Memory)
- Aging, 171-199,249
- Agitation, 88-90,94,95,336,337
- Alertness, 171,175-177
- Anticipation, 42,43,54,61-63,76, 107,124,152-155,157,160, 337
- Anxiety, 20,66,129,135,138,145, 157,159,161,164,186,234, 262,267,269,300,301,306, 307,312,313,332,339,345, 346
- Appraisal, 139,187,263
- Arousal, 7,40,46,50,52,90-96,112, 113,147-158,160,162,164- 166,204,205,212,214,215, 239,269,289,291,297,299, 300,302,303,308,312-317, 325,326,341-343
- Arrhythmia, 241,242,249,250,330, 331
- Arteriosclerosis, 274,305,326
- Associative mechanisms, 61-77, 83-85
- Attachment, 88,92-95,97,107,108
- Attention, 21,96,105,149,151,164, 165,189-194,197,205,215, 233-238,244,246-248,256, 307,314,316
- Attributional processes, 182-185, 187,199
- Aunting, 89,90
- Aversive stimuli, 6,8,11-14,18, 20,23,26,40-48,53-57,63- 66,101,106-108,112,145- 157,163-166,196,208,241, 281,288,300,334,336,342, 343
- Avoidance, 7,9,10,14-18,21,23, 25-27,30,46-51,56,63,84, 107,151-153,265,283-291, 298,328,331,332,336-341, 344
- Baroreceptor, 240,241,243,249, 308,313,334
- Behavioral medicine, 295,323,324, 346
- β -adrenergic, 241,249,255,301
- Biological rhythm, 84,206,225- 231,272,313
- Blood glucose, 263,267
- Blood pressure, 123,209,239-243, 249,250,263,268,270,274, 301,306-308,324,326,334
- Blunting, 145-166,263,313
- Body image, 125,126,133,299

- Body temperature, 41,95,229
 Brain, 15,62,66,70-74,77,240,
 260,269,275,298,300,316,
 317,324,327,333,334,340,
 341 (see also Hippo-
 campus, Hypothalamus,
 Septal area, Theta
 rhythm)
 lesions, 68-72
 Buffer, 90,128,131,138

 Cardiovascular system, 209,215,
 234,239-246,249,250,255,
 256,305-308,313,323,326,
 330,336 (see also
 Arrhythmia, Arterio-
 sclerosis, Blood
 pressure, Heart)
 Caretaker, 93,106-108
 Change, 20,26,61,84,121-134,138,
 150,171-174,177-184,189-
 191,194,196-199,212,231,
 236-239,261,270,271,275,
 302-305,309,327,336,343
 Choice, 1,5,21,22,27,41,44,47,54,
 55,146,148-150,152,165,
 172,175,187,189,205,207,
 208,210,213,235
 Cognitive functioning, 14,20-23,
 101,102,107-109,114,115,
 129,130,132-134,147,148,
 165,186,187,192,203,205,
 209,218,234-256,300,302,
 308-315,318,344-346
 Competence, 137,140,171,207,273,
 313 (see also Efficacy)
 Confinement, 226,227,331
 Conflict, 1,46,85,204,213,218,219,
 271,272,274,275,282,285-
 289,299,327,332,338,339,
 341,344
 Consummatory response, 287,299,
 303,338
 Contact, 87,88,91-93,96,107,108,
 134
 Contingency, 1,92-94,96,97,101-
 104,106,196,198,302,308,
 310,315
 Contingent stimulation, 6,13,14,
 96,97,101-116,331,332,
 338
 Corticosteroids, 25,26,41-46,49-
 53,88-91,94,113,183,195-
 199,205,206,208,211,212,
 225-231,263,266-270,273,
 289-291,299,303,304,309,
 324-326,329,332,335-340,
 343
 Counterconditioning, 61,63-65,
 68,75-77,333,334
 Cross-tolerance, 64,65,75

 Danger, 146,147,155,273,287,302,
 324,335,336
 Death, 3,42,122,123,171,174,177,
 179,180,183,195,219,261,
 283,325,328,330,331,334,
 339
 Decision-making, 131,133,135,140,
 173-175,185,193,212,233,
 234,236,244,245,248
 Defense
 mechanisms, 147,150,207,259,
 262,269,270,273,275,345
 (see also Blunting)
 responses, 18,262,264-266,269,
 273,275,344,345
 Deficit, 21,22,29,30,186,234,237,
 247
 Dependency, 1,65,66,83,84,96,128,
 138,181
 Depression, 20,88,95,96,105,122,
 159-161,163,164,186,196,
 267,269,273,308,310,340,
 345
 Deprivation, 46,84,94,103,106,
 108,212,226,261,272,282,
 284,286-288,338,342
 Detachment, 147
 Development, 101-116,121,122,
 125-130,133,138-140,263,
 267
 Discrimination, 335-337
 Dissociation effect, 22,23,30,
 204,301
 Distraction, 146-157,163-166

- Distress, 87,88,105-113,122,129,
 130,134,135,140,157,158,
 160-164,204,206-208,211,
 261,272,273,275,291,307,
 333,343
 Dogs, 7-11,14,21,27,61,96,330,
 331,333,334,336
 Dominance, 113,226,227
 Driving, 255,256,301-304
 Drugs, 14,65-70,72-74,76,78,327,
 340
 Efficacy, 171,172,174,186,192,
 195,199,205,207,213,274,
 300 (see also Competence)
 Effort, 5,172,204-208,210-213,
 233,235,236,239
 Emotion, 23,40,42,62,66,84,102,
 105-108,126,129,130,140,
 149,163,165,185,187,203,
 206,216,234,249,260,269,
 272,324,326,330-336,342-
 347
 Endocrine system, 88,89,126,127,
 196,205,206,219,259,260,
 263,265-270,272,275,281,
 289,290,300,303,304,309,
 324,326,329,341,343
 (see also Adrenocortical
 system, Corticosteroids,
 Neuroendocrine response,
 Pituitary-adrenal system)
 Entrainment, 122,225,229,244-246,
 306
 Epinephrine, 204-208,211-218,263,
 266,267,326,329,340,343
 Escape, 7,9-12,14-23,26,27,30,41,
 45,47-50,52,63,107,151,
 286,288,289,336-338,345
 Expectancy, 20,107,108,112-114,
 124,129,173,187,260,308,
 310,312
 Exploratory behavior, 41,102,105,
 107,108,110,112-114,116
 Extinction, 46,62-69,71-77,81,85,
 105,106,266,298,334,343
 Fantasy, 312,313
 Fatigue, 214,265
 Fatty acids, 263,267,269,270,
 274,325,326
 Fear, 6,18,44,54,61,64,94,106-
 108,111-114,131,135,147,
 148,154,155,207,209,262,
 267,269,287,313,324-327,
 330-344
 Feedback, 24,40,48-57,92,93,104-
 106,114,116,124,139,186,
 196-199,260,288,289,301,
 302,314-318,324,337,338
 Fight-flight response, 18,324,
 326,331,342
 Frustration, 25,62-65,69,72,75,
 76,130,134,193,301,336,
 341
 Group
 formation, 227,231
 interaction, 87-97,138,175,
 181,226,227,229,231
 Growth (see Development)
 Gynecologic patients, 146,157-
 165,173
 Habituation, 7,8,109,112,153,
 154,196,265,266,301,343
 Health, 122-124,133,134,137,140,
 171-175,179-184,190-199,
 211,212,216,234,259,272,
 274,281,283,289,295-318,
 323-347
 surveys, 123,125,136,177,179,
 180,212,215
 Heart
 attack, 270-274,306,328,330,
 342,345,346
 disease, 122,209,211,212,249,
 250,328,330,335
 rate, 7,95,158,159,204,205,208,
 211,214,229,239-253,263,
 274,305-308,313,324,326,
 331,333,341 (see also
 Arrhythmia)

- Helplessness, 20-30, 63, 101, 102, 108, 126, 138, 172-174, 181, 187, 189, 207, 269, 298, 302, 308-310, 313, 334, 338, 341
 Hippocampus, 66, 68, 71, 298
 Hypertension, 123, 249, 250, 271, 274, 301, 305, 306, 325, 328, 331, 339, 342
 Hypothalamus, 71, 240, 249, 250
 Illness, 23, 46, 123, 126, 171, 174, 175, 189, 193, 195, 199, 212, 215, 216, 219, 231, 249, 259, 262, 265, 268-275, 281-291, 295, 297, 304, 305, 308, 310, 311, 323, 327-329, 334, 339, 344-347 (see also Gynecologic patients, Pathology)
 Immune system, 195, 270, 273, 323, 324, 328-330
 Impact, 122, 124, 137, 147, 148, 154, 157, 160, 163, 165, 185, 203, 215, 262, 263, 345
 Individual differences, 145, 146, 155, 157, 281, 303, 313
 Infants, 87-97, 101-116, 307, 308, 334, 335, 340, 344 (see also Mother-infant relationship)
 Information, 40, 42, 48-57, 124, 126, 131, 132, 135, 138, 139, 145-166, 183, 187, 190, 198, 205, 209, 212, 226, 233-256, 284, 311, 334, 346
 Institutionalization, 157-165, 174-186, 189, 193, 196-199
 Instrumental response, 64, 96, 102, 108, 181, 297, 299, 343, 344
 Intelligence, 132, 148, 205, 218
 Interaction effect, 3, 11-14, 23, 24, 29, 45, 126, 127, 183, 209, 219, 260, 261, 275, 300, 306, 308, 309, 318, 327, 346
 Interference, 7-30, 104, 105, 108, 164, 165, 187, 204, 205, 273, 325, 331, 341, 345
 Internal-External Locus of Control Scale, 208
 Intervention, 173, 175-185, 190-196, 301, 313, 342, 346
 Isolation, 134, 262
 Jenkins' Activity Survey, 209
 Junior high school, 124, 127, 130-136, 140
 Kragh Defense Mechanism Test, 262, 269, 270 (see also Defense mechanisms)
 Learning, 1, 9, 10, 12, 18-21, 30, 49, 50, 63, 83, 85, 92, 96, 102-105, 108, 109, 112-115, 132, 135, 138, 186, 187, 239, 256, 265, 266, 272, 283, 285, 296-298, 302, 312-315, 317, 334, 337, 339, 344, 345
 Leisure, 134, 212, 213, 215
 Light, 225, 226, 229, 231
 Loss, 88, 94, 174, 182, 183, 309, 310, 314, 327, 334
 Maladaptive patterns, 2, 129, 135, 212, 283, 304
 Mammals, 330, 334 (see also Dogs, Monkeys, Rats, Rodents)
 Maturation (see Development)
 Memory, 83, 84, 102, 184, 187, 190, 191, 233, 236-238, 245, 246 (see also After-effect)
 Miller Behavioral Style Scale, 155, 156
 Monitoring, 145-166, 233, 236
 Monkeys, 25, 26, 45, 87-96, 107, 113, 225, 227, 282-284, 289, 331, 332, 335
 Monotony, 213, 215-217, 270, 315
 Mother-infant relationship, 87-97, 101, 107-114 (see also Infants)
 Neuroendocrine response, 203, 204, 206, 207, 209, 212, 213, 215, 217-219, 282, 302

- Neurosis, 296,299,302,304,308,
311,323,336 (see also
Anxiety, Depression)
- Neurotoxin, 70-73
- Neurotransmitters, 70-72,74,327
- Noise, 25,45,105,205,208,212,329
- Norepinephrine, 12,15-17,25,70-
72,74,77,85,205-208,211,
215-217,240,263,267,270,
325,326,337,339,340,343
- Observer ratings, 158,161,162,
164,176-181,190,191,226,
303
- Pain, 61,145,149,150,158-164,
173,316,327,333,334,338,
340,341
- Parachutists, 206,262,263,267,
269,270,273
- Parasympathetic nervous system,
239,241,249,250,255,256,
260,284,326,327
- Parents, 124,131,136,138,139
- Pathology, 1,2,30,101,256,260,
264,265,272-275,282-284,
296,298,302,304,305,308,
316,317
- Peers, 129,130,133-140
- Performance, 21,49,52,64,74,84,
85,130-134,204,205,207,
210,218,236-238,241,242,
245,246,252,262,269,273,
274,283-285,288-291,300,
328,335-337,339
- Personality, 61,128,130,148,155,
184,185,259,262,272-275,
298,301-306,313,315
- Pituitary-adrenal system, 40,42-
44,47,53,84,85,90,91,94,
195,196,199,203-207,210,
267,269,300,303,308,309,
324,325,342
- Placebo, 67,339
- Play, 89,105,106,219
- Predictability, 1,23-30,40-57,
103,124,125,145-157,165,
166,173,207,231,238,248,
252,255,298,310,312,315,
336,340
- Preparation, 42,44,54,145,157,
158,162-165,173,207,235,
299
- Preparedness, 44,45,206,298
- Problem-solving, 132,187,193,196,
233,236,260,262
- Protest, 88,89
- Proximity, 87,88,91,92,95,96,
107,113
- Psychosis, 296,323 (see also
Schizophrenia)
- Psychosocial milieu, 122,129,134-
137,203,275,295,300,304,
310,315
- Psychosomatic medicine, 259,274,
275,281,282,291,295,314,
317
- Punishment, 62,64-67,70-74,76,77,
84,85,343
- Rats, 3-6,12-26,39-57,62,63,68,
70,84,225,250,271,272,
274,281-291,299,326,332-
340,344
- Relocation, 174,314,327,334
- Repression, 156,262,345
- Resistance, 62,64-66,68,72,74,75,
77,83,140,239,249,261,
298,326
- Respiration, 241,243,333
- Responsibility, 171,174-180,189-
194,197,213
- Retirement, 174
- Retrieval, 87,89,92,93
- Reunion, 89-91 (see also
Separation)
- Rodents, 40,91,92,195,225,274,
328,329
- Roles, 121,124,128,130,135,136,
139,140,171,186,215,218,
219,270,299,315

- Safety, 50,54-57,107,108,146-148,
 151,173,182,287,335,336
 Schizophrenia, 309,310
 Self-esteem, 129,134,135,139,148,
 171,270,273,274,310
 Self-management, 3,4,186-197,313,
 315
 Self-ratings, 123,128,157-160,
 164,176,186-188,190,204,
 207,209,212,216,226,262,
 301
 Selye, H., 39,265,274,275,281,
 295,304,324,341,342
 Sensitization, 156,301
 Separation, 88-91,94-96,113,307,
 335 (see also Reunion)
 Septal area, 66,68-70,77
 Setpoint, 240,249
 Sex differences, 125,127,205,
 209,218,315
 Signaling, 87-93,109-112,114,308
 Signals
 danger, 146-152,155,164-166
 safety, 53-56,146,165,335,337,
 344
 warning, 41,42,45,48,54-56,152,
 153,156,284
 Smoking, 122,140,274,324
 Sociability, 106,175,177,178,
 182,183,185
 Specificity, 95,96,203,259,269,
 272
 Stroke, 239,326,328,344
 Stroop test, 204
 Support, 124,131,135,138-140,155,
 184,185,327,328,335,339
 Suppression, 41,43,104,198,199,
 207,208,241,242,250,255,
 256,325,345
 Surgery, 126,149,150,157,164,173,
 273,314,325,339
 Surrogates, 89,93-96,139
 Sympathetic nervous system, 203-
 207,210,212,218,239,249,
 250,256,260,284,325,326,
 330,331
 Theta rhythm, 66,68-70,74,77
 Threat, 131,145,146,149-152,156,
 157,163,165,173,185,209,
 211,234,235,240,249,255,
 262,264,266,270,272,273,
 291,334,341
 Toughening, 63,72,74,77,84,85,
 340
 Training, 49,62-77,84,104,106,
 136,164,186,189,193,198,
 248,261,263,267,282,315,
 336,337,340
 Type A, 209-212,270,273,274,317,
 328
 Type B, 209-211
 Ulcers, 12,23-26,39-45,48,49,52,
 123,271-273,281-291,304-
 306,325,328,331,332,335,
 337-340,342,344
 Uncontrollability, 4-8, 10,11,
 13,15,18-30,44,101-108,
 113,146,150-152,155,171,
 172,182,186,187,195,204,
 271,284,288,337,344,347
 Vigilance, 209,212,326,342
 Vocalization, 7,88-90,93-95,104-
 106,112,161,341
 Withdrawal, 88,148,149,174,269,
 345
 Work, 134,138,155,204-219,233-
 256,261,268,271,272,274,
 315
 absenteeism, 215,216
 hazardous, 215-217
 mechanization, 215-217
 overtime, 213-215,218
 repetitious (see Monotony)
 Yoked experiments, 3,23,25,26,
 41,45,48,49,52,53,208,
 283-290,331,337-339