

INDEX

- Abrasion resistance, synthetic papers, 913
- Absorbent materials:
 - microwaveable packaging, 764
 - paper, 911
- Academic consultants, 326
- Accelerated aging, electrostatic discharge packaging, 392–393
- Accelerated solvent extraction (ASE), shelf life studies, food packaging, 41
- Acceleration rate:
 - fragility testing, 1214–1217
 - shock in packaging systems, 1107–1111
 - vibration, 1267–1268
- Accelerometer sensitivity, vibration analysis, 1268
- Access issues, bottle and jar closures, 270–271
- Accumulator head machinery, extrusion blow molding, 142–143
- Accuracy issues, filling machinery, still liquids, 453–454
- Aclar film, properties and applications, 466–468
- Acrylic adhesives, 1–2
- Acrylic-based inks, 1
- Acrylic multipolymers, 820
- Acrylic plastics, 1–2
 - PVC modifiers, 2
- Acrylonitrile, hot-fill technology, 578–579
- Acrylonitrile-butadiene-styrene (ABS) copolymer, 820
- Acrylonitrile-styrene (ANS), 820
- Activation-energy values, permeability studies, polymeric materials, 944–946
- Active/electrical ionizers, static control, 1162
- Active oxygen barriers, active packaging, 7
- Active packaging, 2–8
 - antimicrobial packaging, 50
 - applications, 3–4
 - biofilm formation, 119–120
 - controlled release packaging, 333–334
 - forms, 4–8
 - active oxygen barriers, 7
 - antimicrobial film, 7–8
 - ethanol and sulfur dioxide emitters, 5–6
 - ethylene absorbers, 6
 - odor absorption, 8
 - oxygen scavengers, 5
 - plastic-based materials, 6
 - sachets and inserts, 4–5
 - goals, 4
 - Hazard Analysis and Critical Control Points guidelines, 572
 - historical development, 606
 - modified-atmosphere packaging, 790–791
 - multilayer flexible packaging, 805–806
 - overview, 2–3
 - oxygen scavenging systems, 1000–1004
 - research and development, 8
- Activity-based costing, packaging economics, 388
- Actuator, pressure containers, 1024–1026
- Acylhomoserine lactone (AHL), biofilm formation, 116
- Addition polymerization, plastic films, 490–491
- Additives:
 - control systems:
 - corrugated box materials, 163
 - electrostatic discharge packaging, 393–395
 - food packaging biosensors, 129–131
 - edible films, 458
 - FDA regulations concerning, 640–643
 - migration from food packaging, 767–770
 - radiation and release, 1055
- Adhesive closure system:
 - gabletop cartons, 241–243
 - top-loading cartoning machinery, 234
- Adhesives:
 - acrylic adhesives, 1–2
 - applicators, 9–19
 - cold-glue systems, 10
 - equipment classification, 10–11
 - hot-melt systems, 10–17
 - dispensing devices, 14–16
 - melting devices, 11–13
 - pumping devices and transfer methods, 13–14
 - system selection, 17
 - timing and controlling devices, 16–17
 - maximum instantaneous delivery rate, 18–19
 - packaging adhesives, 9–10
 - composite cans, 196–197
 - corrugated box materials, 162–163
 - current trends, 19
 - extrudable adhesives, 22–24
 - fiber drums, 369
 - hot-melt, 2
 - multilayer flexible packaging, 803
 - nanomaterials, 817
 - nylon, 836
 - polymers, 998–999
 - pressure-sensitive, 1–2
 - solids/hot-melt adhesives, 21–22
 - solvent-based adhesives, 22
 - water-based systems, 19–21
 - natural materials, 19–20
 - synthetic adhesives, 20–21
- Adulteration regulations, 642
- Advertising, regulations concerning, 645
- Aerosol containers, 24–30, 1015–1026
 - actuator, 1023–1026
 - aluminum cans, 1020–1021
 - body/spring, 1022–1023
 - can-making technology, 25–27
 - aluminum cans, 26–27
 - smart packaging, 1131
 - tinplate cans, 25–26

The Wiley Encyclopedia of Packaging Technology, Third Edition,

Edited by Kit L. Yam.

Copyright © 2009 John Wiley & Sons, Inc.

- can-making trends, 29-30
classification, 1016-1019
components, 1021-1023
dimensions and capacities, 1019
dip tube, 1023
glass and plastic, 1021
mounting caps, 1023
necked-in aerosol can, 28
pressure resistance, 1019-1020
propellants, 1038-1044
chemistry, 1041-1042
environmental issues, 1040-1041
historical background, 1039-1041
safety, 1042-1044
steel cans, 29-30
stems, 1021-1022
straight-wall cans, 28
valves, 1021-1022, 1024
AFNOR traceability system, 1033-1037
- Aging:
electrostatic discharge packaging, 392-393
plastic foams, 523
population, medical device packaging, 720
- Airborne contamination, sterile disposable healthcare packaging integrity, 852
- Air conveying systems, 31-35
air of vacuum design, 342-343
beverage industry applications, 33
contamination reduction, 34-35
cost-effectiveness, 33-34
design characteristics, 32-33
maintenance, 34
mechanical interfacing, 34-35
operating guidelines, 31-32
Air ejection valves, thermoplastic injection molding, 592
- Airflow properties, air conveying systems, 31-33
Air ionizers, static control, 1162
Air-knife coating system, 291
Air-leak testing, 646
Air-removal systems, vacuum packaging, 1259-1260
Air shipments, export packaging, 431, 433
- Alginate, biobased materials, 111-112
- Alignment parameters:
thermoplastic injection molding, 589
total quality management, 1239-1240
- Aliphatic resins, plastic films, 490
- Alloys, aluminum foil, 525
- Allyl isothiocyanate (AIT), antimicrobial packaging, 56
- Aluminum containers:
cans, 193-195
aerosol containers, 26-27, 29-30, 1016, 1020-1021
current development trends, 194-195
historical development, 193-194
hot-fill processing, 577
pressure containers, 1016, 1020-1021
recycling, 403-406
surface coatings/linings, 27-28
closures, bottles and jars, 280
foil, 527-532
aseptic packaging, 531
chemical resistance, 528
converting operations, 528-530
embossing, 529-530
flexible packaging, 530
heat resistance, 528
ionomers, 624
lamination, 529
lidding, 531-532
manufacturing process, 527-528
mechanical properties, 528
microwave ovens, 531-532
physical properties, 527
printing, 529
rigid packaging, 532
semirigid packaging, 532
tamper-evident packaging, 531
microwavable packaging, 758-759
ovens, 531-532
pressure containers, 1016, 1020-1021
- Aluminum-metal substrates, barrier coatings, 99-103
- Amorphous state, structure/property relationships, 1168-1169
- Amperometric biosensors, food packaging, 125
- Ampuls, glass ampuls, 35-38
formation process, 36-38
- Anhydrides, extrudable adhesives, 23-24
- Animal glue, water-based adhesives, 20
- Annealing system, machine-directed orientation, 686
- Antenna variances, radio-frequency identification tags, 1069-1070
- Anti-counterfeiting packaging, 46-48
beverage packaging, 1145-1146
overt and covert systems, 46
tactics and materials, 46-48
tamper-evident features, 48
- Anti-fog coating, 48-50
- Antimicrobial agents (AMA):
biofilm formation, 119-120

- controlled release packaging, 333-334
edible coatings and films, 460-461
nanomaterials, 816-817
- Antimicrobial packaging, 50-58
active packaging barriers, 7-8
antimicrobial agents, 54-56
basic properties, 50
commercial applications, 56-58
film matrix, 54
food migration agents, 52-53
historical background, 51
oxygen absorbing agents, 51-52
systems, 51
- Antioxidants:
controlled release packaging, 333-334
lipid oxidation, 669-670
environmental factors, 669-670
free radical chain stoppers, 669
free radical production prevention, 669
radiation and presence, 1055-1056
- Apollo space missions, food packaging, 534
- Application identifiers, bar coding, 296
- Applicator systems, bottle and jar closures, 275
- Applied ceramic labels, glass bottles, 559
- Aqueous dispersions, skin packaging, 1113
- Argon, modified-atmosphere packaging, 789
- Aroma barrier testing, 63-69
ethylene-vinyl alcohol copolymers, 419-421
liquid permeability assessment, 67-68
permeability measurement techniques, 948
permeation process, polymeric materials, 938-948
chemical composition, 939-940
copermearants, 942-943
measurement methods, 948
permeability data, numerical consistency, 946-948
permeant characteristics, 941
polymer morphology, 940-941
relative humidity effects, 943-944
temperature effects, mass-transfer parameters, 944-946
transport process, concentration dependence on, 941-942
permeation testing, 1210-1211
sorption methods, 68-69
- vapor permeability measurement, 64-67
isostatic with dynamic continuous flow and isobaric methods, 65-66
quasi-static and isobaric method, 65
static and manometric methods, 66-67
- Aroma incorporation, flavor release packaging, 1136-1138
- Artificial light, protective packaging against, 656
- Aseptic blow molding, 152-153
- Aseptic packaging:
aluminum foil, 531
medical device packaging, 715-717
military foods, 777-782
sterile disposable healthcare packaging integrity, 852
- Asphalt laminated kraft (ALK) materials, multiwalled bags, 90
- Assessment, by consultants, 325
- Atmospheric can seaming machinery, 182
- Atmospheric emissions:
life cycle assessment, 653-655
plastic foams, 526
- Atmospheric testing, shipping containers, 1220-1221
- Attached lid containers, rigid plastic boxes, 174-175
- Attenuation, fragility testing, 1216-1217
- Audit procedures, environmental management systems, 412
- Australia, environmental packaging regulations, 415
- Automatic data collection, product quality and information traceability, 1035-1037
- Automatic identification system, product quality and information traceability, 1035-1037
- Automation systems:
automatic-bottom carton, 238
automatic case loading, 244-248
case erector/loader, 244-245
automatic product loading, top-loading cartoning machinery, 232-233
injection molding machinery, 593
medical device packaging, 725
roll-handling systems, 1084-1085
stretch-film wrapping machinery, 1276-1277
- Bacteria, biofilm formation, 115, 118-119

- Bacterial cellulose, biobased materials, 113
- Bacterial inhibition, edible coatings and films, 460-461
- Bacteriocins, antimicrobial packaging, 55
- Bag-filling operations, vertical form/fill/seal systems, 546
- Bag-forming process, vertical form/fill/seal systems, 545
- Bag-in-box (BIB) packaging:
dry products, 71-73
film materials, polyester films, 476
horizontal form/fill/seal equipment, 543
liquid products, 73-77
- Bagmaking machinery, 78-83
electronic controls, 83
multiwall bag systems, 78-81
plastic bag machinery, 81-83
- Bags. See also Sacks and sacking bulk packaging, 180
flexible intermediate bulk containers, 84-87
applications, 84-85
disposal and reuse, 86
filling and dispensing, 85
handling, storage and transport, 85-86
materials, 85
testing and standards, 86-87
- medical device packaging, 717
- multiwall bags:
applications, 82
basic properties, 87-88
categories, 88
construction, 90
environmental issues, 82
graphics, 81-82
machinery, 78-81
open-mouth bags, 88-90
packaging equipment, 81
sizing, 90
specifications, 90-91
transportation, 82
valve bags, 90
plastic, 92-95
vacuum-bag coffee packaging, 1265-1266
- Ball containers, rigid plastic boxes, 175
- Bakery products:
modified-atmosphere packaging, 792
oxygen scavenging systems, 1003-1004
packaging, 896-897
- Balanced-pressure filling systems, still liquids packaging, 448
- Balanced structures, coextrusion processing, 309
- Band sealing, 1091-1092
- Banknote paper, anti-counterfeiting applications, 47
- Bar chain conveyor systems, 340-341
- Bar coding, 294-297
applications, 296
data content, 295-296
industry standards, 1059-1060
one-dimensional bar codes, 1065-1066
printing systems, 296
reading and interpretation, 297
smart packaging, 608-614
summary of standards, 1067-1068
symbology, 294-295
two-dimensional bar codes, 1066
variables, 1070-1071
- Barges, export packaging on, 43
- Barrel can arrangement, continuous-thread closure capping, 218
- Barrels, 97-98
- Barrier materials and coatings:
background, 98-99
ceramic coated film, 454-456
ethylene-vinyl alcohol copolymers, 418-423
fiber drums, 369
folding carton paperboard selection, 235
future developments, 102-103
high hydrostatic pressure processing, 900
inorganic coatings, 100-101
machine-directed orientation, 687-690
medical device packaging, 715
modified-atmosphere packaging, 789
moisture vapor barrier, 102
multilayer flexible packaging, 800-801, 804-805
nanocomposite packaging materials, 807-811
nanotechnology and development, 814-815
oxygen barrier polymers, 101-102
permeability data, 99
polyester films, 472-475
poly(lactic acid), 969-971
polymers, 103-109, 997-998
availability, 108
chemical structure, 108-109
composition, 108
flavor/aroma/solvent barrier, 106-107
nanocomposites, 105-106
permeability data, 104-105
permeability factors, 106-108

permeability units, 104
 permeation process, 103-104
 poly vinyl alcohol and ethylene
 vinyl alcohol coatings, 100
 polyvinylidene chloride, 1013-1014
 PVDC CO polymers, 100
 semirigid coextruded packaging,
 297-298
 smart blending technology, 1122
 transparent glass on plastic film,
 512-516
 barrier performance, 514-515
 commercialization, 515-516
 converting process, 515
 manufacturing scaleup, 513-514
 plasma-enhanced chemical vapor
 deposition, 512-513
 Barrier screws, thermoplastic
 injection molding, 592
 Bar sealer systems, 1089-1091
 Bartlett intermittent bottom
 horizontal form/fill/seal machine,
 541
 Base design, plastic cans, 205
 "Basic Resin Doctrine" exemption for
 food additives, 642-643
 Basket-style beverage carriers,
 226-227
 Batch coaters, vacuum metallization,
 746-747
 Beadboard, expanded polystyrene,
 525
 Bead length, line speed, and
 duration, maximum
 instantaneous delivery rate
 calculations, 19
 Bearing surface knurling, glass bottle
 modifications, 564
 Beef packaging, 791-792, 894
 Beer containers, 898
 carbonated beverage packaging,
 221-222
 gas-release packaging, 1135-1136
 Belt conveyors, 339-340
 Belt-pulley power transmission,
 conveyor systems, 344
 Bending moment, maritime shipping
 and export packaging, 697
 Bent-strip test, high-density
 polyethylene, 980
 Best practices, sustainable
 packaging, 1180
 Beverage packaging, 897-898
 air conveying systems, 33
 beverage carriers, 225-228
 carbonated beverages, 219-223
 beer vs. soft drinks, 221-222
 deposit cans, 222-223
 metal bottles, 221
 metal cans, 221

nonreturnable glass bottles, 220
 plastic bottles, 220
 refillable glass bottles, 220-221
 filling machinery, carbonated
 liquids, 446-447
 gabletop cartons, 241-243
 glass bottles, 555-565
 hot-fill processing, 576-579
 life cycle assessment, 650-655
 poly(ethylene terephthalate),
 976-978
 recycling, 403-406
 smart packaging, 1128-1129,
 1134-1146
 anti-counterfeit packaging,
 1145-1146
 convenience/user-friendly
 packaging, 1141-1142
 enzyme-release packaging, 1139
 flavor-release packaging,
 1136-1138
 gas-release packaging,
 1135-1136
 nutrient-release packaging,
 1138-1139
 odor removal packaging,
 1139-1140
 pro-biotic release packaging,
 1139
 smart branding, 1144-1145
 tamper-evident packaging, 1146
 thermochromic labeling,
 1142-1144
 vacuum-bag coffee packaging,
 1265-1266
 Beverage packaging systems, filling
 machinery, still liquids, 447-454
 balanced-pressure fillers, 448
 container positioning, 448, 451-453
 design and selection criteria,
 453-454
 sealed container filling system, 447
 unbalanced-pressure fillers,
 448-449
 unsealed containers, 449-451
 Biaxial film orienter:
 military food packaging, 787
 oriented polypropylene films,
 479-480
 shrink films, 498-500
 BIDI tables, air conveyor systems, 32
 Bioactive polymers:
 antimicrobial packaging, 53-58
 nanomaterials, 816-817
 Biobased materials:
 categories, 110-114
 defined, 110
 Biofilms:
 architecture, 115-116

foodborne and controlled-release
 materials, 118-120
 life cycle, 116-118
 overview, 115
 surface formation, packaging
 materials, 118-119
 Biological deterioration, active
 packaging, 3
 Biological recovery, sustainable
 packaging, 1181
 Biosensor technology:
 food packaging, 121-133
 additives control, 129-131
 amperometric biosensors, 125
 biosecurity, 131-132
 cell-based biosensors, 125-126
 DNA-based detectors, 126
 electrochemical sensors, 125
 electromagnetic wave sensors,
 124
 field effect transistors, 125
 food product evaluation, 131
 foreign body detection, 129
 HACCP system, 132-133
 impedimetric/conductometric
 biosensors, 125
 integrated sensor-packaging
 systems, 126-128
 lab-on-a-chip systems, 126
 mechanical (resonant)
 biosensors, 124
 operating principles, 122-123
 optical detection sensors, 124
 pathogen detection, 128-129
 potentiometric biosensors, 125
 quality/safety control, 121-122
 shelf-life studies, 129
 surface plasmon resonance,
 124-125
 intelligent packaging, 610-611
 Bioterrorism, food packaging
 biosensors, 131-132
 Biotesting, leak detection, 646
 Blade coating, 290-291
 Bleached paper, 909
 Blending systems, smart blending
 technology, 1120-1123
 Blister packaging, plastic films, 489
 Blocking properties, polymers, 999
 Blow-and-hold aseptic blow molding,
 152
 Blow-fill-seal aseptic blow molding,
 152-153
 Blow molding, 137-154
 air conveying systems, 34
 aseptic process, 152-153
 basic process, 138-139
 blow-and-hold approach, 152
 blow-fill-seal approach, 152-153
 bottle design guidelines, 153-154

extrusion-injection-molded process,
 145
 extrusion process, 139-144
 continuous extrusion, 140-142
 head tooling, parison
 programming and
 ovalization, 143-144
 intermittent extrusion, 142-143
 gabletop cartons, 243
 heat-resistant PET bottles,
 151-152
 high-density polyethylene, 981-982
 history, 137-138
 injection process, 144-145
 in-mold labeling, 153
 in-mold labeling systems, 357-359
 internal cooling, 153
 low-density polyethylene, 990-991
 multilayer process, 147-151
 bottle treatment, 151
 extrusion multilayer, 148-149
 injection multilayer, 149-150
 preform or bottle coating,
 150-151
 nylon, 836
 polypropylene, 1007-1008
 post-mold cooling, 153
 rigid plastic boxes, 173
 secondary processes, 153
 stretch process, 145-147
 one-step method, 146-147
 two-step method, 147
 Blow-in film process:
 coextrusion machinery, 307-308
 extruder systems, 436-439
 forming, 437
 gauge randomization, 438-439
 orientation, 437
 plastic films, 492-493
 quenching, 437-438
 linear low-density polyethylene,
 985
 low-density polyethylene
 copolymers, 990-991
 stretch film production, 504-505
 Blowup ratio (BUR):
 high-density polyethylene films,
 470-471
 plastic films, extrusion vs., 492-493
 Board construction, corrugated box
 materials, 163-164
 Board packaging, extrusion coating,
 442
 Board priming, skin packaging, 1113
 BOC coating technology, transparent
 glass on plastic film, 513-516
 Bodymaking operations, three-piece
 metal can fabrication, 729
 Body/spring component, pressure
 containers, 1022-1023

Bonding methods:
 nonwoven materials, 823-824
 polymers, 998-999
 structure/property relationships in
 packaging materials,
 1164-1167
 Borosilicate glasses, ampuls and
 vials, 35-38
 Bottles:
 carbonated beverage packaging:
 beer vs. soft drinks, 221-222
 deposit laws, 222-223
 glass bottles, 220-221, 555-565
 metal bottles, 221
 plastic bottles, 220
 closure systems:
 access, 270-271
 aesthetic closure, 278
 applicators, 275
 breakaway caps, 276
 child-resistant closures, 277-278
 communications on, 271,
 281-282
 containment closure, 274
 containment requirements, 280
 continuous-thread closure, 272
 control closure, 276
 control systems, 271, 281
 convenience closure, 274
 convenience requirements,
 280-281
 cost issues, 282
 crows, 273
 current and future trends,
 282-283
 fabrication, 161
 finishes, 281
 fitted closure, 275
 flip-spout, 274
 flip-spout, 274
 friction-fit, 273-274
 functions, 270-271
 graphic symbols, 271
 historical aspects, 269-270
 innerseals, 278
 linerless, 278-279
 liners, 278
 lug cap, 272
 materials, 279-280
 mechanical breakaway, 276
 movable-spout, 274
 overcaps, 278
 plug-orifice closure, 274-275
 positive seal, 270
 press-on vacuum caps, 273-274
 protective containment, 270
 push-pull, 275
 roll-on, 272-273
 sealing systems, 278-279
 selection criteria, 280

snap-fit caps, 273
 snap-top, 274
 special-function closure, 278
 special-purpose closures,
 277-278
 specifications, 282
 spray and pump dispensers,
 275-276
 stoppers, 278
 styling aesthetics, 271
 tamper-evident, 276
 vacuum caps, 276-277
 tear bands, 276-277
 thread-engagement closures,
 272-273
 typography, 271
 fabrication:
 aesthetic requirements, 155
 blow molding design guidelines,
 153-154
 computer utilization, 160
 content requirements, 155
 design and specification,
 157-160
 dimension specifications, 159
 distribution requirements,
 155-156
 filling and packing operations,
 157
 heat-resistant poly(ethylene
 terephthalate), 151-152
 industry standards, 158-159
 manufacturing process, 156-157
 materials and colorants, 159
 plastic design, 154-161
 preform or bottle coating, 151
 product end-use requirements,
 155
 prototyping and testing, 160
 secondary packaging, 155
 specialty requirements, 160
 glass bottles, 220-221, 555-565
 computer modeling, 556
 design modifications, 562-564
 future trends, 565
 historical background, 555-556
 marketability, 556
 performance evaluation, 559-562
 processing requirements,
 556-558
 strength properties, 558-559
 Japanese packaging industry,
 628-629
 multiple packaging, 226-228
 plastic bottles, 220
 polycarbonate, 973-974
 regulations, deposits/bottle bills,
 399
 Bottle wrap carton, manufacturing
 process, 238-239

Bottoming equipment:
multwall bag machinery, 79-80
standup flexible pouches, 1155

Bottom-seal manufacturing, plastic bags, 93-94

Boxes:
corrugated, 162-170
maritime shipping and export packaging, 693-697, 699-700
rigid paperboard, 170-172
rigid plastic, 173-175
sealing tape, 1196
solid-fiber, 175-176
wood, 177-179

Branching reactions, lipid oxidation, 661

Bread bag closure systems, 284-285

Breakage problems:
export packaging, 429
stretch films, 509-511

Breakaway caps, bottle and jar closures, 276

Break bulk packaging, 430

Bridge impact test, shipping container testing, 1219

Brown glass, light protection from, 658

Brushes, bottle and jar closures, 275

Bubble initiation, growth, and stabilization, plastic foams, 519-520

Budget planning, packaging operations, 691

Buffer areas, air conveyor systems, 32

Bulk density, poly(vinyl chloride), 964

Bulk nutrients, biofilms, 117

Bulk packaging, 179-180
bulk bags, 84-87
bulk palletizers, 902-903
flexible intermediate bulk containers, 84-87, 516-517
applications, 84-85
disposal and reuse, 86
filling and dispensing, 85
handling, storage and transport, 85-86
materials, 85
testing and standards, 86-87

Bursting strength:
leak testing, 1212
polymers, 995

Burst testing, 647

Butt-end transfer, conveyor systems, 344-345

Cable conveyor system, 341, 343

Calendar coaters, 289-290

Rigid poly(vinyl chloride) film, 495-496

California Proposition 65, 644

Can coding markers, can seamers, 183

Candy packaging, 896

Can shop seaming machinery, 182

Can spin seaming, 181-182

Can-stand-still seaming, 181-182

Can technology:
aerosol containers, 25-27
aluminum cans, 26-28, 193-195
hot-fill processing, 577
carbonated beverage packaging, metal cans, 221
composite cans, 196-199
adhesives, 196-197
body construction, 195-196
end closures, 198
labels, 198
liners, 197
manufacturing system, 195
nitrogen flushing, 198
paperboards, 196
recent trends, 199
recycling, 199
self-manufactured systems, 184-186

container integrity, 330-332
corrosion, 199-204
electrochemical potential, 201
enamel peeling and underfilm corrosion, 203
fruit darkening, 204
hydrogen activity, 202-204
mechanisms, 200-202
oxygen reactions, 201-202
pitting corrosion, 203
polarization, 201
radical and ionic reactions, 201
redox potential, water and aqueous solutions, 202
sulfide black, 203

food canning, 186-192
container preparation, 188
current and future trends, 192
F values, 187
pH levels, 187
product preparation, 188
regulatory policies, 192
retorting, 188-192
time/temperature requirements, 187-188
vacuum systems, 188

hot-fill processing, 576-579
metal can fabrication, 727-741
coating equipment, 739-741
coating materials, 738-739
materials classification, 727-728
three-piece can manufacture, 727-732
two-piece can manufacture, 732-738

multipack carriers, 225-226
plastic cans, 204-205
pressure containers, 1015-1026
seamers, 181-184
double seam, 181
machinery, 181-183
methods, 182
overlap percentage measurement, 184
tightness evaluation, 183-184

steel cans, 205-216
coatings, 213-215
corrosion, 210
decoration, 215
evolution, 206
fabrication, 211-213
metal composition, 210-211
performance, 209
product compatibility, 210
shapes and sizes, 206-209
technological developments, 215-216

tinplate cans, 25-28
hot-fill processing, 576-577
trends, 29-30

Capping machinery, 216-219
continuous-thread closures, 216-218
roll-on closures, 219
vacuum closures, 218-219

Capping systems. See Closure systems

pressure containers, 1023-1024

Carbonated beverage packaging, 219-223, 897-898
beer vs. soft drinks, 221-222
deposit laws, 222-223
filling machinery, 446-447
gas-release packaging, 1135-1136
glass bottles, 556-558
metal bottles, 221
metal cans, 221
nonreturnable glass bottles, 220
plastic bottles, 220
refillable glass bottles, 220-221

Carbon dioxide detection:
diagnostic sensors, 360-361
intelligent inks, 602
leak testing, 1212-1213
modified-atmosphere packaging, 788, 790
permeation testing, 1210

Carbon monoxide, modified-atmosphere packaging, 788

Career development:
Chinese packaging industry, 847-875
consulting, 324-327

management of packaging operations, 690-691
packaging industry, 223-224
Carousel machines, rotational molding, 1086-1087

Carrier rules, transport codes, 1245-1246

Carton closing systems, top-loading cartoning machinery, 233

Carton-forming machinery, top-load systems, 228-230

Cartoning machinery, top-load systems, 228-234
adhesive closure, 234
applications, 231-232
automatic product loading, 232-233
carton closing, 233
carton forming, 228-230
conveying systems, 231-232
dust-flap-style closure, 233
glue forming, 230-231
heat-seal closure, 234
heat-seal forming, 231
lock closure, 234
lock forming, 230
manual product loading, 232
optional functions, 234
triple-seal-style closure, 233-234

Carts:
folding carts, 234-241
gabletop carts, 241-243

Case and pallet conveyor system, 340-341

Case erector/loaders, 244-246

Casein:
biobased materials, 112
water-based adhesives, 20
Case loading, 243-245
Casks. See Barrels

Cast films:
coextrusion process, 306-307
extruder systems, 436-439
forming, 437
gauge randomization, 438-439
orientation, 437
quenching, 437-438
extrusion-cast film, 492
linear low-density polyethylene, 985-986
polypropylene, 248-251
stretch film production, 504-505

Castor oil, biobased materials, 113

Cationic compounds, antimicrobial packaging, 53-58

Cell-based biosensors, food packaging biosensors, 125-126

Cell migration, biofilm life cycle, 116

Cellophane, 252-253
polyvinylidene chloride, 1015

Cellular polymers, plastic foam materials, 518-526

Cellulose:
biobased materials, 111, 113
cellophane fabrication, 253
film materials, European regulations, 426
greaseproof and glassine paper, 909

Cemented cans, three-piece metal can fabrication, 732

Center winding, slitter/reviewer machine, 1115-1116

Ceramics packaging:
ceramic coated film, 454-456
glass bottles, 559
regulations, European regulations, 426

Cereals packaging, 896

Chain entanglement, polymer molecular weight and viscosity, 798-799

Chain propagation:
lipid oxidation, 660-661
preventive agents, 669-670
polymeric materials permeation, 941

Chain-sprocket power transmission, conveyor systems, 344

Chamber vacuuming, 1259-1260

Change management, total quality management, 1238-1239

Changeover process:
clean up, 254
externalization, 258-259
filling machinery, still liquids, 453-454
lean technology, 256-257
packaging lines, 254-261
set-up, 254-255
simplification, 257-258
start-up, 255
time reduction, 256-257
time requirements, 255-256
variability, 255, 259-260

Check-Spot freeze and thaw indicators, 583-584

Checkweighers, 261-264
new-contents weight, 262
process control, 262-264
production reporting, 264
weight-regulation compliance, 261-262

Cheese packaging, 896
vacuum packaging, 1262-1263

Chemical deterioration:
active packaging, 3
lipid oxidation, 659-673
antioxidants, 669-670
environmental factors, 669-670

free radical chain stoppers, 669
free radical production prevention, 669
chain branching, 661
characteristics, 659-660
future research issues, 673
initiation, 660
nonlipid molecule co-oxidation, 663-664
pro-oxidant factors, 664-669
light, 664-666
metals, 666-668
moisture effects, 668-669
oxygen pressure, 666
propagation, 660-661
protective packaging control, 670-673
radical recombinations, 661
scission reactions, 661-663
stages, 660-664
termination, 661-662
time course, 664
off-or-oxidation, 839-841
permeation process, polymeric materials, 939-940
polymers, 996-997
radiation effects on, 1055

Chemical etching, leak detection, 646

Chemical packaging, plastic drums, 373-375

Chemical resistance:
aluminum foil, 528
plastic drums, 374

Child-resistant packaging, 265-269
classification, 269
closure systems:
bottle fabrication, 161
bottles and jars, 277, 281
enforcement, 268
historical aspects, 265
mortality statistics, 267
regulations, 265-268
testing procedures, 266-268
testing standards, 268-269

Chill-roll cast film process, 248-251

China:
environmental packaging regulations, 414
packaging industry, 871-875
Chinet precision-molding machine, molded pulps, 1046-1047
Chipboard, rigid paperboard boxes, 170-171
Chip dispersion pigments, 321
Chipless radiofrequency identification tags, 1065
Chitin, biobased materials, 112
Chitosan:
antimicrobial packaging, 53-58
biobased materials, 112

Chlorinated organics, environmental effects, 403

Chlorinated vinyl addition polymerization, polymerization, 491

Chlorine in packaging, environmental effects, 403

Chlorofluorocarbons (CFCs), aerosol propellants, 1040-1044

Choice-enabled packaging, 1137-1138

Circulating gun installation, adhesive applicators, 11-13

Clamp units, thermoplastic injection molding, 591-592

Clamshell machines, 1087

foam trays, 1250

Clay coatings: skin packaging, 1114-1115 smart blending technology, 1122-1123

Cleaning operations, filling machinery, still liquids, 453-454

Clean-in-place (CIP) system, changeover process, 259-260

Clean production technologies, sustainable packaging, 1180

Cling on slip, stretch film, 505-507

Cloeren feed block, coextrusion machinery, 302

Closed-head drums, plastic drums, 374

Clostridium botulinum, food canning: container integrity regulations, 330-332 testing, 187-188

Closure systems: bag-in-box packaging, liquid products, 75-77 bottle and jar closures, 269-283 access, 270-271 aesthetic closure, 278 applicators, 275 breakaway caps, 276 child-resistant closures, 277-278 communications on, 271, 281-282 containment closure, 274 containment requirements, 280 continuous-thread closure, 272 control closure, 276 control systems, 271, 281 convenience closure, 274 convenience requirements, 280-281 cost issues, 282 crowns, 273 current and future trends, 282-283 fabrication, 161 finishes, 281

fitment closure, 275 fixed-spout, 274 flip-spout, 274 friction-fit, 273-274 functions, 270-271 glass bottles, 557-558 graphic symbols, 271 historical aspects, 269-270 innersaels, 278 linerless, 278-279 liners, 278 lug cap, 272 materials, 279-280 mechanical breakaway, 276 movable-spout, 274 overcaps, 278 plug-orifice closure, 274-275 positive seal, 270 press-on vacuum caps, 273-274 protective containment, 270 push-pull, 275 roll-on, 272-273 sealing systems, 278-279 selection criteria, 280 snap-fit caps, 273 snap-top, 274 special-function closure, 278 special-purpose closures, 277-278 specifications, 282 spray and pump dispensers, 275-276 stoppers, 278 styling aesthetics, 271 tamper-evident, 276 vacuum caps, 276-277 tear bands, 276-277 thread-engagement closures, 272-273 typography, 271 bread bag, 284-285 capping machinery, 216-219 continuous-thread closures, 216-218 press-on closures, 219 roll-on closures, 219 vacuum closures, 218-219 fiber drum lids, 369 oxygen scavenging, 847 plastic-clip closure, 284-285 top-loading cartoning machinery, 233-234 wire ties, 284

Coated solid bleached sulfate (SBS), folding carton paperboard selection, 235

Coated solid unbleached sulfate (SUS), folding carton paperboard selection, 235

Coating materials: anti-fog coating, 48-50 antimicrobial packaging, 55-56 barrier and overprint coatings, 98-103 cellophane, 252-253 ceramic coated film, 454-456 coated papers, 911-912 edible films, 457-461 gabletop cartons, 241-243 hot-melt wax cartons, 1271-1274 metal can fabrication, 738-739 nylon, 836 polyvinylidene chloride, 1014-1015 preform or bottle coating, 150-151 steel can fabrication, 213-215 transparent glass on plastic film, 512-516 barrier performance, 514-515 converting process, 515 manufacturing scaleup, 513-514 plasma-enhanced chemical vapor deposition, 512-513 QLF barrier coating commercialization, 515-516

Coating systems: air-knife coater, 290-291 blade coating, 290-291 coating heads, 286-292 adhesive applicators, 16 coating splitting, 287-288 coextrusion machinery, 307 corrugated box construction, 167 curtain coating, 292 drying equipment, 292-294 equipment, 285-294 extrusion coating, 440-444 applications, 440-441 board packaging, 442 flexible packaging, 441-442 folding carton manufacturing, 238-239 industrial applications, 442 industrial wraps, 442 liquid packaging, 441 machinery, 442-444 sacks, 442 hot melt coating, 291-292 hot-melt wax carton coaters, 1271-1274 knife and bar coaters, 290-291 knife-over-roll coaters, 290 metal can fabrication, 739-740 roll coaters, 287-290 calendar coaters, 289-290 direct roll coaters, 287-288 gravure coaters, 288-289 hot-melt coating, 292 kiss roll coaters, 287-288 reverse roll coaters, 288

transfer roll coaters, 287-288 saturators, 292 slot-orifice coating, 291-292 squeeze coater, 288 surface treatment devices, 286 vacuum metallization, 746-750 web handling, 293-294 wirewound-roll coater, 291

Code 128, bar coding, 295

Coding systems: bar codes, 294-297 export packaging, 429-430, 432 resin coding, 399-400 transport codes, 1245-1246

Coefficient of friction (COF): cast film production, 249-251 oriented polypropylene films, 481-483 tubular coextrusion machinery, 304

Coextrusion: extrudable adhesives, 23-24 film materials, polyester film, 473-474 flat machinery, 299-303 flexible packaging, 305-309 blends, 306 blow-film process, 307 cast-film process, 306-307 coating and laminating, 307 oriented process, 307 raw materials, 307-308 structured materials, 308-309 linear low-density polyethylene, 986 multilayer flexible packaging lamination, 804 oriented polypropylene films, 481-483 polypropylene cast films, 250-251 semirigid packaging, 297-299 stretch film production, 504 tubular machinery, 303-305

Coffee, vacuum-bag packaging, 1265-1266

Cohesive bond strength, polymers, 998

Cohesive-energy density, permeation process, polymeric materials, 940

Cold bending, poly(ethylene terephthalate) gly copolymer, 1097

Cold-glue systems, adhesive applicators, 10

Cold-vinyl carton forming, top-load cartoning machinery, 231

Cold waterborne adhesives, applicators, 9-10

Collagen, biobased materials, 112

Collapsible containers, rigid plastic boxes, 175

Colony forming unit (CFU), predictive microbiology, food packaging, 61

Color-change temperature indicators, 583-584

Smart packaging, 1130-1131

Computerized intelligent inks, 601

Colors and colorants, 309-321. See also Pigments basic properties, 309 bottle fabrication, 159 closure systems, bottle and jar closures, 271 dispersion systems, 320 dyes in packaging, 310 folding carton paperboard selection, 235 packaging applications, 309-319 paper and paperboard, 320 plastics, 320 printing inks, 310, 320 regulatory requirements, 321 selection criteria, 310 special-effect pigments, 310 stretch film, 505 supply options, 321

Commercial bags, plastic bags, 94

Communication systems and technology: closure systems, bottle and jar closures, 271, 281-282 consumer testing of package effectiveness, 1201-1202 environmental management systems, 411-412 food packaging, 892 logistical/distribution packaging, 681-683 medical device packaging, 715 nanomaterials, 815-816 smart branding, 1144-1145 smart packaging, 1131-1132

Composite cans, 196-199 adhesives, 196-197 body construction, 195-196 end closures, 198 labels, 198 liners, 197 manufacturing system, 195 nitrogen flushing, 198 paperboard cans, 196 recent trends, 199 recycling, 199 self-manufactured systems, 184-186

Composite fiber drums, 370

Composting: packaging materials, 406 sustainable packaging, 1181

Compounding process: extruder systems, 436 film materials, rigid poly(vinyl chloride), 494 poly(vinyl chloride), 964-965

Compressed gasses, aerosol propellants, 1042-1043

Compression molding, 321-322 rigid plastic boxes, 173

Compression testing: leak detection, 646 shipping containers, 1220

Computer-aided manufacturing (CAM): bottle fabrication, 160 corrugated box construction, 170

Computerized maintenance management system (CMMS), 886

Computer modeling, glass bottle design, 556

Computer numerical control (CNC) systems, multiwall bag machinery, 81

Computer technology: e-logistics, supply/demand chain management, 1176 pallet patterns, 322-324 product quality and information traceability, 1034-1037 shelf life modeling, 1104-1106

Concentrated impact test, shipping container testing, 1219

Concentrated load, maritime shipping and export packaging, 697

Concentrates, color, 321

Concentration dependence, polymeric materials permeation, 941-942

Condensation: anti-fog coating, 48-49 polymerization, plastic films, 491

Condition-based maintenance, line performance in packaging, 886

Conduction drying, coating equipment, 293

Conductive packaging: corrugated plastics, 350 electrostatic discharge packaging, fillers, 396 smart blending technology, 1122-1123

Confection packaging, edible films on, 459

Constant-volume-flow filling system, 451

Constriction, glass ampuls and vials, 35-38

Consulting in packaging industry, 324-327

- Consumer bags, plastic bags, 94-95
- Consumer/packaging interface:
smart packaging, 1124-1125
total quality management, 1240
- Consumer privacy and security:
radio-frequency identification tags, 1063-1064
- socioeconomic issues in food packaging, 1148
- Consumer research, 326-330
market testing of package effectiveness, 1198-1202
packaging economics, 383-389
socioeconomic issues in food packaging, 1147-1148
tamper-evident packaging, 1190
total quality management, 1239-1240
- Contact printing:
date coding and marking, 355
radio-frequency identification tags, 1071
- Contact sealing, 1093
- Containerboard, edge-crush testing, 164-165
- Containerized packaging:
export packaging, 431, 433
maritime shipping and export packaging, 692-705
container problems, 703-704
damage and claims, 705
definitions, 692-699
design issues, 700-703
international standards, 621-622
marks and numbers, 699
preservation issues, 699-700
shipping losses and insurance, 704-705
unitization and palletization, 703
testing, 1218-1222
- Container positioning, filler machinery, 448, 451-453
- Container preparation, food canning, 188
- Container size, air conveying systems, 34
- Containment closure, bottles and jars, 274
selection criteria, 280
- Contamination issues:
air conveying systems, 34-35
export packaging, 429
sterile disposable healthcare packaging integrity, 852
- Continual improvement principles, environmental management systems, 409
- Continuing education, career development in packaging industry, 224
- Continuous bagforming/bagfilling systems, plastic bag making, 83
- Continuous extrusion blow molding, 140-142
- Continuous ink jet (CIJ) technology, date coding and marking, 353, 355-356
- Continuous-motion rotary machines, glass ampuls and vials, 36-38
- Continuous rotary cooker-cooler systems, food canning, 190-191
- Continuous tags, 1187-1189
- Continuous-thread closure:
bottle and jar closures:
historical background, 269-270
thread-engagement systems, 272
capping machinery, 216-218
- Contour-forming sequence, glass ampuls and vials formation, 37-38
- Controlled release packaging (CRP), 333-334
- Control systems:
adhesive applicators, 16-17
checkweighers, 262-264
coextrusion machinery, 302-303
conveyor systems, 345-346
management, 691-692
statistical process control/
statistical quality control, 889-890
thermoplastic injection molding, 590
- Convection drying, coating equipment, 293
- Convenience closure, bottles and jars, 274
selection criteria, 280-281
- Convenience food packaging, 892
- Convenient packaging, smart packaging, 1125-1128, 1141-1142
- Converting operations:
aluminum foil, 528-530
corrugated box construction, 166-168
nylon, 836
- Conveyor systems, 334-348
air conveying systems, 31-35
beverage industry applications, 33
contamination reduction, 34-35
cost-effectiveness, 33-34
design characteristics, 32-33
maintenance, 34
mechanical interfacing, 34-35
operating guidelines, 31-32
air or vacuum design, 342
cloth, rubber, synthetic, reinforced, or composite belt designs, 339-340
- definitions, 334-335
design criteria, 335, 346-348
guide rails and handling control components, 345-346
lightweight container handling, 347
lug or bar chain design, 340-342
mass flow to single filling, 347-348
Mat-Top™ or modular belt chain design, 336-337
mesh-top/open-top modular belt chain design, 336-337
power transmission components, 342, 344
radio-frequency identification tags, 1068-1069, 1071
slat-top chain designs, 335-339
speeds, feeds, dynamics, and loads, interconnecting machinery, 346
speed technology, 347
stages of conveyance, 347
stretch-film wrapping machinery, 1276-1277
top-loading cartoning machinery, 231-232
transfer operations, slat-top chains, 344-345
vibratory design, 342-343
- Cook/chill food packaging, 1148-1151
- Cooling times and systems:
active packaging, 4
extruder systems, 437-438
machine-directed orientation, 686-687
thermoforming, 1230
thermoplastic injection molding, 588
- Co-oxidation reactions, lipid-molecule interactions, 663-664
- Copermeants, polymeric materials permeation, 942-943
- Copolymers:
acrylic multipolymers, 820
acrylonitrile-butadiene-styrene, 820
acrylonitrile-styrene, 820
high-nitrile resins, 820
low-density polyethylene, 990-991
plastic films, 490-491
poly(ethylene terephthalate), 977-978
poly(ethylene terephthalate) gly, 1097-1100
polypropylene, 1005-1006
rubber-modified acrylonitrile-methacrylate, 820
styrene-acrylonitrile, 819
- Copyright law, 925-926
- Cork stopper, bottle and jar closures, historical background, 269-270

- Corona treating, film materials, PET films, 473
- Corrective action:
environmental management systems, 411-412
Hazard Analysis and Critical Control Points guidelines, 570
- Corrosion:
can containers, 199-204
electrochemical potential, 201
enamel peeling and underfilm corrosion, 203
fruit darkening, 204
hydrogen activity, 202-204
mechanisms, 200-202
oxygen reactions, 201-202
pitting corrosion, 201
polarization, 201
radical and ionic reactions, 201
redox potential, water and aqueous solutions, 202
steel cans, 210
sulfide black, 203
electrostatic discharge packaging, 393
export packaging, 428-429
- Corrugated box materials:
additives, 163
adhesives, 162-163
bag-in-box packaging, dry products, 73
board construction, 163-164
bulk packaging, 179-180
case loading, 243-248
converting operations, 166-168
cutting dies, 163
dimensioning, 168
economics, 168-169
flutes, 164
future trends, 170
inks, 163
labels, 163
manufacturer's joints, 168
mullen vs. edge crush, 164-165
overview, 162
plastic, 348-350
printing plates, 163
raw materials, 162-163
recycling, 170
regulations, 165-166
skin packaging, 1114-1115
styles, 169-170
testing, 1204-1206
- Corrugator systems, corrugated box construction, 166
- Cost issues in packaging:
active packaging, 4
air conveying systems, 33-34
biobased materials, 110-111
- Corona treating, film materials, PET films, 473
- Corrective action:
environmental management systems, 411-412
Hazard Analysis and Critical Control Points guidelines, 570
- Corrosion:
can containers, 199-204
electrochemical potential, 201
enamel peeling and underfilm corrosion, 203
fruit darkening, 204
hydrogen activity, 202-204
mechanisms, 200-202
oxygen reactions, 201-202
pitting corrosion, 201
polarization, 201
radical and ionic reactions, 201
redox potential, water and aqueous solutions, 202
steel cans, 210
sulfide black, 203
electrostatic discharge packaging, 393
export packaging, 428-429
- Corrugated box materials:
additives, 163
adhesives, 162-163
bag-in-box packaging, dry products, 73
board construction, 163-164
bulk packaging, 179-180
case loading, 243-248
converting operations, 166-168
cutting dies, 163
dimensioning, 168
economics, 168-169
flutes, 164
future trends, 170
inks, 163
labels, 163
manufacturer's joints, 168
mullen vs. edge crush, 164-165
overview, 162
plastic, 348-350
printing plates, 163
raw materials, 162-163
recycling, 170
regulations, 165-166
skin packaging, 1114-1115
styles, 169-170
testing, 1204-1206
- Corrugator systems, corrugated box construction, 166
- Cost issues in packaging:
active packaging, 4
air conveying systems, 33-34
biobased materials, 110-111
- bulk packaging, 179-180
changeover process, 256
closure systems, bottles and jars, 282
corrugated box construction, 168-169
economics, 387-389
Japanese packaging industry, 626-629
line performance in packaging, true cost of operating, 885
management, 691
medical device packaging, 725
radio-frequency identification tags, 1063
semirigid coextruded packaging, 299
steel can fabrication, 213
stretch film applications, 501-503
sustainable packaging, 1178-1179
tamper-evident packaging, 1190-1191
- Council of Europe (COE), packaging regulations, 427
- Counter displays, point of purchase packaging, 959-960
- Counterfeiting, anti-counterfeiting packaging, 46-48
- Counterpressure filling systems, still liquids packaging, 448
- Counting systems:
optical systems, 445
parts detection, 445
parts representation, 445
- Couponing, folding carton manufacture, 240-241
- Covalent bonding, structure/property relationships, 1165-1167
- Covert packaging, anti-counterfeiting applications, 46-47
- Crateless systems, food canning, 189-190
- Crates:
maritime shipping and export packaging, 693-697, 699-703
wooden crates, 178-179
- Creasing operation, folding carton manufacture, 239-240
- Criminal issues in packaging industry, medical device packaging supply chain, 724-725
- Crisis avoidance in packaging operations, management, 691
- Critical control points (CCPs), Hazard Analysis and Critical Control Points guidelines, 569-570
- Criticality analysis, failure mode effect and criticality analysis, 887

- Critical limits, Hazard Analysis and Critical Control Points guidelines, 569-570
- Cross-contamination routes, predictive microbiology, food packaging, 61
- Cross-laid nonwoven, 823
- Crown closures, bottles and jars, 273
- "Crowntrainer" beer can, 25
- Cryogenic vessels, ISO standards, 620
- Crystalline state, structure/property relationships, 1168-1169
- Crystallized polyester:
low-density polyethylene, 988
microwavable packaging, 757
- Cube utilization and minimalization, logistical/distribution packaging, 680-681
- Cultural aspects of packaging, in Japan, 625
- Cupping process, draw-and-iron two-piece metal can fabrication, 736-737
- Curtain coating, 292
- Cushioning materials:
plastic foams, 524
shock in packaging systems, 1107-1111
- Cutting dies:
corrugated box materials, 163
folding carton manufacture, 239-240
- Cutting operations:
folding carton manufacture, 239-240
thermoform/fill/seal equipment, 1224-1225
- Cylinder cooling system, coextrusion machinery, 301
- Cylinder horizontal fillers, unsealed containers, 450
- Cylinder mold machines, paperboard packaging products, 916-917
- Cylinder vertical:
closed ends filling system, unsealed containers, 449
open-end inlet filling system, unsealed containers, 449
- Dairy products packaging, 895-896
oxygen scavenging systems, 1004
vacuum packaging, 1262-1263
- Damage assessment:
export packaging, 705
fragility testing, 1214-1217
shock in packaging, 1107-1111
- Damage boundary curve, shock analysis, 1109-1111

- Dangerous goods regulations, international standards, 621-622
- Dart impact testing, linear low-density polyethylene, 986
- Data analysis and management: bar coding, 295-296
- bottle fabrication, 160
- distribution hazard measurements, 365-368
- intelligent packaging research, 613-614
- permeability studies, polymeric materials, numerical consistency, 946-948
- product quality and information traceability, 1034-1037
- radio-frequency identification tags, 1062
- smart packaging, 608-609
- Data carriers, smart packaging, 608
- Data matrix coding, bar coding, 295
- Datamatrix traceability system, 1033-1037
- Date coding and marking, 353-357
 - applications, 355-357
 - contact printing, 355
 - continuous ink jet, 353
 - direct thermal technology, 355
 - drop-on-demand ink jet technology, 353-354
 - laser marking, 354-355
 - thermal transfer, 355
- Dauber caps, bottle and jar closures, 275
- Decision support systems, intelligent packaging, 607-608, 612-613
- Decompression expansion, plastic foams, 524
- Decoration processes:
 - bottle fabrication, 158
 - in-mold labeling, 357-359
 - poly(ethylene terephthalate) gly copolymer, 1100
- steel can fabrication, 215-216
- Defect analysis:
 - leak testing, 647-649
 - military food packaging, 780-781
 - stretch films, 507-508
- Defense* vitamin and mineral supplement system, 1138-1139
- Degradation markers, food packaging, diagnostic sensors, 361-362
- Depalletizers, 903
- air conveying systems, 34
- Deposit laws, 399
- carbonated beverage packaging, 222-223
- recycling, 403-406
- Desiccants:
 - active packaging, 4-5
 - maritime shipping and export packaging, 693
- Design process:
 - consulting, 325
 - consumer testing of package effectiveness, 1200-1202
 - glass bottle modifications, 562-564
 - Japanese packaging industry, 625-626, 631-632
 - maritime shipping and export packaging, 700-703
 - materials handling, 707-709
 - nutrition labeling, 827-831
 - packaging industry, 859-865
 - patent law for packaging industry, 924-937
 - plastic pallets, 904
 - produce packaging, 866-869
 - product-centered vs. user-centered design, 862-863
 - smart packaging, 1126-1127
 - supply chain management, 1172-1174
 - sustainable packaging, 1180
 - transport packaging, 1243-1244
- Design reference missions (DRM), food packaging for space exploration, 535-536
- Desktop labeling, date coding and marking, 355, 357
- Destructive testing, leak detection, 1211-1212
- Detached-lid containers, rigid plastic boxes, 175
- Detection systems, counting systems, 445-446
- Deterioration reactions, food packaging, 893
- Diagnostic sensors, packaging applications, 359-364
 - current and future trends, 364
 - food degradation markers, 359, 361-362
 - freshness/spoilage indicators, 359, 362
 - leak indicators, 359-361
 - regulation, 363-364
 - time-temperature indicators, 359-360
- Die cutters:
 - corrugated box construction, 167
 - tag processing, 1187
- Dielectric properties:
 - microwave ovens, 761
 - polymers, 999
- Dielectric sealing, 1093

- Difficult-to-handle products, active packaging, 4
- Diffusion coefficient:
 - migration from food contact materials, 765-767
 - permeation process, barrier polymers, 103-105
 - polymers, 998
- Digital position indicator, changeover process, 260
- Dimensional stability, polymers, 995
- Dimensioning:
 - corrugated box construction, 168
 - pressure containers, 1019
- Dipole-dipole forces, 1167
- Dip tube:
 - aerosol propellants, 1042-1044
 - pressure containers, 1024
- Direct roll coaters, 287-288
- Direct thermal technology, date coding and marking, 355-356
- Discrimination systems, 445
- Dispensing devices:
 - adhesive applicators, 14-15
 - bag-in-box packaging, liquid products, 77
 - flexible intermediate bulk containers, 85
- Dispersion systems:
 - pigment dispersion, 320
 - structure/property relationships, 1168
- Displacement-ram volumetric fillers, unsealed containers, 450
- Disposal systems:
 - bulk bags, 86
 - economics, 388-389
 - logistical/distribution packaging, 681-683
 - radio-frequency identification tags, 1064
- Distribution systems
 - bottle fabrication, 155-156
 - checkweighers, 262
 - hazard measurement, 365-368
 - logistical/distribution packaging, 677-683
 - product distribution, 241
 - shelf life modeling, 1106
 - supply/demand chain management, 1174-1176
- Distribution testing, leak detection, 646
- DLVO approach, biofilm life cycle, 116-117
- DNA detection devices, food packaging biosensors, 126

- Documentation processes:
 - environmental management systems, 411-412
- Hazard Analysis and Critical Control Points guidelines, 571
- Dose communication systems, smart packaging in pharmaceuticals, 1132-1133
- Dot-matrix laser marking, date coding and marking, 354-355
- Double bubble tubular manufacturing process:
 - oriented polypropylene films, 478-479
 - shrink films, 498-500
- Double-package maker (DPM) system, bag-in-box packaging, dry products, 71-73
- Double seam:
 - can-making technology, 181
 - composite cans, 198
 - steel can fabrication, 211-213
 - steel cans, 211-213
- Downstream equipment, coextrusion machinery, 303
- Dow system, coextrusion machinery, 302
- Drain-back closures, bottle fabrication, 160-161
- Draw-and-iron (D&I) process:
 - steel can fabrication, 211-213
 - two-piece metal can fabrication, 728, 735-737
- Drawing operations, two-piece metal can fabrication, 733-735
- Draw-redraw (DRD) process:
 - metal can fabrication, 727-728, 737-738
 - steel can fabrication, 211-213
- Draw system, machine-directed orientation, 686
- Drive location, filling machinery, 454
- Drop-dead case loader, 246-247
- Drop height distribution data, 365-368
- Drop-on-demand ink jet technology, date coding and marking, 353-354
- Droppers, bottle and jar closures, 275
- Drop tests, shipping container testing, 1219-1220
- Drug coatings, edible films, 459
- Drums:
 - fiber drums, 368-373
 - adhesives, 369
 - all-fiber construction, 371-372
 - applications, 372-373
 - construction, 368-369
 - lid design, 369
 - linings and barriers, 369

- recycling, 373
- regulations, 372
- sizes, 368
- stackability, 368-369
- straight-sided drums, 370-371
- styling aesthetics, 369-372
- plastic, 373-375
- steel drums, 375-381
- historical aspects, 375-377
- protection and linings, 377
- regulations, 378-379
- standardization, 377-378
- styles, 377
- thickness vs. gauge number, 377
- Drying systems, coating equipment, 292-294
- Dry powder colorants, 321
- Dry products, bag-in-box packaging, 71-73
- Dual ovenable materials:
 - microwaveable packaging, 756-759
 - polyester lidding, 476
- Duplex rewinders, 1083-1084
- Dust and grit:
 - static control, 1162
 - stretch films, 510
- Dust-flap-style closure systems, top-loading cartoning machinery, 233
- Duty of candor, patent law for packaging industry, 929
- Dyes:
 - intelligent inks, 602-603
 - modified-atmosphere packaging, 796
 - packaging, 310
 - testing, leak detection, 646
 - thermochromic inks, 599-600
- Dynamic analysis, conveyor systems, 346-348
- Dynamic (continuous) flow method, aroma barrier testing, vapor permeability, 65-66
- Dynamic isobaric method, aroma barrier testing, liquid permeability, 68
- EAN/UPC code system:
 - bar coding, 295-296
 - product quality and information traceability, 1033-1037
- Ease-of-use design, smart packaging, 1131-1132
- Easy-dispersing pigments, 321
- Easy-open systems, modified-atmosphere packaging, 796
- Eco-labeling, 399
- international regulations and symbols, 415-416

- Economic issues:
 - Chinese packaging industry, 871-875
 - corrugated box construction, 168-169
 - ethylene-vinyl alcohol copolymers, 423
 - flexible standup pouches, 1159
 - food packaging, 1147-1148
 - Indian packaging industry, 876
 - Japanese packaging industry, 626-629
 - machine-directed orientation, 687-689
 - materials handling, 706-707
 - packaging industry, 383-389
 - cost issues, 387-389
 - demand increases, 386-387
 - macroeconomics, 383-385
 - packaging supply industry, 385-386
 - radio-frequency identification tags, 1063
 - recycling, 1080-1081
 - semirigid coextruded packaging, 299
 - stretch film applications, 501-503
 - sustainable packaging, 1178-1179
 - total quality management, 1239-1240
 - tubular coextrusion machinery, 305
- Eddy-current meters, leak detection, 647
- Edge crush testing:
 - corrugated boxes, 164-165
 - materials testing, 1204-1206
 - transport coats, 1245-1246
- Edge-drop testing, shipping containers, 1220
- Edible coatings and films, 457-461
- antimicrobial packaging, 55-56
- composition, 457-458
- current and future trends, 461
- definition and functions, 457
- food and drug coating applications, 459
- manufacture, 458-459
- physical properties, 459-461
- Education and training:
 - Chinese packaging industry, 847-875
 - Indian packaging industry, 880-881
 - packaging operations, 691
 - qualifications, 1049
- Ejector mechanisms, thermoplastic injection molding, 592-593
- Elastic modulus:
 - polycarbonate packaging, 974
 - polymers, 995-996

tubular coextrusion machinery, 304
 Electesting, leak detection, 646
 Electrical properties, plastic foams, 523
 Electrochemical potential, can corrosion, 201
 Electrochemical sensors, food packaging, 125
 Electrochrome-coated steel (ECCS): metal can fabrication, 728
 pressure containers, 1016-1019
 Electrolytic testing, leak testing, 646-647
 Electromagnetic wave sensors, food packaging, 124
 Electron-beam heating, vacuum metallization, 743-746
 Electron beam radiation: medical device packaging sterilization, 718
 sterile disposable healthcare packaging integrity, 856-858
 Electron capture detector (ECD), shelf life studies, food packaging, 43
 Electron gun, vacuum metallization, 743-745
 Electronic Article Surveillance (EAS), 1060-1061
 Electronic controls, bagmaking systems, 83
 Electronic gas sensor array (electronic nose), off-odor analysis, 840-841
 Electronic Product Code (EPC), radio-frequency identification tags standards, 1059-1060
 Electronic smart packaging, 1132-1134
 Electronic tags, anti-counterfeiting applications, 47-48
 Electrophoretic deposition, metal can coatings, 739
 Electrostatic discharge (ESD) packaging, 389-397
 accelerated aging effects, 392-393
 additive chemistry, 393-395
 classification, 390
 conductive filler polymers, 396-397
 corrosion effects, 393
 current standards, 393, 396
 Faraday cage mechanisms, 395
 heat-shrinkable packaging, 395
 historical background, 389-390
 multilayer type II protective films, 394
 polycarbonate compatibility, 393-395
 polymer systems, 396
 relative humidity effects, 392
 static decay time, 392
 static-dissipative polymers, 396
 static shielding, 393
 stretch films, 510
 structure/property relationships, 1165-1167
 surface resistivity, 391-392
 triboelectricity, 390-392
 volume resistivity, 392
 Electroplate, pressure containers, 1016-1019
 Elmendorf tear test, linear low-density polyethylene, 986
 E-logistics, supply/demand chain management, 1176
 Embossing: aluminum foil, 529-530
 anti-counterfeiting applications, 47
 Employees in packaging industry: environmental management, 409
 total quality management, 1240
 Enamel adhesion, can corrosion, 200
 Enamel peeling, can corrosion, 203
 Encapsulation, coextrusion machinery, 302
 End closure systems, composite cans, 198
 Energy resources: bottle fabrication, 161
 environmental impact of packaging, 401-402
 life cycle assessment, 653-655
 sustainable packaging, 1179-1181
 Enforcement and compliance, child-resistant testing, 268
 Engineering: consulting, 325
 logistical/distribution packaging, 682-683
 produce package design, 866-869
 supply chain management, 1171-1174
 Environmental issues in packaging: aerosol propellants, 1041-1044
 bottle fabrication, 161
 cellophane fabrication, 253
 chlorine, chlorinated organics, and plasticizers, 403
 composting, 406
 corrugated plastics, 350
 energy resources, 401-402
 film materials, polyester films, 476-477
 foam trays, 1250-1251
 fragility testing, 1214-1217
 global warming, 402-403
 green marketing, 407
 impact of packaging industry, 400-408
 incineration, 406-407

Indian packaging industry, 880
 inks, 597-598
 landfills, 407
 life cycle assessment, 401, 650-655
 lipid oxidation, 669-670
 low-density polyethylene, 992
 management systems, 408-412
 continual improvement framework, 409
 employee involvement, 409
 integration, 409
 ISO 140001 elements, 409-412
 pollution prevention, 409
 sustainability, 409-410
 visibility, 409
 multivalled bags, 92
 North American regulations, 397-400
 ozone depletion, 402
 packaging functions, 869-871
 paperboard packaging products, 920
 pollution effects, 402-403
 polystyrene foams, extruded, 518
 poly(vinyl chloride), 966
 pressure-sensitive tape, 1198
 radio-frequency identification tags, 1070
 recycling, 403-406
 regulations and legislation, 407, 643-645
 Australia, 415
 China, 414
 eco-labeling, 415-416
 Europe, 413-414
 fees, 412-413
 Germany, 414
 Hong Kong, Singapore and S. Korea, 414
 international regulations, 412-416
 Japan, 414
 material restrictions, 415
 New Zealand, 415
 Pacific Rim/East Asia, 414-415
 reduction in packaging, 415
 resource depletion and conservation, 401
 shelf life studies, 1102-1103
 shipping containers, 1218-1219
 solid waste issues, 403-407
 standards, international standards, 416
 stretch films, 510
 styrene-butadiene copolymers, 1170
 sustainability, 407-408
 synthetic papers, 913
 waste reduction, 403

Environmental Protection Agency (EPA), 643-644
 Environmental stress-crack resistance (ESCR): high-density polyethylene, 979-981
 polymers, 996-997
 Enzyme-release packaging, 1139
 Equilibration testing, permeation testing, 1208
 Error rates, in medical device packaging, 720-723
 Essential oils, antimicrobial packaging, 55-56
 Ethanol emitters: active packaging, 5-6
 antimicrobial packaging, 55-56
 modified-atmosphere packaging, 789
 Ethyl acetate, permeability studies, aroma/solvent permeation, 940-941, 944-945
 Ethylene absorbers: active packaging, 6
 freshness/spoilage indicators, 362
 modified-atmosphere packaging, 790
 perforated films, 486-488
 Ethylene-acrylic acid (EAA), coextrusion processing, 307-308
 Ethylene-methacrylic acid (EMA), coextrusion processing, 307-308
 Ethylene oxide (EtO) sterilization: medical device packaging, 718
 sterile disposable healthcare packaging integrity, 853-856
 Ethylene-vinyl acetate (EVA): bag-in-box packaging, liquid products, 74-77
 coextrusion processing, 307-308
 hot-melt adhesives, 21-22
 Ethylene-vinyl alcohol copolymer (EVOH), 418-423
 applications, 421-423
 bag-in-box packaging, liquid products, 74-77
 barrier coatings, 99-103
 coextrusion machinery, 300-303
 coextrusion processing, 307-308
 collapsible tubes, 1258
 economic issues with, 423
 films, 422-423
 flavor, fragrance, and odor protection, 419-420
 flexible films, 422
 gas-barrier properties, 419
 hydrocarbon and solvent resistance, 419
 mechanical and optical properties, 420
 oxygen scavenging, 1004

packaging structures, 421-423
 paperboard containers, 422-423
 permeability, 420
 processability, 420-421
 regulations concerning, 421
 rigid/semirigid containers, 421-422
 semirigid coextruded packaging, 297-298
 skin packaging, 1112-1115
 smart blending technology, 1122
 EU Flower label, 415
 Europe: environmental regulations on packaging, 413-414
 flexible standup pouches, 1158
 modified-atmosphere packaging, 794-797
 packaging regulations, 424-427
 European Article Numbering (EAN): EAN/UPC code system, 295-296
 product quality and information traceability, 1033-1037
 European Directive on Packaging, 413-414
 European Union (EU): food packaging regulations, 769-771
 medical device packaging regulations, 720
 packaging industry, 881-884
 packaging regulations, 424-427
 Exhibitions and conferences, European Union packaging industry, 883-884
 Expanded polystyrene (EPS), beadboard, 525
 Expansion process, plastic foams, 985
 Expert witnesses, consultants, 325
 Explosions: explosion-proof wrappers, 1278
 static control, 1162
 Export packaging, 427-433
 air shipments, 431, 433
 breakage, 429
 break bulk packaging, 430-431
 containerized loads, 431
 contamination, 429
 corrosion and mildew, 428-429
 flexible intermediate bulk containers, 516-517
 guidelines, 430-432
 hazardous materials, 429
 hazards, 427-428
 lighters, barges, and open boats, 431
 marine environment, 692-705
 container problems, 703-704
 damage and claims, 705
 definitions, 692-699

design issues, 700-703
 marks and numbers, 699
 preservation issues, 699-700
 shipping losses and insurance, 704-705
 unitization and palletization, 703
 marks and symbols, 429-430
 pilferage and nondelivery, 429
 precautionary markings, 432
 product analysis, 428-429
 roll-on/roll-off (Ro-Ro), 431
 unitized loads, 431-432
 Extensible (XTK) papers, multivalled bags, 90
 Extraction studies: food additive regulations, 641-642
 military food packaging, 779-782
 Extra-high molecular-weight (EHMW) high-density polyethylene, plastic drums, 373-375
 Extrapolysaccharide (EPS), biofilm formation, 115
 Extrudable adhesives, 22-24
 Extruder systems, 433-440
 basic components, 433-436
 blown and cast film processing, 436-439
 forming process, 437
 gauge randomization, 438-439
 orientation, 437
 quenching, 437-438
 coextrusion machinery, 299-303
 compounding process, 436
 foam sheet extrusion, 439-440
 foam trays, 1247-1251
 linear low-density polyethylene, 985
 multilayer flexible packaging lamination, 803-804
 netting manufacture, 818-819
 nylon manufacture, 833, 836
 poly(ethylene terephthalate) glycol, 1097-1100
 polystyrene, 1010-1011
 polystyrene foams, 517-518
 reclamation process, 436
 rigid sheet extrusion, 439
 single-screw extruders, 433-436
 stretch film production, 504
 Extrusion blow molding, 139-144, 146
 bottle fabrication, 156-157
 continuous extrusion, 140-142
 head tooling, parison programming and ovalization, 143-144
 in-mold labeling systems, 357-359
 intermittent extrusion, 142-143
 multilayer molding, 148-149
 Extrusion-cast film, 492

Extrusion coating, 440-444
 applications, 440-441
 board packaging, 442
 edible films, 458-459
 flexible packaging, 441-442
 fluoropolymer films, 466-468
 folding carton manufacturing, 238-239
 industrial applications, 442
 industrial wraps, 442
 liquid packaging, 441
 low-density polyethylene, 990
 machinery, 442-444
 nylon, 836
 plastic films, 493
 sacks, 442
 Extrusion guns, adhesive applicators, 15
 Extrusion-injection-molded blow molding, 145
 Eye-tracking research, 329
 FACT data identifiers, bar coding, 296
 Failure analysis:
 failure mode effect and criticality analysis, 887
 food packaging, indices of failure, 893-894
 shelf life modeling, 1104-1106
 stretch films, 509-511
 Failure mode effect and criticality analysis (FEMCA), 887
 Faraday Cage, electrostatic discharge packaging, 395
 Fastening systems, wood boxes, 178
 Fatigue analysis, glass bottle performance testing, 560
 Feasibility testing, military food packaging, 778-782
 Feedback control:
 checkweighers, 263-264
 coextrusion machinery, 302
 Feed block and piping, coextrusion machinery, 301-302
 Feeding operations, conveyor systems, 346-348
 Fee programs, environmental impact of packaging, 412-413
 Fiberboard, materials testing, 1204-1206
 Fiber drums, 368-373
 adhesives, 369
 all-fiber construction, 371-372
 applications, 372-373
 construction, 368-369
 lid design, 369
 linings and barriers, 369
 recycling, 373
 regulations, 372
 sizes, 368

stackability, 368-369
 straight-sided drums, 370
 styling aesthetics, 369-372
 Fiberglass-reinforced plastics (FRP), plastic pallets, 903-904
 Fibers:
 molded pulps, 1044-1047
 nonwoven materials, 822-824
 paperboard packaging products, 915
 Fick's law of diffusion:
 gas-barrier systems, small leak effects, 548-550
 gas permeation of packaging materials, 551-555
 migration from food contact materials, 765-767
 modified-atmosphere packaging, 789
 polymeric materials:
 aroma/solvent permeation, 938-939
 barrier properties, 998
 Field effect transistors (FETs), food packaging biosensors, 125
 Field testing, military food packaging, 779-782
 Filament tape, 1196-1197
 Filler driver seamer safety clutch, can seamers, 183
 Fillers, poly(vinyl chloride), 965
 Filler septoid reduction, checkweighers, 263-264
 Filling machinery:
 carbonated liquids, 446-447
 counting systems, 445-446
 hot-fill technology, 576-579
 still liquids, 447-454
 balanced-pressure fillers, 448
 container positioning, 448, 451-453
 design and selection criteria, 453-454
 sealed container filling system, 447
 unbalanced-pressure fillers, 448-449
 unsealed containers, 449-451
 vertical form/fill/seal systems, 545-546
 Filling speeds, air conveying systems, 33
 Filling systems:
 bag-in-box packaging, liquid products, 76-77
 economics, 388
 flexible intermediate bulk containers, 85

Film materials:
 bag-in-box packaging, liquid products, 75-77
 cast films, polypropylene, 248-251
 cellophane, 252-253
 ceramic coated film, 454-456
 coextrusion processing, 308-309
 edible film, 457-461
 composition, 457-458
 current and future trends, 461
 definition and functions, 457
 food and drug coating applications, 459
 manufacture, 458-459
 physical properties, 459-461
 ethylene-vinyl alcohol copolymers, 422-423
 flat coextrusion machinery, 299-302
 flexible poly(vinyl chloride), 464-466
 fluoropolymers, 466-468
 gas permeation, 552-555
 high-density polyethylene, 468-471
 in-mold labeling systems, 358-359
 linear low-density polyethylene, 984-986
 low-density polyethylene, 990-992
 machine-directed orientation, 687-690
 military food packaging, freeze-dried rations, 775-776
 modified-atmosphere packaging, 789-793, 796
 nylon, 833-836
 oriented polyester film, 471-477
 applications, 474-476
 barrier applications, 472
 basic properties, 472-473
 environmental issues, 476-477
 flavor scalping applications, 472-473
 manufacturing process, 471-472
 metallizing, 472
 poly(vinyl chloride), 472
 surface modifications, 473-474
 thermal properties, 472
 oriented polypropylene, 477-486
 basic properties, 480-481
 historical background, 477-478
 labeling applications, 485-486
 manufacturing process, 478-480
 double bubble tubular process, 478-479
 tenter frame process, 479-480
 metallization, 485
 opaque films, 485
 product development, 481-483
 raw materials, 478
 sealability, 483-485

perforated film, 486-488
 plastic films, 488-493
 applications, 488-489
 formation process, 491-493
 metallization, light protection from, 659
 multilayer films, 491
 multilayer flexible packaging, 799-800
 polyvinylidene chloride, 1015
 skin packaging, 1112-1115
 polycarbonates, 974-975
 polypropylene, 1008
 polyvinylidene chloride, 1013-1014
 regenerated cellulose film, European regulations, 426
 resins, 489-491
 rigid poly(vinyl chloride), 493-497
 calendering, 495-496
 custom compounding, 494
 homopolymer resin, 493-494
 market, 497
 production methods, 494-495
 shrinkage for optimum forming, 497
 thermoforming package production, 496-497
 shrink films, 498-500
 skin packaging, 1111-1115
 stretch film, 500-512
 advantages, 502-503
 applications, 500-502
 cost savings, 501-503
 environmental effects on, 510
 inspection and handling, 507-509
 limitations, 509-510
 manufacturing process, 504-505
 performance evaluation, 505-507
 selection criteria, 503-504
 terminology, 510-512
 unitization, 501-502
 thermoform/fill/seal equipment, 1223-1224
 thermotropic liquid-crystalline polymers, 675-677
 transparent glass on plastic, 512-516
 barrier performance, 514-515
 converting process, 515
 manufacturing scaleup, 513-514
 plasma-enhanced chemical vapor deposition, 512-513
 QLF barrier coating commercialization, 515-516
 tubular coextrusion machinery, 304-305
 vertical form/fill/seal systems, 545
 Film matrices, antimicrobial packaging, 54

Final analysis, shelf life studies, food packaging, 43
 Findability testing, 329
 Finishes:
 closure systems, bottles and jars, 281
 multilayer flexible packaging, 804
 Finishing process, paperboard packaging products, 917
 Fires, static control, 1162
 Fish packaging:
 modified-atmosphere packaging, 792
 vacuum packaging, 1263
 Fitment closures, bottles and jars, 275
 Five-layer cast-film line, 249-250
 Fixed-spout closure, bottles and jars, 274
 Flame ionization detector (FID):
 offodor analysis, 840-841
 shelf life studies, food packaging, 43
 Flammability, polymers, 997
 Flange design, plastic cans, 205
 Flash spinning, nonwoven materials, 823-824
 Flat-bed cutting-die system, folding carton manufacture, 239-240
 Flat-top conveyor systems, air conveying systems, 33
 Flavor/aroma/solvent barrier:
 barrier polymers, 106-108
 ethylene-vinyl alcohol copolymers, 419-423
 film materials, polyester films, 472-473
 permeation testing, 1210-1211
 Flavor release packaging, 1136-1138
 Flexibility, air conveying systems, 34
 Flexible packaging systems:
 aluminum foil, 530
 coextrusion process, 305-309
 blends, 306
 blow-film process, 307
 cast-film process, 306-307
 coating and laminating, 307
 oriented process, 307
 raw materials, 307-308
 structured materials, 308-309
 Extrusion coating, 441-442
 films:
 ethylene-vinyl alcohol copolymers, 422
 perforated films, 486-488
 polyester films, 474-477
 polyvinylidene chloride, 1014
 flexible intermediate bulk containers, 84-87, 516-517
 applications, 84-85

disposal and reuse, 86
 filling and dispensing, 85
 handling, storage and transport, 85-86
 materials, 85
 testing and standards, 86-87
 flexible poly(vinyl chloride) film, 464-466
 integrity regulations, 331-332
 materials testing, 1202-1204
 medical device packaging, 717-718
 military foods, 777-782
 multilayer packaging, 799-806
 active/smart packages, 807-808
 appearance, 799-800, 804
 barrier characteristics, 800-801, 804-805
 containment parameters, 805
 current trends, 804-806
 finishing, 804
 heat-seal strength, 802-803
 manufacturing process, 803-804
 organic volatiles, 801
 printing systems, 800
 shelf life extension, 800-801
 strength properties, 801-802
 sustainability, 807
 slitter/reviewer machine, 1082-1083, 1115-1119
 standup pouches, 1155-1159
 Flexible-valve closure, bag-in-box packaging, liquid products, 75-77
 Flexofolder-gluer, corrugated box construction, 167
 Flexography, 1027-1029
 inks, 544-595
 label printing, 636
 Flip-spout closure, bottles and jars, 274
 Floor loading and unloading systems, 1084
 Floor-stand displays, point of purchase packaging, 959-960
 Fluoropolymers, film materials, 466-468
 Flush cutting tubing method, multiwall bag machinery, 79
 Flushed colors, 321
 Flute materials, corrugated boxes, 164
 Foams:
 extruded polystyrene, 517-518
 foam trays, 1246-1251
 microwaveable packaging, 757-758
 plastic foams, 518-526
 applications, 524-526
 basic properties, 520-523
 bubble growth, initiation, and stabilization, 519-520
 decompression expansion, 524

electrical properties, 523
 environmental aging, 523
 expandable formulations, 524
 expansion theory, 519-520
 health and safety issues, 526
 manufacturing processes, 523-524
 mechanical properties, 520
 moisture resistance, 523
 nomenclature, 519
 thermal properties, 520
 poly(lactic acid), 969, 971-972
 sheet extrusion system, 439-440
 structural foam molding, plastic
 pallets, 904-907
 Foil, aluminum, 527-532
 Foil laminate tubes, 1252-1254
 Folder-glue, corrugated box
 construction, 167
 Folding box board (FBB), folding
 carton paperboard selection,
 235
 Folding cartons, 234-241
 hot-melt application, 240-241
 manufacturing process, 238-240
 paperboard selection, 235-238
 special construction, 238
 styles, 236-237
 terminology, 236
 wax-coated folding cartons,
 1271-1274
 Folding endurance, polymers, 995
 Food additives:
 FDA regulations concerning,
 640-643
 petition process, 643
 Food and Drug Administration
 (FDA):
 labeling regulations, 645
 poly(vinyl chloride) status, 966
 regulatory framework for
 packaging, 639-645
 Food packaging, 891-898
 active packaging, 4-7
 anti-fog coating, 48-50
 antimicrobial packaging, migration
 agents, 52-53
 aroma barrier testing, 63-69
 liquid permeability assessment,
 67-68
 sorption methods, 68-69
 vapor permeability
 measurement, 64-67
 isotactic with dynamic
 continuous flow and
 isobaric methods, 65-66
 quasi-static and isobaric
 method, 65
 static and manometric
 methods, 66-67

attributes, 892
 bakery products, 896-897
 barrier polymers, flavor/aroma/
 solvent barrier, 106-108
 beverages (See Beverage
 packaging)
 biofilm formation, 119-120
 biosensor technology, 121-133
 additives control, 129-131
 amperometric biosensors, 125
 biosecurity, 131-132
 cell-based biosensors, 125-126
 DNA-based detectors, 126
 electrochemical sensors, 125
 electromagnetic wave sensors,
 124
 field effect transistors, 125
 food product evaluation, 131
 foreign body detection, 129
 HACCP system, 132-133
 impedimetric/conductometric
 biosensors, 125
 integrated sensor-packaging
 systems, 126-128
 lab-on-a-chip systems, 126
 mechanical (resonant)
 biosensors, 124
 operating principles, 122-123
 optical detection sensors, 124
 pathogen detection, 128-129
 potentiometric biosensors, 125
 quality/safety control, 121-122
 shelf-life studies, 129
 surface plasmon resonance,
 124-125
 candy, 897
 canning, 186-192
 container integrity regulations,
 330-332
 container preparation, 188
 corrosion, 202-204
 current and future trends, 192
 F values, 188
 pH levels, 187
 plastic cans, 204-205
 product preparation, 188
 regulatory policies, 192
 retorting, 188-192
 time/temperature requirements,
 187-188
 vacuum systems, 188
 ceramic coated films, 454-456
 cereals, 896
 communication on, 892
 containment function, 892
 controlled release packaging,
 333-334
 convenience, 892
 cook/chill food products, 1148-1151
 dairy products, 895-896

deteriorative reactions, 893
 development process, 532-533
 diagnostic sensors, 359-364
 current and future trends, 364
 food degradation markers, 359,
 361-362
 freshness/spoilage indicators,
 359, 362
 leak indicators, 359-361
 regulation, 363-364
 time-temperature indicators,
 359-360
 ethylene-vinyl alcohol copolymers,
 419-423
 failure indices, 893-894
 fiber drums, 370
 film materials:
 edible coatings and films,
 457-461
 antimicrobial packaging, 55-56
 composition, 457-458
 current and future trends, 461
 definition and functions, 457
 food and drug coating
 applications, 459
 manufacture, 458-459
 physical properties, 459-461
 flexible PVC films, 465-466
 perforated films, 486-488
 plastic films, 488-493
 polyester films, 472-477
 transparent glass on plastic film,
 512-516
 barrier performance, 514-515
 converting process, 515
 manufacturing scaleup,
 513-514
 plasma-enhanced chemical
 vapor deposition, 512-513
 QLF barrier coating
 commercialization,
 515-516
 foam trays, 1248-1251
 functions, 891-892
 gas permeation, 551-555
 Hazard Analysis and Critical
 Control Points guidelines,
 567-572
 high-pressure treatment systems,
 898-900
 hot-fill technology, 576-579
 intelligent inks, 598-604
 carbon dioxide effects, 602
 freshness indicators, 602-604
 light effects, 600
 oxygen effects, 600-602
 thermochromic inks, 598-600
 leak detection and testing, 646-649
 light protection, 655-659
 lipid oxidation, 659-673

meat and fish, 791-792, 894-895
 microwaveable packaging, 759-764
 dual ovenable materials, 756-759
 migration from food contact
 materials, 765-771
 future trends, 771
 migrant substances, 767
 monolayer plastic materials,
 765-767
 multilayer plastic materials, 767
 quantification procedures,
 767-769
 regulations, 769-771
 military food packaging, 772-785
 extractives studies, 780-781
 feasibility testing, 778-779
 field testing, 779
 flexible packaging, 777-782
 freeze-dried rations, 775-776
 future trends, 785
 handling issues, 780
 historical background, 772-774
 implementation, 781-782
 irradiated foods, 776-777
 leak detection, 780-781
 production capability, 779-780
 sealing analysis, 780
 spoilage analysis, 780
 thermoprocessing, 777-782
 unitized group ration, 783-785
 modified-atmosphere packaging,
 787-793
 off-gas analysis, 839-841
 oxygen scavenging, 841-849,
 1002-1004
 plastic packaging materials:
 monolayer materials, migration
 from, 765-767
 multilayer materials, migration
 from, 767
 polycarbonate, 974-975
 predictive microbiology:
 applications, 60
 background, 59-60
 models, 60-61
 PMIP/PMP sample cases, 61-63
 shelf-life studies, 63
 thermal inactivation of
 pathogens, 61-63
 produce, 895
 protective function, 892
 radiation effects, 1051-1056
 regulations:
 European regulations, 424-427
 FDA regulations, 639-645
 migration from food contact
 materials, 769-771
 shelf-life studies:
 analytical methods, 38-45
 liquid microextraction, 42

sampling process, 40-42
 solid-phase microextraction,
 41-42
 total dissolution, 42-45
 smart packaging, 608-614
 snack foods, 897
 socioeconomic forces, 1147-1148
 space missions, 533-539
 historical background, 533-535
 ISS and lunar outpost missions,
 538
 lunar sortie missions, 538
 Mars exploration, 538
 NASA design reference missions,
 535-536
 recommended attributes,
 537-538
 shelf life studies, 536-537
 thermoform/fill/seal equipment,
 1223, 1225-1226
 vacuum packaging, 1259-1264
 Food preservation, high hydrostatic
 pressure processing, 898-900
 Food Sentinel System™, 604
 Forced vibration, 1267
 Foreign body detection, food
 packaging biosensors, 129
 Forensic packaging, 539-540
 Forge-wheel welding system, steel
 can fabrication, 211-213
 Forklift/mobile reader, radio-
 frequency identification tags,
 1068
 Form/fill/seal/cut pouch:
 horizontal equipment, 542-543
 vertical equipment, 542
 Form/fill/seal pouch:
 aluminum foil, 530
 horizontal equipment, 540-541
 vertical equipment, 541, 543-546
 ionomers, 623-624
 Forming process:
 extruder systems, 437
 paperboard packaging products,
 915
 Fourdrinier machine, paperboard
 packaging products, 915-916
 Four-side treatment capability,
 tubular coextrusion machinery,
 304
 Fraction open cells, plastic foams, 520
 Fragility testing:
 maritime shipping and export
 packaging, 697
 procedures, 1213-1217
 shock analysis, 1109-1111
 Fragrance protection, ethylene-vinyl
 alcohol copolymers, 419-423
 Free-dry (FDK) papers, multivalled
 bags, 90

Free radicals, lipid oxidation:
 chain reaction mechanism, 660-661
 preventive agents, 669-670
 Free vibration, 1267
 Freeze and thaw indicators, 583-584
 Freeze-dried rations, military food
 packaging, 775-776
 Freight containers, ISO standards,
 619-620
 Frequency variances:
 radio-frequency identification tags,
 1069
 vibration, 1267-1268
 FreshCheck™ indicator, 599-600
 FreshMax® label, active packaging,
 5
 Freshness indicators:
 diagnostic sensors, 362-363
 intelligent inks, 602-603
 Friction, static control, 1161
 Friction-fit closures, bottles and jars,
 273
 Friction properties, polymers, 998
 Friction sealing, 1093
 Frozen food, microwave heating, 762
 Fruit canning, corrosion and
 darkening, 204
 Fruit packaging, 895
 edible films on, 459
 modified-atmosphere packaging,
 793, 796
 Fuel resistance, ethylene-vinyl
 alcohol copolymers, 420
 Functions/environments table,
 870-871
 Furfural, biobased materials, 113
 Gabletop cartons, 241-243
 Gamma radiation:
 medical device packaging
 sterilization, 718
 packaged foods, 1052-1056
 Gapless filling, air conveying
 systems, 31-32
 Gas analysis, modified-atmosphere
 packaging, 796
 Gas-barrier properties:
 ethylene-vinyl alcohol copolymers,
 419
 small leak effects, 548-550
 permeation, 548
 predictive equation, 548-550
 Gas chromatography (GC), off-order
 analysis, 839-841
 Gas chromatography-mass
 spectrometry (GC-MS):
 off-order analysis, 840-841
 shelf life studies, food packaging,
 43-44
 Gas composition, plastic foams, 520

Gas indicators:
diagnostic sensors, 360-361
intelligent packaging, 610

Gas leak testing, 647

Gas-liquid chromatography (GLC),
aroma barrier testing, sorption
methods, 69

Gas permeation process:
barrier coatings, 100
food packaging polymer
permeability, 552-555
ambient environment, 554
leak transport mechanisms,
554-555
modified-atmosphere packaging,
788-789, 795-797
packaging materials, 551-555
transport mechanism, 551-552
polymeric materials, aroma/solvent
permeation, 938-939
radiation effects on, 1054
small leak effects, 548-550

Gas plasma sterilization, medical
device packaging, 718

Gas-release packaging, 1135-1136

Gas transmission rate:
ethylene-vinyl alcohol copolymers,
419
permeation process, polymeric
materials, 939

Gauge band, polypropylene cast film
fabrication, 251

Gauge randomization, blown-film/
cast film extrusion, 438-439

Gauging systems, coextrusion
machinery, 303

Gaylords intermediate bulk
containers, 84-87

Gearboxes, conveyor systems, 344

Gear pumps:
adhesive applicators, 13-14
coextrusion machinery, 301
Gelatin, biobased materials, 112

Gemini space mission, food
packaging, 534

Gen-2 tags, radio-frequency
identification tags, 1073

Generally recognized as safe (GRAS)
exemption, food additive
regulations, 640-641

Generator gear pumps, adhesive
applicators, 13-14

Geometry, plastic foam cells, 520

Germany:
eco-labeling, 415
environmental regulations on
packaging, 413-414

Glass containers:
ampuls and vials, 35-38
bottles, 555-565
computer modeling, 556
design modifications, 562-564
future trends, 565
historical background, 555-556
marketability, 556
performance evaluation, 559-562
processing requirements,
556-558
strength properties, 558-559
carbonated beverage packaging:
nonreturnable glass, 220
refillable glass bottles, 220-221
Chinese packaging industry,
872-875
economics, 386
hot-fill processing, 577-578
ISO standards, 619
light protection by, 658
materials testing, 1206
microwaveable packaging, 759
pharmaceutical packaging,
951-952
ampuls and vials, 35-38
nonsterile products, 951
sterile products, 951-952
pressure containers, 1021
recycling, 404, 1077, 1080

Glassine paper, 909
permeability studies, aroma/
solvent permeation, 944-946

Glass-transition temperature:
permeation process, polymeric
materials, 940
poly(ethylene terephthalate) gly,
1096
polymers, 994

Glass tubing, glass ampul and vial
formation, 36-38

Global Harmonization Task Force
(GHTF), medical device
packaging, 713-714

Global Trade Item Number (GTIN),
barcoding, 608-609

Global warming:
aerosol propellants, 1040-1041
environmental effects of packaging,
402-403

Gloss, polymers, 999

Glue-forming systems:
folding carton manufacture,
240-241
rigid paperboard boxes, 170-171
top-load cartoning machinery,
230-231

Gompertz model, predictive
microbiology, food packaging,
60-61

Good business practice, 887

Good manufacturing practice (GMP):
European regulations, 424-426

product quality and information
traceability, 1033-1037

Graphics:
closure systems, bottle and jar
closures, 271
consumer testing of package
effectiveness, 1200-1202
multivalued bags, 91-92
GRAS Affirmation Petition (GRASP),
food additive regulations, 641
Gravitational force indicators,
584-585
Gravity filling systems, still liquids
packaging, 448
Gravity-vacuum filling systems, still
liquids packaging, 448
Gravure printing, 1026-1027
coaters, 288-289
inks, 595-596
labels, 636
Greaseproof paper, 909
Grease-resistant paper, 909-910
Green labeling, 399. See also Eco-
labeling

Green marketing, 407

Grid melter hot melt unit, adhesive
applicators, 12-13

Gripper-style case packer, 247

Grounding improprieties, static
control, 1161-1162

Guide rails, conveyor systems,
345-346

Gummed-paper labels, 633-634

Gummed tape, 1193-1194

Halide torch, leak testing, 1212

Hand capers/cap tighteners,
continuous-thread closure
capping, 216-217

Handheld devices, radio-frequency
identification tags, 1068

Handling systems:
bulk bags, 85-86
conveyor systems control
components, 345-346
distribution hazard measurements,
365-368
export packaging, 427-433
air shipments, 431, 433
breakage, 429
break bulk packaging, 430-431
containerized loads, 431
contamination, 429
corrosion and mildew, 428-429
guidelines, 430-432
hazardous materials, 429
hazards, 427-428
lighters, barges, and open boats,
431
marks and symbols, 429-430

pilferage and nondelivery, 429
precautionary markings, 432
product analysis, 428-429
roll-on/roll-off (Ro-Ro), 431
unitized loads, 431-432

logistical/distribution packaging,
679-683

materials handling:
analysis, 707-709
definitions, 706-707
equipment, material, and
methods, 710-712
layout and facilities checklist,
709-710
objectives and principles, 707
overview, 706
military food packaging, 780
roll handling, 1082-1085
shipping container testing,
1219-1222
stretch films, 507-508
supply chain management,
1171-1174
supply/demand chain
management, 1174-1176
tube filling systems, 1251

Hand loading, case loading, 243-244

Hardware requirements, radio-
frequency identification tags,
1060, 1066-1069

Hazard analysis, 567-572
distribution systems, 365-368
export packaging, 427-428
Hazard Analysis and Critical
Control Points guidelines,
568-572
shipping containers, 1218-1222

Hazard Analysis and Critical Control
Points (HACCP) system:
basic principles, 567-571
food packaging:
biosensors, 122, 132-133
integrated sensor-packaging
systems, 127-128
historical background, 567
intelligent packaging, 611-612
packaging materials requirements,
571-572
product quality and information
traceability, 1033-1037

Hazardous materials:
export packaging, 429
flexible intermediate bulk
containers, 516-517
international standards, 621-622
packaging and labeling regulations
concerning, 645
plastic drums, 372-373

Headers, maritime shipping and
export packaging, 697

Headspace analysis, leak detection,
1212

Head tooling, extrusion blow molding,
143-144

Healthcare products. See also
Medical devices
radiation of packaging, 1053-1056
sterile disposable packaging
integrity, 851-858
airborne contamination from,
852
aseptic product removal, 852
product identification, 852
radiation sterilization, 856-858
steam and ethylene oxide
sterilization, 853-856
sterile barrier requirements, 851
sterilization allowance, 851-852
tamper-evident opening features,
852

Health issues:
linear low-density polyethylene,
986
low-density polyethylene
copolymers, 991-992
nutrition labeling, 830-831
plastic foams, 526
polypropylene, 1008-1009

Heat capacity, polymers, 994

Heat conversion, microwave
technology, 760-761

Heated tooling (hot bar) sealing,
1089-1091

Heat exchanger guns, adhesive
applicators, 16

Heating sources:
active packaging, 4
lipid oxidation, 667-668
vacuum metalization, 742-745

Heat of fusion, polymers, 994

Heat resistance:
aluminum foil, 528
blow molding, PET bottles, 151-152
vacuum metalization, 742-745

Heat sealing and heat-sealable
materials, 1089-1096
band sealing, 1091-1092
closure systems, top-loading
cartoning machinery, 234
contact sealing, 1093
dielectric sealing, 1093
friction sealing, 1093
heated tooling (hot bar) sealing,
1089-1091
hot air/hot gas/flame sealing, 1093
hot-melt sealing, 1094
hot-wire/hot-knife sealing, 1091
impulse sealing, 1092
induction sealing, 1093-1094
methodologies, 1089-1090

method selection, 1095
multilayer flexible packaging,
802-803
nylon, 836
pneumatic sealing, 1094
polymers, 998
radiant sealing, 1094
solvent welding, 1094-1095
testing, 1095-1096
top-load cartoning machinery, 231
ultrasonic sealing, 1092-1093
vertical form/fill/seal systems, 544
Heat-seal labeling machinery, 638
Heat-sensitive labels, 634
Heat-shrinkable packaging,
electrostatic discharge packaging,
395-396

Heat stabilizers:
film materials, rigid poly(vinyl
chloride), 494
flexible PVC film, 464-466

Heat sterilization, medical device
packaging, 718

Heavy metals:
environmental bans on, 399
regulations concerning, 644

Heel impact stress testing, glass
bottle performance, 562

Helium leak detector, 1212

HemoTempII indicator, 584

Henry's law, permeation process,
polymeric materials, 939

Hermetically sealed packages, high-
voltage leak detection, 573-575

High-density polyethylene (HDPE),
979-982
basic properties, 469-470
chemical properties, 981-982
closure systems, bottles and jars,
278
coextrusion processing, 307-308
film products, 468-471
folding carton manufacturing,
238-239
in-mold labeling systems, 358-359
low-density polyethylene
copolymers, 990-991
machine-directed orientation,
687-690
manufacturing, 979
microwaveable packaging, 759
military food packaging, 778-782
molecular structure, 979-981
permeability studies, aroma/
solvent permeation, 944-946
physical properties, 982
plastic drums, 373-375
plastic films, 490
plastic pallets, 903-904
recycling, 405-406, 1079

semirigid coextruded packaging, 298

Higher α -olefins, linear low-density polyethylene, 984

High-flow check ring, thermoplastic injection molding, 592

High gas barrier materials, small leak effects, 549-550

High hydrostatic pressure processing (HPP), food packaging, 898-900

High-low melt index (HLM), high-density polyethylene, 980

High-molecular-weight poly(lactic acid), 967-968

High-nitrile resins (HNR), 820-821

High-output preform injection molding machine, 147-148

High-pressure injection, thermoplastic injection molding, 592

High-visibility packaging, point of purchase packaging vs., 958

High-voltage leak detection (HVLD), hermetically sealed packages, 573-575

HI-MILAN® ionomer, 622

Hinged-joint conveyor systems, 335-336

Hollow fiber liquid phase microextraction (HFLPME), shelf life studies, food packaging, 42

Holograms:

- anti-counterfeiting applications, 47
- polyester films, 476

Homogeneity, shelf life studies, food packaging, 40-41

Homopolymers:

- film materials, rigid poly(vinyl chloride), 493-494
- low-density polyethylene, 990
- plastic films, 490
- poly(ethylene terephthalate), 977-978

Hong Kong, environmental packaging regulations, 414

Horizontal equipment:

- automatic case erector/loader/sealer, 245-246
- cartoner, bag-in-box packaging, dry products, 71-73
- form/fill/seal/cut pouch, 542-543
- form/fill/seal pouch, 540-541
- standup pouches, 1157
- semiautomatic case loader, 244

Horizontal impact test, shipping container testing, 1219

Hot air/hot gas/flame sealing, 1093

tube filling systems, 1253-1254

Hot bending, poly(ethylene terephthalate) gly copolymer, 1097

Hot-fill technology, 576-579

cook/chill food products, 1150-1151

glass containers, 577-578

lightweight aluminum cans, 577

plastic packaging, 578-579

tinplate cans, 576-577

vacuum packaging, 1261

Hot-foil stamping, labels, 636

Hot-jaw sealing system, tube filling systems, 1253-1254

Hot-knife sealing, 1091

Hot-melt adhesives, 2

basic properties, 21-22

folding carton manufacture, 240-241

glue-forming systems, top-load cartoning machinery, 230-231

wax-coated folding cartons, 1271-1274

Hot-melt sealing, 1094

Hot-melt systems:

- adhesive applicators, 10-17
- dispensing devices, 14-16
- melting devices, 11-13
- pumping devices and transfer methods, 13-14
- system selection, 17
- timing and controlling devices, 16-17
- coating systems, 291-292

Hot runner technology, thermoplastic injection molding, 587-588, 593

Hot-stamping foils, polyester films, 476

Hot-wire sealing, 1091

Housewares exemption for food packaging, 642-643

Hue, in pigments, 309-310

Humidity indicators, 583-585

polymeric materials permeation, 943-944

Hump-Gard indicator, 585

HYBRID injection molding machine, 586-587

Hydraulic accumulator-assisted injection, thermoplastic injection molding, 592

Hydrocarbon resistance, ethylene-vinyl alcohol copolymers, 419

Hydrodynamics, biofilms, 118

Hydrofluorocarbons (HFCs), aerosol propellants, 1040-1044

Hydrogen activity, can corrosion, 199, 202-204

metal reactions, 202

specificity, 202-203

swell activity, 203-204

Hydrogen bonding, structure/property relationships, 1167-1168

Hydrophobicity, biofilms, 117

Hydrostatic retorts, food canning, 190-191

Ideal cycle time, line performance in packaging, 885

Identification systems:

- medical device packaging, 725
- sterile disposable healthcare packaging integrity, 852
- tagging materials, 1185-1189

Immobilized antimicrobial agents, antimicrobial packaging, 53-58

Impact assessment:

- life cycle assessment, 652-653
- polymers, 995
- shipping container testing, 1219
- shock in packaging systems, 1107-1111

Impact modifiers:

- poly(vinyl chloride), 965
- rigid poly(vinyl chloride) film, 494

Impedimetric/conductometric biosensors, food packaging, 125

Impingement drying, coating equipment, 292-293

Improvement assessment, 653-654

Impulse sealing, 1092

Incineration systems:

- bottle fabrication, 161
- solid waste management, 406-407

Incline impact test, shipping container testing, 1219

Incubation atmosphere, biofilms, 118

Incubation testing, leak detection, 647

Independent consultants, 325-326

Independent ejector mold, thermoplastic injection molding, 592

Independent plasticizing mold, thermoplastic injection molding, 592

India, packaging industry, 876-881

- consumption patterns, 878
- economic statistics, 876
- education and resources development, 880-881
- environmental issues, 880
- flexible standup pouches, 1159
- global perceptions, 876-877
- growth areas, 881
- machinery systems, 880
- packaging materials, 879-880
- retail sector, 877
- trends, 877-878

Indicating devices, 581-585

freeze/thaw indicators, 583

gravitational force indicators, 584-585

humidity indicators, 583-584

modified-atmosphere packaging, 796

smart packaging, 608-614

temperature indicators, 582-584

time/temperature indicators, 581-582

Indices of failure (IOF), food packaging, 893-894

Individual-rewind-arm (IRA) surface-center winder, 1116-1117

Induction heating, vacuum metallization, 743-745

Induction sealing:

- anti-counterfeiting applications, 48
- principles, 1093-1094

Industrial packaging:

- chemicals:

 - active packaging, 3-4
 - plastic drum packaging, 373-375
 - extrusion coating, 442

- information systems:

 - intelligent packaging, 607-608
 - medical device packaging, 715
 - product quality and information traceability, 1030-1037

Infrared drying, coating equipment, 292-293

Injection blow molding, 144-146

bottle fabrication, 157

in-mold labeling systems, 357-359

multilayer molding, 149-150

Injection molding:

- automation systems, 593
- high-density polyethylene, 981-982
- linear low-density polyethylene, 985
- low-density polyethylene, 990
- machinery monitoring and servicing, 593-594
- packaging applications, 586-594
- polypropylene, 1008
- polystyrene, 1010-1011
- rigid plastic boxes, 173
- specifications, 1152-1153
- structural foam molding, plastic pallets, 904-907
- thermoplastic injection molding:

 - alignment, 589
 - base unit, 592
 - clamp unit, 591-592
 - control systems and architecture, 590
 - cooling time, 588
 - ejector mechanism, 592

equipment classification, 587-590

- injection unit, 591
- machinery parts, 589-590
- mold materials, 589
- operating principles, 587-588
- packaging features, 592-593
- part ejection, 588-589
- power plant, 590-591
- processing techniques, 586-587
- runner system, 588
- stack molds, 589

Inks, 594-598

- acrylic-based, 1
- corrugated box materials, 163
- corrugated plastics, 349-350
- environmental issues, 597-598
- flexographic ink, 594-595
- gravure ink, 595-596
- intelligent inks, 598-604
- carbon dioxide effects, 602
- freshness indicators, 602-604
- light effects, 600
- oxygen effects, 600-602
- thermochromic inks, 598-600
- lamination inks, 596
- letterpress inks, 597
- letterset ink, 597
- liquid inks, 594-596
- offset lithographic ink, 596-597
- paste inks, 596-597
- printing inks, colorants, 310, 320
- reactive inks, anti-counterfeiting applications, 47
- screen ink, 596
- skin packaging, 1113-1114
- solvent inks, 1
- uncoated cellophane receptivity, 253
- viscosity and film thickness parameters, 594-595
- water-based, 1

In-line, single-line, continuous motion machinery, form/fill/seal pouch manufacture, 541

In-line blending, tubular coextrusion machinery, 304

In-line filling systems, 452

In-line filters, adhesive applicators, 16

In-mold labeling (IML), 153, 357-359, 634-635

thermoforming, 1235-1236

Innerseals, closure systems, bottles and jars, 278

Inorganic coatings, barrier coatings, 100-101

Inorganic metallic ions, antimicrobial packaging, 55

Inorganic pigments, 309

Inspection technologies:

- container integrity regulations, 332
- leak detection, 646-647
- stretch films, 507-508

Insulation materials, plastic foams, 524

Insurance claims, maritime shipping and export packaging, 705

Intaglio printing, 1026

Integrated circuits (ICs), anti-counterfeiting applications, 47-48

Integrated organizational structure, environmental management systems, 409

Integrated sensor-packaging systems, food packaging biosensors, 126-128

Integrated supply chain management (ISC), 889

Intellectual property rights, patent law for packaging industry, 922-927

Intelligent inks, 598-604

- carbon dioxide effects, 602
- freshness indicators, 602-604
- light effects, 600
- oxygen effects, 600-602
- thermochromic inks, 598-600

Intelligent packaging, 605-614. See also Smart packaging

- applications, 611-612
- barcodes, 608-609
- biosensors, 610-611
- data carriers and package indicators, 608
- definitions, 607
- devices, 608-611
- food quality and convenience, 612
- food safety and biosecurity, 611-612
- gas indicators, 610
- historical development, 605-606
- material and information flow, 607-608
- radio frequency identification, 609-610
- time-temperature indicators, 610

Interleaved two of five (ITF) symbology, bar coding, 295

Intermediate bulk containers (IBCs), 84-87

- applications, 84-85
- disposal and reuse, 86
- filling and dispensing, 85
- handling, storage and transport, 85-86
- materials, 85
- testing and standards, 86-87

Intermittent extrusion blow molding, 142-143

Intermolecular forces:
polymer molecular weight and viscosity, 799
structure/property relationships, 1167-1168

Internal atmosphere testing, shelf life studies, food packaging, 45

Internal cooling, blow molding, 153

Internally circulating system, adhesive applicators, 10-11

Internal side-seam protection, welded cans, 741

International Organization for Standardization (ISO):
child-resistant testing, 268-269
committee structure, 616-618
ISO 9000 quality systems standards, 620-621
ISO 140001, environmental management systems, 409-412
line performance in packaging standardization, 887
medical device packaging, 718-719
packaging standards, 618-620

International standards, 616-622
metrication in packaging, 750-756

International trade agreements, environmental regulations, 400

Inventions in packaging, patent application, 927-930

Inventory assessment, life cycle assessment, 651-653

Ion-channel biosensors, food packaging, 129

Ionic reactions, can corrosion, 201

Ionic strength, biofilms, 117-118

Ionizers, static control, 1162-1163

Ionomers, 622-624

Ion-selective field effect transistors (ISFETs), food packaging biosensors, 125

Iron-based oxygen scavenging systems, 1001

Irradiated foods:
military food packaging, 776-777
packaging materials, 1051-1056
space missions, 537

Isobaric methods, aroma barrier testing:
liquid permeability, 67
vapor permeability, 64-66

Isostatic measurements, aroma barrier testing, vapor permeability, 64-66

ISS and lunar outpost missions, food packaging, 538

Item 222 transport code, 1245

Japanese packaging systems, 625-632

cultural aspects, 625
design issues, 625-626
Eco Mark label, 414
environmental packaging regulations, 414
flexible standup pouches, 1159
future trends, 631-632
historical aspects, 625
innovation, 631
manufacturing systems, 626-629
sustainability issues, 629-631
Jars, closure systems, 269-283
Juices, packaging, 897-898

Kiss roll coaters, 287-288
Knife and bar coaters, 290-291
Knife-over-roll coaters, 290
Knitting, of plastic netting, 818-819
Knowledge acquisition, career development in packaging industry, 224

Kraft linerboard, corrugated box materials, 162
Kraft paper, 908-909

Labels and labeling systems, 633-639
air conveying systems, 34
application process and machinery, 636-638
blow molding, 153
bottle fabrication, 158
carbonated beverage packaging: nonreturnable glass bottles, 220
refillable glass, 220-221
composite cans, 198
consumer research on, 329-330
corrugated box materials, 163
date coding and marking, 353-357
environmental regulations on, 415-416
export packaging, 429-430, 432
film materials, polyester films, 476
green and eco-labeling regulations, 399
gummed-paper labels, 633-634
heat-sensitive labels, 634
in-mold labeling, 357-359, 634-635
intelligent inks, 598-604
labels and materials classification, 633-635
medical device packaging, 715
nutrition labeling, 824-831
claims, 829-831
display options, 827-828
facts panel, 826
format, 826-827
health claims, 830-831
historical background, 825-826
regulations, 645
agencies, 826

resources, 831
size considerations, 828-830
oriented polypropylene films, 485-486
overprinting machinery, 638-639
pharmaceuticals packaging, 950
plain-paper labels, 633
printing process and machinery, 635-636
regulations, 399, 644-645
self-adhesive labels, 634
shrink bands, 96
shrink sleeves, 635
thermoform/roll/seal equipment, 1225
thermoforming, 1235-1236
transport codes, 1246

Lab-on-a-chip systems, food packaging biosensors, 126

Laminated tubes, 1257-1258

Laminating systems:
aluminum foil, 529
coextrusion process, 306-309
corrugated box construction, 167-168
extrusion coating, 440-444
folding carton manufacture, 239
gabletop cartons, 242-243
lamination inks, 596
multilayer flexible packaging, 803-804
nylon, 836
plastic films, 491

Landfills:
bans on, 398-399
solid waste management, 407

Large-character ink jet printers, date coding and marking, 354, 356-357

Laser engraving, radio-frequency identification tags, 1071

Laser marking, date coding and marking, 354-356

Lateral adjustment, coextrusion machinery, 302

Latin America, flexible standup pouches, 1159

Law suits in packaging industry, patent infringements, 935-937

Layer thickness control, tubular coextrusion machinery, 304

Leaf gauge, changeover process, 260-261

Leak detection and testing, 646-649
diagnostic sensors, 359-361
gas-barrier properties, small leak effects, 548-550
permeation, 548
predictive equation, 548-550

gas permeation of packaging materials, 554-555
high-voltage leak detection, hermetically sealed packages, 573-575
method selection guidelines, 647-649
military food packaging, 780-781
nondestructive testing methods, 649
package integrity testing, 646-647
permeation testing, 1211-1213
Lean manufacturing, 882

Legal issues in packaging, environmental management systems, 411

Legislation. See Regulations

Letterpress printing, 1026-1029
inks, 597
labels, 635-636
Letterset ink, 597

Level-sensing fillers, unsealed containers, 449

Levich model, aroma barrier testing, liquid permeability, 634

Lids. See Also Closure systems
aluminum foil, 530-531
dual ovenable lidling, polyester films, 476
fiber drums, 369

Life cycle assessment, 649-655
applications, 650-651
components, 651-652
defined, 649-650
environmental impact of packaging, 401, 650
improvement assessment, 653-655
inventory (impact) assessment, 652-653
limitations, 655
poly(lactic acid), 971-972
sustainable packaging, 1180-1181

Life cycle inventory, 651-653

Lighters, export packaging on, 431

Light exposure:
intelligent inks, 600
leak detection, 647
lid oxidation, 664-666
protective packaging against, 655-659
effects of light on food, 656-657
glass and plastic materials, 658
light theory and definitions, 655-656
liquid paperboard materials, 658-659
plastic film metallization, 659
protective materials, 657-659
sunlight and artificial light, 656

radio-frequency identification tags, 1071

Light-gauge metal containers, ISO standards, 618

Lightning Fastener, 270

Light transmission, food packaging, space missions, 537

Lightweight containers:
aluminum cans, hot-fill processing, 577
conveyor systems, 347
Japanese packaging industry, 628-629

Limit of detection, hermetically sealed packages, high-voltage leak detection, 575

Limonene vapor, polymeric materials permeation, 941-942

Linear low-density polyethylene (LLDPE), 983-986
fabrication process, 985-986
film applications, 984-985
historical background, 983
physical properties, 986
processing, 983, 989
safety and health issues, 986
smart blending technology, 1122
structure and properties, 983-984

Line performance in packaging, 884-891
computerized maintenance management system, 886
condition-based maintenance/monitoring, 886
failure mode effect and criticality analysis, 887
good business practice, 887
integrated supply chain management, 889
ISO standardization, 887
lean manufacturing, 887
maintenance, repair, and operations/overhaul, 888
overall equipment effectiveness, 885
predictive maintenance, 888
preventive maintenance, 888
life cycle process, 888-889
reliability-centered maintenance, 889
six sigma process, 889
statistical process control/statistical quality control, 889-890
total effective equipment productivity, 886
total productive maintenance, 891

Linerboard, edge-crush testing, 164-165

Liner grades, corrugated boxes, 164

Linerless closures, bottles and jars, 278-279

Liner materials and systems:
closure systems:
bottles and jars, 278
oxygen scavenging, 847
composite cans, 197
fiber drums, 369
steel can fabrication, 213-215
steel drums, 377

Liquid oxidation, 659-673
antioxidants, 669-670
environmental factors, 669-670
free radical chain stoppers, 669
free radical production prevention, 669
chain branching, 661
characteristics, 659-660
future research issues, 673
initiation, 660
nonlipid molecule co-oxidation, 663-664
pro-oxidant factors, 664-669
light, 664-666
metals, 666-668
moisture effects, 668-669
oxygen pressure, 666
propagation, 660-661
protective packaging control, 670-673
radical recombinations, 661
scission reactions, 661-663
stages, 660-664
termination, 661-662
time course, 664

Liquefied petroleum gas (LPG), aerosol propellants, 1040-1044

Liquid chromatography (LC), shelf life studies, food packaging, 44

Liquid-crystalline polymers, 674-677
microwaveable packaging, 758
Liquid inks, 594-596

Liquid-liquid extraction, shelf life studies, food packaging, 41

Liquid-liquid-phase microextraction (LLPME), shelf life studies, food packaging, 42

Liquid microextraction, shelf life studies, food packaging, 42

Liquid packaging systems:
extrusion coating, 441
fiber drums, 369-370
filling machinery:
carbonated liquids, 446-447
still liquids, 447-454
balanced-pressure fillers, 448
container positioning, 448, 451-453
design and selection criteria, 453-454

sealed container filling system, 447
 unbalanced-pressure fillers, 448-449
 unsealed containers, 449-451
 Liquid paperboard, light protection from, 658-659
 Liquid permeability, aroma barrier testing, 67-68
 Liquid products, bag-in-box packaging, 73-77
 Litholaminators, corrugated box construction, 167-168
 Load-bearing floorboards, maritime shipping and export packaging, 697
 Load characteristics:
 conveyor systems, 346-348
 stretch films, 502, 506-507
 thermoform/fill/seal equipment machinery, 1224
 wood boxes, 178
 Lock closure systems, top-loading cartoning machinery, 234
 Locked corner hinge cover carton, 237
 Lock forming system, top-load cartoning machinery, 230
 Lockhart packaging matrix, packaging design, 860-861
 Logistical packaging, economics, 388
 Logistics management:
 distribution packaging, 677-683
 supply chain management, 1171-1174
 supply/demand chain management, 1174-1176
 Long-chain branching, high-density polyethylene, 981
 Loose-fill packaging, extruded polystyrene, 525
 Low-density polyethylene (LDPE), 987-992. See also Linear low-density polyethylene (LLDPE)
 closure systems, bottles and jars, 278
 coextrusion processing, 307-308
 density, 988
 environmental issues, 992
 film materials:
 plastic films, 490
 polypropylene cast films, 249-251
 folding carton manufacturing, 238-239
 hermetically sealed packages, high-voltage leak detection, 575
 historical background, 987-988
 ionomer structure, 622-624
 markets and applications, 989-991
 melt-flow ratio, 988

melt index, 988
 processing, 989-989
 properties, 989
 safety and health issues, 991-992
 skin packaging, 1112-1115
 Lubricants:
 flexible PVC film, 444-466
 poly(vinyl chloride), 965
 Lubrication systems, can sealers, 183
 Lug chain design, conveyor systems, 340-341
 Lug closures:
 bottle and jar closures, 272-273
 vacuum closure capping systems, 218
 Lug covers, steel pails, 380-381
 Luminescence, intelligent inks, 601
 Lunar sortie missions, food packaging, 538
 Lysozyme, antimicrobial packaging, 55
 Machine-directed orientation (MDO), 685-690
 coextrusion, 307
 components, 686-687
 economic benefits, 687-688
 film materials, 687
 oriented polypropylene films, 478-480
 shrink films, 498-500
 future trends, 689
 glossary of terms, 689-690
 overview, 685
 procedures, 685-687
 Machinery systems:
 changeover process, 254-261
 Chinese packaging industry, 874-875
 coextrusion machinery, flat, 299-303
 conveyor systems, interconnecting machinery, 346-348
 economics, 388
 extrusion coating, 442-444
 flexible standup pouches, 1158
 high-density polyethylene processing, 979-980
 horizontal equipment:
 automatic case erector/loader/sealer, 245-246
 cartoner, bag-in-box packaging, dry products, 71-73
 form/fill/seal/cut pouch, 542-543
 form/fill/seal pouch, 540-541
 semiautomatic case loader, 244
 Indian packaging industry, 880
 labeling machinery, 636-639
 materials handling, 709-712

paperboard packaging products, 915-917
 roll-handling systems, 1082-1085
 rotational molding, 1085-1088
 skin packaging, 1114-1115
 slitter/rewinder machine, 1082-1083, 1115-1119
 thermoform/fill/seal equipment, 1222-1227
 thermoforming, 1230-1231
 thermoplastic injection molding:
 alignment, 589
 base unit, 592
 clamp unit, 591-592
 control systems and architecture, 590
 cooling time, 588
 ejector mechanism, 592
 equipment classification, 587-590
 injection unit, 591
 machinery parts, 589-590
 mold materials, 589
 operating principles, 587-588
 packaging features, 592-593
 part ejection, 588-589
 power plant, 590-591
 processing techniques, 586-587
 runner system, 588
 stack molds, 589
 tube filling systems, 1251-1254
 vacuum metallization, 747-750
 vertical equipment:
 case loader, 246-247
 form/fill/seal/cut pouch, 542
 form/fill/seal (VFFS) machinery, 544-546
 bag-in-box packaging, dry products, 71-73
 form/fill/seal pouch, 541, 543-546
 magazine, case loading, 245
 rotary continuous machinery, extrusion blow molding, 141-142
 still retort, food canning, 189-190
 vibration, 1266-1269
 wrapping machinery, stretch film, 1274-1279
 Machine vision systems:
 food packaging biosensors, 130
 leak detection, 647
 Macroeconomics, packaging industry, 383-385
 Made-to-order products, bar coding, 296
 Magnetic conveyor systems, 335-336, 338
 Magnetic counting systems, 445

Magnetic resin filter under hopper, thermoplastic injection molding, 592
 Maintenance, repair, and operations/overhaul (MRO), 887
 Maintenance operations:
 computerized maintenance management system, 886
 condition-based maintenance, 886
 leak detection, 646-649
 maintenance, repair, and operations/overhaul, 887
 package integrity:
 regulations on, 330-332
 sterile disposable healthcare products, 851-858
 predictive maintenance, 888
 preventive maintenance, 888
 reliability-centered maintenance, 889
 total productive maintenance, 891
 Mall interviewing, consumer research, 328-329
 Malondialdehyde (MDA), lipid oxidation, 663
 Management issues:
 career development in packaging industry, 224
 consulting, 324-327
 environmental management systems, 408-412
 continual improvement framework, 409
 employee involvement, 409
 integration, 409
 ISO 14001 elements, 409-412
 pollution prevention, 409
 sustainability, 409-410
 visibility, 409
 global dimensions, 692
 line performance in packaging, 884-891
 packaging design process, 859-865
 packaging operations, 690-692
 total quality management, 1238-1240
 Mandrel carton former, bag-in-box packaging, dry products, 72-73
 Manometric method, aroma barrier testing, vapor permeability, 66-67
 Manually loaded filling systems, 452
 Manual product loading, top-loading cartoning machinery, 232
 Manufacturer's joints, corrugated box construction, 168
 Maritime shipping:
 export packaging, 692-705
 container problems, 703-704
 damage and claims, 705
 definitions, 692-699

design issues, 700-703
 marks and numbers, 699
 preservation issues, 699-700
 shipping losses and insurance, 704-705
 unitization and palletization, 703
 international standards, 621-622
 Marketability issues:
 air conveying systems, 33
 consumer testing of package effectiveness, 1198-1202
 film materials, rigid poly(vinyl chloride) film, 497
 glass bottles, 556
 green packaging, 407
 low-density polyethylene, 989-990
 modified-atmosphere packaging, 794-797
 packaging effects on demand, 386-387
 perforated films, 487-488
 plastic foams, 523-524
 polypropylene, 1009
 sustainable packaging, 1178-1179
 Marks and symbols:
 export packaging, 429-430, 432
 international environmental symbols, 415-416
 maritime shipping and export packaging, 693, 699
 Mars exploration missions, food packaging, 538
 Mask-based laser marking, date coding and marking, 354
 Mason jar, historical background, 269-270
 Mass flow analysis, conveyor systems, single filling from, 347-348
 Mass spectrometry, shelf life studies, food packaging, 43-44
 Mass-transfer parameters, polymeric materials permeation, 944-945
 Matched-mold thermoforming, 1230-1231
 Material costs:
 Indian packaging industry, 879-880
 packaging economics, 387-388
 Materials handling:
 analysis, 707-709
 definitions, 706-707
 equipment, material, and methods, 710-712
 layout and facilities checklist, 709-710
 objectives and principles, 707
 overview, 706
 thermoform/fill/seal equipment, 1225-1226

Materials testing, 1202-1207
 glass, 1206
 metals, 1205-1206
 paper, paperboard, and fiberboard, 1204-1205
 plastics, 1202-1204
 regulatory agencies and standards, 1202
 wood, 1206-1207
 Material suppliers, consultants, 326
 Material transmission rate
 calculations, food packaging, space missions, 537-538
 Mathematical modeling, produce package design, 867-869
 Mat-Top™ or modular belt chain conveyor system, 336-337
 Maximum instantaneous delivery rate (MIDR), adhesive applicators, 18-19
 Meal, Ready-to-Eat (MRE):
 current and future trends, 786-787
 oxygen scavenging systems, 1002-1003
 thermoprocessed foods, 777-782
 Measurement techniques:
 metrication systems, 750-756
 migration from food packaging, 767-770
 permeability studies, polymeric materials, 948
 vibration analysis, 1268
 Meat packaging, 894-895
 foam trays, 1248-1251
 modified-atmosphere packaging, 791-792
 oxygen scavenging systems, 1002-1003
 thermoform/fill/seal equipment, 1226-1227
 vacuum packaging, 1261-1262
 Mechanical biosensors, food packaging, 124
 Mechanical breakaway caps, bottles and jars, 276
 Mechanical chuck, continuous-thread closure capping, 217-218
 Mechanical interface, air conveying systems, 34-35
 Mechanical properties:
 aluminum foil, 528
 edible films, 459-461
 ethylene-vinyl alcohol copolymers, 420-421
 nanomaterials, 815
 paperboard packaging products, 914-915
 plastic foams, 520
 poly(lactic acid), 969-971

polymers, 995-996
radiation effects on, 1054
Mechanical vacuum can seaming machinery, 182
Medical device packaging, 713-725.
See also Healthcare products aging demographics, 720
automatic identification systems, 725
bags and vented flexible packaging, 717
classification, 713-714
combination products, 725
communication systems, 715
cost issues, 725
criminal activities in supply chain, 724-725
errors and noncompliance, 720-723
forms, materials, and sealing, 715-717
future issues, 725
nosocomial infection rates, 723
polycarbonate packaging, 974
polyester films, 476
pouches, 717
protective packaging, 714-715
radiation of packaging, 1053-1056
regulations and testing, 718-720
sealing materials, 717
standards, 721-722
sterilization process, 717-718
thermoform/fill/seal equipment, 1226-1227
utility assessment, 715
Medium grade materials, corrugated boxes, 165
Melt-blown nonwovens, 823-824
Melt-flow ratio:
low-density polyethylene, 988
polymers, 995
polypropylene, 1007
Melt index:
low-density polyethylene, 988
polymers, 995
Melting devices:
adhesive applicators, 11-13
extrusion processing, 434-440
Melting temperature, polymers, 994
Melt polymerization:
poly(ethylene terephthalate)
polycondensation, 976-977
thermotropic liquid-crystalline polymers, 674-677
Mesh-top chain conveyor system, 336-337
Metal can fabrication, 727-741
coating equipment, 739-741
coating materials, 738-739
materials classification, 727-728
three-piece can manufacture, 727-732
two-piece can manufacture, 732-738
Metal chimes, fiber drums, 369-370
Metal closure systems, bottles and jars, 280
Metalization:
film materials, polyester films, 479
nylon, 836
oriented polypropylene films, 485
plastic films, light protection from, 659
vacuum techniques, 742-750
equipment, 745-749
future trends, 749-750
thermal sources, 742-745
Metal-overshell closures, 280
Metal packaging. See also specific metals
bulk packaging, 180
carbonated beverage packaging, cans and bottles, 221
Chinese packaging industry, 872-875
economics, 385-386
environmental issues, heavy metals bans, 399
ISO standards, 618-619
materials testing, 1205-1206
pharmaceuticals, 955
Metals and metal ions:
antimicrobial packaging, 55
can corrosion, 202
lipid oxidation, 666-667
recycling systems, 1076-1077, 1080
steel cans, 210-211
structure/property relationships, 1165-1167
Metal tubes:
collapsible tubes, 1254-1255
tube filling systems, 1252-1254
Metrication systems, 750-756
historical background, 751-752
Mexican trade agreements, environmental regulations, 400
Microbial growth:
active packaging, 3
freshness/spoilage indicators, 362
shelf-life studies, food packaging, 39
Micro-electrophoretic system, food packaging biosensors, pathogen detection, 128-129
Microprocessor-controlled checker, 264
Microwavable packaging:
absorbent materials, 764

active packaging as, thermal control, 8
dual-ovenable materials, 756-759
food packaging, 759-764
reflective materials, 763-764
transparent materials, 763
Microwave ovens, 531-532
food packaging, 759-764
intelligent systems, 612-614
Microwave technology, 760
Migration process, from food contact materials, 765-771
migrant trends, 771
migrant substances, 767
monolayer plastic materials, 765-767
multilayer plastic materials, 767
quantification procedures, 767-769
regulations, 769-771
Mildew, export packaging, 428-429
Military food packaging, 772-787
current and future trends, 786-787
extractives studies, 780-781
feasibility testing, 778-779
field testing, 779
flexible packaging, 777-782
freeze-dried rations, 775-776
future trends, 785
handling issues, 780
historical background, 772-774
implementation, 781-782
irradiated foods, 776-777
leak detection, 780-781
production capability, 779-780
sealing analysis, 780
spoilage analysis, 780
thermoprocessing, 777-782
unitized group ration, 783-785
Minimal inhibitory concentration (MIC), antimicrobial packaging, migration agents, 52-53
Minimally processed fruits and vegetables (MPFVs), 895
Minimum fill temperature, hot-fill processing, 576-577
Minimum hold time, hot-fill processing, 576-577
Modified-atmosphere packaging (MAP), 787-793
active packaging, 3-4, 790-791
anti-fog coating, 49
antimicrobial packaging, 51
oxygen absorbing agents, 51-52
bakery and pasta products, 792
barrier coatings, 99
design process, 866-869
diagnostic sensors, 359-364
European market, 794-797
fish, 792
fruits and vegetables, 793

gases, 788-789
Hazard Analysis and Critical Control Points guidelines, 572
intelligent inks, 600-601
materials, 789
meat packaging, 894-895
oxygen scavenging, 844
poultry, 792
prepared foods, 792-793
red meat, 791-792
seafood packaging, 895
Modular belt chain conveyor systems, 336-337
Moisture control and resistance:
fiber drums, 369
lipid oxidation, 668-669
modified-atmosphere packaging, 790
plastic foams, 523
plastics-based active packaging materials, 6-7
synthetic papers, 913
Moisture vapor barrier, barrier coatings, 102-103
Molded materials:
low-density polyethylene copolymers, 991-992
pulp packaging, 1044-1047
rotational molding, 1085-1088
structural foam molding, 904-907
thermoplastic injection molding, 589
Molded pulp materials, microwaveable packaging, 757
Molecular imprinted polymer technology, food packaging biosensors, 130
Molecular interactions, biofilm life cycle, 117
Molecular orientation, structure/property relationships, 1169
Molecular weight and viscosity:
high-density polyethylene, 979-981
linear low-density polyethylene, 984
low-density polyethylene, 988-989
packaging polymers, 798-799
radiation effects on, 1053-1056
polypropylene, 1005-1007
poly(vinyl chloride), 964
rigid poly(vinyl chloride) films, 493-494
Molten casting, edible films, 458-459
Monitoring procedures:
condition-based monitoring, 866
Hazard Analysis and Critical Control Points guidelines, 569-570
injection molding machinery, 593-594

Monitor Mark indicators, 582-584, 1236-1238
Monomers:
biobased materials, 113
poly(vinyl chloride), residual vinyl chloride monomer, 964
Monsanto v. Kennedy case, 641
Morphological analysis, permeation process, polymeric materials, 940-941
Mounting caps, pressure containers, 1023-1024
Mullen test, corrugated boxes, 164-165
Multilane continuous motion machine, form/fill/seal cut pouch manufacture, 542
Multilayer blow molding, 147-151
bottle treatment, 151
extrusion multilayer, 148-149
injection multilayer, 149-150
preform or bottle coating, 150-151
Multilayer packaging:
films, plastic films, 491
flexible packaging systems, 799-806
active/smart packages, 807-808
appearance, 799-800, 804
barrier characteristics, 800-801, 804-805
containment parameters, 805
current trends, 804-806
finishing, 804
heat-seal strength, 802-803
manufacturing process, 803-804
organic volatiles, 801
printing systems, 800
shelf life extension, 800-801
strength properties, 801-802
sustainability, 807
protective packaging:
electrostatic discharge packaging, 394
food packaging, migration from, 767
Multimamifold dies, coextrusion machinery, 301
flexible packaging, 306-309
Multipackaging technology:
beverage carriers, 225-228
shrink bands, 97
Multiwall bags:
applications, 82
basic properties, 87-88
categories, 88
construction, 90
environmental issues, 82
graphics, 81-82
machinery, 78-81
open-mouth bags, 88-90
packaging equipment, 81
sizing, 90
specifications, 90-91
transportation, 82
valve bags, 90
Municipal solid waste (MSW), packaging component, economics, 388-389
Myoglobin derivatives, in beef packaging, 894
Nanotechnology:
barrier coatings, 101-103, 814-815
barrier polymers, 105-106
communication/sensing applications, 815-816
composite packaging materials, 807-811
diagnostic sensors, 364
mechanical properties, 815
nanoclays, 816
overview, 813
packaging applications, 813-817
regulations, 817
smart blending technology, 1122
National Advisory Committee on Microbiological Criteria for Foods (NACMCF), 567-568
National Motor Freight Classification (NMFC), fiber drums, 372
Natural adhesives, water-based systems, 19-20
Natural antimicrobial compounds, antimicrobial packaging, 55
Natural rubber latex, water-based adhesives, 20
Near infrared sensing, food packaging, 130
Necked-in cans, 193-194
pressure containers, 1019-1020
Nemagold® active packaging, 5-7
Nernst equation, can corrosion, 200
Nest-into containers, rigid plastic boxes, 173
Netting, plastic, 818-819
Net weight scales, vertical form/fill/seal systems, 546
Networking relationships, career development in packaging industry, 223-224
New-contents weight, checkweighers, 262
New Zealand, environmental packaging regulations, 415
Nip-fed reverse roll coater, 288-289
Nisin, antimicrobial packaging, 55
Nitrile polymers, 819-821
Nitrocellulose coating, cellophane, 253

Nitrogen flushing:
composite cans, 198
modified-atmosphere packaging, 788
Nitrogen-phosphorous detector (NPD), shelf life studies, food packaging, 43
No-container/no-fill systems, filling machinery, 454
No-migration exemption for food additives, 641
Noncirculating gun installation system, adhesive applicators, 10
Nondelivery issues, export packaging, 429
Nondestructive testing, leak testing, 648-649, 1212
Non-Fickian diffusion, permeation process, polymeric materials, 939
Nonlipid molecules, lipid co-oxidation, 663-664
Nonoptical counting systems, 445-446
Nonremovable closure, bottle fabrication, 161
Nonreturnable glass bottles, carbonated beverage packaging, 220
Nonsterile packaging, pharmaceuticals:
glass containers, 951-952
plastic packaging, 953-955
Nonuniform heating, microwave ovens, 762
Nonvolatile migration agents, antimicrobial packaging, 52
Nonwoven materials, 822-824
papers, 912
Nordic Swan eco-label, 415-416
North American Free Trade Agreement (NAFTA), environmental regulations, 400
Nosocomial infection rates, medical device packaging, 723
Nozzle systems:
tube filling systems, 1252-1254
vacuum packaging, 1259-1260
Nuclear ionizers, static control, 1163
Nutrient-release packaging, 1138-1139
NutriSystem flavor release packaging, 1137
Nutrition labeling, 824-831
claims, 829-831
display options, 827-828
facts panel, 826
format, 826-827
health claims, 830-831
historical background, 825-826
regulations, 645

agencies, 826
resources, 831
size considerations, 828-830
Nuts, edible films on, 459
Nylon, 832-837
adhesive lamination, 836
blow molding, 836
coextrusion processing, 307-308
electrostatic discharge packaging, 396
extrusion, 833, 836
films, 833-834
heat sealing, 836
hermetically sealed packages, high-voltage leak detection, 574-575
historical background, 832
microwaveable packaging, 758
oriented films, 833-834
packaging applications, 836-837
processing methods, 833-836
properties, 832-833
secondary conversion, 836
thermoforming, 836
vacuum metallization, 836
Odor absorption:
active packaging, 8
ethylene-vinyl alcohol copolymers, 419-423
off-odor analysis, 839-841
Odor-removal packaging, 1139-1140
Offgas properties, food packaging, space missions, 537
Off-odor analysis, 839-841
Offset coatings, metal can fabrication, 739-740
Offset lithography:
gravure coaters, 289
inks, 596-597
steel can decoration, 215
Oil industry containers, steel drums, 375-381
Oil-resistant paper, 909-910
One-step machinery, stretch blow molding, 146-147
One-way flexible containers, plastic bag making, 83
Opacity:
oriented polypropylene films, 485
pigments, 309-310
polymers, 999
stretch film, 505
Openability convenience, smart packaging, 1126-1128
Open boats, export packaging on, 431
Open-plate design, maritime shipping and export packaging, 693-698

Open-flame and slush molding machines, rotational molding, 1086
Open-head drums:
fiber drums, 369-371
plastic drums, 374
steel drums, 377-378
Open-head pails, 380-381
Open-mouth bags, classification, 88-90
Open-mouth packers, multiwalled bags, 91
Open-top modular belt chain conveyor system, 336-337
Optical character recognition, 1066
Optical counting systems, 445
Optical detection biosensors, food packaging, 124
Optical scanning, stretch film, 505-507
Orbit stretch wrapping machinery, 1277-1278
Organic acids, antimicrobial packaging, 55
Organic coatings, steel can fabrication, 213-214
Organic material, biofilms, 117
Organic pigments, 309
Organic solvents, polymer solubility, 997
Organic volatiles, multilayer flexible packaging, 801
Oriented coextrusion:
coextrusion machinery, 307
extruder systems, 437
Oriented films:
nylon, 833-836
polyester film, 471-477
applications, 474-476
barrier applications, 472
basic properties, 472-473
environmental issues, 476-477
flavor scalping applications, 472-473
manufacturing process, 471-472
metallizing, 472
poly(vinyl chloride), 472
surface modifications, 473-474
thermal properties, 472
polypropylene film, 477-486
basic properties, 480-481
historical background, 477-478
labeling applications, 485-486
manufacturing process, 478-480
double bubble tubular process, 478-479
tenter frame process, 479-480
metallization, 485
opaque films, 485
optical properties, 481

permeability studies, aroma/solvent permeation, 944-946
product development, 481-483
raw materials, 478
scalability, 483-485
thermal properties, 481
polystyrene, shrink sleeves, 635
thermotropic liquid-crystalline polymers, 675-677
Ovalization, extrusion blow molding, 143-144
Overall equipment effectiveness (OEE), 885
Overall operational efficiency (OEE), changeover process, 260-261
Overflow fillers, still liquids, 451
Overhead rotary-arm stretch-wrapper, 1277
Overlap parameters measurement, can seamers, 184
Overprint machinery:
coatings:
background, 98-99
future developments, 102-103
inorganic coatings, 100-101
moisture vapor barrier, 102
oxygen barrier polymers, 101-102
permeability data, 99
poly vinyl alcohol and ethylene vinyl alcohol coatings, 100
PVDC CO polymers, 100
labeling, 638-639
Overt packaging, anti-counterfeiting applications, 46-47
Overwrap packaging, plastic films, 489
Oxidation:
can corrosion, 200-201
light exposure, effects on food, 656-657
lipid oxidation, 659-673
antioxidants, 669-670
environmental factors, 669-670
free radical chain stoppers, 669
free radical production prevention, 669
chain branching, 661
characteristics, 659-660
future research issues, 673
initiation, 660
nonlipid molecule co-oxidation, 663-664
pro-oxidant factors, 664-669
light, 664-666
metals, 666-668
moisture effects, 668-669
oxygen pressure, 666
propagation, 660-661

protective packaging control, 670-673
radical recombinations, 661
scission reactions, 661-663
stages, 660-664
termination, 661-662
time course, 664
shelf-life studies, food packaging, 39
Oxydant technology:
diagnostic sensors, 359, 360-361
intelligent inks, 600-602
Oxygen indicators, intelligent packaging, 610
Oxygen pressure, lipid oxidation, 666
Oxygen scavenging, 841-849
active packaging, 3-8
plastics-based active packaging materials, 6-7
sachets, 5-6
antimicrobial packaging, 51-52
applications, 847
chemistry, 845-846
closure liners, 847
diagnostic sensors, 360-361
ethylene-vinyl alcohol copolymers, 419
future trends, 1004
historical background, 843-844, 1000-1001
plastic packaging, 847-848
polymeric systems, 1000-1004
regulations, 1004
sachets and labels, 847
safety and regulatory issues, 849
sizing and chemistry selection, 848
smart packaging, 1141-1142
spoilage control, 844
testing, 848-849
troubleshooting, 849
Oxygen-sensitive packaged products:
barrier coatings, 101-103
barrier polymers, 105-108
edible films, 459-460
intelligent inks, 600-602
nanocomposite packaging materials, 809-811
shelf life studies, 416-418
Oxygen transmission rate:
food packaging, space missions, 537-538
gas-barrier systems, small leak effects, 548-550
machine-directed orientation, 688-689
modified-atmosphere packaging, 788, 790, 792
oxygen-sensitive packaged products, shelf life studies, 417-418

permeation testing, 1208-1209
shelf life studies, 1101-1106
Oxyguard™, 7
Ozone depletion, environmental effects of packaging, 402
Package integrity:
leak detection, 646-647
regulations on, 330-332
sterile disposable healthcare products, 851-858
airborne contamination from, 852
aseptic product removal, 852
product identification, 852
radiation sterilization, 856-858
steam and ethylene oxide sterilization, 853-856
sterile barrier requirements, 851
sterilization allowance, 851-852
tamper-evident opening features, 852
Packaging adhesives, applicators, 9-10
Packaging functions, 869-871
Packaging supply industries, economics, 385-386
Pack-in-MAP software, produce package design, 868-869
Pails, steel pails, 380-381
Palletizing and palletization, 901-903
air conveying systems, 34
bulk palletizers, 902-903
computer-based patterns, 322-324
depalettizers, 903
high-level palletizers, 902
ISO standards, 618
low-level palletizers, 902
maritime shipping and export packaging, 693, 703
patterns, 901-902
plastic pallets, 903-907
robotic palletizers, 902-903
stretch films, 510
Pallet patterns, computer applications, 322-324
Paperboard packaging products, 913-920
cans, 185-186
composite cans, 196
carriers, beverage can multipacks, 226
colorants, 320
dual ovenable materials, 756-759
economics, 385
environmental issues, 920
ethylene-vinyl alcohol copolymers, 422-423
fiberboard, 918
fiber sources, 915

folding cartons, 235-238
grades, 919-920
Japanese packaging industry, 628
light protection from, 658-659
manufacturing process, 915-918
absorptive properties, 915
cylinder mold machines, 916
forming methods, 915
foundry machines, 915-916
machine finishing, 917
multi-ply forming, 917-918
roll formers, 916-917
rotary forming devices, 916-917
twin-wire formers, 917
materials testing, 1204-1206
mechanical properties, 914-915
optical properties, 915
polyvinylidene chloride, 1015
recycling, 404-405
rigid paperboard cartons, 170-172
single-ply paperboard, 917-918
skin packaging, 1113-1115
structure and properties, 914
terminology, 913-914
Paper packaging materials, 908-912
absorbent papers, 911
anti-counterfeiting applications, special paper, 47
bleached paper, 909
Chinese packaging industry, 872-875
coated papers, 911-912
colorants, 320
greaseproof and glassine, 909
grease-resistant paper, 909-910
kraft papers, 908-909
labels, 633-639
materials testing, 1204-1206
molded pulps, 1044-1047
multilayered bags, 90
nanomaterials, 816-817
nonwovens, 912
oil-resistant paper, 909-910
polyvinylidene chloride, 1015
recycling, 404-405, 1077-1078, 1080
specialty-treated papers, 910
synthetic papers, 912-913
tissue papers, 911
vegetable parchment, 909
water-resistant paper, 909-910
waxed papers, 910
wet-strength papers, 911
 Parchment paper, vegetable, 909
Parison extrusion:
blow molding, 139
programming, 143-144
Particle size, poly(vinyl chloride), 964

Partition assemblers, corrugated box construction, 167
Partition slotters, corrugated box construction, 167
Parts detection, counting systems, 445
Parts ejection systems, thermoplastic injection molding, 588-589
Pasta products, modified-atmosphere packaging, 792
Pasted open mouth (POM) bag, 88
Pasted valve stepped end (PVSE) bags, 90
Paste inks, 596-597
Pasteurization, cook/chill food products, 1149-1151
Patent law for packaging industry, 920-937
application process, 924, 927-930
business planning, 927
claims in issued patents, 933-934, 937
constitutional issues, 920-921
continuation applications, 930
continuation-in-part applications, 930
copyright protection, 925-926
court system, 921
depositions, 936
design patents, 924
disclosure vs. secrecy, 924
divisional applications, 930
document requests, 936
duration issues, 924-926
enforceability, 921, 924, 934-937
evidence and burden, 935
examiner interviews, 929
exclusion provisions, 924
expert discovery, 937
fact discovery process, 935-937
filing date requirements, 929
historical background, 920-921
infringement, 921, 934-937
intellectual property, 922-927
interrogatories and requests for admission, 936
issued patent characteristics, 930-937
lawsuit filing, 935
legal opinions, 934
literature search, 927-928
litigation for enforcement, 935-937
maintenance fees, 930
novelty, 921
obviousness, 921
overlap of patent, copyright, and trademark law, 926
patentable subject matter, 922-923
patent rights, 924

prosecution of patent application, 929
reissue and reexamination, 930
rejection or allowance process, 930
state and federal jurisdiction, 925
terminology, 921-922
trademarks, 924-925
trade secrets, 926-927
trial process, 937
utility, 921
validity, 921
value of patent, 927
Pathogen detection, food packaging biosensors, 128-129
Pathogen modeling program (PMP), food packaging, 63
development, 60
Patient noncompliance, medical device packaging, 720-721
PDF417 symbol, bar coding, 295, 609
Pectin, biobased materials, 111
Penetration depth, microwave heating, 761-762
Perforated films, 486-488
Performance evaluation:
consumer testing of package effectiveness, 1198-1202
glass bottles, 559-564
line performance in packaging, 884-891
logistical/distribution packaging, 679-683
radio-frequency identification tags, 1073
shipping containers, 1221-1222
steel cans, 209
stretch film, 505-507
sustainable packaging, 1178-1179
tamp-evident packaging, 1192
transparent glass on plastic film, 514-516
Peristaltic-pump volumetric fillers, unsealed containers, 451
Permachor equation, permeation process, polymeric materials, 940-941
Permeability data:
barrier polymers, 104-107
edible films, 459-460
ethylene-vinyl alcohol copolymers, 420-423
gas permeation of packaging materials, 551-555
plastic drums, 374
polymers, 998
Permeability units, barrier polymers, 103-104

Permeation process:
barrier polymers, 103-104
gas permeation of packaging materials, 551-555
migration from food contact materials, 765-771
future trends, 771
fugate substances, 767
monolayer plastic materials, 765-767
multilayer plastic materials, 767
quantification procedures, 767-769
regulations, 769-771
oxygen-sensitive packaged products, shelf life studies, 416-417
polymeric materials, aroma/solvent permeation, 938-948
chemical composition, 939-940
copolymers, 942-943
measurement methods, 948
permeability data, numerical consistency, 946-948
permeant characteristics, 941
polymer morphology, 940-941
relative humidity effects, 943-944
temperature effects, mass-transfer parameters, 944-946
transport process, concentration dependence on, 941-942
small leak effects, 548-550
testing procedures, 1207-1211
Permeation rate equation:
gas permeation of packaging materials, 552-555
testing procedures, 1207-1208
Pharmaceutical packaging, 949-957
future trends, 956-957
glass packaging, 951-952
ampuls and vials, 35-38
nonsterile products, 951
sterile products, 951-952
labeling requirements, 950
metal packaging, 955-956
plastic packaging, 952-955
nonsterile products, 953-955
sterile products, 955
quality control, 955-956
regulations, 950-951
shelf life studies, 1102-1103
smart packaging, 1132
Phenolics, closure systems, bottles and jars, 279-280
Phillips (slurry) manufacturing process, high-density polyethylene processing, 979-980
pH levels:
food canning, 187

intelligent inks, 603
Phoenix band closure, 269-270
Photo degradation, polymers, 997
Photoelectric sensors, wrapping machinery, 1276
Photoeye sensors, changeover process, 258-259
Photosensitizers, light exposure, effects on food, 656-657
Physicochemical interactions, biofilm life cycle, 116-117
Picht bilayer sheet, active packaging, 6-7
Piezoelectric-based large-character ink jet printers, data coding and marking, 354, 356-357
Pigments. See also Colors and colorants
basic properties, 309
dispersion systems, 320
light protection from, 658
packaging applications, 309-310, 309-319
paper and paperboard, 320
plastics, 320
poly(vinyl chloride), 965
printing inks, 310, 320
regulatory requirements, 321
selection criteria, 310
special effect pigments, 310
supply options, 321
Pillage problems, export packaging, 429
"Pillow" pouches, anti-fog coating, 49-50
Pinch-bottom open-mouth (PBOM) bag, 88-90
Pinhole flex test, polymers, 995
Piping systems, coextrusion machinery, 301
Piston pumps, adhesive applicators, 13-14
Piston volumetric fillers, unsealed containers, 449-450
Pitting corrosion, cans, 203
Planography, 1026
Plant and facilities layout, materials handling, 709-710
Plant extracts, antimicrobial packaging, 55-56
Plasma-enhanced chemical vapor deposition (PECVD):
transparent glass on plastic film, 512-513
vacuum metallization, 749-750
Plastic chain conveyor systems, 337-338
Plastic closures:
bottles and jars, 279-280
plastic-clip closure, 284-285

Plasticizers:
environmental effects, 403
flexible PVC film, 464-466
film materials, edible coatings and films, 458, 460-461
poly(vinyl chloride), 965
Plastic packaging materials:
acrylic plastics, 1-2
active packaging materials, 6-7
Chinese packaging industry, 872-875
colorants, 320
corrugated plastic, 348-350
economics, 386
environmental effects, 403
films, 488-493
applications, 488-489
formation process, 491-493
metallization, light protection from, 659
multilayer films, 491
resins, 489-491
foam plastics, 518-526
applications, 524-526
basic properties, 520-523
bubble growth, initiation, and stabilization, 519-520
decompression expansion, 524
electrical properties, 523
environmental aging, 523
expandable formulations, 524
expansion theory, 519-520
health and safety issues, 526
manufacturing processes, 523-524
mechanical properties, 520
moisture resistance, 523
nomenclature, 519
thermal properties, 520
food packaging:
monolayer materials, migration from, 765-767
multilayer materials, migration from, 767
high-density polyethylene, 982
hot-fill technology, 578-579
light protection by, 658
low-density polyethylene, 987-992
netting, 818-819
oxygen scavenging, 847-848
pharmaceutical packaging, 952-955
nonsterile products, 953-955
sterile products, 955
plastic bags, 92-95
applications, 94-95
bagmaking machinery, 81-83
manufacturing methods, 93-94
plastic bottles, carbonated beverage packaging, 220

- plastic cans, 204-205
 Plastic drums, 373-377
 plastic pallets, 903-907
 plastic valve sack machinery, 82-83
 polycarbonate, 973-975
 poly(ethylene terephthalate), 975-978
 poly(lactic acid), 967-972
 polypropylene, 1004-1009
 polystyrene, 1009-1012
 poly(vinyl chloride), 963-966
 pressure containers, 1021
 radiation effects on, 1051-1056
 recycling, 405-406, 1078-1081
 regulations, European regulations, 426
 skin packaging, 1112-1115
 smart blending technology, 1122-1123
 synthetic papers, 912-913
 testing procedures, 1202-1204
 Plastic ring carriers, beverage can multipacks, 225
 Plastic tubes, 1252-1254
 collapsible tubes, 1255-1257
 Plenum structure, air conveying systems, 31-32
 Plug, bottle fabrication, 160
 Plug-assist forming, 1231-1232
 Plug-orifice closure, bottles and jars, 274-275
 Pneumatic chuck, continuous-thread closure clamping, 216-217
 Pneumatic clutch, continuous-thread closure capping, 217
 Pneumatic sealing, 1094
 Point of purchase packaging, 958-962
 counter and floor stand displays, 959-960
 high visibility packaging vs., 958 materials, 958
 permanent categories, 961
 smart packaging, 1127-1128
 temporary categories, 959-961 trends, 961
 Poisson's ratio, polymers, 995
 Polarization:
 can corrosion, 201
 edible films, 459-460
 polymeric materials permeation, 941
 Pollution prevention:
 aerosol propellants, 1040-1041
 environmental impact of packaging, 402-403
 environmental management systems, 409
 life cycle assessment, 653-655
 plastic foams, 526
 Polycarbonate, 973-975
 electrostatic discharge packaging compatibility, 393-395
 microwaveable packaging, 759 properties, 973-974
 Polychlorotrifluoroethylene (PCTFE), film materials, 466
 Polycondensation, poly(ethylene terephthalate), 976-977
 Polyester (PE):
 microwaveable packaging, 757-758
 oriented film materials, 471-477
 applications, 474-476
 barrier applications, 472
 basic properties, 472-473
 environmental issues, 476-477
 flavor scalping applications, 472-473
 manufacturing process, 471-472
 metallizing, 472
 poly(vinyl chloride), 472
 surface modifications, 473-474
 thermal properties, 472
 thermoplastic, 975-978
 Polyetherimide (PEI), microwaveable packaging, 758
 Polyethylene. See also High-density polyethylene; High-density polyethylene (HDPE); Linear low-density polyethylene; Low-density polyethylene; Very low-density polyethylene
 extrudable adhesives, 23-24
 microwaveable packaging, 759
 plastic pallets, 903-904
 rotational molding, 1085-1088
 Poly(ethylene naphthalate) (PEN):
 film materials, 477
 thermotropic liquid-crystalline polymers, 675-677
 Poly(ethylene oxide) (PEO), electrostatic discharge packaging, 396
 Poly(ethylene terephthalate) (PET):
 blow molding process, 145-154
 development, 975-976
 film materials, 471-477
 basic properties, 472-473
 flavor scalping, 472-473
 manufacturing process, 471-472
 shrinkable PET, 476
 folding carton manufacturing, 238-239
 heat-resistant bottles, 151-152
 homopolymers and copolymers, 977-978
 hot-fill technology, 578
 intermediate products, 976
 Japanese packaging industry, 628-631
 life cycle assessment, 650-655
 manufacturing process, 976-977
 melt polycondensation, 976
 microwaveable packaging, 757
 nanocomposite packaging materials, 809-811
 permeability studies, aroma/solvent permeation, 940-941
 plastic bottles, 220
 plastic cans, 205
 recycling, 405-406, 1078-1079
 solid-state polycondensation, 977
 thermotropic liquid-crystalline polymers, 675-677
 transparent glass on plastic film, 513-516
 Poly(ethylene terephthalate) gly (PETG):
 sheet fabrication, 1096-1100
 shrink sleeves, 635
 Poly(hydroxyalkanoates) (PHAs), biobased materials, 113-114
 Poly(hydroxybutyrate) (PHB), biobased materials, 114
 Poly(lactic acid) (PLA), 967-972
 barrier coatings, 102-103
 biobased materials, 113
 high-molecular-weight PLA processing, 967-968
 optical, thermo-physical, rheological, mechanical, and barrier properties, 969-971
 processing, 969, 971-972
 shrink sleeves, 635
 structural properties, 968-969
 Polymers. See also specific polymers and types of polymers
 barrier polymers, 103-109
 availability, 108
 coatings, 99-103
 composition, 108
 flavor/aroma/solvent barrier, 106-107
 nanocomposites, 105-106
 permeability data, 104-105
 permeability factors, 106-108
 permeability units, 104
 permeation process, 103-104
 basic properties, 993-1000
 biobased materials, 112-114
 bottle fabrication, 159-160
 coextrusion processing, 307-308
 density and thermophysical properties, 993-994
 electrical properties, 999
 extrusion processing, 433-444
 FDA regulations on, 642-643
 flexible intermediate bulk containers, 85-87
 gas permeation of packaging materials, 551-555
 ionomers, 622-624
 life cycle assessment, 650-655
 machine-directed orientation, 687-689
 microwaveable packaging, 757-758
 modified-atmosphere packaging, 789-793
 molecular weight and viscosity, 798-799
 nanocomposite packaging materials, 807-811
 optical appearance, 999-1000
 oxygen scavenging systems, 1000-1004
 permeation process, aroma/solvent permeation, 938-948
 chemical composition, 939-940
 copolymers, 942-943
 measurement methods, 948
 permeability data, numerical consistency, 946-948
 permeant characteristics, 941
 polymer morphology, 940-941
 relative humidity effects, 943-944
 temperature effects, mass-transfer parameters, 944-946
 transport process, concentration dependence on, 941-942
 plastic films, 490-493
 radiation effects on, 1052-1056
 static-dissipative polymers, electrostatic discharge packaging, 396
 thermochromic inks, 599-600
 tubular coextrusion machinery, 304
 Polyolefins:
 coextrusion processing, 307-308
 extrudable adhesives, 23-24
 film materials, shrink films, 498-500
 foam sheet and plank, 525-526
 Polyphenylene oxide/polystyrene, microwaveable packaging, 759
 Polypropylene (PP), 1004-1009. See also Oriented films
 cast films, 248-251
 categories and definitions, 1004-1006
 closure systems, bottles and jars, 279
 corrugated plastics, 349-350
 film materials, shrink films, 498-500
 folding carton manufacturing, 238-239
 health and safety issues, 1008-1009
 hermetically sealed packages, high-voltage leak detection, 574-575
 hot-fill technology, 579
 light protection from, 658
 markets and applications, 1009
 microwaveable packaging, 759
 nonwoven materials, 823-824
 oriented films, 477-486
 basic properties, 480-481
 historical background, 477-478
 labeling applications, 485-486
 manufacturing process, 478-480
 double bubble tubular process, 478-479
 tenter frame process, 479-480
 metallizing, 485
 opaque films, 485
 optical properties, 481
 product development, 481-483
 raw materials, 478
 sealability, 483-485
 thermal properties, 481
 permeability studies, aroma/solvent permeation, 944-946
 plastic cans, 205
 plastic films, 490
 plastic pallets, 903-904
 processing, 1007-1008
 semirigid coextruded packaging, 298
 Polystyrene, 1009-1012
 extruded foams, 517-518
 fabrication, 1010-1011
 loose-fill packaging, 525
 microwaveable packaging, 759
 plastic films, 490
 plastic foams, 524-525
 plastic pallets, 904
 recycling, 405-406
 recycling, 1079
 semirigid coextruded packaging, 298
 shrink sleeves, 635
 Polysulfone (PSO), microwaveable packaging, 758
 Polytetrafluoroethylene (PTFE), nonwoven materials, 822-824
 Polyurethane:
 biobased materials, 113
 solvent-based adhesives, 22
 Polyvinyl alcohol (PVOH), barrier coatings, 99-103
 Poly(vinyl chloride) (PVC), 963-966
 environmental issues with, 966
 film materials:
 polyester films, 472
 rigid film materials, 493-497
 calendaring, 495-496
 custom compounding, 494
 homopolymer resin, 493-494
 market, 497
 production methods, 494-495
 shrinkage for optimum forming, 497
 thermoforming package production, 496-497
 shrink bands, 95-97
 shrink films, 498-500
 flexible films, 464-466
 industrial channels, 964
 market share of packaging industry, 964-965
 military food packaging, 778-782
 modifiers, acrylic plastics, 2
 production process, 963-964
 shrink sleeves, 635
 structure and properties, 964-965
 Polyvinylidene chloride (PVdC), 1012-1015
 barrier coatings, 99-103
 cellophane, 253
 chemistry, 1012-1013
 coextrusion machinery, 300-303
 coextrusion processing, 307-308
 copolymers, 1013
 film materials:
 plastic films, 489-490
 polyester films, 472
 producers, 1015
 properties, 1013-1014
 regulations, 1015
 semirigid coextruded packaging, 297-298
 Population demographics, medical device packaging, 720
 Porosity:
 poly(vinyl chloride), 964
 sterile disposable healthcare packaging integrity, 854
 Portals, radio-frequency identification tags, 1068
 Positive-displacement volumetric fillers, unsealed containers, 451
 Positive nozzle shut-off, thermoplastic injection molding, 592
 Positive seal, bottle and jar closures, 270
 Post-mold cooling, blow molding, 153
 Potentiometric biosensors, food packaging, 125
 Pouch packaging:
 form/fill/seal pouch:
 horizontal equipment, 542-543
 vertical equipment, 542
 form/fill/seal pouch:
 aluminum foil, 530
 horizontal equipment, 540-541
 vertical equipment, 541, 543-546

- Japanese packaging industry, 629
medical device packaging, 717-718
military foods, 776-777
standup flexible pouches, 1155-1159
- Poultry packaging, 894-895
foam trays, 1248-1251
modified-atmosphere packaging, 792
vacuum packaging, 1261
- Powder coatings, metal can fabrication, 739
- Power resources and transmission: conveyor systems, 342, 344
thermoplastic injection molding, 590, 593
vertical form/fill/seal systems, 545-546
- Power-spectrum density (PSD), vibration analysis, 1269
- Precision molding, molded pulps, 1046-1047
- Predictive maintenance (PM), 888
- Predictive microbiology, food packaging: applications, 60
background, 59-60
models, 60-61
PMIP/PMF sample cases, 61-63
shelf-life studies, 63
thermal inactivation of pathogens, 61-63
- Predictive Microbiology Information Portal (PMIP), food packaging: development, 59-60
thermal inactivation, 61-63
- Preformed pouches, 1157
- Preheating system, machine-directed orientation, 686
- Prepared foods, modified-atmosphere packaging, 792-793, 796
- Presentation issues, active packaging, 4
- Preservation, maritime shipping and export packaging, 692, 699-700
- Preservative reduction, active packaging, 4
- Presscake colorants, 321
- Press-on closures: bottles and jars, 273-274
capping systems, 219
- Press-on twist-off closure, vacuum closure capping systems, 218-219
- Press-twist closures, bottles and jars, 273
- Pressure-bubble/plug assist vacuum forming, 1231-1232
- Pressure-bubble vacuum snapback, 1232-1233
- Pressure containers, 1015-1026
- actuator, 1023-1026
aerosol containers, 1016-1019
aerosol propellants, 1038-1044
aluminum cans, 1020-1021
body/spring, 1022-1023
components, 1021-1023
dimensions and capacities, 1019
dip tube, 1023
glass and plastic, 1021
mounting caps, 1023
pressure resistance, 1019-1020
stems, 1021-1022
vacuum packaging, 1261
valves, 1021-1022, 1024
- Pressure differentials, bottle fabrication, 158
- Pressure fillers, still liquids packaging, 449
- Pressure/pressure decay method, leak testing, 1212
- Pressure-relief mechanism, aerosol propellants, 1042-1043
- Pressure resistance, pressure containers, 1019-1020
- Pressure-sensitive adhesives, 1-2
tapes, 1195-1196
- Pressure-sensitive tape, 1194-1198
adhesives, 1195-1196
box-sealing tape, 1196
environmental issues, 1198
filament tape, 1196-1197
specialty tapes, 1197-1198
testing, 1194-1195
- Pressure stress testing, glass bottle performance, 561
- Prestretched film wrapper, 1275-1276
- Pretreatments, polyester film materials, 473
- Prevacuumizing filler, still liquids packaging, 449
- Preventive action, environmental management systems, 411-412
- Preventive maintenance (PM), 888
- Primary labeling: date coding and marking, 355-356
shrink bands, 96-97
- Primer materials, skin packaging, 1113
- Print and apply systems, date coding and marking, 355-356
- Printer-slotters, corrugated box construction, 166
- Printing materials and operations: aluminum foil, 529
bar coding, 296, 1071
Chinese packaging industry, 874-875
corrugated plastics, 349-350

- date coding and marking, 353-357
- flexography, 1027-1029
- folding carton manufacture, 239
- paperboard selection, 235
- gravure, 1026-1027
- inks, 594-598
colorants, 310, 320
- Japanese packaging industry, 628
- label printing, 635-639
- multilayer flexible packaging, 800, 803
- radio-frequency identification tags, 1066, 1068, 1071
- synthetic papers, 913
- thermoform/fill/seal equipment, 1225
- Printing plates, corrugated box materials, 163
- Printing techniques, anti-counterfeiting applications, 47
- Prior-sanction exemption for food additives, 640
- Pro-biotic release packaging, 1139
- Problem-solving process, consulting, 324
- Process capability, 890-890
- Process controls: checkweighers, 262-264
line performance in packaging, 885-891
statistical process control/statistical quality control, 889-890
- Processing simplification: active packaging, 4
food packaging, space missions, 537
- Produce packaging, 895
anti-fog coating, 49-50
design process, 866-869
modified-atmosphere packaging, 793, 796
vacuum packaging, 1263-1264
- Product-centered design, 862-863
- Product compatibility, steel cans, 210
- Product distribution, folding cartons, 241
- Product filling operations, vertical form/fill/seal systems, 546
- Product handling, counting systems, 446
- Production reporting: checkweighers, 264
Japanese packaging industry, 626-629
- Productivity: logistical/distribution packaging, 680-683
static control, 1162
stretch film effects on, 503

- Product loading systems, top-loading cartoning machinery, 232-233
- Product/package interactions: permeation process, polymeric materials, 938
supply chain management, 1173-1174
- Product preparation systems: export packaging, 428-429
food canning, 188
- Product-weight distribution, checkweighers, 262
- Professional development in packaging operations, 691
- Programmable controller, can seamers, 183
- Promotional multipackaging, shrink bands, 96-97
- Pro-oxidant factors, lipid oxidation, 664-669
light, 664-666
metals, 666-668
moisture effects, 668-669
oxygen pressure, 666
- 1,3-Propanediol, biobased materials, 113
- Propellant systems, 1038-1044
chemistry, 1041-1042
environmental issues, 1040-1041
historical background, 1039-1041
safety, 1042-1044
- Protective packaging. See also Child-resistant packaging; Tamper-evident packaging
bottle and jar closures, 270
electrostatic discharge packaging, 389-397
accelerated aging effects, 392-393
additive chemistry, 393-395
classification, 390
conductive filler polymers, 396-397
corrosion effects, 393
current standards, 393, 396
Faraday cage mechanisms, 395
heat-shrinkable packaging, 395
historical background, 389-390
multilayer type II protective films, 394
polycarbonate compatibility, 393-395
polymer systems, 396
relative humidity effects, 392
static decay time, 392
static-dissipative polymers, 396
static shielding, 393
surface resistivity, 391-392
triboelectricity, 390-392
volume resistivity, 392

- food packaging, 892
fragility testing, 1213-1217
gloves, ethylene-vinyl alcohol copolymers, 420
against light exposure, 655-659
effects of light on food, 656-657
glass and plastic materials, 658
light theory and definitions, 655-656
liquid paperboard materials, 658-659
plastic film metallization, 659
protective materials, 657-659
sunlight and artificial light, 656
- lipid oxidation, 670-673
maritime shipping and export packaging, 693
medical devices, 714-715
shock analysis, 1107-1111
stretch films, 503
transport packaging, 1242-1245
- Protein, water-based adhesives, 20
- Prototype design, bottle fabrication, 160
- Pull-up prefinishing approach, extrusion blow molding, 143
- Pulp, molded, 1044-1047
- Pulsed direct current, static control, 1163
- Pump dispensers, closure systems, 275-276
- Pumping devices and transfer methods: adhesive applicators, 13-14
coextrusion machinery, 301
- Puncturing resistance: food packaging, space missions, 537
stretch film, 505-507
- Purge and trap gas chromatography-mass spectrometry, off-odor analysis, 840
- Push-pull closure, bottles and jars, 274-275
- Q₁₀ analysis, shelf life studies, 1103-1104
- QLF barrier coatings, transparent glass on plastic film, 512-516
barrier performance, 514-515
commercialization, 515-516
converting process, 515
manufacturing scaleup, 513-514
plasma-enhanced chemical vapor deposition, 512-513
- Q-pouch, aluminum foil, 530
- Qualifications, 1049
consultants, 326
- Qualitative analysis: consumer testing of package effectiveness, 1199-1202

- materials handling, 708-709
- Quality control: changeover process, 260-261
food packaging, biosensors, 121-122, 129-131
line performance in packaging, 884-891
pharmaceuticals packaging, 955-956
product quality and information traceability, 1030-1037
specifications, 1151-1155
total quality management, 1238-1240
tubular coextrusion machinery, 304-305
- Quantitative research, consumer testing of package effectiveness, 1199-1202
- Quartz crystal microbalance analysis, food packaging biosensors, 129
- Quasi-isostatic methods, aroma barrier testing: liquid permeability, 67
vapor permeability, 65
- Quenching: blown film extrusion, 437-438
lipid oxidation, 661
- Quick change process (QCP), line performance in packaging, 888-889
- Quorum sensing, biofilm formation, 115-116
- Radiant sealing, 1094
- Radiation: dose and radioactivity units, 1052
food packaging, space missions, 537
medical device packaging sterilization, 718
packaging materials effects, 1051-1056
sterilization, sterile disposable healthcare packaging integrity, 856-858
- Radical reactions: can corrosion, 201
lipid oxidation, 660-661
- Radio-frequency drying, coating equipment, 293
- Radio-frequency identification (RFID) tags, 1058-1074
active RFID, 1061
advantages, 1061-1062
alternatives, 1065-1066
anti-counterfeiting applications, 47-48
applications, 1060-1061
barcoding vs., 1065-1066

consumer privacy and security, 1063-1064

cost issues, 1063

data transmission problems, 1062

diagnostic sensors, time-temperature indicators, 359-360

disadvantages, 1062-1063

disposal problems, 1064

frequencies, 1061

hardware requirements, 1066-1069

historical background, 1058-1059

industry standards, 1059-1060

intelligent packaging, 609-612

interference and spurious reads, 1064

laboratory testing, 1071-1074

optical character recognition vs., 1066

passive RFID, 1061

performance evaluation, 1073-1074

product quality and information traceability, 1032-1037

reliability issues, 1062-1063

semiautomatic/semipassive, 1061

testing and implementation, 1066-1074

US DoD mandate, 1065

variables, 1069-1070

Wal-Mart mandate, 1064-1065

Radio-frequency sealing, 1093-1094

Rainbow transmission holograms, anti-counterfeiting applications, 47

Ramsey proposal for food additives, 641

Reaction injection molding (RIM), plastic pallets, 907

Reactive inks, anti-counterfeiting applications, 47

Reader pen systems, diagnostic sensors, 359, 360-361

Reader systems:

- bar coding, 297
- radio-frequency identification tags: forklift/mobile reader, 1068
- interference and spurious reads, 1064
- testing, 1073-1074
- variances, 1069

Reading research, consumer labeling, 329-330

Recall questioning, 329

Reciprocating screw machinery, extrusion blow molding, 142-143

Reclamation process, extruder systems, 436

Records management:

- environmental management systems, 411-412

Hazard Analysis and Critical Control Points guidelines, 571

Recycling systems, 1075-1081

- bottle fabrication, 161
- commingled materials separation, 1075-1076, 1079-1080
- composite cans, 199
- corrugated box construction, 170
- economics, 388-389, 1080-1081
- environmental effects of packaging, 403-406
- ferrous metals, 1076
- fiber drums, 373
- glass, 1077, 1080
- high-density polyethylene, 982
- Japanese packaging industry, 629-631
- metals, 1076-1077, 1080
- nonferrous metals, 1076-1077
- paper, 1077-1078, 1080
- plastics, 1078-1081
- polystyrene, 1011-1012
- regulations, 398
- European regulations, 426-427
- FDA regulations, 643
- sustainable packaging, 1179-1182

Redox potential:

- can corrosion, water and aqueous solutions, 202
- lipid oxidation, 666-667

Reduced Space Symbolology (RSS), barcoding, 608-609

Referrals of consultants, 326

Refillable containers:

- environmental regulations on, 414
- glass bottles, carbonated beverage packaging, 220-221
- plastic bottles, polycarbonate, 973-974

Reflective materials, microwavable packaging, 763-764

Refractive index, in pigments, 309-310

Refrigerated packaging, anti-fog coating, 49-50

Refrigeration units, anti-fog coating, classification, 49

Regenerated cellulose film, European regulations, 426

Regular slotted container (RSC), corrugated box construction, 169-170

Regulated substances, child-resistant packaging, 265-269

Regulations. See also Legal issues; specific regulations

- antimicrobial packaging, 57-58
- child-resistant packaging, 265-269
- colors and colorants, 321
- container integrity, 330-332

container testing, 1221-1222

corrugated box construction, 165-166

diagnostic sensors, 363-364

environmental regulations, 407, 643-645

- Australia, 415
- China, 414
- eco-labeling, 415-416
- Europe, 413-414
- fees, 412-413
- Germany, 414
- Hong Kong, Singapore and S. Korea, 414
- international regulations, 412-416
- Japan, 414
- material restrictions, 415
- New Zealand, 415
- North American regulations, 397-400
- Pacific Rim/East Asia, 414-415

on packaging industry, 407

reduction in packaging, 415

ethylene-vinyl alcohol copolymers, 421

European packaging legislation, 424-427

fiber drums, 372

folding carton paperboard selection, 235

food packaging:

- additives, 640-643
- canning, 192
- migration from food packaging, 769-771

labeling regulations, 644-645

life cycle assessment, 650-651

medical device packaging, 718-720

nanotechnology, 817

nutritional labeling, 645, 826

oxygen scavenging, 849, 1004

plastic drums, 372-373

polyvinylidene chloride, 1015

state regulations, 644-645

steel drums, 379

tamper-evident packaging, 1190

testing procedures, 1202

toxic substances in packaging, 644

transport codes, 1246

United States, 639-645

Reinforcing straps, maritime shipping and export packaging, 695-696

Relative humidity:

- electrostatic discharge packaging, 392
- polymeric materials permeation, 943-944

Relative motion in filling machinery, still liquid packaging, 453

Reliability-centered maintenance (RCM), 889

Reliability issues, radio-frequency identification tags, 1062-1063

Renewable energy, sustainable packaging, 1179

REPAQ software, life cycle assessment, 652-655

Rephosphorized steel, steel can fabrication, 211

Representative sampling, shelf life studies, food packaging, 40

Resealable systems, modified-atmosphere packaging, 796

Research methodology:

- consulting, 323-325
- consumer research, 326-330
- European Union packaging industry, 882-883

Residual vinyl chloride monomer, poly(vinyl chloride), 964

Resins:

- blends, coextrusion process, 306
- environmental coding, 399-400
- ethylene-vinyl alcohol copolymers, 418-423
- FDA regulations on, 642-643
- film materials:

 - flexible PVC films, 464-466
 - oriented polypropylene films, 478
 - rigid poly(vinyl chloride), 493-494
 - high-nitride, 820
 - linear low-density polyethylene, 984-986
 - low-density polyethylene copolymers, 990-991
 - plastic drums, 373-375
 - plastic films, 489-491
 - resin-bonded pigment, 321
 - thermochromic inks, 599-600

Resistance heating, vacuum metallization, 742-745

Resource Conservation and Recovery Act (RCRA), 643-644

Resource depletion and conservation:

- environmental impact of packaging, 401
- Indian packaging industry, 880-881

Retail packaging:

- Indian packaging industry, 877
- smart packaging, 1124-1125

Retorting:

- food canning, 188-192

polyester films, 476

Returnable packaging:

- economics, 388
- logistical/distribution packaging, 681-683

Reusable shipping containers:

- logistical/distribution packaging, 681-683
- rigid plastic boxes, 173

Reuse systems:

- bottle fabrication, 161
- bulk bags, 86
- economics, 388-389

Reverse roll coaters, 288-289

Rewind systems:

- machine-directed orientation, 687
- slitter/rewind machine, 1082-1083, 1115-1119

Rigid containers:

- aluminum foil, 532
- ethylene-vinyl alcohol copolymers, 421-422

Japanese packaging industry, 629

maritime shipping and export packaging, 697

materials testing, 1204

paperboard boxes, 170-172

plastic boxes, 173-175

bulk packaging, 180

regulations on integrity, 331

Rigid poly(vinyl chloride), film materials, 493-497

- calendering, 495-496
- custom compounding, 494
- homopolymer resin, 493-494
- market, 497
- production methods, 494-495
- shrinkage for optimum forming, 497

thermoforming packaging:

- production, 496-497

Rigid-sheet extrusion system, 439

RipeSense™ label, 604

Robotics packaging:

- robotic palletizers, 902-903
- roll-handling systems, 1084-1085
- semiautomatic robotic wrapper, 1277

Rock-and-roll machines, 1087

Rolls, bottle and jar closures, 275

Roll coaters, 287-290

- calender coaters, 289-290
- direct roll coaters, 287-288
- grauve coaters, 288-289
- hot-melt coating, 292
- kiss roll coaters, 287-288
- metal can coatings, 739-740
- reverse roll coaters, 288
- transfer roll coaters, 287-288

vacuum metallization, 746-747

Roll dispensers, adhesive applications, 16

Roller conveyor system, 341

Roller screw capping, continuous-thread closure capping, 218

Roller testing, shipping containers, 1220

Roll forming machines, paperboard packaging products, 916-917

Roll handling, 1082-1085

Rolling-diaphragm volumetric fillers, unsealed containers, 450

Roll-on closures:

- bottles and jars, 272-273
- capping systems, 219

Roll-on finish, bottle fabrication, 160

Roll-on/roll-off (Ro-Ro) systems, export packaging, 431

Roll-winding quality, tubular coextrusion machinery, 304-305

Rotary continuous-motion cappers, continuous-thread closure capping, 218

Rotary cutting dies, folding carton manufacture, 240

Rotary filling systems, 452-453

Rotary forming systems, paperboard packaging products, 916-917

Rotary letterpress, label printing, 635-636

Rotary screen lacquering, metal can coatings, 739-740

Rotary single-lane, intermittent motion machine, form/fill/seal pouch manufacture, 541

Rotating can sealers, 181-182

Rotating tubular coextrusion machinery, 303-304

Rotational molding, 1085-1088

rigid plastic boxes, 173

structural foam molding, plastic pallets, 904-907

Rotogravure printing, 1026-1027

inks, 595-596

Rounded resilient bar sealer, 1089-1091

Rubber-modified acrylonitrile-methacrylate (AN/MA), 820

Rub strips, maritime shipping and export packaging, 694-695

Rule 41, transport codes, 1245

Ruling patterns, gravure coating, 289

Runner systems:

- maritime shipping and export packaging, 693-694
- thermoplastic injection molding, 587-588

- Sachets:
active packaging, 4-6
oxygen scavenging, 847, 1001-1004
- Sacks and sacking. See also Bags
extrusion coating, 442
- Safety issues:
aerosol propellants, 1042-1043
cook/chill food products, 1151
distribution hazard measurements, 365-368
fluoropolymer films, 468
food packaging, biosensors, 121-122
Hazard Analysis and Critical Control Points guidelines, 567-568
intelligent packaging, 611-612
linear low-density polyethylene (LLDPE), 986
low-density polyethylene copolymers, 991-992
oxygen scavenging, 849
plastic foams, 526
polypropylene, 1008-1009
socioeconomic issues in food packaging, 1148
- Sahara bottom, gabletop cartons, 242-243
- Sampling procedures, shelf-life studies, 40-42
- Saturators, coating systems, 292
- SCADA systems, changeover process, 255-256
- Scaleup of manufacturing, transparent glass on plastic film, 513-514
- Scent/Sensational flavor release packaging, 1136-1137
- Scientific research, packaging design, 861-862
- Scission reactions, lipid oxidation, 661-663
- Screen patterns, gravure coating, 289
- Screen-printed gold electrodes, food packaging biosensors, 129
- Screen printing, 1026
inks, 596
labels, 636
- Screw conveyor system, 341-342
- Screw extruder, adhesive applicators, 13-14
- Seaflood packaging, 895
- Sealed-container systems:
filling machinery, still liquids, 447
high-voltage leak detection, 573-575
- Sealed-end cartons, 237
- Sealing and sealants:
anti-counterfeiting applications, induction sealing, 48
- bag-in-box packaging, liquid products, 74-77
bottle fabrication, 158
closure systems, bottles and jars, 278-279
flexible standup pouches, 1157-1158
food packaging, space missions, 537
heat sealing, 1089-1096
band sealing, 1091-1092
contact sealing, 1093
dielectric sealing, 1093
friction sealing, 1093
heated tooling (hot bar) sealing, 1089-1091
hot air/hot gas/flame sealing, 1093
hot-melt sealing, 1094
hot-wire/hot-knife sealing, 1091
impulse sealing, 1092
induction sealing, 1093-1094
methodologies, 1089-1090
method selection, 1095
pneumatic sealing, 1094
radiant sealing, 1094
solvent welding, 1094-1095
testing, 1095-1096
ultrasonic sealing, 1092-1093
machine-directed orientation, 687-689
medical device packaging, 715-717
military food packaging:
freeze-dried rations, 775-776
systems, 780-781
modified-atmosphere packaging, 796
oriented polypropylene films, 483-485
steel can fabrication, 213
sterile disposable healthcare packaging integrity, 854
thermoform/fill/seal equipment machinery, 1224
tube filling systems, 1253-1254
- Seaming systems:
can-making technology, 181-184
double seam, 181
machinery, 181-183
methods, 181-182
overlap percentage measurement, 184
tightness evaluation, 183-184
metal can fabrication, 727-728
steel can fabrication, 211-213
Seam properties, aerosol cans, 28-29
Seam scopes, leak detection, 647
Secondary conversion, nylon, 836
Secondary packaging:
bottle fabrication, 155
date coding and marking, 356-357

- Self-adhesive labels, 634
- Self-cooling packaging:
cans, 8
smart packaging technology, 1141-1142
smart technology, 1128-1129
- Self-directed projects, management of packaging operations, 691-692
- Self-heating packaging:
cans, active packaging, 8
smart packaging technology, 1129-1130, 1141-1142
- Semiautomatic robotic wrapper, 1277
- Semicontinuous coaters, vacuum metallization, 746-747
- Semirigid packaging:
aluminum foil, 532
coextrusion system, 297-299
ethylene-vinyl alcohol copolymers, 421-422
integrity regulations, 331-332
polyvinylidene chloride, 1014-1015
- SensorQ™ labels, 603
- Sensors, product quality and information traceability, 1035-1037
- Sensor technology:
biosensors, 121-133
diagnostic sensors, 359-364
current and future trends, 364
food degradation markers, 359, 361-362
freshness/spoilage indicators, 359, 362
leak indicators, 359-361
regulation, 363-364
time-temperature indicators, 359-360
nanomaterials, 815-816
photoeye sensors, 259
- Sensory evaluation, food packaging biosensors, 131
- Servicing procedures, injection molding machinery, 593-594
- Servo systems, checkweighers, 263-264
- Sewn open-mouth (SOM) bag, 88
- Multilayer bag machinery, 79-80
- Sewn valve bags, 90
- Shaft extraction/insertion system, 1083
- Shear-cut tags, 1186-1187
- Sheeted offset lithography, inks, 596-597
- Sheet production methods:
extruded polystyrene foams, 524-525
low-density polyethylene, 990
poly(ethylene terephthalate) gly, 1096-1100

- polyolefin foam sheet and plank, 525-526
- rigid poly(vinyl chloride) film, 494-495
- Shelf life studies, 1100-1106
active packaging and extension, 4
computer models, 1104-1106
consumer research, 329
cook/chill food products, 1151
definitions, 1100-1101
distribution models, 1106
environmental factors, 1102-1103
food packaging:
analytical methods, 38-45
biosensors, 129
liquid microextraction, 42
predictive microbiology, 63
sampling process, 40-42
solid-phase microextraction, 41-42
space missions, 536-537
total dissolution, 42-45
multilayer flexible packaging, 800-801
oxygen-sensitive packaged products, 416-418
package characteristics, 1101-1102
product characteristics, 1101
shipping tests, 1103
smart packaging, 1129-1131
sterile disposable healthcare packaging integrity, 858
storage tests, 1103-1104
time-temperature indicators, 1236-1238
- Shipment statistics, packaging economics, 383-385
- Shipping systems:
bag-in-box packaging, liquid products, 77
container testing, 1218-1222
export packaging, 427-433
air shipments, 431, 433
breakage, 429
break bulk packaging, 430-431
containerized loads, 431
contamination, 429
corrosion and mildew, 428-429
guidelines, 430-432
hazardous materials, 429
hazards, 427-428
lighters, barges, and open boats, 431
marks and symbols, 429-430
pilferage and nondelivery, 429
precautionary markings, 432
product analysis, 428-429
roll-on/roll-off (Ro-Ro), 431
unitized loads, 431-432

- flexible intermediate bulk containers, 516-517
indicating devices, 581-585
international standards, 621-622
Japanese packaging industry, 626-629
logistical/distribution packaging, 677-683
maritime shipping and export packaging, 692-705
container problems, 703-704
damage and claims, 705
definitions, 692-699
design issues, 700-703
marks and numbers, 699
preservation issues, 699-700
shipping losses and insurance, 704-705
unitization and palletization, 703
reusable shipping containers, rigid plastic boxes, 173
shelf life studies, 1102-1103
- Shock in packaging systems, 1107-1111
fragility testing, 1214-1217
static control, 1162
- Shockwatch indicators, 584-585
- Short-chain branching:
high-density polyethylene, 979-980
linear low-density polyethylene, 983-984
- Shoulder shape analysis, glass bottle modifications, 563-564
- Shrinkable films, 498-500
plastic films, 489
poly(ethylene terephthalate), 476
rigid poly(vinyl chloride) film, 497
- Shrink bands:
applications, 96-97
manufacturing process, 95-96
- Shrink sleeves, 635
- Shuttle machines, 1087
- Side-feed extruder system, 436-437
- Side-flexing slat-top conveyor system, 338-339
- Side-gusseted flexible pouches, 1157
- Side transfer, conveyor systems, 344-345
- Silkscreen printing, labels, 636
- Silver ions, antimicrobial packaging, 55
- Singapore, environmental packaging regulations, 414
- Single-draw process, steel can fabrication, 211-213
- Single-drop microextraction (SDME), shelf life studies, food packaging, 42
- Single file process, conveyor systems, from mass flow, 347-348
- Single-lane air conveyor, 31-32
- Single-lane continuous motion machine, form/fill/seal/cut pouch manufacture, 542
- Single-lane intermittent motion machine, form/fill/seal/cut pouch manufacture, 542
- Single manifold dies, coextrusion machinery, flexible packaging, 306-309
- Single-resin structures, coextrusion processing, 308
- Single-screw extruders, 433-436
- Single-wall linerboard, corrugated box materials, 163-164
- S-inline transfer, conveyor systems, 344-345
- Six-corn operation, 238
- Size gamma cartons, 889
- Size parameters:
bag-in-box packaging, liquid products, 75-77
fiber drums, 368
multilayered bags, 90
nutrition labeling, 828-830
steel cans, 206-208
steel drums, 376-377
- Skids, maritime shipping and export packaging, 693, 699-700
- Skin packaging, 1111-1115
ionomers, 624
plastic films, 489
vacuum packaging, 1260-1261
- Skylab space missions, food packaging, 535
- Slat-top chain conveyor system, table top design, 335-339
- Sleeve packaging, beverage carriers, 226-228
- Slit seal manufacturing, plastic bags, 94
- Slitting operations:
slitter/reviewer, 1082-1083, 1115-1119
nomenclature, 1119
three-piece metal can fabrication, 729
- Slot nozzles, adhesive applicators, 16
- Slot-orifice coating system, 291-292
- Slurry, colorants, 321
- Small-character ink jet printers, date coding and marking, 353, 356
- Smart branding, beverage packaging, 1144-1145
- Smart packaging, 605-614, 1124-1134. See also Intelligent packaging applications, 611-612
barcodes, 608-609
beverage products, 1134-1146

- anti-counterfeit packaging, 1145-1146
- convenience/user-friendly packaging, 1141-1142
- enzyme-release packaging, 1139
- flavor-release packaging, 1136-1138
- gas-release packaging, 1135-1136
- nutrient-release packaging, 1138-1139
- odor removal packaging, 1139-1140
- pro-biotic release packaging, 1139
- smart branding, 1144-1145
- tamper-evident packaging, 1146
- thermochromic labeling, 1142-1144
- biosensors, 610-611
- color change labeling, 1130-1131
- communication improvements, 1131-1132
- consumer-packaging interface, 1124-1125
- convenience improvements, 1125-1126
- data carriers and package indicators, 608
- definitions, 607
- devices, 608-611
- diagnostic sensors, 359-364
- environmental issues, 1130-1131
- food quality and convenience, 612
- food safety and biosecurity, 611-612
- future research issues, 1129-1134
- gas indicators, 610
- historical development, 605-606
- intelligent inks, 598-604
- material and information flow, 607-608
- multilayer flexible packaging, 805-806
- operability convenience improvements, 1126-1128
- radio frequency identification, 609-610
- self-heating/self-cooling packaging, 1128-1129
- shelf life applications, 1130
- smart blending technology, 1120-1123
- applications, 1122-1123
- barrier films, 1122
- nanocomposites, 1122
- stretching and folding operations, 1120-1121
- toughened and electrically conducting plastics, 1122-1123
- time-temperature indicators, 610
- Snack foods packaging, 897
- Snap-fit caps, bottles and jars, 273
- Snap-off closure, bottles and jars, 277-278
- Snip-top closure, bottles and jars, 274
- Soda-line glasses, ampuls and vials, 35-38
- Soft drink packaging, carbonated beverage packaging, 221-222
- Software requirements, radio-frequency identification tags, 1060, 1071-1072
- Soldered cans, three-piece metal can fabrication, 729-730
- Solid bleached sulfate (SBS) board, skin packaging, 1114
- Solid-fiber boxes, 175-176
- Solid-liquid extraction, shelf life studies, food packaging, 41
- Solid-phase microextraction (SPME), shelf life studies, food packaging, 41-42
- Solid-phase pressure forming (SPPF), 1229
- Solids, adhesives, 21-22
- Solid-state polycondensation, poly(ethylene terephthalate), 977
- Solid waste management:
 - environmental effects of packaging, 403-407
 - life cycle assessment, 652-655
- Solubility, polymers, 996-998
- Solvent-based adhesives, 22
- Solvent casting, edible films, 458
- Solvent resistance, ethylene-vinyl alcohol copolymers, 419
- Solvents:
 - inks, 1
 - permeability measurement techniques, 948
 - permeation process, polymeric materials, 938-948
 - chemical composition, 939-940
 - copermeants, 942-943
 - measurement methods, 948
 - permeability data, numerical consistency, 946-948
 - permeant characteristics, 941
 - polymer morphology, 940-941
 - relative humidity effects, 943-944
 - temperature effects, mass-transfer parameters, 944-946
 - transport process, concentration dependence on, 941-942
 - thermochromic inks, 599-600
- Solvent welding, 1094-1095
- Sorbents, vacuum-bag coffee packaging, 1266
- Sorption methods, aroma barrier testing, 69-70
- Sound analysis, leak detection, 647
- Sous vide food products, 1148-1151
- South Korea, environmental packaging regulations, 414-415
- Soxhlet extraction, shelf life studies, food packaging, 41
- Soybeans:
 - biobased materials, 112
 - water-based adhesives, 20
- Space missions, food packaging, 533-539
- historical background, 533-535
- ISS and lunar outpost missions, 538
- lunar sortie missions, 538
- Mars exploration, 538
- NASA design reference missions, 535-536
- recommended attributes, 537-538
- shelf life studies, 536-537
- Spacial arrangements, structure/property relationships, 1168-1169
- Special-effect pigments, 310
- Special paper, anti-counterfeiting applications, 47
- Special-purpose/special-function closures, bottles and jars, 277-278
- Specialty tape, 1197-1198
- Specialty-treated papers, 910
- Specifications:
 - closure systems, bottles and jars, 282
 - component-specific, 1153-1155
 - design process, 863-865
 - management, 692
 - quality assurance, 1151-1155
- Speed parameters, conveyor systems, 346-348
- Spindle, intermittent-motion cappers, continuous-thread closure capping, 217
- Splicing, maritime shipping and export packaging, 697
- Spoilage indicators:
 - diagnostic sensors, 362-363
 - military food packaging, 780
 - oxygen scavenging, 844-845
- Spout closure systems:
 - bag-in-box packaging, liquid products, 75-77
 - fixed-spout closure, bottles and jars, 274
 - flip-spout closure, bottles and jars, 274
 - moveable-spout closure, bottles and jars, 274
- Spray coating, metal can coatings, 740-741
- Spray dispensers, closure systems, 275-276
- Spring-loaded clutch, continuous-thread closure capping, 217
- Spur-gear pumps, adhesive applicators, 13-14
- Square root kinetic model, antimicrobial packaging effectiveness, 57
- Squeeze coater, 288
- Squeezeopen design, smart packaging, 1127-1128
- Stability coefficients, permeation process, 105-106
- Stabilization formulations:
 - plastic foams, 524
 - poly(vinyl chloride), 965
 - radiation effects on, 1054-1055
- Stack-and-nest containers:
 - fiber drums, 368-371
 - rigid plastic boxes, 173-174
- Stacking strength, corrugated box materials, 164
- Stack molds, thermoplastic injection molding, 589
- Stack-only containers, rigid plastic boxes, 173
- Staffing policies:
 - consulting, 324-325
 - packaging operations, 690-691
- Standard Operating Procedure (SOP), changeover process, 260
- Standards:
 - bottle fabrication, 158-159
 - child-resistant testing, 268-269
 - Chinese packaging industry, 874-875
 - corrugated box construction, 165-166
 - defined, 616
 - eco-labeling, 416
 - electrostatic discharge packaging, 393, 396-397
 - filling machinery, 454
 - flexible intermediate bulk containers, 86-87
 - international codes, recommendations, regulations, and technical instructions, 621-622
 - international standards, 616-622
 - medical device packaging, 718-722
 - radio-frequency identification tags, 1059-1060
 - steel drums, 377-378
 - steel product codes, 12246
- Standup pouches:
 - flexible pouches, 1155-1159
 - polyester films, 476
 - Staples, 1159-1160
- Starch:
 - biobased materials, 111
 - nanomaterials, 817
 - water-based systems, 20
- Static control, 1161-1163
- Static decay time, electrostatic discharge packaging, 392
- Static discharge, stretch films, 510
- Static-dissipative polymers, electrostatic discharge packaging, 396
- Static headspace gas chromatography-mass spectrometry, off-odor analysis, 840-841
- Static mixer, coextrusion machinery, 301
- Static shielding, electrostatic discharge packaging, 392
- Static testing methods, aroma barrier testing:
 - liquid permeability, 67-68
 - vapor permeability, 66
- Statistical process control/statistical quality control (SPC/SQC), 889-890
- Stay paper, rigid paperboard boxes, 170-171
- Steam sterilization, sterile disposable healthcare packaging integrity, 853-856
- Steel closures, bottles and jars, 280
- Steel containers:
 - cans, 205-216
 - aerosol containers, 29-30
 - coatings, 213-215
 - corrosion, 210
 - decoration, 215
 - evolution, 206
 - fabrication, 211-213
 - metal composition, 210-211
 - performance, 209
 - product compatibility, 210
 - recycling, 404
 - shapes and sizes, 206-209
 - technological developments, 215-216
 - pressure containers, 1016-1019
- Steel drums, 375-381
- historical aspects, 375-377
- protection and linings, 377
- regulations, 378-379
- standardization, 377-378
- styles, 377
- thickness vs. gauge number, 377
- Steel pulps, 380-381
- Steel-rule dies, thermoforming, 1231
- Stem components, pressure containers, 1021-1022
- Stepped end tubing method, multiwall bag machinery, 79
- Sterile barrier systems (SBS):
 - medical device packaging, 715-717
 - standards and testing, 721-722
- sterile disposable healthcare packaging integrity, 851
- Sterile packaging:
 - disposable healthcare products, package integrity, 851-858
 - airborne contamination from, 852
 - aseptic product removal, 852
 - product identification, 852
 - radiation sterilization, 856-858
 - steam and ethylene oxide sterilization, 853-856
 - sterile barrier requirements, 851
 - sterilization allowance, 851-852
 - tamper-evident opening features, 852
- pharmaceuticals:
 - glass containers, 951-952
 - plastic packaging, 955
- Sterilization process:
 - medical device packaging, 717-718
- sterile disposable healthcare packaging integrity, 851-856
- Still liquids packaging, filling machinery, 447-454
- balanced-pressure fillers, 448
- container positioning, 448, 451-453
- design and selection criteria, 453-454
- sealed container filling system, 447
- unbalanced-pressure fillers, 448-449
- unsealed containers, 449-451
- Stir-in pigments, 321
- Stitchers, corrugated box construction, 187
- Stock-laminators, corrugated box construction, 188
- Stoppers, bottles and jars, 278
- Storage systems:
 - bag-in-box packaging, liquid products, 77
 - bulk bags, 85-86
 - distribution hazard measurements, 365-368
 - military food packaging, 779-782
 - shelf life studies, 1103-1104
 - stretch films, 507-508, 511
- Straight-line, continuous-motion cappers, continuous-thread closure capping, 217-218
- Strategic planning, total quality management, 1239

operating principles, 587-588
 packaging features, 592-593
 part ejection, 588-589
 power plant, 590-591
 processing techniques, 586-587
 runner system, 588
 stack molds, 589
 polyester, 975-978
 vertical form/fill/seal systems, 544
 Thermoprocessed foods, military systems, 777-782
 Thermosets:
 closure systems, bottles and jars, 279
 microwavable packaging, 758
 Thermotropic liquid-crystalline polymers (TLCP), 674-677
 Thread-engagement closures, 272
 Three-layer cast-film line, 248-249
 Three-piece can manufacture, 727-732
 pressure containers, 1016-1020
 Tight-head drums:
 plastic drums, 374
 steel drums, 377-378
 Tight-head pails, 380-381
 Tightness evaluation, can sealers, 183-184
 Time-fill fillers, unsealed containers, 451
 Time requirements:
 food canning, 187-188
 lipid oxidation, 664
 Time-resolved diffuse reflectance spectroscopy (TRDS), food packaging biosensors, 130
 Time-temperature indicators (TTIs), 581-582, 1236-1238
 diagnostic sensors, 359-360
 intelligent packaging, 610
 thermochromic inks, 599-600
 Timing devices, adhesive applicators, 16-17
 Tin-free steel (TFS), steel can fabrication, 212-213
 Tinplate cans:
 aerosol containers, 25-26
 hot-fill processing, 576-577
 linings, 27
 pressure containers, 1016-1019
 seams, 28-29
 size, 27-28
 surface coatings/linings, 27-28
 Tip testing, shipping containers, 1220
 Tissue papers, 911
 Titanium ions, antimicrobial packaging, 55
 Toluene, permeability studies, aroma/solvent permeation, 944-946

Tooling systems, thermoforming, 1231-1234
 Top-load cartoning machinery, 228-234
 adhesive closure, 234
 applications, 231-232
 automatic product loading, 232-233
 carton closing, 233
 carton forming, 228-230
 conveying systems, 231-232
 dust-flap-style closure, 233
 glue forming, 230-231
 heat-seal closure, 234
 heat-seal forming, 231
 lock closure, 234
 lock forming, 230
 manual product loading, 232
 optional functions, 234
 triple-seal-style closure, 233-234
 Torque control, continuous-thread closure capping, 216
 Total dissolution, shelf life studies, food packaging, 42-43
 Total effective equipment productivity (TEEP), line performance in packaging, 886
 Total productive maintenance (TPM), 891
 Total quality management (TQM), 1238-1240
 Total systems approach, transport packaging, 1241-1242
 Toughness values, edible films, 460-461
 Toxic substances in packaging. See also Health issues; Safety issues regulations on, 644
 styrene-butadiene (SB) copolymers, 1170
 Traceability technology, 1030-1037
 Trademarks, patent law for packaging industry, 924-925
 Trade secrets, patent law for packaging industry, 926-927
 Training programs, packaging operations, 691
 Transfer models and operations:
 conveyor systems, 344-345
 predictive microbiology, food packaging, 60-61
 Transfer roll coaters, 287-288
 Transmission rate, permeation testing, 1207-1208
 Transparency, polymers, 999
 Transparent glass on plastic film, 512-516
 barrier performance, 514-515
 converting process, 515
 manufacturing scaleup, 513-514

plasma-enhanced chemical vapor deposition, 512-513
 QLF barrier coating commercialization, 515-516
 Transparent materials,
 microwavable packaging, 762
 Transport packaging, 1241-1245
 components, 1244-1245
 design process, 1243-1244
 total systems approach, 1241-1242
 Transport systems:
 bulk bags, 85-86
 coding, 1245-1246
 distribution hazard measurements, 365-368
 export packaging, 427-433
 air shipments, 431, 433
 breakage, 429
 break bulk packaging, 430-431
 containerized loads, 431
 contamination, 429
 corrosion and mildew, 428-429
 guidelines, 430-432
 hazardous materials, 429
 hazards, 427-428
 lighters, barges, and open boats, 431
 marks and symbols, 429-430
 pilferage and nondelivery, 429
 precautionary markings, 432
 product analysis, 428-429
 roll-on/roll-off (Ro-Ro), 431
 unitized loads, 431-432
 flexible intermediate bulk containers, 516-517
 international standards, 621-622
 logistical/distribution packaging, 677-683
 multivalued bags, 92
 polymeric materials permeation, 941-942
 shelf life studies, 1102-1103
 Transverse direction-cross machine coextrusion, 307
 film materials:
 oriented polypropylene films, 478-480
 shrink films, 498-500
 Trapped-shear, contact-heat pressure forming, 1233-1234
 Tray construction systems:
 foam trays, 1246-1251
 folding carton manufacture, 237-238
 Tray former/loader, 248
 Triboelectricity:
 electrostatic discharge packaging, 390-392
 polymers, 999
 static control, 1161-1163

Trimethyl amine (TMA), freshness/spoilage indicators, 362
 Triple-seal-style closure, top-loading cartoning machinery, 233-234
 Trolley conveyor systems, 341, 343
 True cost of operating, line performance in packaging, 885
 Tube construction systems:
 collapsible tubes, 1254-1258
 folding carton manufacture, 236
 multiwall bag machinery, 78-82
 tube filling systems, 1251-1254
 categories, 1252-1253
 Tubular coextrusion machinery, 303-305
 Tuck-end carton, 237
 Turbine-meter volumetric fillers, unsealed containers, 450
 Twin seal manufacturing, plastic bags, 94
 Twin-sheet thermoforming, 1234-1235
 Twin-wire formers, paperboard packaging products, 917
 Two-piece can manufacture, 727, 732-738
 Two-step machinery, stretch blow molding, 147
 Typography, closure systems, bottle and jar closures, 271
 Ultrakan concept, composite, self-manufactured can systems, 185-186
 Ultrasonic sealing, 1092-1093
 tube filling systems, 1253-1254
 Ultraviolet light:
 protection against, 655-656
 resistance, plastic drums, 374
 Unbalanced-pressure fillers, still liquids packaging, 448-449
 Unbalanced structures, coextrusion processing, 308-309
 Under-cover gassing can seaming machinery, 182
 Under film corrosion, can corrosion, 203
 Uniform Freight Classification (UFC), fiber drums, 372
 Uniform loads, maritime shipping and export packaging, 697
 Unistrav™ system, 1137-1138
 United Nations Environment Program, packaging industry restrictions, 416
 United States Department of Defense radiofrequency identification tags, 1065
 United States packaging regulations, 639-645

food packaging, 769-771
 medical device packaging, 719-720
 United States Patent and Trademark Office, 921, 929-930
 Unitized loads:
 export packaging, 431, 433
 maritime shipping and export packaging, 693, 703
 stretch film applications, 501-502
 Unitized group ration (UGR), military food packaging, 783-785
 Universal Identification (UID), radio-frequency identification tags standards, 1059
 Unsealed-container systems, filling machinery, still liquids, 447, 449-451
 Unwind systems:
 extrusion coating, 443-444
 machine-directed orientation, 686
 slitter/rewinder machinery, 1118
 Updating systems, pharmaceuticals packaging, 956-957
 Urea-formaldehyde, closure systems, bottles and jars, 280
 User-centered design, 862-863
 smart packaging, 1125-1128, 1141-1142
 Vacuum and sealing-die operation, thermoform/fill/seal equipment, 1225
 Vacuum-deposited barrier coating, 99
 Vacuum forming, 1230-1231
 Vacuum metallization, 742-750
 equipment, 745-749
 future trends, 749-750
 nylon, 836
 thermal sources, 742-745
 Vacuum packaging systems, 1259-1264
 air-removal systems, 1259-1264
 chamber vacuumizing, 1259-1260
 closure systems:
 bottles and jars, 273-274
 tamper-evident vacuum caps, 276-277
 capping machinery, 218-219
 conveyor systems, 342-343
 filling systems, still liquids packaging, 448-449
 fish packaging, 1263
 food canning, 188
 food packaging, 1261-1264
 hot fill process, 1261
 meat packaging, 894-895, 1261-1262
 modified-atmosphere packaging, 788-793
 European market, 797

meat packaging, 791-792
 natural cheeses, 1262-1263
 nozzle vacuumizing, 1259-1260
 poultry, 1261
 pressure parameters, 1261
 produce packaging, 1263-1264
 retail units, 1263
 skin packaging, 1260
 thermoforming, 1260
 vacuum-bag coffee packaging, 1265-1266
 Vacuum snapback, 1232-1233
 Vacuum testing, leak detection, 647
 Validation, by consultants, 325
 Valle Spilurga two-phase modified-atmosphere packaging, 796-797
 Value estimations:
 Chinese packaging industry, 872-875
 Japanese packaging industry, 626-629, 632
 packaging economics, 383-384
 Valve bags, 90
 packers, 91
 vacuum-bag coffee packaging, 1265-1266
 Valve-based large-character ink jet printers, data coding and marking, 354, 357
 Valved membrane ends, can corrosion, 199
 Valve systems, pressure containers, 1016, 1021-1022, 1024
 Vapor permeability measurement:
 aroma barrier testing, 64-67
 polymeric materials, aroma/solvent permeation, 938-939
 Vegetable packaging, 895
 edible films, 459
 modified-atmosphere packaging, 793
 vegetable parchment, 909
 Velocity testing, shock analysis, 1109-1111
 Vendor Managed Inventory (VMI), supply/demand chain management, 1174-1176
 Vented flexible packaging, medical device packaging, 717
 Verification procedures, Hazard Analysis and Critical Control Points guidelines, 570-571
 Vertical equipment:
 case loader, 246-247
 form/fill/seal/pouch, 542
 form/fill/seal (VFFS) packaging, 544-546
 bag-in-box packaging, dry products, 71-73

- cook/chill food products, 1150-1151
- ionomers, 623-624
- form/fill/seal pouch, 541, 543-546
- ionomer materials, 623-624
- magazine, case loading, 245
- rotary continuous machinery, extrusion blow molding, 141-142
- still retort, food canning, 189-190
- Vertical load stress testing, glass bottle performance, 561
- Vertical stand-up packages, anti-fog coating, 49
- Very low-density polyethylene (VLDPE), 983-986
- Vials:
 - glass ampuls, formation process, 36-38
 - glass vials, 35-38
- Vibration:
 - forced vs. free vibration, 1267
 - frequency and acceleration, 1267-1268
 - measurement and analysis, 1268-129
 - mechanical systems, 1266-1269
 - sinusoidal vs. random vibration, 1268
 - testing:
 - distribution hazard measurements, 366-368
 - fragility testing, 1216-1217
 - mechanical systems, 1269
 - shipping containers, 1220
- Vibratory conveyor systems, 342, 344
- Vinyl chloride monomers:
 - poly(vinyl chloride), residual monomers, 964
 - rigid poly(vinyl chloride) film, 1494
- Viscosity, polymers, 996
- Viscosity matching, coextrusion machinery, 302
- Visible light, lipid oxidation, 665-666
- Vision software, radio-frequency identification tags, 1071-1072
- Visual carded display packaging, ionomers, 624
- Visual inspection, leak detection, 647
- Volatile migration:
 - antimicrobial packaging, 52-53
 - modified-atmosphere packaging, 790
 - radiation effects on, 1055
- Volatile organic carbons (VOCs):
 - aerosol propellants, 1040-1044
 - steel drums, 377
- Volumetric resistivity, electrostatic discharge packaging, 392
- Volumetric-cup fillers:
 - unsealed containers, 450
 - vertical form/fill/seal systems, 546
- Wal-Mart radio-frequency identification tags, 1064-1065
- Waste management:
 - environmental effects of packaging, 403-407
 - Japanese packaging industry, 631-632
 - regulations, 398
 - smart packaging, 1129-1131
- Water:
 - can corrosion, 199-200
 - redox potential, 202
 - packaging, 897
 - polymeric materials permeation and relative humidity, 944
- Water-based adhesive systems, 19-21
- natural materials, 19-20
- synthetic adhesives, 20-21
- Water-based inks, 1
- Waterbath or dye-leak test, 1211-1212
- Waterborne coatings, steel can fabrication, 214
- Water loss, shelf-life studies, food packaging, 39
- Watermarks, anti-counterfeiting applications, 47
- Water resistance testing, shipping containers, 1220
- Water-resistant paper, 909-910
- Water vapor transmission:
 - barrier polymers, 104, 106
 - cellophane, 253
 - edible films, 459-460
 - fiber drums, 369
 - food packaging, space missions, 537-538
 - gas-barrier systems, small leak effects, 548-550
 - machine-directed orientation, 688-689
 - nanocomposite packaging materials, 809-811
 - permeation process, polymeric materials, 939
 - permeation testing, 1209-1210
 - shelf life studies, 1101-1106
 - shipping container testing, 1220
- Water-vapor transmission, composite, self-manufactured can systems, 185-186
- Waveform analysis, shock in packaging, 1108-1111
- Waxed papers, 910
- Waxes and wax-coated folding cartons, 1271-1274

- Web-corner tray carton, 237
- Web-extrusion guns, adhesive applicators, 16
- Web handling coating equipment, 293-294
- extrusion coating, 442-444
- Web manufacturing:
 - nonwoven materials, 823
 - thermoform/fill/seal equipment, 1226-1227
- Web offset lithography, inks, 597
- Wedge chain conveyor systems, 338
- Weight fillers, unsealed containers, 451
- Weight-regulation compliance, checkweighers, 261-262
- Welding systems:
 - metal can fabrication, 730-732
 - internal side-seam protection, 741
 - solvent welding, 1094-1095
 - steel can fabrication, 211-213
- Wexel feed block, coextrusion machinery, 302
- Wet-glue labeling machinery, 637-638
- Wet-strength papers, 911
- Wettability, polymers, 999
- Wheel dispensers, adhesive applicators, 16-17
- Whey, biobased materials, 112
- White lined chipboard (WCC), folding carton paperboard selection, 235
- White lined recycled board, skin packaging, 1114
- Wide-web wrapping machinery, 1276
- WIMA bodymaker, tinplate can-making, 25-26
- Winding techniques:
 - extrusion coating, 443-444
 - slitter/rewinder machine, 1082-1083, 1115-1119
- Windowing, folding carton manufacture, 240-241
- Wire packaging, fiber drums, 370-371
- Wire ties, bread bag closures, 284
- Wire weld system, steel can fabrication, 212-213
- Wirewound-rod coater, 291
- Wooden packaging:
 - barrels, 97-98
 - boxes and crates, 177-179
 - bulk packaging, 180
 - lumber selection and defects, 700
 - maritime shipping and export packaging, 693-697, 699-703
 - materials testing, 1206-1207
- Woven-bag machinery, plastic bag making, 81-83

- stretch-film wrapping machinery, 1274-1279
- automatic conveyORIZED models, 1276-1277
- current models, 1276
- future systems, 1278-1279
- semiautomatic overhead rotary arm-type stretch wrappers, 1277-1278
- X-rays, of packaged foods, 1052-1056
- Yield strength, linear low-density polyethylene, 986
- Zein, biobased materials, 112
- Zeolites, active packaging, 8
- Zeomic layers, active packaging, 8

