PART I-INTRODUCTORY THEORIES

CHAPTER I

FUNCTIONAL DETERMINANTS AND MATRICES

| | | rage |
|----|---|------|
| 1. | Geometrical terminology | 1 |
| 2. | Functional determinants and change of variables | 2 |
| 3. | The fundamental theorem on implicit functions | 3 |
| 4. | Effect on a functional determinant of a change of variables | 4 |
| 5. | The necessary and sufficient conditions for the independence of | |
| | n functions of n variables | 5 |
| 6. | Functional matrices. Definition of the independence of m func- | |
| | tions of n variables | 8 |
| 7. | Theorem · · · · · · · · · · · · | 9 |

CHAPTER II

SYSTEMS OF TOTAL DIFFERENTIAL EQUATIONS

| Preliminary remarks - | - | | - | · ner | - 1 | .t.milli | - | | 13 |
|--------------------------------|--|--|---------------------|---------------------|---------------------|---|--|--|---|
| Conditions necessary for int | egra | bility. | Cor | nplet | ely i | ntegra | ble, | or | |
| complete, systems - | - | - | - | | | (at) Int | Tast | 1 | 15 |
| The integration of a mutua | ally (| consist | tent s | system | m ca | n alw | ays | be | |
| reduced to that of a com | plete | syste | em | - | - | - | - | - | 16 |
| Bilinear covariants and the | resu | lting | form | for | the | conditi | ions | of | |
| complete integrability | - | | - | • | 1.1. | · · · · · · · · · · · · · · · · · · · | - | • | 18 |
| Morera's method of integration | on | - | 10125 | | 100 | 171.01 | - | 1713 | 22 |
| Note on Mayer's method | - | - | • | | • | | | - | 25 |
| Application | 1.116 | - 07 | -1.6.1 | . 14 | | 25.10 | - | - | 26 |
| Mixed systems of equations | - | - | - | - | - | - | - | - | 29 |
| | Preliminary remarks - Conditions necessary for int complete, systems - The integration of a mutua reduced to that of a com Bilinear covariants and the complete integrability Morera's method of integrati Note on Mayer's method Application - Mixed systems of equations | Preliminary remarks Conditions necessary for integral complete, systems | Preliminary remarks | Preliminary remarks | Preliminary remarks | Preliminary remarks Conditions necessary for integrability. Completely i complete, systems The integration of a mutually consistent system ca reduced to that of a complete system Bilinear covariants and the resulting form for the complete integrability Morera's method of integration Note on Mayer's method Application - | Preliminary remarks Conditions necessary for integrability. Completely integra complete, systems The integration of a mutually consistent system can alw reduced to that of a complete system Bilinear covariants and the resulting form for the conditi complete integrability Morera's method of integration Note on Mayer's method Application - | Preliminary remarks Conditions necessary for integrability. Completely integrable, complete, systems The integration of a mutually consistent system can always reduced to that of a complete system Bilinear covariants and the resulting form for the conditions complete integrability Morera's method of integration Note on Mayer's method Application - | Preliminary remarks Conditions necessary for integrability. Completely integrable, or complete, systems The integration of a mutually consistent system can always be reduced to that of a complete system Bilinear covariants and the resulting form for the conditions of complete integrability Morera's method of integration Note on Mayer's method Application - |

CHAPTER III

LINEAR PARTIAL DIFFERENTIAL EQUATIONS COMPLETE SYSTEMS

| 1. | Linear operators | | and the second second | - | - | - | | - | - | - | 33 |
|----|--------------------|-----------|-----------------------|-------|--------|-----|----------------|-------|-----|----------|----|
| 2. | Integrals of an o | ordinary | differen | ntial | syster | n a | nd the | part | ial | dif- | |
| | ferential equat | ion which | deterr | nines | them | - | - 1 | 12000 | - | a a la p | 36 |
| 3. | Principal integral | s - | - | - | - | • | and the second | | | 1000 | 38 |

| | | Page |
|-----|---|------|
| 4. | Independent integrals. General integral | 40 |
| 5. | Direct study of the most general linear homogeneous partial dif- | |
| | ferential equation | 41 |
| 6. | Integrals of a total differential system, and the associated system | |
| | of partial differential equations which determines them | 47 |
| 7. | Principal integrals, as typical cases of independent integrals | 48 |
| 8. | The general integral · · · · · · · · · | 50 |
| 9. | Direct study of the most general system of linear homogeneous | |
| | partial differential equations of the first order. Complete | |
| | systems. Jacobian systems | 52 |
| 10. | Equivalence of every complete system to a Jacobian system with | |
| | the same number of equations. Note on Cramer's rule - | 53 |
| 11. | Integration by means of the associated system | 57 |
| | | |

CHAPTER IV

ALGEBRAIC FOUNDATIONS OF THE ABSOLUTE DIFFERENTIAL CALCULUS

| Effect on some analytical e | entities | ofac | hange | e of va | ariabl | es | 1.0% | - 61 |
|-----------------------------|---|---|---|--|---|--|---|---|
| n-fold systems. Forms of | degree | m an | d m-1 | ly lin | ear fo | orms | 207 | - 65 |
| nvariance, covariance, and | d contra | avaria | nce o | f a si | mple | system | m wit | h |
| respect to linear transfo | rmation | ns. I | Jual v | ariab | les | - | 10000 | - 67 |
| nvariance, covariance, and | 1 contra | avaria | nce of | fan m | 2-fold | syste | m wit | h |
| respect to linear trans | formati | ons. | Mix | ed sv | stems | or t | ensor | 'S. |
| Vanishing of a tensor a | n invar | iant p | roper | ty | Roldes | (1) A 3 | 10 300 | - 69 |
| Symmetrical double system | ns - | 00.00 | d diam | | ban) | 110.66 | 000 | - 72 |
| Sets of n covariant and co | ntravar | iant s | imple | syste | ms. | Theo | rem o | n |
| reciprocal sets | 11 .44 | lo_step | 110 de | - | 619230 | en La | noblen | - 74 |
| Addition of tensors - | - | - | - | . celd | array. | 2 70 | .enoh | - 75 |
| Multiplication of tensors | | - | - | - | | | 121920 | - 76 |
| Contraction of tensors - | - | - | | | - | | - | - 77 |
| Composition of tensors - | | | | | - | - | | - 79 |
| Change of variables in gen | eral. | m-fold | syste | ems w | hose | eleme | nts a | re |
| functions of position. | First | gene | ral d | lefinit | ion o | fa | tenso | r. |
| Typical tensors of ran | k 1 | | | 1.00 | 1.14 | 1 81 | 1.11 | - 80 |
| Second general definition | of tens | sors w | hose | eleme | ents a | re fu | nction | ns |
| of position. Examples | | | | | dan at | | a rati | - 83 |
| Vore complex laws of tran | sforma | tion. | Scor | be of | the A | bsolu | te Di | f- |
| ferential Calculus - | - | | | - 01 | | - | | - 85 |
| | Effect on some analytical e a-fold systems. Forms of nvariance, covariance, and respect to linear transfor nvariance, covariance, and respect to linear transfor Vanishing of a tensor a symmetrical double system lets of n covariant and co- reciprocal sets - Addition of tensors - Multiplication of tensors - Composition of tensors - Composition of tensors - Change of variables in gen functions of position. Typical tensors of rank decond general definition of position. Examples More complex laws of tran ferential Calculus - | Effect on some analytical entities a-fold systems. Forms of degree nvariance, covariance, and contr respect to linear transformation nvariance, covariance, and contra- respect to linear transformation Vanishing of a tensor an invar symmetrical double systems - bets of <i>n</i> covariant and contravar reciprocal sets Addition of tensors Contraction of tensors Composition of tensors | Effect on some analytical entities of a c a-fold systems. Forms of degree <i>m</i> an nvariance, covariance, and contravaria respect to linear transformations. In nvariance, covariance, and contravariar respect to linear transformations. Vanishing of a tensor an invariant p symmetrical double systems - bets of <i>n</i> covariant and contravariant si- reciprocal sets | Effect on some analytical entities of a change a-fold systems. Forms of degree <i>m</i> and <i>m</i> -p nvariance, covariance, and contravariance of respect to linear transformations. Dual v nvariance, covariance, and contravariance of respect to linear transformations. Mix Vanishing of a tensor an invariant proper symmetrical double systems - bets of <i>n</i> covariant and contravariant simple reciprocal sets | Effect on some analytical entities of a change of variable systems. Forms of degree <i>m</i> and <i>m</i> -ply limes and <i>m</i> -planes and <i>m</i> -pla | Effect on some analytical entities of a change of variable a-fold systems. Forms of degree <i>m</i> and <i>m</i> -ply linear for nvariance, covariance, and contravariance of a simple respect to linear transformations. Dual variables nvariance, covariance, and contravariance of an <i>m</i> -fold respect to linear transformations. Mixed systems Vanishing of a tensor an invariant property symmetrical double systems | Effect on some analytical entities of a change of variables a-fold systems. Forms of degree m and m-ply linear forms nvariance, covariance, and contravariance of a simple system respect to linear transformations. Dual variables nvariance, covariance, and contravariance of an m-fold system respect to linear transformations. Mixed systems or to Vanishing of a tensor an invariant property Symmetrical double systems Sets of n covariant and contravariant simple systems. Theoreciprocal sets Addition of tensors Contraction of tensors Contraction of tensors Composition of tensors Composition of position. First general definition of a Typical tensors of rank 1 Second general definition of tensors whose elements are fur of position. Examples More complex laws of transformation. Scope of the Absolu ferential Calculus | Effect on some analytical entities of a change of variables a-fold systems. Forms of degree m and m-ply linear forms nvariance, covariance, and contravariance of a simple system with respect to linear transformations. Dual variables nvariance, covariance, and contravariance of an m-fold system with respect to linear transformations. Mixed systems or tensor Vanishing of a tensor an invariant property bets of n covariant and contravariant simple systems. Theorem of reciprocal sets contraction of tensors contraction of tensors composition of tensors composition of tensors composition. First general definition of a tensor Typical tensors of rank 1 complex laws of transformation. Scope of the Absolute Differential Calculus |

CHAPTER V

GEOMETRICAL INTRODUCTION TO THE THEORY OF DIFFERENTIAL QUADRATIC FORMS

(a) The Line Element on a Surface

| 1. | Parametric equations of a surface | 86 |
|----|---|----|
| 2. | Expression for ds^2 | 88 |
| 3. | Determination of the directions drawn from a generic point | 90 |
| 4. | Angle between two directions. Contravariance of the coefficients | |
| | aik | 92 |
| 5. | Associated, and in particular reciprocal, tensors. The typical ex- ample of the parameters and moments of a single direction - | 95 |
| 6. | Surface vectors | 96 |
| 7, | Parameters and moments of the co-ordinate lines. Element of area | 98 |

| \mathbf{C} | N | T | FN | IT | C |
|--------------|----|---|----|-----|---|
| UC | 11 | | LI | 1 1 | 2 |

xiii

| | | | | | | | | Page |
|-----|--|--------|-------|--|------------|-----------|-------|------|
| 8. | Fundamental observation (Gauss's) on | the | intri | nsic g | eome | try of | a | |
| 0. | surface | - | | | 19108 | di-Ma | | 99 |
| 9. | Note on developable surfaces - | -180.0 | - | 1. S | - | - | - | 100 |
| | (b) Parallelism with resp | ect to | oa | Surfa | ce | | | |
| 10. | Geometrical definition | - 10- | 8.10 | DE-16 | 87 | 8-20 | | 101 |
| 11. | First consequences. Equipollence of | vect | ors | with | respe | ect to | a | |
| | surface | | 1100 | | 1000 | | - | 103 |
| 12. | Infinitesimal displacement. Infinites | imal | for | m of | the | law | of | |
| | parallelism | - | - | | - | - | - | 104 |
| 13. | The intrinsic character of parallelism | | 100 | 111100 | pooleg | NRD 6/PI | - | 106 |
| 14. | The symbolic equation of parallelism | · | | 1.25 | 12 11 10 1 | 19 4.15 | - | 107 |
| 15. | Intrinsic equations of parallelism - | - 4 | | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | 6að opr | 1000 01 | 1905 | 107 |
| 16. | Christoffel's symbols | | - | 13.18 | 10 | anere l | 11110 | 111 |
| 17. | Equations of parallelism in terms of cov | aria | nt co | ompon | ents | (25-20.0) | 104 | 112 |
| 18. | Some analytical verifications - | - | | 1 | | 112 44 | | 114 |
| 19. | Permutability | - 0 | 0-90 | 2003 | in randi | - 130 | - | 115 |
| | (a) Entension of the Foregoing Nation | e to r | . din | nensio | nal M | Tanifo | Ide | |
| | (c) Extension of the Portgoing Potton | ric | 1 000 | | in the | anyo | | |
| 20 | m.dimensional manifolds | 43.6% | 10.10 | | 5 69 s.c. | 1000 | | 119 |
| 20. | Euclidean manifolds. Any V. can alwa | vs be | con | sidere | dasi | mmers | sed | |
| 41, | in a Euclidean space | - | | | - | | | 121 |
| 99 | Angular metric | | | | | 11 - Lan | | 123 |
| 22. | Definition of geodesics | | | | | | | 128 |
| 20. | Differential equations of geodesics - | | | | | | | 131 |
| 24. | Geodesic curvature | | - | | | - | | 135 |
| 20. | Extension of the notion of parallelism. | Bia | nchi | 's deri | ved y | rectors | s - | 137 |
| 20. | Autoparallelism of geodesics . | - | - | - | | - | - | 140 |
| 21. | Romarks on the case of an indefinite ds | 2 | 11810 | | - | | | 141 |

PART II

THE FUNDAMENTAL QUADRATIC FORM AND THE ABSOLUTE DIFFERENTIAL CALCULUS

CHAPTER VI

COVARIANT DIFFERENTIATION; INVARIANTS AND DIFFERENTIAL PARAMETERS; LOCALLY GEO-DESIC CO-ORDINATES

| 1. | Covariant differentiation | | - | - | - | • | - | • | • | 144 |
|-----|-------------------------------|-------|---------|--------|--------|---------------|--------|--------|------|-----|
| 2. | Particular cases | - | - | | | - | | | - | 147 |
| 3. | Ricci's lemma | 6 | S | 4.1 | | | - | - | - | 148 |
| 4. | Contravariant differentiation | on - | | | | - | | | - | 149 |
| 5. | Conservation of the rules o | f the | ordina | ry di | fferen | itial c | alculu | IS - | 9.4 | 149 |
| 6. | Applications | 0. | DO. | 0.0 | | - | - | | - | 152 |
| 7. | Divergence of a vector and | of a | double | e tens | or. | Δ_2 of | an inv | arian | nt - | 153 |
| 8. | Some laws of transformation | n. | €-syste | ms. | Vecto | r pro | duct. | Ext | en- | |
| | sion of a field | | - | | | | | 1. | | 156 |
| 9. | Rotor of a simple tensor in | thre | e dime | nsion | IS - | - | - | | | 161 |
| 10. | Sections of a manifold. G | eode | sic mar | nifold | s - | | | in the | | 162 |
| | | | | | | | | | | |

| 11. 12. | Locally geodesic | (or | locally | Cart | esian) | co-or | dinat | es - | la Int | an guai | 1 | Page 164 |
|------------|------------------|-----|---------|------|--------|-------|-------|------|--------|----------|---|-------------|
| 12. | Severi's theorem | | 000-00 | - | | | - | - | - | 197.91 S | - | 171 |

CHAPTER VII

RIEMANN'S SYMBOLS AND PROPERTIES RELATING TO CURVATURE; RICCI'S AND EINSTEIN'S SYMBOLS; GEODESIC DEVIATION

| 1. | Cyclic displacement and the relations between par- | alleli | sm a | and | 1.8. 3 |
|-----|--|---------------------|--------|------------|--------|
| | curvature | 9 4 8283 | dety | | 172 |
| 2. | Cyclic displacement round an elementary parallelogram | | (this | | 173 |
| 3. | Fundamental properties of Riemann's symbols of the se | econd | kin | d - | 177 |
| 4. | Fundamental properties and number of Riemann's syn | mbol | s of | the | 177.3 |
| | first kind | 200 | neal | 0000 | 179 |
| 5. | Bianchi's identities | | date | ame | 182 |
| 6. | Commutation rule for the second covariant derivatives | - | | | 184 |
| 7. | Cyclic displacement round any infinitesimal circuit | 10.20 | 1. | 6. | 186 |
| 8. | Pérès's formula | | | | 193 |
| 9. | Application to surfaces. Gaussian curvature of a V_{2} | | | - | 193 |
| 10. | Riemannian curvature of a V_n | diano. | legen | the states | 195 |
| 11. | Case of a V_3 . The tensors $a_{i\nu}$ of Ricci and $G_{i\nu}$ of Eins | tein | naah | (hour) | 198 |
| 12. | Curvature of a manifold of three dimensions around a r | point. | P | rin. | |
| 62 | cipal directions and invariants - | | a mail | anart. | 201 |
| 13 | Geodesics infinitely near a given geodesic | 1 234 | Noisi | Alta(| 208 |
| 14 | Geodesic deviation in an <i>m</i> dimensional manifold | ING LO | 550051 | Caller (| 200 |
| 15 | Invariant form of the equations defining medacic denis | | | hours | 209 |
| 10. | Invariant form of the equations demning geodesic devia | tion | | | 210 |
| 10. | Geodesic deviation. Specification of the differential sy | stem. | , F | irst | |
| | integral. Linear relation in finite terms | | | | 215 |
| 17. | Reduced form of the differential system (1) in term | s of | the | co- | |
| | ordinates y | • | - | - | 218 |
| 18. | Case of $n = 2$ - formula of Jacobi | | | -) | 219 |

CHAPTER VIII

RELATIONS BETWEEN TWO DIFFERENT METRICS REFERRED TO THE SAME PARAMETERS; MANI-FOLDS OF CONSTANT CURVATURE.

| 1. | Differences between Christoffel's symbols relative to two | different | |
|----|---|------------|-----|
| | metrics assigned to the same analytical manifold - | | 220 |
| 2. | Differences between the covariant derivatives | | 222 |
| 3. | Differences between Riemann's symbols | 1.1.1.1.4. | 224 |
| 4. | Case of two metrics in conformal representation | 10-114 17- | 228 |
| 5. | Isotropic manifolds | | 232 |
| 6. | Schur's theorem | 01610 | 235 |
| 7. | Canonical form of ds^2 for a manifold of constant curvature | | 236 |

CHAPTER IX

DIFFERENTIAL QUADRATIC FORMS OF CLASS ZERO AND CLASS ONE

| 1. | Forms of class zero (or Euclidean forms) | 242 |
|----|---|-----|
| 2. | Conformal representation of a manifold of constant curvature on a | |
| | Euclidean space. Mutual applicability of all V_n 's with the same | |

constant curvature - - - - - - - - - - - - 246

xiv

| 0 | General remarks on hypersurfaces in Euclidean space. S | econd | rage |
|----|---|------------|------|
| э. | fundamental form | -0.011611- | 249 |
| 1 | Forms of class 1 (hypersurfaces in Euclidean space) . | | 253 |
| 5. | Hyperspherical representation and curvature of a hypersurface | е по - | 258 |

CHAPTER X

SOME APPLICATIONS OF INTRINSIC GEOMETRY

| 7 | General remarks on congruences. Geodesic and normal congruences | 261 |
|----|--|------|
| 1. | Sets of <i>n</i> congruences Determination of a vector by n invariants - | 265 |
| 2. | Competizical definition of Ricci's coefficients of rotation - | 268 |
| 0. | Commutation formula for the second derivatives along the arcs | 273 |
| 4. | Gree in which one of the congruences of the set is geodesic | 274 |
| 5. | Case in which one of the congruences of the set - | 275 |
| 6. | Geodesic curvature of the congruences of the set is normal Com- | 1.15 |
| 7. | Case in which one of the congruences of the set is normal. | |
| | plete normality. Differential relations satisfied in every case of | 275 |
| - | the γ s | 278 |
| 8. | Canonical system with respect to a given congruence | |
| 9. | Congruences of straight lines in Euclidean space. Geometrical | 289 |
| | significance of the canonical system - | 204 |

PART III.—PHYSICAL APPLICATIONS

CHAPTER XI

EVOLUTION OF MECHANICS AND GEOMETRICAL OPTICS; THEIR RELATION TO A FOUR-DIMEN-SIONAL WORLD ACCORDING TO EINSTEIN

| 1. | Hamilton's principle for a free particle | 287 |
|-----|---|-----|
| 2 | Time as a fourth co-ordinate. Space-time. World lines | 289 |
| 3. | General transformations of co-ordinates in space-time. Simultaneity | 290 |
| 4. | Einstein's form for Hamilton's principle. Its invariant character | |
| | under any transformation of co-ordinates | 291 |
| 5 | Mass and energy: views suggested by the modification of the | |
| 181 | dynamical law- | 294 |
| 6. | Einstein's form for the principle of inertia. Restricted relativity - | 298 |
| 7. | The kinematics of rigid systems. Ordinary methods of approach | |
| 1 | and possible variants | 301 |
| 8. | Römerian units. Study of Lorentz transformations | 306 |
| 9 | Relative motion. Composition of velocities. Kinematical justifi- | |
| | cation of a formula of Fresnel's | 316 |
| 10. | Further generalization of the metric of V_4 , still coinciding to a first | |
| | approximation with ordinary dynamics | 320 |
| 11. | An important particular case. Corresponding trajectories and their | |
| | identity with those of an ordinary mechanical problem | 323 |
| 12. | Qualitative characteristics of relativity metrics. Geodesic prin- | |
| | ciple for the dynamics of a material particle. Stationary and, | |
| | in particular statical line elements - | 325 |
| 13 | Versors in a V, with pseudo-Euclidean metric | 329 |
| 14 | Digression on geodesics of zero length | 330 |
| 15 | Some elementary theorems of geometrical optics | 334 |
| 10. | Buille clefiletion y uncontribute of goometrious options | |

| | | rage |
|-----|---|------|
| 16. | Geometrical optics according to Einstein and the meaning of the | |
| | constant c · · · · · · · · · · | 335 |
| 17. | Interpretation in geometrical optics of the condition $ds^2 = 0$ - | 338 |
| 18. | Fermat's principle in stationary relativity metrics | 340 |
| 19. | The stress tensor and its divergence in the classical theory | 344 |
| 20. | The fundamental equations of the mechanics of continuous systems. | |
| | referred to fixed axes: transformations of them in general co- | |
| | ordinates (space co-ordinates) | 347 |
| 21. | Galilean systems of reference | 349 |
| 22. | Equivalent form for the system (52) and (53) | 349 |
| 23. | Einsteinian modification of the equations of motion of a continuous | - |
| | system in a particular case | 351 |
| 24 | General case. Introduction of the energy tensor, and meaning of | |
| | its components in general co-ordinates | 354 |
| 05 | Belativistic form of the countions of motion of a continuous system | 250 |
| 40. | Relativistic form of the equations of motion of a continuous system | 000 |
| 26. | A particular class of motions of a continuous system | 360 |
| 27. | Experimental determination of the coefficients of an Einsteinian ds^2 | 363 |
| | | |

CHAPTER XII

THE GRAVITATIONAL EQUATIONS AND GENERAL RELATIVITY

| 1. | Qualitative properties of the co-efficients of ds^2 | 369 |
|-----|---|-----|
| 2. | The tensor G_{ik} and its divergence. The gravitational tensor - | 371 |
| 3. | Solidarity of physical phenomena. Criteria for the construction of | |
| | the gravitational equations, and reduction of the inductive proof | |
| | of their validity to the statical case | 374 |
| 4. | General equations of Einsteinian statics. Empty space | 378 |
| 5. | First approximation. Connexion with Poisson's equation - | 383 |
| 6. | The Einsteinian ds^2 which corresponds to a first approximation to | |
| | an assigned Newtonian field | 388 |
| 7. | Further approximation for the coefficient $q_{\infty} = V^2$ in statical con- | |
| | ditions | 392 |
| 8 | A theorem of mechanical equivalence | 394 |
| 9 | Motion of the planets according to Einstein to a second approxima- | |
| | tion Displacement of perihelion | 396 |
| 10 | Displacement of the spectral lines Deflection of light | 400 |
| 11 | Three-dimensional metrics with spherical symmetry | 408 |
| 19 | Digression on the calculation of curvatures | 414 |
| 12. | The manifestional equations in the case of aphenical summetry | 313 |
| 13. | The gravitational equations in the case of spherical symmetry. | 410 |
| | Schwarzschild's rigorous solution | 419 |
| 14. | Spatially uniform metrics; their cosmological interest | 420 |
| 15. | Einstein's solution | 429 |
| 16. | De Sitter's solution | 429 |
| 17. | Einstein's additional term. Indication of other rigorous solutions - | 437 |
| | otherital paties. Study of Lorents from home plans. Downed a rents | |
| | ADDITIONAL NOTES | 441 |
| | THERE OF MANY AND A STREET AND A STREET AND A STREET | 440 |
| | INDEX OF NAMES | 443 |
| | OFNEDAT INDEX | 445 |
| | GENERAL HUEA | IIU |

xvi