



GLOBAL EDITION

For these Global Editions, the editorial team at Pearson has collaborated with educators across the world to address a wide range of subjects and requirements, equipping students with the best possible learning tools. This Global Edition preserves the cutting-edge approach and pedagogy of the original, but also features alterations, customization, and adaptation from the North American version.

This is a special edition of an established title widely used by colleges and universities throughout the world. Pearson published this exclusive edition for the benefit of students outside the United States and Canada. If you purchased this book within the United States or Canada you should be aware that it has been imported without the approval of the Publisher or Author.

Pearson Global Edition



ISBN-10 1-292-06055-7
ISBN-13 978-1-292-06055-2



9 0000>



9 781292 060552

1 CRYSTAL PROPERTIES AND GROWTH OF SEMICONDUCTORS 21

- 1.1 Semiconductor Materials 21
- 1.2 Crystal Lattices 23
 - 1.2.1 Periodic Structures 23
 - 1.2.2 Cubic Lattices 25
 - 1.2.3 Planes and Directions 27
 - 1.2.4 The Diamond Lattice 29
- 1.3 Bulk Crystal Growth 32
 - 1.3.1 Starting Materials 32
 - 1.3.2 Growth of Single-Crystal Ingots 33
 - 1.3.3 Wafers 35
 - 1.3.4 Doping 36
- 1.4 Epitaxial Growth 37
 - 1.4.1 Lattice-Matching in Epitaxial Growth 38
 - 1.4.2 Vapor-Phase Epitaxy 40
 - 1.4.3 Molecular Beam Epitaxy 42
- 1.5 Wave Propagation in Discrete, Periodic Structures 44

2 ATOMS AND ELECTRONS 52

- 2.1 Introduction to Physical Models 53
- 2.2 Experimental Observations 54
 - 2.2.1 The Photoelectric Effect 54
 - 2.2.2 Atomic Spectra 56
- 2.3 The Bohr Model 57
- 2.4 Quantum Mechanics 61
 - 2.4.1 Probability and the Uncertainty Principle 61
 - 2.4.2 The Schrödinger Wave Equation 63
 - 2.4.3 Potential Well Problem 65
 - 2.4.4 Tunneling 68
- 2.5 Atomic Structure and the Periodic Table 69
 - 2.5.1 The Hydrogen Atom 70
 - 2.5.2 The Periodic Table 72

ENERGY BANDS AND CHARGE CARRIERS IN SEMICONDUCTORS 83

- 3.1 Bonding Forces and Energy Bands in Solids 83
 - 3.1.1 Bonding Forces in Solids 84
 - 3.1.2 Energy Bands 86
 - 3.1.3 Metals, Semiconductors, and Insulators 89
 - 3.1.4 Direct and Indirect Semiconductors 90
 - 3.1.5 Variation of Energy Bands with Alloy Composition 92
- 3.2 Charge Carriers in Semiconductors 94
 - 3.2.1 Electrons and Holes 94
 - 3.2.2 Effective Mass 99
 - 3.2.3 Intrinsic Material 103
 - 3.2.4 Extrinsic Material 104
 - 3.2.5 Electrons and Holes in Quantum Wells 107
- 3.3 Carrier Concentrations 109
 - 3.3.1 The Fermi Level 109
 - 3.3.2 Electron and Hole Concentrations at Equilibrium 112
 - 3.3.3 Temperature Dependence of Carrier Concentrations 117
 - 3.3.4 Compensation and Space Charge Neutrality 119
- 3.4 Drift of Carriers in Electric and Magnetic Fields 120
 - 3.4.1 Conductivity and Mobility 120
 - 3.4.2 Drift and Resistance 125
 - 3.4.3 Effects of Temperature and Doping on Mobility 126
 - 3.4.4 High-Field Effects 129
 - 3.4.5 The Hall Effect 129
- 3.5 Invariance of the Fermi Level at Equilibrium 131

EXCESS CARRIERS IN SEMICONDUCTORS 142

- 4.1 Optical Absorption 142
- 4.2 Luminescence 145
 - 4.2.1 Photoluminescence 146
 - 4.2.2 Electroluminescence 148
- 4.3 Carrier Lifetime and Photoconductivity 148
 - 4.3.1 Direct Recombination of Electrons and Holes 149
 - 4.3.2 Indirect Recombination; Trapping 151
 - 4.3.3 Steady State Carrier Generation; Quasi-Fermi Levels 154
 - 4.3.4 Photoconductive Devices 156
- 4.4 Diffusion of Carriers 157
 - 4.4.1 Diffusion Processes 158
 - 4.4.2 Diffusion and Drift of Carriers; Built-in Fields 160
 - 4.4.3 Diffusion and Recombination; The Continuity Equation 163

- 4.4.4 Steady State Carrier Injection; Diffusion Length 165
- 4.4.5 The Haynes–Shockley Experiment 167
- 4.4.6 Gradients in the Quasi-Fermi Levels 170

JUNCTIONS 179

- 5.1 Fabrication of p-n Junctions 179
 - 5.1.1 Thermal Oxidation 180
 - 5.1.2 Diffusion 181
 - 5.1.3 Rapid Thermal Processing 183
 - 5.1.4 Ion Implantation 184
 - 5.1.5 Chemical Vapor Deposition (CVD) 187
 - 5.1.6 Photolithography 188
 - 5.1.7 Etching 191
 - 5.1.8 Metallization 193
- 5.2 Equilibrium Conditions 194
 - 5.2.1 The Contact Potential 195
 - 5.2.2 Equilibrium Fermi Levels 200
 - 5.2.3 Space Charge at a Junction 200
- 5.3 Forward- and Reverse-Biased Junctions; Steady State Conditions 205
 - 5.3.1 Qualitative Description of Current Flow at a Junction 205
 - 5.3.2 Carrier Injection 209
 - 5.3.3 Reverse Bias 218
- 5.4 Reverse-Bias Breakdown 220
 - 5.4.1 Zener Breakdown 221
 - 5.4.2 Avalanche Breakdown 222
 - 5.4.3 Rectifiers 225
 - 5.4.4 The Breakdown Diode 228
- 5.5 Transient and A-C Conditions 229
 - 5.5.1 Time Variation of Stored Charge 229
 - 5.5.2 Reverse Recovery Transient 232
 - 5.5.3 Switching Diodes 236
 - 5.5.4 Capacitance of p-n Junctions 236
 - 5.5.5 The Varactor Diode 241
- 5.6 Deviations from the Simple Theory 242
 - 5.6.1 Effects of Contact Potential on Carrier Injection 243
 - 5.6.2 Recombination and Generation in the Transition Region 245
 - 5.6.3 Ohmic Losses 247
 - 5.6.4 Graded Junctions 248
- 5.7 Metal–Semiconductor Junctions 251
 - 5.7.1 Schottky Barriers 251
 - 5.7.2 Rectifying Contacts 253

- 5.7.3 Ohmic Contacts 255
- 5.7.4 Typical Schottky Barriers 257
- 5.8 Heterojunctions 258

FIELD-EFFECT TRANSISTORS 277

- 6.1 Transistor Operation 278
 - 6.1.1 The Load Line 278
 - 6.1.2 Amplification and Switching 279
- 6.2 The Junction FET 280
 - 6.2.1 Pinch-off and Saturation 281
 - 6.2.2 Gate Control 283
 - 6.2.3 Current-Voltage Characteristics 285
- 6.3 The Metal-Semiconductor FET 287
 - 6.3.1 The GaAs MESFET 287
 - 6.3.2 The High Electron Mobility Transistor (HEMT) 288
 - 6.3.3 Short Channel Effects 290
- 6.4 The Metal-Insulator-Semiconductor FET 291
 - 6.4.1 Basic Operation and Fabrication 291
 - 6.4.2 The Ideal MOS Capacitor 295
 - 6.4.3 Effects of Real Surfaces 306
 - 6.4.4 Threshold Voltage 309
 - 6.4.5 MOS Capacitance-Voltage Analysis 311
 - 6.4.6 Time-Dependent Capacitance Measurements 315
 - 6.4.7 Current-Voltage Characteristics of MOS Gate Oxides 316
- 6.5 The MOS Field-Effect Transistor 319
 - 6.5.1 Output Characteristics 319
 - 6.5.2 Transfer Characteristics 322
 - 6.5.3 Mobility Models 325
 - 6.5.4 Short Channel MOSFET I - V Characteristics 327
 - 6.5.5 Control of Threshold Voltage 329
 - 6.5.6 Substrate Bias Effects—the “body” effect 332
 - 6.5.7 Subthreshold Characteristics 336
 - 6.5.8 Equivalent Circuit for the MOSFET 338
 - 6.5.9 MOSFET Scaling and Hot Electron Effects 341
 - 6.5.10 Drain-Induced Barrier Lowering 345
 - 6.5.11 Short Channel Effect and Narrow Width Effect 347
 - 6.5.12 Gate-Induced Drain Leakage 349
- 6.6 Advanced MOSFET Structures 350
 - 6.6.1 Metal Gate-High- k 350
 - 6.6.2 Enhanced Channel Mobility Materials and Strained Si FETs 351
 - 6.6.3 SOI MOSFETs and FinFETs 353

BIPOLAR JUNCTION TRANSISTORS 368

- 7.1 Fundamentals of BJT Operation 368
- 7.2 Amplification with BJTs 372
- 7.3 BJT Fabrication 375
- 7.4 Minority Carrier Distributions and Terminal Currents 378
 - 7.4.1 Solution of the Diffusion Equation in the Base Region 379
 - 7.4.2 Evaluation of the Terminal Currents 381
 - 7.4.3 Approximations of the Terminal Currents 384
 - 7.4.4 Current Transfer Ratio 386
- 7.5 Generalized Biasing 387
 - 7.5.1 The Coupled-Diode Model 388
 - 7.5.2 Charge Control Analysis 393
- 7.6 Switching 395
 - 7.6.1 Cutoff 396
 - 7.6.2 Saturation 397
 - 7.6.3 The Switching Cycle 398
 - 7.6.4 Specifications for Switching Transistors 399
- 7.7 Other Important Effects 400
 - 7.7.1 Drift in the Base Region 401
 - 7.7.2 Base Narrowing 402
 - 7.7.3 Avalanche Breakdown 403
 - 7.7.4 Injection Level; Thermal Effects 405
 - 7.7.5 Base Resistance and Emitter Crowding 406
 - 7.7.6 Gummel-Poon Model 408
 - 7.7.7 Kirk Effect 411
- 7.8 Frequency Limitations of Transistors 414
 - 7.8.1 Capacitance and Charging Times 414
 - 7.8.2 Transit Time Effects 417
 - 7.8.3 Webster Effect 418
 - 7.8.4 High-Frequency Transistors 418
- 7.9 Heterojunction Bipolar Transistors 420

OPTOELECTRONIC DEVICES 430

- 8.1 Photodiodes 430
 - 8.1.1 Current and Voltage in an Illuminated Junction 431
 - 8.1.2 Solar Cells 434
 - 8.1.3 Photodetectors 437
 - 8.1.4 Gain, Bandwidth, and Signal-to-Noise Ratio of Photodetectors 439

- 8.2 Light-Emitting Diodes 442
 - 8.2.1 Light-Emitting Materials 443
 - 8.2.2 Fiber-Optic Communications 447
- 8.3 Lasers 450
- 8.4 Semiconductor Lasers 454
 - 8.4.1 Population Inversion at a Junction 455
 - 8.4.2 Emission Spectra for p-n Junction Lasers 457
 - 8.4.3 The Basic Semiconductor Laser 458
 - 8.4.4 Heterojunction Lasers 459
 - 8.4.5 Materials for Semiconductor Lasers 462
 - 8.4.6 Quantum Cascade Lasers 464

INTEGRATED CIRCUITS 472

- 9.1 Background 473
 - 9.1.1 Advantages of Integration 473
 - 9.1.2 Types of Integrated Circuits 475
- 9.2 Evolution of Integrated Circuits 476
- 9.3 Monolithic Device Elements 479
 - 9.3.1 CMOS Process Integration 479
 - 9.3.2 Integration of Other Circuit Elements 494
- 9.4 Charge Transfer Devices 500
 - 9.4.1 Dynamic Effects in MOS Capacitors 501
 - 9.4.2 The Basic CCD 502
 - 9.4.3 Improvements on the Basic Structure 503
 - 9.4.4 Applications of CCDs 504
- 9.5 Ultra Large-Scale Integration (ULSI) 505
 - 9.5.1 Logic Devices 507
 - 9.5.2 Semiconductor Memories 517
- 9.6 Testing, Bonding, and Packaging 530
 - 9.6.1 Testing 531
 - 9.6.2 Wire Bonding 531
 - 9.6.3 Flip-Chip Techniques 535
 - 9.6.4 Packaging 535

HIGH-FREQUENCY, HIGH-POWER AND NANO-ELECTRONIC DEVICES 541

- 10.1 Tunnel Diodes 541
 - 10.1.1 Degenerate Semiconductors 541
- 10.2 The IMPATT Diode 545
- 10.3 The Gunn Diode 548
 - 10.3.1 The Transferred-Electron Mechanism 548
 - 10.3.2 Formation and Drift of Space Charge Domains 551

10.4 The p-n-p-n Diode	553
10.4.1 Basic Structure	553
10.4.2 The Two-Transistor Analogy	554
10.4.3 Variation of α with Injection	555
10.4.4 Forward-Blocking State	556
10.4.5 Conducting State	557
10.4.6 Triggering Mechanisms	558
10.5 The Semiconductor-Controlled Rectifier	559
10.5.1 Turning off the SCR	560
10.6 Insulated-Gate Bipolar Transistor	561
10.7 Nanoelectronic Devices	564
10.7.1 Zero-Dimensional Quantum Dots	564
10.7.2 One-Dimensional Quantum Wires	566
10.7.3 Two-Dimensional Layered Crystals	567
10.7.4 Spintronic Memory	568
10.7.5 Nanoelectronic Resistive Memory	570

APPENDICES

I. Definitions of Commonly Used Symbols	575
II. Physical Constants and Conversion Factors	579
III. Properties of Semiconductor Materials	580
IV. Derivation of the Density of States in the Conduction Band	581
V. Derivation of Fermi–Dirac Statistics	586
VI. Dry and Wet Thermal Oxide Thickness Grown on Si (100) as a Function of Time and Temperature	589
VII. Solid Solubilities of Impurities in Si	591
VIII. Diffusivities of Dopants in Si and SiO ₂	592
IX. Projected Range and Straggle as Function of Implant Energy in Si	594

ANSWERS TO SELECTED SELF QUIZ QUESTIONS	596
---	-----

INDEX	600
-------	-----