

CONTENTS

<i>Preface</i>	v
<i>Dedication</i>	vii
<i>Notice to Contributors and Checkers</i>	xv
<i>Toxic Substances and Laboratory Hazards</i>	xvii

Chapter One TRANSITION METAL HALIDE COMPOUNDS 1

1. Octahedral Hexatantalum Halide Clusters	1
A. Tetradecachlorohexatantalum Octahydrate	3
B. Tetradecabromohexatantalum Octahydrate	4
C. Tetrakis(benzyltributylammonium) Octadecachlorohexatantalate ..	5
2. Octahedral Hexamolybdenum Halide Clusters	8
A. Tetradecachlorohexamolybdate Hexahydrate (Chloromolybdic Acid)	10
B. Hexamolybdenum Dodecachloride	12
3. Ether Complexes of Molybdenum(III) and Molybdenum(IV) Chlorides	15
A. Tetrachlorobis(diethyl ether)molybdenum(IV)	16
B. Trichlorotris(tetrahydrofuran)molybdenum(III)	17
4. Octahedral Hexatungsten Halide Clusters	19
A. Bis(hydroxonium) Tetradecachlorohexatungstate Heptahydrate (Chlorotungstic Acid)	21
B. Hexatungsten Dodecachloride	22
5. Trinuclear Tungsten Halide Clusters	24
A. Tritungsten Decachloride	26
B. Trisodium Tridecachlorotritungstate	27
C. Tris(benzyltributylammonium) Tridecachlorotritungstate	28

6. Crystalline and Amorphous Forms of Tungsten Tetrachloride	30
A. Crystalline Tungsten Tetrachloride by Solid-State Reduction	32
B. Amorphous Tungsten Tetrachloride by Solution-Phase Reduction	33

Chapter Two CYCLOPENTADIENYL COMPOUNDS 35

7. Sodium and Potassium Cyclopentadienide	35
A. Sodium Cyclopentadienide	36
B. Potassium Cyclopentadienide	37
8. (Pentafluorophenyl)cyclopentadiene and its Sodium Salt	38
A. (Pentafluorophenyl)cyclopentadiene	39
B. Sodium (Pentafluorophenyl)cyclopentadienide	41
9. Bis(η^5 -pentamethylcyclopentadienyl) Complexes of Scandium	42
A. Bis(η^5 -pentamethylcyclopentadienyl)chloroscandium	43
B. Bis(η^5 -pentamethylcyclopentadienyl)methylscandium	44
C. Bis(η^5 -pentamethylcyclopentadienyl)phenylscandium	45
D. Bis(η^5 -pentamethylcyclopentadienyl)(<i>o</i> -tolyl)scandium	46
10. Bis(η^5 -pentamethylcyclopentadienyl) Complexes of Titanium, Zirconium, and Hafnium	47
A. Bis(η^5 -pentamethylcyclopentadienyl)dichlorotitanium(IV)	47
B. Bis(η^5 -pentamethylcyclopentadienyl)dichlorozirconium(IV)	49
C. Bis(η^5 -pentamethylcyclopentadienyl)dichlorohafnium(IV)	50
11. Bis(η^5 -pentamethylcyclopentadienyl) Complexes of Niobium and Tantalum	52
A. Bis(η^5 -pentamethylcyclopentadienyl)dichlorotantalum(IV)	53
B. Bis(η^5 -pentamethylcyclopentadienyl)dichloroniobium(IV)	55
12. Bis(η^5 -pentamethylcyclopentadienyl) Complexes of Molybdenum ...	58
A. Bis(pentamethylcyclopentadienyl)dichloromolybdenum(IV)	59
B. Bis(pentamethylcyclopentadienyl)dihydridomolybdenum(IV) ...	61
13. (η^5 -Cyclopentadienyl)tricarbonylmanganese(I) Complexes	62
A. (η^5 -Cyclopentadienyl)tricarbonylmanganese(I)	63
B. (η^5 -Pentamethylcyclopentadienyl)tricarbonylmanganese(I)	63

14.	1,1'-Diaminoferrocene	65
A.	1,1'-Dilithioferrocene <i>N,N,N',N'</i> -Tetramethylethylenediamine ...	66
B.	1,1'-Dibromoferrocene	67
C.	One-Pot Preparation of 1,1'-Dibromoferrocene from Ferrocene ..	68
D.	1,1'-Diaminoferrocene	69
E.	1,1'-Diaminoferrocenium Hexafluorophosphate	70
F.	1,1'-Diaminoferrocenium Triflate	71
15.	Mono(η^5 -pentamethylcyclopentadienyl) Complexes of Osmium	72
A.	Bromoosmic Acid	74
B.	Bis(η^5 -pentamethylcyclopentadienyl)tetrabromodiosmium(III) ...	75
C.	(η^5 -Pentamethylcyclopentadienyl)(1,5-cyclooctadiene)- bromoosmium(II)	76

Chapter Three COMPOUNDS WITH METAL–METAL BONDS 78

16.	Tetra(acetato)dimolybdenum(II)	78
17.	Supramolecular Arrays Based on Dimolybdenum	
	Building Blocks	81
A.	Tetrakis(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)dimolybdenum(II)	84
B.	Tris(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)di(chloro)- dimolybdenum(II,III)	86
C.	<i>cis</i> -Bis(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)tetrakis(acetonitrile)- dimolybdenum(II) Bis(tetrafluoroborate)	87
D.	(μ_2 -Succinato)bis[tris(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)- dimolybdenum(II)]	88
E.	(μ_2 - η^2, η^2 -Molybdato)bis[tris(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)- dimolybdenum(II)]	89
F.	(μ_2 - <i>N,N'</i> -Diphenylterephthaloyldiamidato)bis[tris(<i>N,N'</i> -di- <i>p</i> - anisylformamidinato)dimolybdenum(II)]	90
G.	Molecular Propeller: (μ_3 -Trimesate)tris[tris(<i>N,N'</i> -di- <i>p</i> - anisylformamidinato)dimolybdenum(II)]	91
H.	Molecular Loop: <i>closo</i> -Bis(μ_2 -malonato)bis[bis(<i>N,N'</i> -di- <i>p</i> - anisylformamidinato)dimolybdenum(II)]	92
I.	Molecular Triangle: <i>closo</i> -Tris(μ_2 - <i>eq,eq</i> -1,4-cyclohexane- dicarboxylato)tris[bis(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)- dimolybdenum(II)]	92
J.	Molecular Square: <i>closo</i> -Tetrakis(μ_2 -oxalato)tetrakis[bis(<i>N,N'</i> - di- <i>p</i> -anisylformamidinato)dimolybdenum(II)]	93

K. Molecular Cage: <i>closo</i> -Tetrakis(μ_3 -trimesate)hexakis[bis(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)dimolybdenum(II)]	94
18. Dimolybdenum and Ditungsten Hexa(alkoxides)	95
A. Hexa(<i>tert</i> -butoxy)dimolybdenum(III)	96
B. Hexakis(2-trifluoromethyl-2-propoxy)dimolybdenum(III)	97
C. Sodium Heptachloropentakis(tetrahydrofuran)ditungstate(III)	98
D. Hexa(<i>tert</i> -butoxy)ditungsten(III)	99
E. Hexakis(2-trifluoromethyl-2-propoxy)ditungsten(III)	100
19. Linear Trichromium, Tricobalt, Trinickel, and Tricopper Complexes of 2,2'-Dipyridylamide	102
A. Dichlorotetrakis(2,2'-dipyridylamido)trichromium(II)	103
B. Dichlorotetrakis(2,2'-dipyridylamido)tricobalt(II)	104
C. Dichlorotetrakis(2,2'-dipyridylamido)trinickel(II)	105
D. Dichlorotetrakis(2,2'-dipyridylamido)tricopper(II)	106
E. Bis(acetonitrile)tetrakis(2,2'-dipyridylamido)trichromium(II) Bis(hexafluorophosphate)	107
F. Bis(acetonitrile)tetrakis(2,2'-dipyridylamido)tricobalt(II) Bis(hexafluorophosphate)	108
G. Bis(acetonitrile)tetrakis(2,2'-dipyridylamido)trinickel(II) Bis(hexafluorophosphate)	108
20. Bis(tetrabutylammonium) Octachloroditechnetate(III)	110
A. Tetrabutylammonium Pertechnetate(VII)	111
B. Tetrabutylammonium Oxotetrachlorotechnetate(V)	112
C. Bis(tetrabutylammonium) Octachloroditechnetate(III)	112
21. Diruthenium Formamidinato Complexes	114
A. Chlorotris(acetato)(<i>N,N'</i> -di-2,6-xylylformamidinato)-diruthenium(II,III)	115
B. <i>trans</i> -Chlorobis(acetato)bis(<i>N,N'</i> -di-2,6-xylylformamidinato)-diruthenium(II,III)	117
C. <i>cis</i> -Chlorobis(acetato)bis(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)-diruthenium(II,III)	118
D. Chloro(acetato)tris(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)-diruthenium(II,III)	119
E. Chlorotetrakis(<i>N,N'</i> -di- <i>p</i> -anisylformamidinato)-diruthenium(II,III)	120
22. Heptacarbonyl(disulfido)dimanganese(I)	122

23.	Di(carbido)tetracos(carbonyl)decaruthenate(2-) Salts	124
A.	Calcium Di(carbido)tetracos(carbonyl)decaruthenate(2-)	124
B.	Bis[bis(triphenylphosphoranylidene)ammonium] Di(carbido)tetracos(carbonyl)decaruthenate(2-)	125
Chapter Four GENERAL TRANSITION METAL COMPOUNDS		127
24.	Bis(1,2-bis(dimethylphosphano)ethane)tricarbonyltitanium(0) and Hexacarbonyltitanate(2-)	127
A.	Bis(1,2-bis(dimethylphosphano)ethane)- tricarbonyltitanium(0)	129
B.	Bis[18-crown-6](acetonitrile)potassium] Hexacarbonyltitanate(2-)	131
25.	Tungsten Benzylidyne Complexes	134
A.	Trichloro(1,2-dimethoxyethane)benzylidynetungsten(VI)	135
B.	Chloro Bis[1,2-bis(diphenylphosphino)ethane]- benzylidynetungsten(IV)	136
26.	Tungsten Oxytetrachloride and (Acetonitrile)tetrachlorotungsten Imido Complexes	138
A.	Tungsten Oxytetrachloride	139
B.	(Acetonitrile)tetrachloro(phenylimido)tungsten(VI)	140
C.	(Acetonitrile)tetrachloro(2-propylimido)tungsten(VI)	141
D.	(Acetonitrile)tetrachloro(2-propenylimido)tungsten(VI)	142
27.	Tungsten Oxytetrachloride and Several Tungstate Salts	143
A.	Tungsten Oxytetrachloride	144
B.	Bis(tetrabutylammonium) Hexapolytungstate	145
C.	Di(cetylpyridinium) Peroxoditungstate	146
D.	Bis(tetrabutylammonium) Phenylphosphonatodiperoxo- tungstate	147
28.	Bromotricarbonyldi(pyridine)manganese(I)	148
29.	Bis(tetraethylammonium) <i>fac</i> -Tribromotricarbonylrhenate(I) and -Technetate(I)	149
A.	Bis(tetraethylammonium) <i>fac</i> -Tribromotricarbonylrhenate(I) ..	151
B.	Bis(tetraethylammonium) <i>fac</i> -Trichlorotricarbonyl- technetate(I)	152

30.	Methyl(oxo)rhenium(V) Complexes with Chelating Ligands	155
A.	Methyl(oxo)(1,2-ethanedithiolato)rhenium(V) Dimer	156
B.	Methyl(oxo)bis(2-oxyquinoline)rhenium(V)	157
C.	Methyl(oxo)(2,2'-thiodiacetato)(triphenylphosphine)- rhenium(V)	158
31.	Hexahydridoferrate(II) Salts	160
A.	Tetrakis[bromobis(tetrahydrofuran)magnesium] Hexahydrido- ferrate(II)	161
B.	Tetrakis[2-methyl-2-propoxomagnesium] Hexahydridoferrate(II)	163
32.	Tris(allyl)iridium and -Rhodium	165
A.	Allyllithium	166
B.	<i>mer</i> -Trichlorotris(tetrahydrothiophene)iridium(III)	166
C.	<i>mer</i> -Trichlorotris(tetrahydrothiophene)rhodium(III)	167
D.	Tris(allyl)iridium(III)	168
E.	Tris(allyl)rhodium(III)	170
33.	Trinuclear Palladium(II) Acetate	171
 Chapter Five MAIN GROUP COMPOUNDS AND LIGANDS		174
34.	Monocarbaborane Anions with 10 or 12 Vertices	174
A.	Tetraethylammonium <i>arachno</i> -6-Carba-decaboranate(14)	176
B.	Tetraethylammonium <i>closo</i> -2-Carba-decaboranate(10)	177
C.	Tetraethylammonium <i>closo</i> -1-Carba-decaboranate(10)	178
D.	Tetraethylammonium <i>closo</i> -1-Carba-dodecaboranate(12)	179
E.	Tetraethylammonium <i>nido</i> -6-Phenyl-6-carba- decaboranate(12)	180
F.	Tetraethylammonium <i>closo</i> -2-Phenyl-2-carba- decaboranate(10)	181
G.	Tetraethylammonium <i>closo</i> -1-Phenyl-1-carba- decaboranate(10)	182
H.	Tetraethylammonium <i>closo</i> -1-Phenyl-1-carba- dodecaboranate(12)	183
35.	Tetrakis(5- <i>tert</i> -butyl-2-hydroxyphenyl)ethene	186
A.	5,5'-Di- <i>tert</i> -butyl-2,2'-dimethoxybenzophenone	187
B.	Titanium Trichloride 1,2-Dimethoxyethane (1:1.5)	189

C. Tetrakis(5- <i>tert</i> -butyl-2-methoxyphenyl)ethene	189
D. Tetrakis(5- <i>tert</i> -butyl-2-hydroxyphenyl)ethene	192
36. Electrochemical Synthesis of Tetraethylammonium Tetrathiooxalate	195
37. Mid-Infrared Emitting Lead Selenide Nanocrystal Quantum Dots ..	198
A. Lead Selenide NQDs Emitting at 2.5 μm (0.50 eV)	199
B. Lead Selenide NQDs Emitting at 2.8 μm (0.44 eV)	200
C. Lead Selenide NQDs Emitting at 3.3 μm (0.38 eV)	201
D. Lead Selenide NQDs Emitting at 3.5 μm (0.35 eV)	201
Chapter Six TEACHING LABORATORY EXPERIMENTS	203
38. Tetra(acetato)dichromium(II) Dihydrate	203
39. Keggin Structure Polyoxometalates	210
A. Tri(ammonium) 12-Molybdophosphate	211
B. 12-Tungstosilicic Acid	212
C. 12-Tungstophosphoric Acid	214
D. 12-Molybdophosphoric Acid	215
40. Quadruply Metal–Metal Bonded Complexes of Rhenium(III)	217
A. Tetrabutylammonium Perrhenate(VII)	218
B. Bis(tetrabutylammonium) Octachlorodirhenate(III)	219
C. Tetra(acetato)dichlorodirhenium(III)	221
41. Bis[bis(triphenylphosphoranylidene)ammonium] Undecacarbonyltriferrate(2–)	223
42. Acetylide Complexes of Ruthenium	226
A. (Cyclopentadienyl)bis(triphenylphosphine)- chlororuthenium(II)	227
B. (Cyclopentadienyl)bis(triphenylphosphine)(phenylacetylido)- ruthenium(II)	228
43. <i>N,N'</i> -Bis(mercaptoethyl)-1,4-diazacycloheptane ($\text{H}_2\text{BME-DACH}$) and its Nickel Complex: A Model for Bioinorganic Chemistry	231
A. [<i>N,N'</i> -Bis(2-mercaptidoethyl)-1,4-diazacycloheptane]- nickel(II)	234

B. Sulfur Dioxide Adduct of Ni ^{II} (BME-DACH)	236
C. Acetylation of Ni ^{II} (BME-DACH)	237
44. Tin(II) Iodide	240
45. <i>N</i> - <i>tert</i> -Butyl-3,5-dimethylaniline	244
A. 2,4,6-Trimethylpyrylium Tetrafluoroborate	245
B. <i>N</i> - <i>tert</i> -Butyl-3,5-dimethylaniline	246
<i>Cumulative Contributor Index</i>	251
<i>Cumulative Subject Index</i>	260
<i>Cumulative Formula Index</i>	287