

Contents

Interactions amongst trees and crops in <i>taungya</i> systems of western Kenya <i>M. Imo</i>	1–9
Active root distribution pattern of <i>Hevea brasiliensis</i> determined by radioassay of latex serum <i>S. George, P.R. Suresh, P.A. Wahid, R.B. Nair & K.I. Punnoose</i>	11–17
Production physiology of three native shrubs intercropped in a young longleaf pine plantation <i>D.L. Hagan, S.Jose, M. Thetford & K. Bohn</i>	19–30
Dry matter partitions and specific leaf weight of soybean change with tree competition in an intercropping system <i>A.M. Manceur, G.J. Boland, N.V. Thevathasan & A.M. Gordon</i>	31–37
Natural abundance of ^{15}N in two cacao plantations with legume and non-legume shade trees <i>P. Nygren & H.A. Leblanc</i>	39–51
Soil phosphorus and water effects on growth, nutrient and carbohydrate concentrations, $\delta^{13}\text{C}$, and nodulation of mimosa (<i>Albizia julibrissin</i> Durz.) on a highly weathered soil <i>A. Ares, D.M. Burner & D.K. Brauer</i>	53–61
Silvopastoralism in New Zealand: review of effects of evergreen and deciduous trees on pasture dynamics <i>R. Benavides, G.B. Douglas & K. Osoro</i>	63–86
Pasture production under densely planted young willow and poplar in a silvopastoral system <i>Z. Hussain, P.D. Kemp, D.J. Horne & I.K.D. Jaya</i>	87–98
Relationship between tree canopy height and the production of pasture species in a silvopastoral system based on alder trees <i>N.R. Devkota, P.D. Kemp, J. Hodgson, I. Valentine & I.K.D. Jaya</i>	99–110
Changes in limiting resources determine spatio-temporal variability in tree–grass interactions <i>G. Gea-Izquierdo, G. Montero & I. Cañellas</i>	111–123
Are drought and wildfires turning Mediterranean cork oak forests into persistent shrublands? <i>V. Acácio, M. Holmgren, F. Rego, F. Moreira & G.M.J. Mohren</i>	125–136
Allelopathic effects of <i>Eucalyptus urophylla</i> on ten tree species in south China <i>B. Fang, S. Yu, Y. Wang, X. Qiu, C. Cai & S. Liu</i>	137–144

Scaling-up productivity (NPP) using light or water use efficiencies (LUE, WUE) from a two-layer tropical plantation <i>O. Roupsard, G. le Maire, Y. Nouvellon, J. Dauzat, C. Jourdan, M. Navarro, J.-M. Bonnefond, L. Saint-André, I. Mialet-Serra, O. Hamel, A. Rouzière & J.-P. Bouillet</i>	145–158
Modeling cotton production response to shading in a pecan alleycropping system using CROPGRO <i>D.S. Zamora, S. Jose, J.W. Jones & W.P. Cropper Jr.</i>	159–171
Transitioning from wild collection to forest cultivation of indigenous medicinal forest plants in eastern North America is constrained by lack of profitability <i>E.P. Burkhardt & M.G. Jacobson</i>	173–189
Coppicing improved fallows are profitable for maize production in striga infested soils of western Kenya <i>A. Kiwia, M. Imo, B. Jama & J.R. Okalebo</i>	191–201
Adoption potential of selected organic resources for improving soil fertility in the central highlands of Kenya <i>J. Mugwe, M. Mucheru-Muna, D. Mugendi, J. Kung'u, A. Bationo & F. Mairura</i>	203–221
Current situation and prospects of <i>Jatropha curcas</i> as a multipurpose tree in China <i>M. Ye, C. Li, G. Francis & H.P.S. Makkar</i>	223–233
Complementary labor opportunities in Indonesian pulpwood plantations with implications for land use <i>R. Pirard & J. Mayer</i>	235–247