## Contents

	ist of figures ist of tables	xi xvii
Lis	ist of contributors	xix
Int	ntroduction	xxi
Sta	tatement by the American Statistical Association on statistical significance	
	nd p-value – use in the book	xxiii
	cknowledgements	XXV
1	Basic operations in the R software	1
	MATEUSZ KOPYT	
	1.1 About the R software	4
	1.2 The R software interface	1
	1.2.1 R Commander	1
	1.2.2 RStudio	2
	1.3 Using help	4
	1.4 Additional packages	7
	1.5 R language – basic features	9
	1.6 Defining and loading data	9
	1.7 Basic operations on objects	11
	1.8 Basic statistics of the dataset	18
	1.9 Basic visualisations	24
	1.9.1 Scatterplot and line chart	24
	1.9.2 Column chart	27
	1.9.3 Pie chart	29
	1.9.4 Boxplot	29
	1.10 Regression in examples	31
	The Regression in examples	31
2	Data, spatial classes and basic graphics	37
	KATARZYNA KOPCZEWSKA	
	24 Leading and having any still the state of	
	2.1 Loading and basic operations on spatial vector data 2.2 Creating, checking and converting spatial classes	37
	J	48
		53
	2.4 Basic contour maps with a colour layer	57
	Scheme 1 – with colorRampPalette() from the grDevices:: package	
	Scheme 2 – with choropleth() from the GISTools:: package	58
	Scheme 3 – with findInterval() from the base:: package	59
	Scheme 4 – with findColours() from the classInt:: package	60
	Scheme 5 – with spplot() from the sp:: package  2.5 Basic operations and graphs for point data	61
	5	62
	Scheme 1 – with points() from the graphics:: package – locations o	only 62

		Scheme 2 – with spplot() from the sp:: package – locations and values Scheme 3 – with findInterval() from the base:: package – locations, values, different size of symbols	63
	2.6	Basic operations on rasters	67
	2.7	Basic operations on grids	73
	2.8	Spatial geometries	80
	2.0	Spatial geometries	
3	Spat	ial data with Web APIs	87
	MATE	JSZ KOPYT AND KATARZYNA KOPCZEWSKA	
	3.1 3.2 3.3	What is an application programming interface (API)? Creating background maps with use of an application programming interface Ways to visualise spatial data – maps for point and	87 88
		regional data Scheme 1 – with bubbleMap() from the	102
		RgoogleMaps:: package	102
		Scheme 2 – with ggmap() from the ggmap:: package	104
		Scheme 3 – with PlotOnStaticMap() from the	
		RgoogleMaps:: package	109
		Scheme 4 – with RGoogleMaps:: GetMap() and	
		conversion of staticMap into a raster	109
	3.4	Spatial data in vector format – example of the OSM database	110
	3.5	Access to non-spatial internet databases and resources	
		via application programming interface – examples	117
	3.6	Geocoding of data	133
4	spat	tial weights matrix, distance measurement, tessellation, cial statistics	151
		Planniage - busin	454
	4.1	Introduction to spatial data analysis	151 153
	4.2	Spatial weights matrix 4.2.1 General framework for creating spatial weights matrices	153
		4.2.2 Selection of a neighbourhood matrix	155
		4.2.3 Neighbourhood matrices according to the contiguity criterion	156
		4.2.4 Matrix of <i>k</i> nearest neighbours (knn)	159
		4.2.5 Matrix based on distance criterion (neighbours in a radius of d km)	161
		4.2.6 Inverse distance matrix	163
		4.2.7 Summarising and editing spatial weights matrix	164
		4.2.8 Spatial lags and higher-order neighbourhoods	169
		4.2.9 Creating weights matrix based on group membership	170
		### Example ###	170
		### Example ###	173
	4.3	Distance measurement and spatial aggregation	174
		### Example ###	177
	4.4	Tessellation 1990 to be below	182
	4.5	Spatial statistics 4.5.1. Global statistics	185
		4.5.1 Global statistics 4.5.1.1 Global Moran's / statistics	188
		4.5.1.2 Global Geary's C statistics	194
		4.5.1.3 Join-count statistics	19
		4.5.1 Local spatial autocorrelation statistics	199
		4.5.2.2 Local Moran's / statistics (local indicator of spatial association)	199
		4.5.2.3 Local Geary's C statistics	20

			Content
		4.5.2.4 Local Getis-Ord <i>G</i> <sub>i</sub> statistics	202
		4.5.2.5 Local spatial heteroscedasticity	203
		4.5.2.5 Local spatial fleteroscedasticity	206
	.6	Spatial cross-correlations for two variables	208
4	1.7	Correlogram	
		u I - U-l	213
		lied spatial econometrics	
k	(ATAI	RZYNA KOPCZEWSKA	213
	5.1	Added value from spatial modelling and classes of models	
	5.2	Basic cross-sectional models	216
		5.2.1 Estimation	216
		### Example ###	219
		5.2.2 Quality assessment of spatial models	230
		5.2.2 Quality assessment of $R^2$ in assessing model fit	230
		5.2.2.2 Test for heteroscedasticity of model residuals	232
		5.2.2.3. Residual autocorrelation tests	234
		5.2.2.4 Lagrange multiplier tests for model type selection	236
		5.2.5 Likelihood ratio and Wald tests for model restrictions	238
		5.2.3 Selection of spatial weights matrix and modelling of diffusion strength	240
		5.2.4 Forecasts in spatial models	243
		5.2.5 Causality	245
		ti ti and of cross soctional snatial models	246
	5.3	Selected specifications of cross-sectionar specific	246

	5.2.4 Forecasts in spatial models	245
	5.2.5 Causality	
F 2	Selected specifications of cross-sectional spatial models	246
5.3	Selected specifications of close section models	246
	5.3.1 Unidirectional spatial interaction models	255
	5.3.2 Cumulative models	261
	5.3.3 Bootstrapped models for big data	
	### Example ###	261
		269
	5.3.4 Models for grid data	269
	### Example ###	274
5.4	Spatial panel models	278
	1 4 4 4 4 4	2/0

6	hete	graphically weighted regression – modelling spatial rogeneity с́мыкомsкі	289
	6.1	Geographically weighted regression	289
		Basic estimation of geographically weighted regression model	291
	6.2	Basic estimation of geographically weighted regulares model	291
		6.2.1 Estimation of the reference ordinary least squares model	292
		6.2.2 Choosing the optimal bandwidth for a dataset	
		6.2.3 Local geographically weighted statistics	295
		6.2.3 Local geographically weighted regression estimation	297
		6.2.4 Geographically weighted regression estimation	
		6.2.5 Basic diagnostic tests of the geographically weighted	208
		regression model	298
		6.2.6 Testing the significance of parameters in geographically	
		0.2.0 1636119 616 5.3	304

### Example###

6.6

	weighted regression	304
	weighted regression	305
	6.2.7 Selection of the optimal functional form of the model	300
	6.2.8 Geographically weighted regression with heteroscedastic	
		307
	random error	
6.2	The problem of collinearity in geographically weighted	
6.3		308
	regression models	308
	6.3.1 Diagnosing collinearity in geographically weighted regression	
	6.5.1 Diagnosing comments in grant and the discourse of the comments of the co	316
6.4	Mixed geographically weighted regression	318
6.5	Robust regression in the geographically weighted regression model	
0.5	Kobdat regression in the good and	319

Geographically and temporally weighted regression

304

319

/	-	RZYNA KOPCZEWSKA	323
	7.1	Clustering of spatial points with k-means, PAM (partitioning around medoids) and CLARA (clustering large applications) algorithms	323
		### Example ###	326
		### Example ###	333
	7.2	Clustering with the density-based spatial clustering of	
		applications with noise algorithm	336
	7 7	### Example ###	337
	7.3	Spatial principal component analysis	345
	7.4	### Example ### Spatial drift	346
	7	### Example ###	<b>349</b> 349
	7.5	Spatial hierarchical clustering	349 356
	7.15	### Example ###	358
		### Example ###	362
	7.6	Spatial oblique decision tree	364
		### Example ###	364
8	-	tial point pattern analysis and spatial interpolation	371
	8.1	Introduction and main definitions	373
		8.1.1 Dataset	373
		8.1.2 Creation of window and point pattern	374
		8.1.3 Marks	375
		8.1.4 Covariates	381
		### Example ###	381
		8.1.5 Duplicated points	382
		8.1.6 Projection and rescaling	383
	8.2	Intensity-based analysis of unmarked point pattern	386
		8.2.1 Quadrat test	387
		8.2.2 Tests with spatial covariates	388
	8.3	Distance-based analysis of the unmarked point pattern	391
		8.3.1 Distance-based measures	392
		8.3.1.1 Ripley's <i>K</i> function 8.3.1.2 <i>F</i> function	392
		8.3.1.3 <i>G</i> function	393
		8.3.1.4 <i>J</i> function	393
		8.3.1.5 Distance-based complete spatial randomness tests	393
		8.3.2 Monte Carlo tests	393 396
		8.3.3 Envelopes	396
		8.3.4 Non-graphical tests	397
	8.4	Selection and estimation of a proper model for unmarked point pattern	398
		8.4.1 Theoretical note	399
		8.4.2 Choice of parameters	400
		8.4.3 Estimation and results	401
		8.4.4 Conclusions	404
	8.5	Intensity-based analysis of marked point pattern	404
		8.5.1 Segregation test	404
	8.6	Correlation and spacing analysis of the marked point pattern	405

	8.6.1 Analysis under assumption of stationarity 8.6.1.1 <i>K</i> function variations for multitype pattern	405 405 407
	8.6.1.2 Mark connection function	407
	8.6.1.3 Analysis of within- and between-type dependence	409
	8.6.1.4 Randomisation test of components' independence	410
	8.6.2 Analysis under assumption of non-stationarity 8.6.2.1 Inhomogeneous <i>K</i> function variations for multitype pattern	410
0.7	Selection and estimation of a proper model for unmarked point pattern	410
8.7	8.7.1 Theoretical note	412
	8.7.2 Choice of optimal radius	412
	8.7.3 Within-industry interaction radius	412
	8.7.4 Between-industry interaction radius	414
	8.7.5 Estimation and results	415
	8.7.6 Model with no between-industry interaction	415
	8.7.7 Model with all possible interactions	418
8.8	Spatial interpolation methods – kriging	421
0.0	8.8.1 Basic definitions	421
	8.8.2 Description of chosen kriging methods	424
	8.8.3 Data preparation for the study	424
	8.8.4 Estimation and discussion	425
	6.6.4 Estillation and discussion	123
	ial sampling and bootstrapping	433
		434
9.1	Spatial point data – object classes and spatial aggregation	434
9.2	Spatial sampling – randomisation/generation of new points	437
	on the surface	440
9.3	Spatial sampling – sampling of sub-samples from existing points	440
	9.3.1 Simple sampling	443
	9.3.2 The options of the sperrorest:: package	443
	9.3.3 Sampling points from areas determined by the <i>k</i> -means	448
	algorithm – block bootstrap	456
0.4	9.3.4 Sampling points from moving blocks (moving block bootstrap)	430
9.4	Use of spatial sampling and bootstrapping in cross-validation	462
	of models	462
	### Example ###	402
	tial big data	477
PIOTR	WOJCIK	
10.1	Examples of big data applications	478
10.2	Spatial big data	478
	10.2.1 Spatial data types	479
	10.2.2 Challenges related to the use of spatial big data	479
	10.2.2.1 Processing of large datasets	479
	10.2.2.2 Mapping and reduction	480
	10.2.2.3 Spatial data indexing	480
10.3	The sd:: package – simple features	481
	10.3.1 sf class – a special data frame	481
	10.3.2 Data with POLYGON geometry	482
	10.3.3 Data with POINT geometry	488
	10.3.4 Visualisation using the ggplot2:: package	489
	10.2.5. Solocted functions for spatial analysis	490

10.4	Use the dplyr:: package functions	494
10.5	Sample analysis of large raster data	505
	10.5.1 Measurement of economic inequalities from space	505
	10.5.2 Analysis using the raster:: package functions	507
	10.5.3 Other functions of the raster:: package	514
	10.5.4 Potential alternative – stars:: package	515
11 Spat	ial unsupervised learning – applications of market	
	ret analysis in geomarketing	517
ALESS	ANDRO FESTI	4
11.1	Introduction to market basket analysis	517
	Data needed in spatial market basket analysis	518
	Simulation of data	520
11.4	The market basket analysis technique applied to	320
	geolocation data	526
11.5	Spatial association rules	530
11.6	Applications to geomarketing	534
	11.6.1 Finding the best location for a business	534
	11.6.2 Targeting	536
	11.6.3 Discovery of competitors	538
11.7	Conclusions and further approaches	538
Appendi	x A: Datasets used in examples	541
A1.	Dataset no. 1 / dataset1/ - poviat panel data with many variables	541
A2.	Dataset no. 2 / dataset2/ – geolocated point data	544
A3.	Dataset no. 3 / dataset3/ – monthly unemployment rate in poviats (NTS4)	548
A4.	Dataset no. 4 / dataset4/ - grid data for population	549
A5.	Shapefiles of contour maps – for poviats (NTS4), regions (NTS2),	
	country (NTS0) and registration areas	551
A6.	Raster data on night light intensity on Earth in 2013	552
A7.	Population in cities in Poland	553
	x B: Links between packages	555
Referenc	es	561
Index		577