Contents

| Pı | reface | xiii |
|----|---|------|
| A | bout the Software | xvii |
| 0 | Basic Prerequisite Knowledge | 1 |
| | 0.1 Distributions: Normal, t, and F, 1 | |
| | 0.2 Confidence Intervals (or Bands) and t-Tests, 4 | |
| | 0.3 Elements of Matrix Algebra, 6 | |
| 1 | Fitting a Straight Line by Least Squares | 15 |
| | 1.0 Introduction: The Need for Statistical Analysis, 15 | |
| | 1.1 Straight Line Relationship Between Two Variables, 18 | |
| | 1.2 Linear Regression: Fitting a Straight Line by Least Squares, 20 | |
| | 1.3 The Analysis of Variance, 28 | |
| | 1.4 Confidence Intervals and Tests for β_0 and β_1 , 34 | |
| | 1.5 F-Test for Significance of Regression, 38 | |
| | 1.6 The Correlation Between X and Y , 40 | |
| | 1.7 Summary of the Straight Line Fit Computations, 44 | |
| | 1.8 Historical Remarks, 45 | |
| | Appendix 1A Steam Plant Data, 46 | |
| | Exercises are in "Exercises for Chapters 1–3", 96 | |
| 2 | Checking the Straight Line Fit | 47 |
| | 2.1 Lack of Fit and Pure Error, 47 | |
| | 2.2 Testing Homogeneity of Pure Error, 56 | |
| | 2.3 Examining Residuals: The Basic Plots, 59 | |
| | 2.4 Non-normality Checks on Residuals, 61 | |
| | 2.5 Checks for Time Effects, Nonconstant Variance, Need for | |
| | Transformation, and Curvature, 62 | |
| | 2.6 Other Residuals Plots, 67 | |

VI

| | 2.7 Durbin-Watson Test, 69 | | | | | |
|---|--|-----|--|--|--|--|
| | 2.8 Reference Books for Analysis of Residuals, 70 | | | | | |
| | Appendix 2A Normal Plots, 70 | | | | | |
| | Appendix 2B MINITAB Instructions, 76 | | | | | |
| | Exercises are in "Exercises for Chapters 1-3", 96 | | | | | |
| 3 | Fitting Straight Lines: Special Topics | 79 | | | | |
| | 3.0 Summary and Preliminaries, 79 | | | | | |
| | 3.1 Standard Error of \hat{Y} , 80 | | | | | |
| | 3.2 Inverse Regression (Straight Line Case), 83 | | | | | |
| | 3.3 Some Practical Design of Experiment Implications of Regression, 86 | | | | | |
| | 3.4 Straight Line Regression When Both Variables Are Subject to Error, 89 | | | | | |
| | Exercises for Chapters 1–3, 96 | | | | | |
| 4 | Regression in Matrix Terms: Straight Line Case | 115 | | | | |
| | 4.1 Fitting a Straight Line in Matrix Terms, 115 | | | | | |
| | 4.2 Singularity: What Happens in Regression to Make X'X Singular? An Example, 125 | | | | | |
| | 4.3 The Analysis of Variance in Matrix Terms, 127 | | | | | |
| | 4.4 The Variances and Covariance of b_0 and b_1 from the Matrix Calculation, 128 | | | | | |
| | 4.5 Variance of \hat{Y} Using the Matrix Development, 130 | | | | | |
| | 4.6 Summary of Matrix Approach to Fitting a Straight Line (Nonsingular Case), 130 | | | | | |
| | 4.7 The General Regression Situation, 131 | | | | | |
| | Exercises for Chapter 4, 132 | | | | | |
| 5 | The General Regression Situation | 135 | | | | |
| | 5.1 General Linear Regression, 135 | | | | | |
| | 5.2 Least Squares Properties, 137 | | | | | |
| | 5.3 Least Squares Properties When $\epsilon \sim N(0, \mathbf{I}\sigma^2)$, 140 | | | | | |
| | 5.4 Confidence Intervals Versus Regions, 142 | | | | | |
| | 5.5 More on Confidence Intervals Versus Regions, 143 | | | | | |
| | Appendix 5A Selected Useful Matrix Results, 147 | | | | | |
| | Exercises are in "Exercises for Chapters 5 and 6", 169 | | | | | |
| 6 | Extra Sums of Squares and Tests for Several Parameters Being Zero | 149 | | | | |
| | 6.1 The "Extra Sum of Squares" Principle, 149 | | | | | |
| | 6.2 Two Predictor Variables: Example, 154 | | | | | |
| | 6.3 Sum of Squares of a Set of Linear Functions of Y's, 162 | | | | | |

| | Appendix 6A Orthogonal Columns in the X Matrix, 165 Appendix 6B Two Predictors: Sequential Sums of Squares, 167 Exercises for Chapters 5 and 6, 169 | |
|---|---|-----|
| 7 | Serial Correlation in the Residuals and the Durbin-Watson Test 7.1 Serial Correlation in Residuals, 179 7.2 The Durbin-Watson Test for a Certain Type of Serial Correlation, 181 7.3 Examining Runs in the Time Sequence Plot of Residuals: Runs Test, 192 Exercises for Chapter 7, 198 | 179 |
| 8 | More on Checking Fitted Models 8.1 The Hat Matrix H and the Various Types of Residuals, 205 8.2 Added Variable Plot and Partial Residuals, 209 8.3 Detection of Influential Observations: Cook's Statistics, 210 8.4 Other Statistics Measuring Influence, 214 8.5 Reference Books for Analysis of Residuals, 214 Exercises for Chapter 8, 215 | 205 |
| 9 | Multiple Regression: Special Topics 9.1 Testing a General Linear Hypothesis, 217 9.2 Generalized Least Squares and Weighted Least Squares, 221 9.3 An Example of Weighted Least Squares, 224 9.4 A Numerical Example of Weighted Least Squares, 226 9.5 Restricted Least Squares, 229 9.6 Inverse Regression (Multiple Predictor Case), 229 9.7 Planar Regression When All the Variables Are Subject to Error, 231 Appendix 9A Lagrange's Undetermined Multipliers, 231 Exercises for Chapter 9, 233 | 217 |
| 1 | D Bias in Regression Estimates, and Expected Values of Mean Squares and Sums of Squares 10.1 Bias in Regression Estimates, 235 10.2 The Effect of Bias on the Least Squares Analysis of Variance, 238 10.3 Finding the Expected Values of Mean Squares, 239 10.4 Expected Value of Extra Sum of Squares, 240 Exercises for Chapter 10, 241 | 235 |
| 1 | 1 On Worthwhile Regressions, Big F's, and R ² 11.1 Is My Regression a Useful One?, 243 11.2 A Conversation About R ² , 245 | 243 |

| | Appendix 11A How Significant Should My Regression Be?, 247 Exercises for Chapter 11, 250 | | | | | |
|----|---|-----|--|--|--|--|
| 12 | 12 Models Containing Functions of the Predictors, Including Polynomial Models | | | | | |
| | 12.1 More Complicated Model Functions, 251 12.2 Worked Examples of Second-Order Surface Fitting for k = 3 and k = 2 Predictor Variables, 254 | | | | | |
| | 12.3 Retaining Terms in Polynomial Models, 266 Exercises for Chapter 12, 272 | | | | | |
| 13 | Transformation of the Response Variable | 277 | | | | |
| | 13.1 Introduction and Preliminary Remarks, 27713.2 Power Family of Transformations on the Response: Box-Cox Method, 280 | | | | | |
| | 13.3 A Second Method for Estimation λ, 286 13.4 Response Transformations: Other Interesting and Sometimes Useful Plots, 289 | | | | | |
| | 13.5 Other Types of Response Transformations, 29013.6 Response Transformations Chosen to Stabilize Variance, 291Exercises for Chapter 13, 294 | | | | | |
| 14 | "Dummy" Variables | 299 | | | | |
| | 14.1 Dummy Variables to Separate Blocks of Data with Different Intercepts, Same Model, 299 | | | | | |
| | 14.2 Interaction Terms Involving Dummy Variables, 30714.3 Dummy Variables for Segmented Models, 311Exercises for Chapter 14, 317 | | | | | |
| 15 | Selecting the "Best" Regression Equation | 327 | | | | |
| | 15.0 Introduction, 327 15.1 All Possible Regressions and "Best Subset" Regression, 329 15.2 Stepwise Regression, 335 15.3 Backward Elimination, 339 15.4 Significance Levels for Selection Procedures, 342 15.5 Variations and Summary, 343 15.6 Selection Procedures Applied to the Steam Data, 345 Appendix 15A Hald Data, Correlation Matrix, and All 15 Possible Regressions, 348 Exercises for Chapter 15, 355 | | | | | |
| 16 | Ill-Conditioning in Regression Data | 369 | | | | |
| | 16.1 Introduction, 369 | | | | | |

16.2 Centering Regression Data, 371

16.3 Centering and Scaling Regression Data, 373

| | 16.4 Measuring Multicollinearity, 375 | |
|----|---|-----|
| | 16.5 Belsley's Suggestion for Detecting Multicollinearity, 376 | |
| | Appendix 16A Transforming X Matrices to Obtain Orthogonal | |
| | Columns, 382 | |
| | Exercises for Chapter 16, 385 | |
| 17 | Ridge Regression | 387 |
| | 17.1 Introduction, 387 | |
| | 17.2 Basic Form of Ridge Regression, 387 | |
| | 17.3 Ridge Regression of the Hald Data, 389 | |
| | 17.4 In What Circumstances Is Ridge Regression Absolutely the Correct Way to Proceed?, 391 | |
| | 17.5 The Phoney Data Viewpoint, 394 | |
| | 17.6 Concluding Remarks, 395 | |
| | Appendix 17A Ridge Estimates in Terms of Least Squares Estimates, 396 | |
| | Appendix 17B Mean Square Error Argument, 396 Appendix 17C Canonical Form of Ridge Regression, 397 Exercises for Chapter 17, 400 | |
| 18 | Generalized Linear Models (GLIM) | 401 |
| | 18.1 Introduction, 401 | |
| | 18.2 The Exponential Family of Distributions, 402 | |
| | 18.3 Fitting Generalized Linear Models (GLIM), 404 | |
| | 18.4 Performing the Calculations: An Example, 406 | |
| | 18.5 Further Reading, 408 | |
| | Exercises for Chapter 18, 408 | |
| 19 | Mixture Ingredients as Predictor Variables | 409 |
| | 19.1 Mixture Experiments: Experimental Spaces, 409 | |
| | 19.2 Models for Mixture Experiments, 412 | |
| | 19.3 Mixture Experiments in Restricted Regions, 416 | |
| | 19.4 Example 1, 418 | |
| | 19.5 Example 2, 419 | |
| | Appendix 19A Transforming k Mixture Variables to $k-1$ Working | |
| | Variables, 422 Exercises for Chapter 19, 425 | |
| 20 | The Geometry of Least Squares | 427 |
| | 20.1 The Basic Geometry, 427 | |
| | 20.2 Pythagoras and Analysis of Variance, 429 | |
| | 20.3 Analysis of Variance and F-Test for Overall Regression, 432 | |
| | 20.4 The Singular X'X Case: An Example, 433 | |

X CONTENTS

20.5 Orthogonalizing in the General Regression Case, 435

20.6 Range Space and Null Space of a Matrix M, 437

| | Appe | The Algebra and Geometry of Pure Error, 439 and ix 20A. Generalized Inverses M ⁻ , 441 are tises for Chapter 20, 444 | | | |
|---|-------|--|-----|--|--|
| 21 | More | Geometry of Least Squares | 447 | | |
| | 21.2 | The Geometry of a Null Hypothesis: A Simple Example, 447 General Case H_0 : $\mathbf{A}\boldsymbol{\beta} = \mathbf{c}$: The Projection Algebra, 448 Geometric Illustrations, 449 | | | |
| | | The F-Test for H_0 , Geometrically, 450 The Geometry of R^2 , 452 | | | |
| | 21.6 | Change in \mathbb{R}^2 for Models Nested Via $\mathbf{A}\boldsymbol{\beta} = 0$, Not Involving $\boldsymbol{\beta}_0$, 452 | | | |
| | | Multiple Regression with Two Predictor Variables as a Sequence of Straight Line Regressions, 454 | | | |
| | Exerc | ises for Chapter 21, 459 | | | |
| 22 | Ortho | ogonal Polynomials and Summary Data | 461 | | |
| | 22.1 | Introduction, 461 | | | |
| | 22.2 | Orthogonal Polynomials, 461 | | | |
| 22.3 Regression Analysis of Summary Data, 467 | | | | | |
| | Exerc | ises for Chapter 22, 469 | | | |
| 23 | Multi | ple Regression Applied to Analysis of Variance Problems | 473 | | |
| | 23.1 | Introduction, 473 | | | |
| | 23.2 | The One-Way Classification: Standard Analysis and an Example, 474 | | | |
| | 23.3 | Regression Treatment of the One-Way Classification Example, 477 | | | |
| | 23.4 | Regression Treatment of the One-Way Classification Using the Original Model, 481 | | | |
| | 23.5 | Regression Treatment of the One-Way Classification: Independent Normal Equations, 486 | | | |
| | 23.6 | The Two-Way Classification with Equal Numbers of Observations in the Cells: An Example, 488 | | | |
| | 23.7 | Regression Treatment of the Two-Way Classification Example, 489 | | | |
| | 23.8 | The Two-Way Classification with Equal Numbers of Observations in the Cells, 493 | | | |
| | 23.9 | Regression Treatment of the Two-Way Classification with Equal Numbers of Observations in the Cells, 494 | | | |
| | 23.10 | Example: The Two-Way Classification, 498 | | | |

CONTENTS

| | 23.11 Recapitulation and Comments, 499 Exercises for Chapter 23, 500 | | |
|-----|---|-----|--|
| 24 | An Introduction to Nonlinear Estimation | 505 | |
| | 24.1 Least Squares for Nonlinear Models, 505 24.2 Estimating the Parameters of a Nonlinear System, 508 24.3 An Example, 518 24.4 A Note on Reparameterization of the Model, 529 24.5 The Geometry of Linear Least Squares, 530 24.6 The Geometry of Nonlinear Least Squares, 539 24.7 Nonlinear Growth Models, 543 24.8 Nonlinear Models: Other Work, 550 24.9 References, 553 Exercises for Chapter 24, 553 | | |
| 25 | Robust Regression | 567 | |
| | 25.1 Least Absolute Deviations Regression (L₁ Regression), 567 25.2 M-Estimators, 567 25.3 Steel Employment Example, 573 25.4 Trees Example, 575 25.5 Least Median of Squares (LMS) Regression, 577 25.6 Robust Regression with Ranked Residuals (rreg), 577 25.7 Other Methods, 580 25.8 Comments and Opinions, 580 25.9 References, 581 Exercises for Chapter 25, 584 | | |
| 26 | Resampling Procedures (Bootstrapping) 26.1 Resampling Procedures for Regression Models, 585 26.2 Example: Straight Line Fit, 586 26.3 Example: Planar Fit, Three Predictors, 588 26.4 Reference Books, 588 Appendix 26A Sample MINITAB Programs to Bootstrap Residuals for a Specific Example, 589 Appendix 26B Sample MINITAB Programs to Bootstrap Pairs for a Specific Example, 590 Additional Comments, 591 Exercises for Chapter 26, 591 | 585 | |
| Bib | oliography | 593 | |
| Tru | rue/False Questions | | |
| An | Answers to Exercises 6 | | |

| С | 0 | N | T | E | N | T | S |
|---|---|----|---|---|----|---|---|
| U | U | 14 | | | 14 | 1 | 5 |

| Tables | 684 |
|--|-----|
| Normal Distribution, 684 | 331 |
| Percentage Points of the t-Distribution, 686 | |
| Percentage Points of the χ^2 -Distribution, 687 | |
| Percentage Points of the F-Distribution, 688 | |
| Index of Authors Associated with Exercises | 695 |
| Index | |