## TABLE OF CONTENTS:

	rc-related normal/high-K calc-alkaline plutonism in the Central Bohemian Plutonic nplex (V. Janoušek, J. Žák, F.V. Holub, B. Wiegand, A. Gerdes, V. Erban)2
	Genesis of the Central Bohemian Plutonic Complex6
	Late Devonian-Early Carboniferous Andean-type subduction
2. F	ield stops description9
	Field stop 1: Žampach (intrusive contact between the calc-alkaline Sázava pluton and its Neoproterozoic host rocks) (Jiří Žák and Kryštof Verner)
	Field stop 2: Teletín (variability and genesis of the arc-related Sázava suite and magma mixing/mingling phenomena) (V. Janoušek, J. Žák, A. Gerdes)
	Field stop 3: Kozárovice (high-K calc-alkaline intrusion of the Blatná suite, magma mixing phenomena) (V. Janoušek, J. Žák, B. Wiegand, F. Tomek)
	Field stop 4: Výří skály u Oslova (pervasively deformed granitoids in the Červená shear zone) (J. Žák, K. Verner, F. Holub, V. Janoušek)
	References

## Introduction

The Bohemian Massif represents the largest and arguably the most varied and interesting relict of the crystalline basement at the eastern extremity of the Variscan orogen in Europe. The key role in its early Variscan evolution has apparently played an Andean-type subduction, connected – in the Late Devonian to Early Carboniferous times – with extensive igneous activity. The mode of emplacement, variability of magmatic products and processes important in their genesis can be discussed in the famous Central Bohemian Plutonic Complex.

During this field trip, we shall focus on a transect that will involve the earliest and volumetrically most represented suites in this plutonic complex, the ~ 355 Ma normal-calc-alkaline Sázava and the ~346 Ma high-K calc-alkaline Blatná suites, respectively.

On behalf of the organizers I hope that you will find the trip inspiring and worthwhile. Enjoy!

Vojtěch Janoušek, Editor

Acknowledgements

First of all, we would like to thank to the co-authors, whose names are given in the table of contents. We are obliged to Mgr. Jakub Trubač for the cover map. We acknowledge also the support from Mr. Vilém Trčka (Kozárovice), and his company Medigran.

All abbreviations of mineral names are after Kretz (1983). Geochemical diagrams were plotted using our free software package GCDkit (gcdkit.org, Janoušek et al., 2006a).

The financial support has been provided by the Grant Agency of the Czech Republic (project P210-11-2358)