

Contents

Opening Session

- 01 Development, current state and changes in grassland in the past year
Stypiński P., Hejduk S., Svobodová M., Hakl J. and Rataj D.
- 11 Selected indicators of productive and extraproductual management of grasslands in the Czech Republic
Kohoutek A., Kvapilík J., Čagaš B., Hrabě F. and Pozdišek J.

Session 1 – Non marketable functions of grassland

Invited papers

- 25 Grassland beyond conventional food markets – economic value of multifunctional grassland: An analytical framework as contribution from agricultural economics
Lehmann B.
- 37 Non-marketable functions of grasslands
Starczewski K., Affek-Starczewska A. and Jankowski K.

Offered papers

- 46 Farm structure and grassland phytodiversity – A comparison of beef and dairy cattle farms
Stroh H.G., Klimek S. and Isselstein J.
- 50 Historical maps as a tool for the ecological evaluation of grassland
Zarzycki J., Misztal A. and Kopeć M.
- 54 Permanent grassland as turf grass for landscape, sport and tourism. Research needs and future perspectives in Austria
Herndl M., Krautzer B. and Schaumberger A.
- 58 Diversity of dung beetles (Scarabaeoidea, Hydrophilidae) in mountain pastures
Šlachta M., Frelich J. and Tonka T.
- 61 Mowing impacts on invertebrate models
Humbert J.-Y., Ghazoul J., Sauter G.J. and Walter T.
- 64 Comparison of surface runoffs from grasslands and arable land
Hejduk S.

Poster Session 1

- 68 Alternative use of different grassland types: I. Influence of mowing on botanical composition and dry matter production
Britaňák N., Hanzes L. and Ilavská I.
- 72 Alternative use of different grassland types: II. Accumulation of carbon in grassland ecosystems
Britaňák N., Hanzes L. and Ilavská I.

- 76 Effects of different establishment techniques on pasture improvements for wild animals in the Italian Apennine Mountains
Cervasio F., Ponzetta M.P., Argenti G., Messeri A., Crocetti C. and Staglianò N.
- 79 Peculiarities of transition of unused grasslands and other abandoned areas in Lithuania
Daugėlienė N., Žekonienė V. and Bartkevičius E.
- 83 *Lolium multiflorum* as a catch crop in maize
De Vliegher A., Latré J. and Carlier L.
- 87 Multifunctionality and sustainability of the utilisation of permanent pastures in Romania, under conditions of alternative utilisation
Dragomir N., Pet I., Dragomir C., Pet E., Cristea C., Rechitean D., Toth S. and Fratila I.
- 91 The use of salt for managing unguarded mixed livestock on Atlantic mountain heathlands
Eliceits P., Aldezabal A., Ruiz R. and Mandaluniz N.
- 95 Silvopastoral systems: effects on alpha and beta biodiversity eleven years after establishment
Fernández-Núñez E., Mosquera-Losada M.R. and Rigueiro-Rodríguez A.
- 99 Nutritive value at ear emergence of four timothy varieties
Frankow-Lindberg B.E.
- 103 Annual and seasonal effects on micro-mineral concentrations in four grassland species
Frankow-Lindberg B.E., Lindström B. and Öborn I.
- 106 Cultivated and wild growing forage crops – reservoirs of viruses and phytoplasmas
Fránová J., Petřík K., Jakešová H., Bečková M. and Sarkisova T.
- 109 Arthropod biodiversity in a landscape with grass and leguminous vegetation cover
Frydrych J., Barták M., Lošák M., Čagaš B., Rotrekl J. and Kolařík P.
- 113 Utilization of *Lolium multiflorum* on arable land in the context of non-production functions of an agriculture system
Fuksa P., Brant V., Venclová V. and Hák J.
- 117 Effect of different mulching regimes on rate of decomposition of above-ground biomass
Gaisler J. and Pavlů V.
- 121 Effects of harvesting methods on seed yield and quality of *Scorpiurus muricatus* L.
Giambalvo D., Amato G., Di Miceli G. and Frenda A.S.
- 125 Phytocenological characteristics of two pasture swards with different management histories
Hakrová P., Sýkorová Z., Novotná K., Frelich J. and Šlachta M.
- 128 Botanical monitoring of grasslands after the adoption of agro-environmental arrangements
Holubec V. and Vymyslický T.
- 132 Effect of mulching on phytomass structure and grassland succession
Hrabě F. and Krausová A.
- 136 The implementation of an indicator method for eligible grassland within an agri-environmental programme in the German Federal State of Brandenburg
Kaiser T., Lorenz J. and Hoffmann E.

- 140 Botanical diversity and nitrate leaching with different styles of grassland management
Kobes M., Frelich J., Šlachta M., Voženilková B. and Suchý K.
- 144 Soil aggregate stability (SAS) of grassland in comparison with arable land
Kohoutek A., Němcová P., Odstrčilová V., Nerušil P. and Komárek P.
- 147 The measurement of soil protection capacity from erosion by means of a mobile rainfall simulator in grasslands
Kohoutek A., Komárek P., Tipl M., Bohuslávěk J. and Janeček M.
- 150 Aesthetic values of chosen herbs occurring in grasslands
Kolczarek R., Jankowska J., Ciepiela G.A., Sosnowski J. and Jankowski K.
- 154 Effect of permanent meadows on the chemistry of surface waters
Kozłowski S., Zielewicz W. and Swędryński A.
- 158 Geomorphological variability of river valleys and natural values of meadow communities
Kryszak A., Kryszak J. and Klarzyńska A.
- 162 Soil nitrogen content in relation to meadow and pasture utilisation
Kryszak J., Grzyl S. and Musiał M.
- 166 Effect of grazing intensity on the structure of sward patches
Ludvíková V., Pavlů V., Hejzman M. and Gaisler J.
- 169 Non-productive properties of selected grass varieties under mulching
Macháč R. and Cagaš B.
- 173 Research regarding establishment of the sown grassland for the anti-erosion protection of a thermal power station ash dump
Marusca T., Mocanu V., Hermenean I., Blaj V.A., Filip M. and Marusca S.
- 177 Xerothermic grasslands as a source of biodiversity in the agricultural landscape
Misztal A. and Zarzycki J.
- 181 The effect of shade on a silvopastoral system with *Populus × euroamericana* in Galicia, NW Spain
Morán-Zuloaga D., Mosquera-Losada M.R. and Rigueiro-Rodríguez A.
- 185 Fertiliser type effect on copper cycling in a *Fraxinus excelsior* L. silvopastoral system
Mosquera-Losada M.R., Ferreira-Dominguez N., Rigueiro-Rodríguez A. and Fernández-Núñez E.
- 189 Effects of sewage sludge type on *Pseudotsuga menziesii* and pasture production
Mosquera-Losada M.R., Santiago-Freijanes J.J., García-Fernández M., Fernández-Núñez E. and Rigueiro-Rodríguez A.
- 192 The effects of wild boar grazing on the floristic diversity of a silvopastoral oak system
Mpampouli S., Abraham E.M., Kyriazopoulos A., Fotiadis G., Parissi Z.M. and Tsiouvaras C.N.
- 196 Species richness and diversity of foptail-type stand during long-term fertilisation
Mrkvička J. and Veselá M.
- 200 The long-term influence of fertilisation on the botanical composition of a fen grassland
Müller J., Jurasinski G. and Dittmann L.

- 204 The effect of use way of the catchment on the content of mineral nutrients in waters of small river
Niczyporuk A. and Jankowska-Huflejt H.
- 208 Comparison of the understorey vegetation in grazed kermes oak stands differing in canopy cover
Panogeorgos A., Kyriazopoulos A., Fotiadis G., Abraham E.M. and Fraggakis I.
- 212 Determination of suitable management for a mountain hay meadow in a nature reserve in the Jizerské hory Mts.
Pavľů L., Pavľů V. and Gaisler J.
- 215 Effects of wood expansion on the specific biodiversity of mountain pastures
Pornaro C., Susan F. and Zilioetto U.
- 219 Effect of calcified seaweed on nitrogen fixation and yield of legumes in an acid soil
Radic S. and McAdam J.H.
- 223 Liming and sewage sludge effects on soil fertility and understorey development in reforested *Pinus radiata* D. Don plantations
Rigueiro-Rodríguez A., Cuiña-Cotarelo R., Fernández-Núñez E. and Mosquera-Losada M.R.
- 226 Effect of inorganic and organic fertilisation on sward production and Cu and Fe pasture concentration
Rigueiro-Rodríguez A., García-Fernández M., Santiago-Freijanes J.J. and Mosquera-Losada M.R.
- 230 Effect of autumn fire on microbial biomass content and dehydrogenase activity in two grassland soils
Russel S., Olejniczak I., Prędecka A., Chojnicki J. and Barszczewski J.
- 234 Management of permanent grasslands in North-Eastern Romania
Samuil C., Vintu V., Iacob T., Saghin Gh. and Trofin A.
- 238 The influence of white and red clover and wheat cultivation methods on some soil parameters
Sarunaite L., Kadziulienė Z. and Kadziulis L.
- 242 Influence of preparatory cut and harvest date on the yields and quality of perennial grasses
Skládanka J., Nedělník J., Doležal P. and Moravcová H.
- 246 Properties of *Arrhenatherum elatius* under arable land set aside
Svobodová M., Šantrůček J., Brant V., Urbanec J. and Niňaj M.
- 250 Effect of organic fertilisation on quality of lysimetric water
Svozilová M., Otrhálková P., Karabcová H. and Ržonca J.
- 253 The grass vegetation of watercourses as a biodiversity refuge in an agricultural landscape
Szymura M., Szymura T., Dunajski A. and Wolski K.
- 257 Using ArcGIS for the evaluation of land use in a grassland area of the Jizerské hory Mts.
Štrobach J., Pavľů V. and Mikulka J.
- 261 Botanical composition of pasture sward influenced by intensity of utilisation and mineral fertilisation
Šťýbnarová M., Hakl J., Krhovjáčková J. and Pozdišek J.

- 265 Species development of meadow stand related to yield
Veselá M., Mrkvička J. and Hrevušová Z.
- 269 Variation of structural and functional characteristics of grasslands in the foraging areas of the Eurasian black vulture (*Aegypius monachus* L.)
Vrahnakis M.S., Kadroudi M., Kyriazi E., Vasilakis D., Kazoglou Y. and Birtsas P.
- 273 Sustainable approaches to small-area grassland and barren management with respect to flora and insect diversity
Vymyslický T., Fabšičová M. and Musil Z.
- 277 Chemical composition analysis of harefeeding base
Wolski K., Gawęcki J., Dradrach A. and Kazimierska N.
- 281 Water-use efficiency of grassland differing in diversity
Wrage N., Ebenau A., Jarzmik A., Steude K., Peter K., Thies C. and Isselstein J.

Session 2 – Alternative use of grassland

Invited papers

- 284 Life-cycle analysis of heat generation using biomass from semi-natural grasslands in Central Europe
Tonn B., Thumm U. and Claupein W.
- 297 Alternative use of grassland biomass in Ireland: Grass for biorefinery
O'Keeffe S., Schulte R.P.O. and Struik P.C.

Offered papers

- 314 Economic assessment of biogas production from landscape management grass in the Lower Oder Valley National Park
Blokhina Y., Prochnow A., Plöchl M., Luckhaus Ch. and Heiermann M.
- 318 New technologies of phytomass processing and utilization
Kužel S., Kolář L., Frelich J., Peterka J. and Maroušek J.
- 322 Biomass of cocksfoot and tall fescue as a substrate for biogas production
Tilvikienė V., Kadziulienė Z. and Dabkevicius Z.
- 325 Grass utilisation for thermal energy purposes
Andert D., Gerndtová I. and Frydrych J.
- 328 An analysis of the floristic composition of two mountain golf courses
Macolino S., Da Ronch F., Susan F. and Ziliotto U.
- 332 The effect of returning turfgrass clippings on turfgrass sward yield
Kauer K., Laidna T., Keres I., Köster T., Noormets M., Parol A., Raave H., Selge A. and Viiralt R.

Poster Session 2

- 336 Influence of nitrogen fertilisation rates on *Festulolium* and *Lolium × boucheanum* forage yield and persistency
Gutmane I. and Adamovics A.

- 339 Biogas production from energy grasses
Adamovics A., Dubrovskis V. and Plume I.
- 342 Utilization of grass for anaerobic fermentation
Andert D., Frydrych J., Gerndtová I. and Hanzliková I.
- 345 Breeding of cocksfoot genotypes for orchard land planting
Babic S., Sokolovic D., Radovic J., Andjelkovic S., Jevtic G. and Simic A.
- 349 Tetraploid red clover – in a pure stand or mixed with timothy?
Bender A., Tamm S. and Aavola R.
- 353 Effects of fertilisation level on the productivity of three permanent ryegrass meadows in the upper Veneto plain (N-E Italy)
Bonifazzi B., Da Ronch F. and Ziliotto U.
- 357 *Trifolium subterraneum* L. (Subterranean clover) on arable land in regions with limited precipitation
Brant V., Neckář K., Hakl J., Holec J., Pivec J. and Venclová V.
- 361 Grasslands of golf courses and their value for the landscape
Cagaš B., Flodrová P., Hejzlar J. and Voigts M.
- 364 Impact of seasonal pasture on fatty acid composition of cows milk
Frelich J., Šlachta M., Špička J., Samková E. and Hanuš O.
- 368 Farming in the mountains and foothills regions with respect to grasses used for generating energy
Frydrych J., Andert D., Kovaříček P., Juchelková D. and Tippel M.
- 372 Will maize become an important crop for biogas production in Latvia?
Gaile Z. and Bartuševis J.
- 376 Effect of different fertilization and cutting regimes on the quality of sheep fescue landscape lawns
Golińska B. and Goliński P.
- 380 Biogasification of plant and animal biomass substrate
Gonda L.
- 383 The root morphology of alfalfa in relation to the position of the roots in soil
Hakl J., Krajč L., Fuksa P. and Šantrůček J.
- 387 Multi-component grass/clover mixtures in a mountain area of Slovakia
Ilavská I., Britaňák N. and Hanzes L.
- 391 The dominance of high grasses and biomass production on *Alopecuretum* after the cessation of long-term intensive fertilization
Hrevušová Z., Hakl J., Mrkvička J. and Martinek J.
- 394 Chicory as promising bioactive forage for sheep production
Kidane A., Parissi Z.M., Houdijk J.G.M., Athanasiadou S., Tolkamp B.J. and Kyriazakis I.
- 398 Succession and structure of a mulched and cut lawn
Knot P., Hrabě F. and Vrzalová J.

- 402 The competition of grass component within alfalfa-grass mixture in the seeding year
Krajč L., Hák J. and Šantrůček J.
- 406 Morphological traits and seed production potential of some wild *Trifolium* species in Serbia
Lugic Z., Radovic J., Sokolovic D., Vasic T. and Jevtic G.
- 410 An influence of water stress in first stages of development on germination capacity
of selected turfgrass species
Martinek J., Svobodová M. and Králíčková T.
- 414 The response of lawn varieties of *Poa pratensis* to drought stress
Mastalerczuk G. and Borawska-Jarmulowicz B.
- 417 Forage yields in urban populations of Hungarian vetch (*Vicia pannonica* Crantz)
from Serbia
Mihailović V., Mikić A., Čupina B., Krstić Đ., Erić P., Hauptvogel P. and Karagić Đ.
- 421 Forage yields in urban populations of large-flowered vetch (*Vicia grandiflora* Scop.)
from Serbia
Mikić A., Mihailović V., Čupina B., Krstić Đ., Hauptvogel P., Drobná J. and Antalíková G.
- 425 Perennial herbaceous species biomass as potential bioenergy feedstock
Pappas I., Koukoura Z., Goulas Ch., Kiparissides C. and Tananaki Ch.
- 428 Extensively used grassland as a basis of low input livestock systems and as a resource
of energy and raw materials
*Pötsch E.M., Buchgraber K., Resch R., Häusler J., Ringdorfer F., Pöllinger A.,
Rathbauer J. and Amon T.*
- 432 The ensilage and nutrition quality of *Bromus marginatus* compared to other grasses
Rajčáková L. and Mlynár R.
- 436 Response to grazing pressure and supplementation on milk production by dairy cows
Roca-Fernández A.I., González-Rodríguez A. and Vázquez-Yanes O.P.
- 440 Milk urea concentration as an index for the diagnosis of nutritive balance in dairy cows
Roca-Fernández A.I., González-Rodríguez A. and Vázquez-Yanes O.P.
- 444 An enhanced approach for estimating grassland yield potential under various cutting
regimes
Schaumberger A., Trnka M., Eitzinger J., Formayer H., Buchgraber K. and Resch R.
- 448 Residual effects of green manure legumes on organic seed of *Festuca pratensis*
Slepetyš J.
- 452 The impact of different agro-ecological conditions on sod weight and structure
of selected turf grass species
Straková M., Straka J., Binková L., Sloup J., Ševčíková M., Lošák M., Hrabě F. and Knot P.
- 456 Effect of nitrogen fertilization on the botanical composition of newly established
extensive turf type grassland
Ševčíková M., Lošák M., Špačková P., Hrabě F., Knot P., Straková M. and Binková L.
- 460 Distribution and growth performance of suckling cows in a mountain region
of the Czech Republic
Voříšková J., Šlachta M., Frelich, J. and Kobes M.

- 464 Grasslands in Poland and their potential for use for biogas production
Wasilewski Z. and Gutkowska A.

Session 3 – Methods of grassland preservation

Invited papers

- 469 Ecological principles for the re-creation of species rich grasslands in agricultural landscapes
Jongepierová I. and Mitchley J.
- 478 The use of semi-natural grassland as donor sites for the restoration of high nature value areas
Krautzer B. and Pötsch E.M.

Offered papers

- 493 Effect of inoculation, plant density and plant stand development on the seed multiplication of *Trifolium alpinum*
Peratoner G., Scherer E., Pramsohler M. and Gallmetzer W.
- 497 Re-introduction of grassland species still successful after a decade
Korevaar H. and Geerts R.H.E.M.
- 501 Conservation of grasslands in the light of regulations through the example of the Polish Sudetes
Fatyga J., Nadolna L. and Żyszkowska M.
- 504 Protection versus production of grasslands – some remarks on the determination of socially optimal provision levels
Bergmann H. and Freese J.
- 508 Evaluation of forage mixtures for environmental restoration of a clay quarry in central Italy
Staglianò N., Bianchetto E., Meo F. and Argenti G.
- 512 Grassland management and nature conservation in natural grasslands of the Balaton Uplands National Park, Hungary
Penksza K., Szentes S., Házi J., Tasi J., Bartha S. and Malatinszky Á.

Poster Session 3

- 516 Influence of the thermal stress on some physiological features and survival of plants of *Lolium perenne* varieties Diamant and Gagat
Borawska-Jarmulowicz B., Mastalerczuk G.
- 520 Effects of under-exploitation on the vegetation dynamics of permanent grassland in the vicinity of Lake Surduc (Western Romania)
Durău C.C., Moisuc A. and Tomodan I.L.
- 524 The reasons for degradation and methods of preserving permanent grasslands in Poland
Jankowska-Huflejt H. and Wróbel B.

- 528 The sowing of some wild meadow plants into grass mixture as a tool for increasing the diversity of grasslands
Marková H., Pelikán J., Ševčíková M., Kašparová J., Gottwaldová P. and Výmyslický T.
- 531 Assessment of genetic resources of wild ecotypes and a range of cultivars of grasses and forage legumes
Martincová J.
- 535 Transformation of arable land into wet grassland on a degraded low peat soil
Müller J. and Kayser M.
- 559 Biological properties of soil below seminatural grassland with the application of mineral and organic fertilisers
Ondrášek L. and Čunderlik J.
- 543 Semi-natural grassland use in the Apuseni Mountains in the context of cultural landscape maintenance
Păcurar F., Rotar I., Vidican R. and Gârda N.
- 547 Temporal variability in the forage production of a protected area with heterogeneous vegetation types
Peratoner G., Figl U., Gottardi S., Bodner A., Werth E. and Kasal A.
- 551 Effects of seed rate and mixture composition on the revegetation of a landslide in an Apennine area
Staglianò N., Argenti G. and Albertosi A.
- 555 The influence of organic fertilisers on *Nardus stricta* L. grasslands in the Carpathian Mountains of Romania
Vintu V., Samuil C., Iacob T., Saghin Gh., Popovici I.C. and Trofin A.
- 559 Regulation of *Urtica dioica* L. on grasslands
Vozár L., Jančovič J. and Bačová S.