

Content

Photo and Workshop Participants	viii
Preface	xi
Balík, V.: Testate amoebae (Protozoa) in soils of restored flowery meadows in the Bílé Karpaty Mts. (Czech Republic)	1
Błoszyk, J., Bajerlein, D., Skoracka, A. & Bajaczyk, R.: <i>Uropoda orbicularis</i> (Müller, 1776) (Acari: Uropodina) as an example of a mite adapted to synanthropic habitats	7
Bryja, V. & Kula, E.: Succession of epigeic spider communities in substitute birch forests between 1988 and 1998	13
Christian, E.: Copepoda from forest floor habitats in Vienna	19
Dmowska, E. & Makulec-Ilieva, K.: Influence of antimicrobial feed additives on nematode community structure: Primary field experiment	25
Elhottová, D., Frouz, J., Křišťfek, V., Lukešová, A., Nováková, A. & Tříška, J.: Potential sources of polyunsaturated fatty acids for saprophagous soil invertebrates	31
Fojtová, H.: The influence of water regime on soil-surface fauna in floodplain forest	39
Háněl, L.: Fauna of soil nematodes and other soil micro-mesofauna in spruce clearings in the Šumava Mts., Czech Republic	45
Háněl, L.: Short-term effects of grass mixtures on nematodes inhabiting agricultural soil in the Bílé Karpaty Mts., Czech Republic - a preliminary study	51
Holecová, M. & Sukupová, J.: Weevils (Coleoptera, Curculionoidea) as a part of the oak-hornbeam forest epigaeon	59
Hubert, J.: Abundant and frequent oribatid mites (Acari: Oribatida) in different plots on two meadows	69
Košel, V.: What do we know on terrestrial Tricladida (Turbellaria) from the former Czechoslovakia?	79
Kováč, L., Magdová, J. & Miklisová, D.: Introductory monitoring of Collembola (Hexapoda) in the Pieniny Mts. (Western Carpathians)	83
Kováč, L., Mock, A., Luptáček, P. & Palacios-Vargas, J.G.: Distribution of <i>Eukoenenia</i> <i>spelaea</i> (Peyerimhoff, 1902) (Arachnida, Palpigradida) in the Western Carpathians with remarks on its biology and behaviour	93
Krivolutsky, D.A. & Lebedeva, N.V.: The oribatid mites in the bird feathers	101
Krumpálová, Z. & Bartoš, D.: Lycosid spiders (Araneae) of the oak forests of the Malé Karpaty Mts. near Modra	105
Luptáček, P. & Miklisová, D.: Soil Oribatida (Acarina) communities across a land depression in an arable field	113
Madej, G., Błoszyk, J., Stachowiak, M. & Bajaczyk, R.: Structure of pioneer communities of mesostigmatid mites (Arachnida, Acari) at initial stages of ecological succession on coal mining	119

Mock, A. & Tajovský, K.: Genus <i>Melogona</i> Cook, 1895 (Diplopoda: Chordeumatida: Chordeumatidae) in Slovakia	127
Nováková, A. & Pižl, V.: Mycotic flora in vermicultures and intestines of <i>Eisenia andrei</i>	133
Pižl, V.: Earthworm communities in spruce forest soils – effects of some natural and anthropogenic factors	137
Pokarzhevskii, D., Van Straalen, N.M. & Zaboev, D.P.: New approaches to the trophic structure of soil ecosystems	145
Rusek, J.: Impact of boric acid on Collembola, Protura and Pauropoda in a mountain elm forest in the Šumava National Park, Czech Republic	157
Skoracka, A., Skoracki, M., Błoszyk, J. & Stachowiak M.: The seasonal abundance of Mesostigmata (Acari) in compost	163
Skoracka, A., Skoracki, M., Błoszyk, J. & Stachowiak M.: The structure of dominance and frequency of Mesostigmata (Acari) in compost	169
Skubała, P.: Development of oribatid mite fauna (Acari, Oribatida) in a sedimentation tank	177
Smrž, J.: The excrement analysis - the useful tool for the biological and autecological studies in soil zoology	185
Šobotník, J. & Weyda, F.: Ontogeny of tarsal glands in <i>Reticulitermes lucifugus</i> (Isoptera: Rhinotermitidae)	191
Starý, J.: Changes of oribatid mite communities (Acari: Oribatida) during primary succession on colliery spoil heaps near Sokolov, North-West Bohemia, Czech Republic	199
Sterzyńska, M.: Collembola of the hydrogenic soils of Biebrza River valley	207
Szymkowiak, P.: The soil mites Gamasina (Acari, Gamasida) in the Carpathian beech forest: abundance, spatial organization and influence of two environmental factors	213
Tajovský, K.: Soil macrofauna (Diplopoda, Chilopoda, Oniscidea) in a pine forest disturbed by wildfire	227
Tirjaková, E., Mrva, M. & Hlúbiková, D.: Ciliophora nad Rhizopoda in soil, leaf-litter and mosses of oak-horbeam forests in the Malé Karpaty Mts. (Western Slovakia)	233
Tuf, I.H.: Contribution to the knowledge of vertical distribution of soil macrofauna (Chilopoda, Oniscidea) in floodplain forest	241
Tufová, J.: Development of millipede assemblages in floodplain forests after summer flood	247
Urbánková, M. & Schlaghamerský, J.: The impact of inundation on floodplain forest Brachycera (Diptera) associated with oak logs	253
Weyda, F.: Scientific digital photography and its application to modern zoological research	261
Weyda, F., Šobotník, J. & Nebesářová, J.: Ontogeny of fat body in <i>Prorhinotermes simplex</i> (Isoptera: Rhinotermetidae)	273

Krysiak, D., Błoszyk, J. & Bajaczyk, R.: The influence of an urban agglomeration on the dispersion and the abundance of the mites of the suborder Uropodina (Acari: Mesostigmata) in Poznań	281
Index of Authors and Coauthors	285