

Content

WHY THEM?	6
PHYLUM ARTHROPODA	6
CLASS INSECTA – INSECTS	9
First invention: wings.	
Branching points: wingless insects (Apterygota) – winged insects (Pterygota)	9
Second invention: the ability to fold wings compactly on the back. Branching points: Palaeoptera – Neoptera	10
Third invention: the metamorphosis. Branching points: insects develop without metamorphosis (Exopterygota) – insects develop with metamorphosis (Endopterygota)	11
THE ORIGIN AND EVOLUTIONARY SIGNIFICANCE OF METAMORPHOSIS	12
RELATIVES OF THE DIPTERA	14
ORDER DIPTERA	15
DIPTERA LARVAE	17
A FEW WORDS ABOUT NAMES	20
NEMATOCERA • 21	
Anisopodidae, wood gnats	21
Bibionidae	22
Blephariceridae	23
Cecidomyiidae, gall midges	24
Ceratopogonidae, no-see-ums, or biting midges	26
Chaoboridae, glassworms, phantom midges	29
Chironomidae, non-biting midges	32
Culicidae, biting mosquitoes	33
Limoniidae and Tipulidae, craneflies	38
Mycetophilidae and Keroplatidae, fungus gnats	41
Psychodidae, moth flies and sandflies	43
Simuliidae, blackflies	45
Trichoceridae, winter gnats	47

BRACHYCERA • 48

ORTHORRHAPHA – FLIES THAT EXIT THE PUPAL CASE THROUGH A TRANSVERSE SLIT ON THE BACK

Acroceridae, small-headed flies, hunch-back flies or spider flies	48
Asilidae, robber flies	49
Bombyliidae, bee flies	52
Dolichopodidae	54
Empididae and Hybotidae	57
Rhagionidae, snipe flies	59
Scenopinidae, window flies	61
Stratiomyidae, soldier flies	62
Tabanidae, horse-flies	63
Therevidae, stiletto-flies	66
Xylomyidae, wood soldier flies	68

CYCLORRHAPHA – FLIES WITH A CIRCULAR APERTURE THROUGH WHICH THE ADULT ESCAPES THE PUPARIUM

ASCHIZA – FLIES WHICH DO NOT POSSESS A PTILINUM	69
Lonchopteridae, spear-winged flies	69
Phoridae, scuttle flies	70
Pipunculidae, big-headed flies	72
Platypezidae, flat-footed flies	73
Syrphidae, hoverflies	75
SCHIZOPHORA – FLIES WHICH POSSESS A PTILINUM	80
Agromyzidae, leaf-miner flies	80
Anthomyiidae	81
Braulidae, bee lice	83
Calliphoridae, blowflies	83
Chloropidae, grass flies	87
Coelopidae, kelp flies	92
Conopidae, thick-headed flies	93
Diopsidae, stalk-eyed flies	94
Drosophilidae, lesser fruit flies	96
Ephydriidae, shore flies	98
Fanniidae	101
Glossinidae, tsetse flies	102
Heleomyzidae	104

Hippoboscidae, louse flies, including Nycteribiidae and Streblidae, both known as bat flies	105
Lauxaniidae and Celyphidae	108
Lonchaeidae, lance-flies	111
Micropezidae, stilt-legged-flies	112
Milichiidae	113
Muscidae	115
Oestridae (including Gasterophilidae, Hypodermatidae and Cuterebrinae), botflies	120
Opomyzidae	123
Piophilidae	124
Platystomatidae, signal flies	126
Sarcophagidae, flesh flies	127
Scathophagidae, dung flies	130
Sciomyzidae (including Phaeomyiidae), snail-killing flies	133
Sepsidae, black scavenger flies	136
Sphaeroceridae, lesser dung flies	139
Tachinidae	140
Tephritidae, large fruit flies	143
Ulidiidae, including Otitidae	149
Afterword	151
Acknowledgments	155
Index to Latin names of families, genera and species	157