

Content

Introduction	7
1 Literature review	8
1.1 Ripening of fermented and dried meat products	8
1.2 Characteristics of starter cultures	11
1.3 Lactic acid bacteria (LAB)	15
1.4 Genus Staphylococcus	18
1.5 Yeasts	19
1.6 Moulds	20
1.7 Characteristics of probiotic cultures	22
1.8 Microbiological risks of fermented and dried meat products	24
1.8.1 <i>Escherichia coli</i> (E. coli)	24
1.8.2 <i>Salmonella</i> sp. (S.)	25
1.8.3 <i>Staphylococcus aureus</i> (<i>St. aureus</i>)	25
1.8.4 <i>Listeria monocytogenes</i> (<i>L. monocytogenes</i>)	26
1.8.5 <i>Clostridium botulinum</i> (<i>C. botulinum</i>).....	27
2. Objective of scientific monograph	28
3. Material and methodology	30
3.1 Production of fermented and dried meat products (FDMP)	30
3.2 Methods	33
3.2.1 Determination of physical parameters	33
3.2.2 Microbiological analysis	33
3.2.3 Determination of the ability of the probiotic strain <i>Lactobacillus casei</i> to survive in the environment of fermented and dried meat products	34
3.2.4 Determination of oxidation stability	35
3.2.5 Determination of TPA analysis.....	36
3.2.6 Determination of lactic and gluconic acid content.....	36
3.2.7 Sensory evaluation	36
3.2.8 Mathematical-statistical evaluation of the results.....	37
4 Results and discussion	38
4.1 Experiment 1 Effect of sucrose addition on the development of autochthonous microbiota and LS starter culture bacteria in FDMP samples	38

4.2 Experiment 2 Evaluation of fermented meat products with probiotic culture and inulin in combination with starter culture	50
4.3 Experiment 3 Comparison of starter cultures for the production of Nordic and Mediterranean types of fermented meat products under production conditions in Slovakia.....	67
5. Conclusions	75
5.1 Evaluation of Experiment	75
5.2 Evaluation of Experiment 2	76
5.3 Evaluation of Experiment 3	77
6. Proposal for the use of results and recommendations for practice	78
Bibliography	79
Abstract	90
Abstrakt.....	91