

KEY-NOTE LECTURES

<u>M. Mathlouthi</u>	Valorization of plant polysaccharides hydrolysis products by functionalization and crystallization	6
<u>V. Vetvicka</u>	β -Glucan and its importance in today's healthcare	9

ORAL PRESENTATIONS

<u>T. Alamäe*</u> , <u>T. Visnapuu</u> , <u>K. Ernits</u>	Levan as a polymeric fermentation substrate for a human gut commensal <i>Bacteroides thetaiotaomicron</i> : focus on endo-levanase	11
<u>V. D. Badazhkova</u> , <u>S. V. Raik</u> , <u>D. S. Polyakov</u> , <u>Yu. A. Skorik</u>	Transfection efficiency of cationic chitosan derivatives bearing quaternized and pyridine moieties	14
<u>K. Walkowiak</u> , <u>Ł. Masewicz</u> , <u>P. Kowalczewski</u> , <u>H. M. Baranowska</u>	Susceptibility of normal and waxy starches to microwave treatment	18
<u>R. Bleha*</u> , <u>E. Lavrova</u> , <u>L. Sushytskyi</u> , <u>A. Sinica</u> , <u>J. Čopíková</u>	Isolation, purification and structural characterisation of mannogalactan, α - and β -D-glucans from oyster mushroom <i>Pleurotus spopo</i>	23
<u>K. Buksa*</u>	Application of model bread baking in the examination of the role and interactions of polysaccharides in bread	27
<u>M. Havrlentová*</u> , <u>V. Gregusová</u> , <u>J. Kraic</u>	Functionality of (1-3)(1-4)- β -D-glucan in poales	32
<u>A. Szwengiel</u> , <u>P. Ł. Kowalczewski</u> , <u>F. Wielich</u> , <u>Z. Małyszczek</u> , <u>J. Le Thanh-Blicharz</u> , <u>G. Lewandowicz*</u>	Changes in the rheological properties and structure of potato starch upon hydrothermal treatment	37
<u>K. S. Rysakova</u> , <u>A. V. Baryshnikov</u> , <u>I. I. Lyzhov</u> , <u>V. U. Novikov</u>	Bioactive polysaccharides from the sea cucumber <i>Molpadia borealis</i> of the Barents Sea	42
<u>I. Švec*</u> , <u>A. Horáčková</u> , <u>P. Skřivan</u> , <u>M. Sluková</u> , <u>L. Jurkaninová</u>	Viscosity profiles and baking potential of laboratory-prepared gluten-free blend contrasted to commercial one	46
<u>Ya. Troshchynska*</u> , <u>R. Bleha</u> , <u>A. Synytsya</u> , <u>J. Štětina</u>	Flaxseed mucilages extracted from ten cultivars of flax: composition, structure and rheology	51
<u>T. Visnapuu*</u> , <u>K. Ernits</u> , <u>A. Aasamets</u> , <u>T. Alamäe</u>	Polyfructan levan as a versatile biopolymer for various applications	57

POSTERS

<u>Z. Černý</u> , J. Jílková, M. Čihák, E. Procházková, S. Chatzigeorgiou, K. Šinovská, V. Velebný	Optimization of high-throughput screening of hyaluronic acid producing <i>Streptococcus zooepidemicus</i> strain	60
<u>J. Čopíková*</u> , T. T. Vuová, R. Bleha, L. Sushitskiy, A. Sinica	Polysaccharides in cocoa nib and cocoa shell of variety Criollo from Ecuador	64
<u>J. Doležalová</u> , Z. Dvořáková, V. Dvořáček, I. Capouchová, P. Konvalinka	Oat β -glucan content and viscosity in modern varieties	67
<u>N. Dubashynskaya</u> , E. Gasilova, S. Raik, Yu. Skorik	Hyaluronan/diethylaminoethyl-chitosan polyelectrolyte complexes for delivery of hydrophilic drugs	70
<u>V. Dvořáček</u> , V. Plachý, Z. Dvořáková, D. Homolková, B. Hučko, J. Doležalová, M. Jágr	Role of different wheat polysaccharide components in fattening of broiler chickens	73
<u>Z. Dvořáková</u> , M. Sluková, P. Skřivan, V. Dvořáček	Comparison of selected nutritional parameters and physico- chemical properties of new types of wholegrain flours	77
<u>A. Papakhin</u> , I. Gaivoronskaya, Z. Skobelskaya, Z. Borodina, V. Kolpakova	Modified porous starch as a functional ingredient of fruit filling for waffles	81
<u>S. Gillarová*</u> , S. Henke, B. Leshko, Z. Bubník	Guar, carob, tara and fenugreek gum acid hydrolysis followed by membrane filtration	86
<u>V. Gregusová*</u> , M. Havrlentová, D. Kuzmová, S. Šliková, P. Nemeček	The effect of β -D-glucan in oat after artificial infection with <i>Fusarium</i>	91
<u>S. Henke*</u> , S. Gillarová, M. Kaliaeva, Z. Bubník	Chromatography separation of mannitol, glucose, fructose and sucrose water solutions	96
<u>L. Jurkaninova</u> , M. Slukova, I. Svec, K. Prokesova, P. Skřivan	Development and analysis of high fiber biscuits	101
<u>K. Kijowska*</u> , A. Ptasek, P. Ptasek, K. Kaczmarczyk, M. Pancerz, M. Nowak	Hydrolysis of starch using α -amylase immobilized on an innovative carrier with magnetic properties in a batch system	104
<u>A. Papahin</u> , D. Kulikov, I. Usachev, I. Vasilev, V. Kolpakova	Enzymatic modified starch in structure of biodegradable polymer composition	108
<u>A. Łakomy*</u> , K. Buksa, M. Makarewicz, R. Sabat, A. Gurgul	Application of HPSEC with post column derivatization in examination of the influence of non-starch polysaccharides on retrogradation and resistant starch formation	113
<u>Z. Małysek</u> , J. Le Thanh-Blicharz, J. Lewandowicz, H. M. Baranowska	The effect of glycerol on proton relaxation phenomena in pectin colloidal solutions	118
<u>Ł. Masewicz</u> , J. Lewandowicz, K. Walkowiak, A. Makowska, J. Le Thanh-Blicharz, H. M. Baranowska	The effect of amylose content on the molecular properties of water in starch pastes	122
<u>E. Menšíková</u> , P. Ulbrich, P. Smrčková, D. Revenco, J. Štětina, A. Sinica, E. Šárka*	Cross-linked starch nanoparticles	128
<u>M. Nowak*</u> , P. Ptasek, K. Kaczmarczyk, J. Kruk, K. Kijowska, M. Pancerz	Polysaccharides as foam stabilisers: rheological studies	133
<u>M. Pancerz*</u> , A. Ptasek, J. Kruk, K. Kaczmarczyk, K. Kijowska, M. Nowak	Hydrodynamic properties of red currant pectin	138
<u>D. Poniewska</u> , R. Duliński, M. Zdaniewicz, K. Żyła, O. Szczepanik	<i>Tritordeum</i> : saccharide profiles in wort and beer from a novel raw cereal material	141

<i>D. Poshina*</i> , <i>S. Raik</i> , <i>A. Sukhova</i> , <i>D. Romanov</i> , <i>Yu. Skorik</i> , <i>E. Eneyskaya</i> , <i>A. Kulminskaya</i>	The influence of enzymatic treatment with cellulases on the crystalline structure of chitin	145
<i>P. Smrčková*</i> , <i>E. Šárka</i> , <i>E. Yaltir</i>	The impact of thermal and chemical modification on pasting properties of starch	149
<i>M. Witek</i> , <i>I. Maciejaszek</i> , <i>K. Surówka*</i>	On-line probing of water mobility during enzymatic hydrolysis of potato starch	154
<i>L. Sushytskyi</i> , <i>P. Lukáč</i> , <i>R. Bleha</i> , <i>J. Čopíková</i> , <i>L. Vannucci</i> , <i>A. Sinica</i> , <i>P. Kaštánek</i>	Purification of water-soluble bioactive polysaccharides from biomass of heterotrophic mutant alga <i>Chlorella vulgaris</i> G11	158
<i>T. Svoboda*</i> , <i>S. Henke</i> , <i>S. Gillarová</i> , <i>A. Hinková</i>	Continuous chromatographic separation of guar gum hydrolysate: modeling and optimizing of the simulated moving bed process	164
<i>T. Taubner*</i> , <i>M. Marounek</i> , <i>D. Dušková</i> , <i>A. Synytsya</i>	Detailed analysis of alginic acid and <i>n</i> -octadecylamide of alginic acid as a product of its amidation	171
<i>E. Toropitsyn*</i> , <i>M. Pravda</i> , <i>V. Velebný</i>	A new HA-based hydrogel for viscosupplementation resistant to degradation by ROS and hyaluronidase	175
<i>K. Vaculová*</i> , <i>O. Jirsa</i> , <i>I. Sedláčková</i> , <i>M. Bayram</i> , <i>Ö. Şahin</i> , <i>S. N. Cincik</i> , <i>I. Laknerová</i>	Development of the new foods on the base of hullless barley grain	180