#### CONTENTS

| List of Contributors to this book v  |
|--|
| Preface  |
| Contents   |
|  |
| Chapter $1 - AFLATOXIN$  |
| by W.H. Butler   |
| Outbreaks of disease attributable to the fungue, $1 - $ Isolation of toxic metabolites |

of the fungus, 3 - Biosynthesis, 5 - Environmental and laboratory conditionsfavouring production of toxic metabolites, 6 - Analysis for toxic metabolites, 7 - AnalysisBioassay system, 8 – Natural occurrence, 10 – Biological activity in experimental systems, 10 - Metabolism and mode of action of the aflatoxins, 19 - Risks to man, 22 - References, 24 -

Chapter 2 – PITHOMYCES CHARTARUM: A FUNGAL PARAMETER IN THE AETIOLOGY OF SOME DISEASES OF DOMESTIC ANI-MALS . . . . by L.G. Atherton, D. Brewer and A. Taylor

Taxonomy and morphology of *Pithomyces chartarum*, 30 – Ecology of *Pithomyces* chartarum, 34 – Geographical distribution, 34 – Habitats of Pithomyces chartarum, 34 - Ecology of *Pithomyces chartarum* on pasture, 34 - Methods of determining populations of fungal spores, 35 - Seasonal changes of populations of *Pithomyces* chartarum, 38 - Metabolism of Pithomyces chartarum, 41 - (1) Growth and nutrition of P. chartarum strain C, 41 - (2) Sporulation of P. chartarum, 42 - (3) Production of toxic metabolites by P. chartarum, 44 - (4) Comparison of different isolates of P. chartarum, 45 - (5) Biosynthesis of sporidesmins, 45 - Quantitativeestimations of sporidesmins, 49 - Toxicity of sporidesmin in mammals, 53 - (1)The response of mammals to different doses of sporidesmin, 53 - (2) Clinical signs

of sporidesmin intoxication in sheep, 54 - (3) Morbid anatomy of sporidesmin intoxication, 55 – (4) Histology, 56 – (5) Changes in liver function following sporidesmin intoxication, 58 - (6) Biochemical changes in blood and liver constituents after sporidesmin intoxication, 60 – Control of facial eczema, 63 – Acknowledgements, 64 - References, 64 -

### by S.J. van Rensburg and B. Altenkirk

Outbreaks of disease attributable to the fungus, 71 - Chemical and physical properties of the toxic metabolites, 74 - Type I - Derivatives of lysergic acid, <math>75 -Type II – The clavine alkaloids, 80 – Biosynthesis of ergot alkaloids, 82 – Pigments of ergot, 82 - Environmental and laboratory conditions favouring the growth of ergot, 84 - Analysis for the toxic metabolites, 86 - Natural occurrence of metabolites, 87 - Biological activity in experimental systems, 88 - Peripheral vasoconstriction, 88 - Epinephrine reversal, 89 - Uterine tests, 89 - Seminal vesicle standardization, 90 - Mode of action of ergot constituents, 91 - Peripheral effects, 91 - Neurohormonal actions, 92 - Central effects, 92 - Poisoning following therapeutic use, 93 - References, 94 -

#### Chapter 4 — RHIZOCTONIA LEGUMINICOLA — SLAFRAMINE . . 97 by Steven D. Aust

Occurrence, 97 - Isolation of slaframine, 98 - Molecular structure of slaframine, 100 - Analysis for slaframine, 102 - Biosynthesis of slaframine, 103 - Physiological mode of action of slaframine, 103 - Summary, 108 - References, 109 -

### 

Lupinosis — the syndrome, 112 - (a) Geographical distribution, 112 - (b) Clinical signs and pathological changes, 113 - (c) Weather conditions associated with outbreaks of lupinosis, 118 - (d) Fungi in the aetiology of lupinosis, 118 - Phomopsis*leptostromiformis* — the causal fungus, 120 - (a) Taxonomy and morphology, 120 - (b) Synonymy, 121 - (c) Geographical distribution, 122 - (d) Pathogenicity, 122 - (e) Toxicity, 124 - Acknowledgement, 125 - References, 125 -

Chemistry and physiological activity, 131 - Naturally occurring derivatives of zearalenone, 133 - Biological activity, 134 - (1) Swine, 134 - (2) Poultry, 139 - (3) Dairy cattle, 141 - (4) Regulation of sexual reproduction in *Gibberella zeae* (*Fusarium roseum* "Graminareum"), 142 - Occurrence of zearalenone in feedstuffs, 142 - Biosynthesis of zearalenone, 144 - Analytical methods, 145 - Extraction and clean-up, 145 - Quantitation, 146 - Acknowledgement, 147 - References, 147 -

## 

Diseases caused by P. cyclopium, 150 - Cyclopiazonic acid, 150 - Biosynthesis of cyclopiazonic acid, <math>151 - Environmental conditions favouring production of cyclopiazonic acid, <math>153 - Biological activity of cyclopiazonic acid, 155 - Penitrem A, 158 - Environmental conditions favouring production of the toxin, <math>159 - References, 161 - Cyclopiazonic acid

Growth of *Penicillium rubrum* and production of toxins, 165 - Physical and chemical properties of rubratoxins A and B, <math>167 - Biosynthesis, 169 - Analytical method, 170 - Biological activity, 170 - References, 179 -

Chapter 9 — STACHYBOTRYS AND STACHYBOTRYOTOXICOSIS . 181 by Joseph V. Rodricks and Robert M. Eppley

Stachybotryotoxicosis in farm animals and man, 181 - Biological tests for toxic Stachybotrys, 184 - (A) Dermal toxicity, 184 - (B) Animal feeding studies, 185 - (C) Other types of biological activity, 188 - Metabolites of Stachybotrys, 189 - Toxic effects of 12,13-epoxy- $\Delta^9$ -trichothecenes, 194 - Conclusion, 195 - References, 196 -

#### 

Chemical nature, 199 - Production, 200 - (A) Trichothecene-producing fungi, 200 - (B) Trichothecene production in culture, 206 - (C) Chemical synthesis, 208 - (D) Biosynthesis, 209 - Physical and chemical properties, <math>210 - (A) Spectra, 210 - (B) Chemical properties, 211 - Biological properties, 211 - (A) General toxicity, 211 - (B) Toxicology, 214 - (C) Metabolism and excretion, 215 - Analytical methods, 215 - (A) Biological methods, 215 - (B) Physical methods, 217 - Practical importance, 219 - (A) Natural occurrence and pathogenicity of trichothecene-producing fungi, 219 - (B) Role of trichothecene-producing fungi in mycotoxicoses, 220 - References, 224 - (B)

#### Chapter 11 – TOXICITY OF FUSARIUM POAE AND F. SPOROTRICHI-OIDES AND ITS RELATION TO ALIMENTARY TOXICALEUKIA 229 by A.Z. Joffe

Characterisation of the fungi, 229 - Methods of testing toxicity, 231 - The toxins, 233 - (a) Composition of the toxins, 233 - (b) Conditions of toxin formation, 235 - (c) Persistence of toxins, 239 - (d) Comparative toxicity of the two species to animals, 239 - Effects of the toxins on animals, man and plants, 241 - (a) Effects on animals, 241 - (b) Effects on man, 247 - (c) Effects on plants, 251 - (d) Relation between toxicity to animals and to plants, 255 - Aetiology, epidemiology and treatment of ATA, 256 - (a) Sources of toxins causing ATA, 256 - (b) Relation between toxicity of cereals and incidence of ATA, 256 - (c) Weather and the incidence of ATA, 257 - (d) Summary of factors affecting outbreaks of ATA, 259 - (e) Prophylaxis and treatment, 259 - References, 260 - Notes added in proof, 262 -


#### Chapter 12 — TRICHOTHECENE TOXINS OF FUSARIUM SPECIES . 263 by M. Saito and K. Ohtsubo

Outbreaks of disease attributable to the fungus, 264 - Toxic metabolites of the fungus, 265 - Chemistry of nivalenol, fusarenon-X and neosolaniol, 266 - Biosynthesis, 268 - Biological activity of the toxins, 271 - Mode of action of nivalenol and fusarenon-X, 278 - Acknowledgements, 279 - References, 279 -

Occurrence of cardiac beriberi, 284 - (I) Clinical symptoms, 284 - (II) Statistical evidence in Japan, 285 - (III) Occurrence, 290 -Toxic metabolite of *P. citreo-viride*, 291 -Chemical properties of citreoviridin, 293 -Production, 293 -Analysis for citreoviridin, 296 -Distribution of the toxic fungi, 298 -Toxicology, 299 -References, 301 -

Chapter 14 — PENICILLIUM ISLANDICUM (TOXIC YELLOWED RICE) — LUTEOSKYRIN — ISLANDITOXIN — CYCLOCHLOROTINE . . 303 by Makoto Enomoto and Ikuko Ueno

Outbreaks of disease attributable to the fungus, 303 - Toxic metabolites of the fungus, 304 - Chemical and physical properties of metabolites, including structure,



306 - Biosynthesis of the toxic metabolites, <math>307 - Environmental and laboratoryconditions favouring production of the toxic metabolites, 308 - Chemical analysis for the toxic metabolites, 308 - Luteoskyrin, 308 - Chlorine-containing peptide(cyclochlorotine), 310 - Natural occurrence of the toxic metabolites, 310 - Biological activity in experimental systems, 311 - Luteoskyrin, 311 - Cyclochlorotine, 317 - Toxicity of anthraquinone-type pigments, homologous to luteoskyrin, 318 -Mode of action of the toxic metabolites, 319 - Luteoskyrin, 319 - Cyclochlorotin, 322 - References, 323 -

Chapter 15 - TOXINS PRODUCED BY SWEET POTATO ROOTS IN-FECTED WITH CERATOCYSTIS FIMBRIATA AND FUSARIUM SOLANI by Benjamin J. Wilson and Michael R. Boyd

Toxic metabolites produced by mould-damaged sweet potatoes, 328 - Chemical and physical properties of the toxins, 330 - Chemical synthesis of sweet potato toxins, 333 - Biosynthesis, 335 - Isolation and analysis, 337 - Natural occurrenceand environmental conditions for bioproduction, 339 - Biological activities of thetoxins in experimental systems and a consideration of the mode of action, 341 -Acknowledgement, 342 - References, 342 - Note added in proof, <math>344 -

#### Chapter 16 – OCHRATOXIN A AND RELATED METABOLITES . . 345 by J. Harwig

Outbreaks of disease attributable to P. viridicatum and A. ochraceus, 346 – Ochratoxin-producing fungi, 347 - Toxic metabolites of A. ochraceus and P. viridicatum, 349 — Laboratory and environmental conditions favouring ochratoxin A production, 352 – Natural occurrence of ochratoxin A, 358 – Biological activity of ochratoxins, 360 - Carcinogenic potential of ochratoxin A, 363 - References, 364 -

#### by J.J. van der Watt

Toxic metabolites, 370 – Chemical and physical properties of the toxic metabolites, 370 - Biosynthesis, 373 - Environmental and laboratory conditions favouring production of the toxic metabolites, 374 - Analysis for toxic metabolites, 375 -Natural occurrence, 376 – Biological activity in experimental systems, 376 – Mode of action, 380 - References, 381 -

```
by P.M. Scott
```

Mycotoxicoses associated with patulin-producing fungi, 383 - Physical and chemical properties of patulin, 384 – Biosynthesis, 387 – Substrates favouring patulin production, 388 – Analysis for patulin, 389 – Natural occurrence, 395 – Biological activity of patulin in experimental systems, 396 - References, 399 -

by Hiroshi Iizuka

Formation of maltoryzine, 406 - (1) Preparation of malt rootlet extract, 406 - (1)(2) Composition of malt rootlet extract media, 406 - (3) Seed cultures, 407 - (4)Tank culture, 407 - (5) Toxicity test, 407 - (6) Toxicity observed in the case of



tank culture, 407 - Extraction, purification and isolation of maltoryzine, 408 - (1) Concentration of cultured liquid, 408 - (2) Solubility of the precipitate, 408 - (3) Toxicity of the ethanol extract, 408 - (4) Toxicity of alkaline ether extract, 409 - (5) Toxicity of acid ether extract, 409 - (6) Paper chromatography, 409 - (7) Cellulose column partition chromatography, 411 - Physical and chemical properties, 411 - Decomposition of maltoryzine, 414 - (1) Ozonisation, 414 - (2) Ketonic decomposition, 415 - (3) Acid decomposition, 415 - (4) Structure of the side chain of maltoryzine, 417 - Chemical structure of maltoryzine, 417 - References, 417 -

xiii

# 

Mycotoxic porcine nephropathy, 419 - Clinical aspects, 419 - Pathology, 419 - Patho

Kidney function, 423 - Epidemiology, 423 - Aetiology, 424 - Public health aspects of nephrotoxic mycotoxins, 426 - References, 427 -

