

contents

[*preface*](#)

[*acknowledgments*](#)

[*about this book*](#)

[*about the authors*](#)

1 [*What is deep learning?*](#)

[*1.1 Artificial intelligence, machine learning, and deep learning*](#)

[*Artificial intelligence*](#) ■ [*Machine learning*](#) ■ [*Learning rules and representations from data*](#) ■
[*The “deep” in “deep learning”*](#) ■ [*Understanding how deep learning works, in three figures*](#) ■
[*What deep learning has achieved so far*](#) ■ [*Don’t believe the short-term hype*](#) ■ [*The promise of AI*](#)

[*1.2 Before deep learning: A brief history of machine learning*](#)

[*Probabilistic modeling*](#) ■ [*Early neural networks*](#) ■ [*Kernel methods*](#) ■ [*Decision trees, random forests, and gradient-boosting machines*](#) ■ [*Back to neural networks*](#) ■ [*What makes deep learning different?*](#) ■ [*The modern machine learning landscape*](#)

[*1.3 Why deep learning? Why now?*](#)

[*Hardware*](#) ■ [*Data*](#) ■ [*Algorithms*](#) ■ [*A new wave of investment*](#) ■ [*The democratization of deep learning*](#) ■ [*Will it last?*](#)

2 [*The mathematical building blocks of neural networks*](#)

[*2.1 A first look at a neural network*](#)

[*2.2 Data representations for neural networks*](#)

[*Scalars \(rank 0 tensors\)*](#) ■ [*Vectors \(rank 1 tensors\)*](#) ■ [*Matrices \(rank 2 tensors\)*](#) ■ [*Rank 3 and higher-rank tensors*](#) ■ [*Key attributes*](#) ■ [*Manipulating tensors in R*](#) ■ [*The notion of data batches*](#) ■ [*Real-world examples of data tensors*](#) ■ [*Vector data*](#) ■ [*Time-series data or sequence data*](#) ■ [*Image data*](#) ■ [*Video data*](#)

[*2.3 The gears of neural networks: Tensor operations*](#)

Element-wise operations ■ Broadcasting ■ Tensor product ■ Tensor reshaping ■ Geometric interpretation of tensor operations ■ A geometric interpretation of deep learning

2.4 The engine of neural networks: Gradient-based optimization

What's a derivative? ■ Derivative of a tensor operation: The gradient ■ Stochastic gradient descent ■ Chaining derivatives: The backpropagation algorithm

2.5 Looking back at our first example

Reimplementing our first example from scratch in TensorFlow ■ Running one training step ■ The full training loop ■ Evaluating the model

3 *Introduction to Keras and TensorFlow*

3.1 What's TensorFlow?

3.2 What's Keras?

3.3 Keras and TensorFlow: A brief history

3.4 Python and R interfaces: A brief history

3.5 Setting up a deep learning workspace

Installing Keras and TensorFlow

3.6 First steps with TensorFlow

TensorFlow tensors

3.7 Tensor attributes

Tensor shape and reshaping ■ Tensor slicing ■ Tensor broadcasting ■ The tf module ■ Constant tensors and variables ■ Tensor operations: Doing math in TensorFlow ■ A second look at the GradientTape API ■ An end-to-end example: A linear classifier in pure TensorFlow

3.8 Anatomy of a neural network: Understanding core Keras APIs

Layers: The building blocks of deep learning ■ From layers to models ■ The “compile” step: Configuring the learning process ■ Picking a loss function ■ Understanding the fit() method ■ Monitoring loss and metrics on validation data ■ Inference: Using a model after training

4 *Getting started with neural networks: Classification and regression*

4.1 Classifying movie reviews: A binary classification example

The IMDB dataset ■ Preparing the data ■ Building your model ■ Validating your approach ■ Using a trained model to generate predictions on new data ■ Further experiments ■

Wrapping up

4.2 Classifying newswires: A multiclass classification example

The Reuters dataset ■ Preparing the data ■ Building your model ■ Validating your approach ■ Generating predictions on new data ■ A different way to handle the labels and the loss ■ The importance of having sufficiently large intermediate layers ■ Further experiments ■ Wrapping up

4.3 Predicting house prices: A regression example

The Boston housing price dataset ■ Preparing the data ■ Building your model ■ Validating your approach using K-fold validation ■ Generating predictions on new data ■ Wrapping up

5 *Fundamentals of machine learning*

5.1 Generalization: The goal of machine learning

Underfitting and overfitting ■ The nature of generalization in deep learning

5.2 Evaluating machine learning models

Training, validation, and test sets ■ Beating a common-sense baseline ■ Things to keep in mind about model evaluation

5.3 Improving model fit

Tuning key gradient descent parameters ■ Leveraging better architecture priors ■ Increasing model capacity

5.4 Improving generalization

Dataset curation ■ Feature engineering ■ Using early stopping ■ Regularizing your model

6 *The universal workflow of machine learning*

6.1 Define the task

Frame the problem ■ Collect a dataset ■ Understand your data ■ Choose a measure of success

6.2 Develop a model

Prepare the data ■ Choose an evaluation protocol ■ Beat a baseline ■ Scale up: Develop a model that overfits ■ Regularize and tune your model

6.3 Deploy the model

Explain your work to stakeholders and set expectations ■ Ship an inference model ■ Monitor your model in the wild ■ Maintain your model

7 Working with Keras: A deep dive

7.1 A spectrum of workflows

7.2 Different ways to build Keras models

The Sequential model ■ The Functional API ■ Subclassing the Model class ■ Mixing and matching different components ■ Remember: Use the right tool for the job

7.3 Using built-in training and evaluation loops

Writing your own metrics ■ Using callbacks ■ Writing your own callbacks ■ Monitoring and visualization with TensorBoard

7.4 Writing your own training and evaluation loops

Training vs. inference ■ Low-level usage of metrics ■ A complete training and evaluation loop ■ Make it fast with `tf.function()` ■ Leveraging `fit()` with a custom training loop

8 Introduction to deep learning for computer vision

8.1 Introduction to convnets

The convolution operation ■ The max-pooling operation

8.2 Training a convnet from scratch on a small dataset

The relevance of deep learning for small data problems ■ Downloading the data ■ Building the model ■ Data preprocessing ■ Using data augmentation

8.3 Leveraging a pretrained model

Feature extraction with a pretrained model ■ Fine-tuning a pretrained model

9 Advanced deep learning for computer vision

9.1 Three essential computer vision tasks

9.2 An image segmentation example

9.3 Modern convnet architecture patterns

Modularity, hierarchy, and reuse ■ Residual connections ■ Batch normalization ■ Depthwise separable convolutions ■ Putting it together: A mini Xception-like model

9.4 Interpreting what convnets learn

Visualizing intermediate activations ■ Visualizing convnet filters ■ Visualizing heatmaps of class activation

10 Deep learning for time series

10.1 Different kinds of time-series tasks

10.2 A temperature-forecasting example

Preparing the data ■ A common-sense, non-machine learning baseline ■ Let's try a basic machine learning model ■ Let's try a 1D convolutional model ■ A first recurrent baseline

10.3 Understanding recurrent neural networks

A recurrent layer in Keras

10.4 Advanced use of recurrent neural networks

Using recurrent dropout to fight overfitting ■ Stacking recurrent layers ■ Using bidirectional RNNs ■ Going even further

11 Deep learning for text

11.1 Natural language processing: The bird's-eye view

11.2 Preparing text data

Text standardization ■ Text splitting (tokenization) ■ Vocabulary indexing ■ Using layer text vectorization

11.3 Two approaches for representing groups of words: Sets and sequences

Preparing the IMDB movie reviews data ■ Processing words as a set: The bag-of-words approach ■ Processing words as a sequence: The sequence model approach

11.4 The Transformer architecture

Understanding self-attention ■ Multi-head attention ■ The Transformer encoder ■ When to use sequence models over bag-of-words models

11.5 Beyond text classification: Sequence-to-sequence learning

A machine translation example ■ Sequence-to-sequence learning with RNNs ■ Sequence-to-sequence learning with Transformer

12 Generative deep learning

12.1 Text generation

A brief history of generative deep learning for sequence generation ■ How do you generate sequence data? ■ The importance of the sampling strategy ■ Implementing text generation with Keras ■ A text-generation callback with variable-temperature sampling ■ Wrapping up

12.2 DeepDream

[Implementing DeepDream in Keras](#) ■ [Wrapping up](#)

12.3 Neural style transfer

[The content loss](#) ■ [The style loss](#) ■ [Neural style transfer in Keras](#) ■ [Wrapping up](#)

12.4 Generating images with variational autoencoders

[Sampling from latent spaces of images](#) ■ [Concept vectors for image editing](#) ■ [Variational autoencoders](#) ■ [Implementing a VAE with Keras](#) ■ [Wrapping up](#)

12.5 Introduction to generative adversarial networks

[A schematic GAN implementation](#) ■ [A bag of tricks](#) ■ [Getting our hands on the CelebA dataset](#) ■ [The discriminator](#) ■ [The generator](#) ■ [The adversarial network](#) ■ [Wrapping up](#)

13 Best practices for the real world

13.1 Getting the most out of your models

[Hyperparameter optimization](#) ■ [Model ensembling](#)

13.2 Scaling-up model training

[Speeding up training on GPU with mixed precision](#) ■ [Multi-GPU training](#) ■ [TPU training](#)

14 Conclusions

14.1 Key concepts in review

[Various approaches to AI](#) ■ [What makes deep learning special within the field of machine learning](#) ■ [How to think about deep learning](#) ■ [Key enabling technologies](#) ■ [The universal machine learning workflow](#) ■ [Key network architectures](#) ■ [The space of possibilities](#)

14.2 The limitations of deep learning

[The risk of anthropomorphizing machine learning models](#) ■ [Automatons vs. intelligent agents](#) ■ [Local generalization vs. extreme generalization](#) ■ [The purpose of intelligence](#) ■ [Climbing the spectrum of generalization](#)

14.3 Setting the course toward greater generality in AI

[On the importance of setting the right objective: The shortcut rule](#) ■ [A new target](#)

14.4 Implementing intelligence: The missing ingredients

[Intelligence as sensitivity to abstract analogies](#) ■ [The two poles of abstraction](#) ■ [The two poles of abstraction](#) ■ [The missing half of the picture](#)

14.5 The future of deep learning

[*Models as programs*](#) ■ [*Machine learning vs. program synthesis*](#) ■ [*Blending together deep learning and program synthesis*](#) ■ [*Lifelong learning and modular subroutine reuse*](#) ■ [*The long-term vision*](#)

[*14.6 Staying up-to-date in a fast-moving field*](#)

[*Practice on real-world problems using Kaggle*](#) ■ [*Read about the latest developments on arXiv*](#) ■ [*Explore the Keras ecosystem*](#)

[*14.7 Final words*](#)

[*appendix: Python primer for R users*](#)

[*index*](#)