

FOLIA

FACULTATIS SCIENTIARUM NATURALIUM UNIVERSITATIS PURKYNIANAE BRUNENSIS
TOMUS XXIV PHYSICA 35 OPUS 8

1983

CONTENTS

PREFACE	5
1. INTRODUCTION PART	7
1.1. Introduction	7
1.2. Experimental equipment	9
1.3. Time and stress dependence of primary creep	11
1.3.1. Creep-time relations	12
1.3.2. Stress dependence of creep	13
1.3.3. Stress relaxation	14
1.4. Thermally activated plastic deformation of crystalline materials	15
1.4.1. The force on a dislocation and thermal activation	15
1.4.2. Activation area	17
1.4.3. The activation enthalpy	18
1.4.4. The activation volume	18
1.4.5. The activation entropy	19
1.4.6. Stress sensitivity parameters	19
1.4.7. Stress relaxation as a thermal activated process	22
1.5. The temperature and concentration dependence of the critical resolved shear stress	23
1.5.1. The temperature dependence of the critical resolved shear stress	23
1.5.2. Concentration dependence of the critical resolved shear stress	25
2. TRANSIENT CREEP OF Cd—Zn ALLOY SINGLE CRYSTALS	29
2.1. Experimental equipment and temperature realization	29
2.2. The critical resolved shear stress of the monocrystals Cd—Zn alloys at very low temperatures	30
2.2.1. Temperature dependence of the critical resolved shear stress	30
2.2.2. Concentration dependence of the critical resolved shear stress	31
2.3. Activation parameters of the primary creep of Cd—Zn alloys monocrystals	35
2.3.1. Activation area	35
2.3.2. Stress sensitivity parameter	45
2.4. The reproducibility of measurements	50
2.5. Discussion	59
2.5.1. Critical resolved shear stress	59
2.5.2. Activation parameters	63
2.6. The temperature dependence of the mechanical properties of Cd—Zn alloy single crystals	69
2.7. Concentration dependence of mechanical properties of Cd—Zn single crystals	70
2.8. Summary	72
2.9. Conclusion.	73
3. CREEP AND STRESS RELAXATION OF SINGLE CRYSTALS Cd + 0.08 at. % Sn ALLOY.	75
3.1. Primary creep test	76
3.2. Stress relaxation	80
3.3. Discussion of results	85
4. CREEP BEHAVIOUR OF Cd + 0.08 at. % Sn ALLOY AT TEMPERATURES T > 350 K	89
4.1. Creep curves at temperature T > 350 K	89
4.2. Discussion of the results	93

5. CREEP OF ZIRCONIUM ALLOYS	99
5.1. Introduction	99
5.2. Specimen preparation	102
5.3. Experimental equipment	104
5.4. Experimental procedure and results.	104
5.5. Discussion	110
5.6. Discontinuous creep	117
5.7. Conclusions	119
6. CONCLUSION	121
7. REFERENCES	123

Vladislav Navrátil—Miroslav Novák—Vladka Stejskalová

CREEP BEHAVIOUR OF SOME HEXAGONAL METALS AND ALLOYS

Vydala Univerzita J. E. Purkyně — přírodovědecká fakulta
Vedoucí redakce: prof. dr. Jindřich Štelcl, DrSc., člen korespondent ČSAV
Technický redaktor: František Herman

Z nové sazby písmen Extended vytiskl TISK, knižní výroba, n. p. Brno, závod 1
Formát papíru 70 × 100 cm — AA 9,68 — VA 9,93
Tematická skupina a podskupina 02/58
Náklad 500 výtisků — Vydání první

Cena brožovaného výtisku Kčs 13,50

55-048-84

