CONTENTS

Using Nursing Care Plans to Individualize and Improve Care, 1

Introduction, 1

What Is a Nursing Care Plan?, 1

Nursing Process, 1

How to Use Nursing Care Plans: Diagnoses, Interventions, and Outcomes, 4

Individualizing a Care Plan, 7

Prioritizing Nursing Diagnoses, 7

Clinical Judgment Challenge, 8

A Focus on Optimizing Care, 8

Various Clinical Problems, 9

Quality and Safety in Nursing, 9

Tools for Quality Improvement in Nursing, 9

Development of Patient Education Materials, 9

ICNP Nursing Diagnosis Care Plans, 11

Physiologic Nursing Diagnoses, 11

Safety, 11

Risk for Fall-related Injury, 11

Latex Allergy

Decreased Intracranial Adaptive Capacity



Comfort, 15

Acute Pain, 15

Chronic Pain, 19

Impaired Dentition

Impaired Oral Mucous Membrane



Cognition, 23

Confusion, 23

Impaired Memory, 26

Impaired Sleep, 30

Impaired Verbal Communication, 33

Oxygenation, 36

Impaired Airway Clearance, 36

Risk for Aspiration, 40

Impaired Breathing, 43

Impaired Gas Exchange, 46

Impaired Ventilatory Weaning

Perfusion, 50

Risk for Bleeding, 50

Impaired Cardiac Output, 52

Risk for Impaired Skin Integrity, 55

Impaired Skin Integrity, 59

Impaired Tissue Integrity (18)

Impaired Tissue Perfusion, 63

Acid-base Balance, 65


Metabolic Acidosis, 65

Respiratory Acidosis, 67

Metabolic Alkalosis

Respiratory Alkalosis

Mursing care plan is located on the Evolve site.



Hypernatremia, 70

Hyponatremia, 72

Hyperkalemia, 74

Hypokalemia, 76

Hypercalcemia, 78

Hypocalcemia, 79

Hypermagnesemia, 81

Hypomagnesemia, 83 Hypervolemia, 85

Hypovolemia, 88

Infection, 90

Risk for Infection, 90

Infection, 94

Digestion, 97

Nausea, 97

Impaired Nutritional Intake, 100

Impaired Swallowing, 103

Metabolism, 106

Hyperglycemia, 106

Hypoglycemia, 108

Overweight, 110

Underweight, 113

Elimination, 117

Bowel Incontinence

Constipation, 117

Diarrhea, 119

Overflow Incontinence of Urine, 123

Stress Incontinence of Urine, 125

Functional Incontinence of Urine

Reflex Incontinence of Urine

Urge Incontinence of Urine

Urinary Retention, 127

Mobility, 130

Activity Intolerance, 130

Impaired Mobility, 133

Sedentary Lifestyle, 137

Self-Care Deficit, 140

Thermoregulation, 144

Hyperthermia, 144

Hypothermia, 146

Psychosocial Nursing Diagnoses, 148

Anxiety, 148

Caregiver Stress, 151

Difficulty Coping, 154

Disturbed Body Image, 156

Fear

Fatigue, 158

Hopelessness, 161

Impaired Health Maintenance, 163

Impaired Family Processes

Impaired Sexual Functioning, 166

Lack of Knowledge, 169

Low Self-Esteem

Nonadherence, 172

Post-Trauma Response, 176

Powerlessness, 179

Relocation Stress

Spiritual Distress

Patient Readiness for Health Promotion, 182

Health-Seeking Behaviors, 182

Program of Regular Physical Activity, 185

Enhanced Immunization Status, 188

Enhanced Nutrition, 192

Readiness for Effective Decision-Making, 197

Enhanced Sleep, 199

Managing Stress, 203

Smoking Cessation, 207

Weight Management, 212

Care Plans for Clinical Problems, 219

Surgical Experience: Preoperative and Postoperative Care, 219

Preoperative Phase, 220

Lack of Knowledge, 220

Anxiety, 224

Postoperative Phase, 225

Acute Pain, 225

Impaired Breathing, 227

Risk for Hypovolemia, 228

Risk for Infection, 229

Risk for Impaired Wound Healing, 231

Risk for Deep Vein Thrombosis, 233

Lack of Knowledge, 234

Blood Component Therapy, 235

Lack of Knowledge, 236

Risk for Blood Transfusion Reaction, 237

Central Venous Access Devices, 240

Risk for Impaired Catheter Function, 241

Risk for Infection, 242

Lack of Knowledge, 244

Parenteral Nutrition, 245

Impaired Nutritional Intake, 245

Risk for Hypovolemia, 247

Risk for Hypervolemia, 248

Risk for Impaired Biochemical Body Composition, 249

Enteral Nutrition, 251

Impaired Nutritional Intake, 251

Risk for Aspiration, 253

Risk for Diarrhea, 254

Lack of Knowledge, 255

Hearing Loss, 256

Impaired Verbal Communication, 257

Lack of Knowledge, 259

Disturbed Body Image, 260

Visual Impairment, 261

Lack of Knowledge, 261

Risk for Fall-related Injury, 262

Difficulty Coping, 264

Tracheostomy, 265

Impaired Airway Clearance, 266

Risk for Impaired Gas Exchange, 267

Risk for Infection, 268

Impaired Verbal Communication, 269

Lack of Knowledge, 271

Older Adult Frailty, 272

Risk for Fall-Related Injury, 273

Impaired Nutritional Intake, 275

Difficulty Coping, 276

Substance Use Disorders, 278

Lack of Knowledge, 278

Nonadherence to Treatment Program, 282

Grief, Death, and Dying: End-of-Life Issues, 283

Grieving, 283

Fear, 286

Powerlessness, 288

Spiritual Distress, 290

Common Mood Disorders: Depression and Bipolar Disorder, 291

Risk for Suicide, 292

Lack of Knowledge, 295

Social Interaction Alteration, 299

Eating Disorders, 300

Impaired Nutritional Intake, 300

Disturbed Body Image, 304

Difficulty Coping, 306

Cardiac and Vascular Care Plans, 308

Acute Coronary Syndromes/Myocardial Infarction, 308

Acute Pain, 309

Fear, 312

Risk for Impaired Cardiac Output, 313

Risk for Dysrhythmias, 315

Lack of Knowledge, 316

Angina Pectoris, Stable, 318

Acute Pain, 318

Lack of Knowledge, 320

Activity Intolerance, 323

Aortic Aneurysm

Risk for Impaired Tissue Perfusion

Risk for Impaired Cardiac Output

Anxiety (

Lack of Knowledge: Follow-Up Care

Atrial Fibrillation, 324

Lack of Knowledge, 324

Risk for Difficulty Coping, 328

Cardiac Rehabilitation

Activity Intolerance

Lack of Knowledge

Risk for Difficulty Coping

Coronary Bypass/Valve Surgery: Postoperative Care, 330 Lack of Knowledge, 331 Impaired Cardiac Output, 333 Risk for Impaired Gas Exchange, 336 Risk for Dysrhythmias, 337 Hypovolemia, 338 Fear, 339 Dysrhythmias (**) Risk for Impaired Cardiac Output Lack of Knowledge: Cause and Treatment of Dysrhythmia (1) Risk for Difficulty Coping Heart Failure, Chronic, 341 Impaired Cardiac Output, 342 Hypervolemia, 346 Activity Intolerance, 348 Impaired Sleep, 350 Lack of Knowledge, 351 Hypertension, 353 Lack of Knowledge, 353 Risk for Nonadherence, 356 Mitral Valve Prolapse Lack of Knowledge Risk for Disturbed Body Image Risk for Chest Pain Pacemaker/Cardioverter-Defibrillator Risk for Impaired Cardiac Output Acute Pain/Discomfort Risk for Impaired Mobility Lack of Knowledge Fear Percutaneous Balloon Valvuloplasty Lack of Knowledge Risk for Impaired Cardiac Output Risk for Impaired Peripheral Tissue Perfusion Risk for Bleeding Percutaneous Coronary Intervention, 358 Lack of Knowledge, 358 Acute Pain, 360 Risk for Bleeding, 362 Risk for Impaired Peripheral Tissue Perfusion, 363 Peripheral Arterial Revascularization Lack of Knowledge Risk for Impaired Peripheral Tissue Perfusion Acute Pain Peripheral Arterial Disease, Chronic, 365 Impaired Peripheral Tissue Perfusion, 365 Lack of Knowledge, 367 Impaired Skin Integrity, 369 Pulmonary Edema, Acute, 371 Impaired Gas Exchange, 371 Impaired Cardiac Output, 373

Impaired Cardiac Output Evoluteringe Elegated Lack of Knowledge Shock, Cardiogenic Impaired Cardiac Output Impaired Gas Exchange Anxiety (Shock, Hypovolemic, 376 Hypovolemia, 376 Impaired Cardiac Output, 379 Anxiety, 381 Shock, Septic/Sepsis, 383 Infection, 383 Hypovolemia, 386 Impaired Cardiac Output, 387 Risk for Impaired Breathing, 388 Thrombosis, Deep Vein, 389 Impaired Peripheral Tissue Perfusion, 390 Risk for Bleeding, 392 Lack of Knowledge, 393 Venous Insufficiency, Chronic Risk for Impaired Peripheral Tissue Perfusion Impaired Skin Integrity **Pulmonary Care Plans, 395** Acute Respiratory Distress Syndrome, 395 Impaired Gas Exchange, 396 Risk for Impaired Cardiac Output, 400 Risk for Injury (Healthcare-associated Complications; Infection), 401 Anxiety, 404 Asthma, 406 Impaired Breathing, 406 Impaired Airway Clearance, 409 Lack of Knowledge, 410 Chest Trauma, 413 Impaired Respiratory System Function, 413 Hypovolemia, 416 Impaired Cardiac Output, 418 Acute Pain, 420 Chronic Obstructive Pulmonary Disease, 422 Impaired Airway Clearance, 423 Impaired Gas Exchange, 425 Impaired Nutritional Intake, 427 Risk for Infection, 428 Lack of Knowledge, 429 Coronavirus Infection, 432 Lack of Knowledge Regarding Novel Coronaviruses, 433 Infection, 435 Mechanical Ventilation, 439

Impaired Respiratory System Function, 439

Anxiety, 448

Lack of Knowledge, 449

Risk for Injury, 443

Impaired Airway Clearance, 445

Risk for Impaired Cardiac Output, 447

Shock, Anaphylactic

Lack of Knowledge, 535

Anxiety, 374

Impaired Breathing

Obstructive Sleep Apnea, 450

Impaired Respiratory Function: Apnea, 451 Sleep Deprivation, 453

Pneumonia, 455

Infection, 455

Impaired Airway Clearance, 457

Impaired Gas Exchange, 459

Acute Pain, 460

Lack of Knowledge, 461

Pneumothorax With Chest Tube

Impaired Breathing

Lack of Knowledge

Pulmonary Arterial Hypertension

Activity Intolerance

Lack of Knowledge

Impaired Cardiac Output

Hypervolemia (19)

Pulmonary Embolism, 462

Impaired Breathing, 462

Impaired Gas Exchange, 463

Risk for Bleeding, 465

Lack of Knowledge, 467

Pulmonary Tuberculosis, 468

Infection, 469

Impaired Breathing, 472

Impaired Health Maintenance, 473

Respiratory Failure, Acute, 475

Impaired Respiratory Function, 475

Risk for Impaired Airway Clearance, 477

Risk for Infection, 478

Anxiety, 479

Lack of Knowledge, 480

Thoracotomy (

Impaired Breathing

Impaired Airway Clearance

Acute Pain

Lack of Knowledge

7 Neurologic Care Plans, 482

Alzheimer's Disease/Dementia, 482

Risk for Violence, 483

Self-Care Deficit: Bathing, Dressing, Feeding, 485

Impaired Socialization, 487

Impaired Health Maintenance, 488

Caregiver Stress, 489

Amyotrophic Lateral Sclerosis

Anxiety (

Impaired Airway Clearance

Impaired Mobility

Impaired Nutritional Intake


Impaired Verbal Communication

Lack of Knowledge


Carpal Tunnel Syndrome

Acute Pain

Lack of Knowledge



Decreased Intracranial Adaptive Capacity



Hypervolemia (

Risk for Seizure Activity

Lack of Knowledge

Headache: Migraine, Cluster, Tension

Lack of Knowledge

Acute Pain

Intracranial Infection

Infection (

Risk for Seizure Activity

Acute Pain

Lack of Knowledge

Intervertebral Disk Disease, 492

Acute Pain, 492

Lack of Knowledge, 494

Lyme Disease

Lack of Knowledge

Infection (

Multiple Sclerosis, 496

Lack of Knowledge, 496

Impaired Mobility, 498

Impaired Vision, 500

Urinary Incontinence/Retention, 501

Risk for Fall-Related Injury, 502

Myasthenia Gravis

Lack of Knowledge

Risk for Aspiration

NISK IOI ASPII atton

Impaired Nutritional Intake

Impaired Health Maintenance

Parkinson's Disease, 503

Impaired Mobility, 504

Impaired Nutritional Intake, 505

Impaired Verbal Communication, 507

Situational Low Self-Esteem, 507

Lack of Knowledge, 509

Seizure Activity, 511

Lack of Knowledge, 511

Situational Low Self-Esteem, 514

Spinal Cord Injury, 516

Impaired Breathing, 516

Impaired Cardiac Output, 518

Impaired Mobility, 519

Risk for Pressure Ulcer, 521

Disturbed Body Image, 522

Lack of Knowledge, 523

Stroke, 525

Impaired Tissue Perfusion: Cerebral, 525

Impaired Airway Clearance, 527

Impaired Mobility, 529

Impaired Verbal Communication, 532

Risk for Impaired Tactile Perception, 533

Risk for Unilateral Neglect, 534

Lack of Knowledge, 535

sebsiverol to ton i.

Transient Ischemic Attack/Carotid Endarterectomy, 537

Lack of Knowledge, 538

Risk for Impaired Tissue Perfusion: Cerebral, 539

Traumatic Brain Injury, 540

Decreased Intracranial Adaptive Capacity, 541

Hypovolemia, 543

Hypervolemia, 544

Impaired Nutritional Intake, 545

Lack of Knowledge, 546

West Nile Virus

Lack of Knowledge

Infection (

Gastrointestinal and Digestive Care Plans, 548

Bariatric Surgery, 548

Lack of Knowledge, 548

Risk for Impaired Nutritional Intake (Postoperative), 551

Disturbed Body Image, 552

Risk for Hypovolemia, 553

Nonadherence, 554

Bowel Diversion Surgery: Colostomy, Ileostomy, 557

Lack of Knowledge (Surgical Procedure), 557

Impaired Ability to Manage Stoma Care, 558

Risk for Stoma Complications, 559

Disturbed Body Image, 561

Lack of Knowledge (Stoma Care), 562

Cholecystectomy (

Risk for Infection

Impaired Breathing

Lack of Knowledge

Cirrhosis, 564

Impaired Nutritional Intake, 564

Ascites, 565

Risk for Hypovolemia, 567

Risk for Confusion, 568

Risk for Impaired Skin Integrity (Itching), 569

Gastroenteritis (

Lack of Knowledge

Diarrhea (

Hypovolemia (**)

Gastrointestinal Bleeding, 570

Hypovolemia, 571

Lack of Knowledge, 573

Hepatitis, 574

Lack of Knowledge, 575

Activity Intolerance, 576

Impaired Nutritional Intake, 578

Inflammatory Bowel Disease, 579

Diarrhea, 579

Acute Pain (Abdominal, Joint), 581

A significant and stable

Impaired Nutritional Intake, 583

Risk for Hypovolemia, 584

Lack of Knowledge, 585

Pancreatitis, Acute, 586

Acute Pain, 586

Risk for Hypovolemia, 587 Lack of Knowledge, 588

Peptic Ulcer Disease, 589

Acute Pain, 590

Impaired Nutritional Intake, 591

Risk for Hypovolemia, 592

Lack of Knowledge, 593

Musculoskeletal Care Plans, 595

Amputation, Lower Extremity, 595

Anxiety (Preoperative), 595

Risk of Infection, 597

Impaired Mobility, 598

Disturbed Body Image, 600

Acute Pain and Chronic Pain, 602

Lack of Knowledge, 604

Arthroscopy (

Lack of Knowledge

Acute Pain

Impaired Mobility

Fibromyalgia (11)

Lack of Knowledge

Chronic Pain

Impaired Sleep

Fatigue (

Fractures: Extremity and Pelvic, 605

Acute Pain, 605

Impaired Mobility, 607

Risk for Impaired Tissue Perfusion, 608

Lack of Knowledge, 610

Risk for Impaired Urinary System Function, 612

Risk for Injury, 613

Joint Arthroplasty/Replacement: Total Hip, Knee,

Shoulder, 614

Acute Pain, 615

Impaired Mobility, 616

Risk for Impaired Tissue Perfusion, 618

Lack of Knowledge, 620

Osteoarthritis, 621

Acute Pain/Chronic Pain, 622

Impaired Mobility, 624

Osteomyelitis (

Infection (

Acute Pain

Osteoporosis, 626

Lack of Knowledge, 627

Risk for Fall-Related Injury, 630

Disturbed Body Image, 631

Rheumatoid Arthritis, 632

Lack of Knowledge, 633

Chronic Pain (Joint), 636

Impaired Musculoskeletal System Function, 638

Impaired Mobility, 639

Traction (

Lack of Knowledge



Contents

Acute Pain Impaired Mobility

Risk for Impaired Tissue Perfusion Risk for Infection (Pin Sites)

Cancer Care Plans, 641

Brain Cancer, 641

Lack of Knowledge, 642 Decreased Intracranial Adaptive Capacity, 645 Difficulty Coping, 647

Breast Cancer/Surgical Management With Breast Reconstruction Option, 649

Lack of Knowledge: Preoperative, 649 Acute Pain, 653 Disturbed Body Image, 654 Anxiety, 655 Lack of Knowledge: Postoperative, 656

Cancer Chemotherapy, 658

Lack of Knowledge, 659 Nausea, 661 Risk for Infection, 663 Risk for Bleeding, 665 Risk for Injury, 666 Disturbed Body Image, 668 Risk for Injury, 669

Cancer-related Fatigue, 670

Cancer Radiation Therapy, 673

Lack of Knowledge, 674 Impaired Skin Integrity, 675 Risk for Radiation Injury, 677

Cervical Cancer, 678

Lack of Knowledge, 679 Difficulty Coping, 681

Colorectal Cancer, 683

Lack of Knowledge (Preoperative), 683 Risk for Constipation (Postoperative Ileus), 687 Risk for Infection, 687 Lack of Knowledge (Postoperative), 688

Head and Neck Cancer: Surgical Approaches, 690

Impaired Airway Clearance, 691 Impaired Verbal Communication, 692 Risk for Ineffective Tissue Perfusion, 694 Impaired Nutritional Intake, 695 Disturbed Body Image, 696 Lack of Knowledge: Preoperative and Postoperative, 697

Hematopoietic Stem Cell Collection

Lack of Knowledge Fear (

Risk for Infection

Hematopoietic Stem Cell Transplantation

Lack of Knowledge Risk for Infection e # 4 QEA willidoW bentagmi Diarrhea (

Risk for Impaired Nutritional Intake

Leukemia, Adult, 699

Lack of Knowledge, 699 Difficulty Coping, 701 Risk for Infection, 703 Risk for Bleeding, 705 Nausea, 707

Lung Cancer, 709

Lack of Knowledge, 710 Pain, 714

Lymphoma, 715

Lack of Knowledge, 716 Difficulty Coping, 718 Risk for Infection, 719 Risk for Bleeding, 721 Nausea, 723

Multiple Myeloma, 726

Lack of Knowledge, 726 Acute Pain, 728 Impaired Mobility, 729 Risk for Impaired Urinary System Function, 730

Ovarian Cancer, 731

Lack of Knowledge, 732 Acute Pain, 733 Risk for Impaired Breathing, 735 Impaired Nutritional Intake, 736

Pancreatic Cancer, 737

Lack of Knowledge, 738 Acute Pain, 741 Difficulty Coping, 742 Impaired Nutritional Intake, 744

Prostate Cancer, 746

Fear, 747 Impaired Sexual Functioning, 748 Lack of Knowledge: Postoperative, 749

Skin Cancer, 751

Impaired Skin Integrity, 751 Disturbed Body Image, 753 Lack of Knowledge, 754

Testicular Cancer, 756

Lack of Knowledge, 756 Impaired Sexual Functioning, 758 Disturbed Body Image, 759

Hematologic and Immunologic Care Plans, 761

Anemia, 761

Lack of Knowledge, 761 Fatigue, 763

Disseminated Intravascular Coagulation, 765

Risk for Bleeding, 765 Impaired Gas Exchange, 767 Lack of Knowledge, 768

Hemophilia (11)

Risk for Hemorrhage Acute Pain

Impaired Mobility Lack of Knowledge Human Immunodeficiency Virus (HIV) Disease, 769 Lack of Knowledge (Disease and Transmission), 770 Infection, 772 Impaired Nutritional Intake, 774 Neutropenia, 775 Risk for Infection, 775 Lack of Knowledge, 777 Organ Transplantation, Solid Heart Transplantation Impaired Cardiac Output Risk for Impaired Cardiac Function (Right Ventricular Failure) Risk of Hemorrhage Impaired Protective Ability (After Heart Transplantation) Lung Transplantation Impaired Airway Clearance Impaired Protective Ability (After Lung Transplantation) Liver Transplantation Risk for Hemorrhage Impaired Protective Ability (After Liver Transplantation) Kidney Transplantation Kidney Transplant Recipient Risk for Impaired Tissue Perfusion (Renal) Impaired Protective Ability (Transplanted Kidney) Living Kidney Donors Lack of Knowledge **Problems Common to Solid Organ Transplant** Recipients: Risk for Infection, Difficulty Coping, and Lack of Knowledge Risk for Infection Risk for Difficulty Coping Lack of Knowledge

Sickle Cell Disease

Nonadherence

Acute Pain

Risk for Difficulty Coping

Lack of Knowledge, 780

Impaired Skin Integrity, 782
Impaired Musculoskeletal System Function, 784
Fatigue, 785

Renal and Urinary Tract Care Plans, 787

Acute Kidney Injury, 787

Impaired Kidney Function, 787
Hypervolemia, 790
Risk for Impaired Cardiac Output, 791
Impaired Nutritional Intake, 793
Risk for Infection, 794
Lack of Knowledge, 795

Chronic Kidney Disease (CKD), 796

Lack of Knowledge, 797

Hypervolemia, 798

Risk for Impaired Cardiac Output, 800

Hypocalcemia/Hyperphosphatemia, 801

Impaired Protective Ability (Anemia/

Thrombocytopenia), 803

Risk for Low Self-Esteem, 805

Impaired Sexual Functioning, 806

Glomerulonephritis (1)

Hypervolemia (19)

Lack of Knowledge

Hemodialysis, 807

Risk for Impaired Cardiac Output, 808

Risk for Infection, 809

Risk for Impaired Peripheral Tissue Perfusion, 810

Lack of Knowledge, 811

Peritoneal Dialysis, 813

Hypervolemia, 813

Risk for Infection, 815

Acute Pain, 816

Lack of Knowledge, 817

Renal Calculi

Lack of Knowledge

Acute Pain

Risk for Infection

Urinary Diversion, 819

Lack of Knowledge (Preoperative), 820

Self-Care Deficit (Toileting), 822

Disturbed Body Image, 823

Risk for Stoma Complications, 824

Risk for Infection, 825

Impaired Ability to Manage Stoma Care, 826

Urinary Tract Infection, 829

Infection, 829

Acute Pain, 831

Lask of Vasculadas

Lack of Knowledge, 831

13 Men's and Women's Health Care Plans, 833

General Health Care Plans, 833

LGBTQ+ Health Issues, 833

Impaired Health Maintenance, 834

Risk for Infection, 837

Difficulty Coping, 839

Gender Dysphoria, 843

Disturbed Personal Identity, 844

Lack of Knowledge, 846

Victim of Sexual Assault, 849

Victim of Sexual Assault, 850

Sexually Transmitted Infections, 855

he nurse to make a clinical

Lack of Knowledge, 855

Tack of Ithowicage, o.

Infection, 857

Disturbed Body Image, 860

Men's Health Care Plans, 861

Benign Prostatic Hyperplasia, 861

Urinary Retention, 862

Lack of Knowledge, 864

Erectile Dysfunction, 867

Impaired Sexual Functioning, 867

Difficulty Coping, 870

Women's Health Care Plans, 871

Hysterectomy, 871

Lack of Knowledge: Surgical Treatment, 872

Lack of Knowledge: Surgical Menopause, 873

Acute Pain, 875

Disturbed Body Image, 877

Menopause (

Lack of Knowledge

Difficulty Coping

Impaired Sexual Functioning

Impaired Sleep

Pelvic Inflammatory Disease, 878

Lack of Knowledge, 879

Infection, 880

Acute Pain, 883

Pelvic Floor Dysfunction, 884

Stress Incontinence of Urine, 884

Bowel Incontinence, 887

Lack of Knowledge: Pelvic Organ Prolapse, 889

Disturbed Body Image, 891

14 Endocrine and Metabolic Care Plans, 893

Adrenal Insufficiency (Addison's Disease)

Lack of Knowledge

Risk for Impaired Nutritional Intake

Risk for Hypovolemia

Risk for Impaired Cardiac Output

Cushing's Disease

Lack of Knowledge

Disturbed Body Image

Risk for Injury

Risk for Hypervolemia

Diabetes Insipidus (1)

Hypovolemia (**)

Lack of Knowledge

Diabetes Mellitus, 893

Risk for Hyperglycemia/Hypoglycemia, 894

Risk for Nonadherence, 899

Risk for Impaired Skin Integrity: Feet, 901

Diabetic Ketoacidosis (DKA) and Hyperosmolar

Hyperglycemic State (HHS), 904

Hypovolemia, 904

Hyperthyroidism, 907

Lack of Knowledge, 907

Impaired Nutritional Intake, 909

Disturbed Body Image, 910

Risk for Hyperthermia, 911

Hypothyroidism, 912

Overweight, 913

Fatigue, 914

Lack of Knowledge, 915

Syndrome of Inappropriate Antidiuretic Hormone

Hypervolemia (

Lack of Knowledge

Thyroidectomy, 917

Risk for Impaired Breathing, 917

Risk for Hypocalcemia, 918

Risk for Impaired Verbal Communication, 919

Lack of Knowledge, 920

Integumentary Care Plans, 922

Burns, 922

Impaired Gas Exchange, 922

Hypovolemia, 925

Burn Wound, 927

Acute Pain, 930

Risk for Impaired Peripheral Tissue Perfusion, 931

Risk for Impaired Nutritional Intake, 932

Lack of Knowledge, 934

Disturbed Body Image, 935

Contact Dermatitis

Impaired Skin Integrity

Risk for Infection

Pressure Injuries, 936

Impaired Skin Integrity, 937

Risk for Infection, 941

Risk for Impaired Health Maintenance, 943

Psoriasis, 945

Lack of Knowledge, 945

Risk for Disturbed Body Image, 947

Impaired Skin Integrity, 948

Reconstructive Plastic Surgery for Wound Closure

Risk for Impaired Tissue Perfusion (to Graft or Flap)

Risk for Infection

Risk for Impaired Health Maintenance

Shingles, 949

Risk for Infection, 949

Acute/Chronic Pain, 951

Risk for Disturbed Body Image, 952

Lack of Knowledge, 953

Index, 954