

Contents

Preface

ix

PART I

| | | |
|------------------|--|-----------|
| Chapter 1 | The function and consequences of moult | 1 |
| 1.1 | Functions of the plumage | 1 |
| 1.2 | Plumage maintenance and the need for plumage renewal | 2 |
| 1.2.1 | Feather maintenance and wear | 2 |
| 1.2.2 | Adjustments to the plumage | 2 |
| 1.3 | The costs of moult | 4 |
| 1.3.1 | Plumage efficiency during moult | 4 |
| 1.3.2 | Energetic, nutritional and metabolic demands of moult | 4 |
| 1.4 | Fitting moult into the annual cycle | 5 |
| Chapter 2 | The terminology of feathers, plumages, moults and age classes | 7 |
| 2.1 | Arrangement of the feathers | 7 |
| 2.1.1 | Flight feathers | 7 |
| 2.1.2 | Wing-coverts | 8 |
| 2.2 | Plumages, feather generations and moults | 8 |
| 2.2.1 | Concepts of moult and plumage terminologies | 8 |
| 2.2.2 | General terms | 9 |
| 2.2.3 | Moult terms | 9 |
| 2.2.4 | Terms for plumages, feathers and feather generations | 9 |
| 2.3 | Age classes | 9 |
| Chapter 3 | The moult of adults | 11 |
| 3.1 | Introduction to the moult strategies | 11 |
| 3.2 | Sequence of moult | 12 |
| 3.2.1 | Basic sequence of the complete moult | 12 |
| | Flight feathers | 12 |
| | Body-feathers and wing-coverts | 12 |
| 3.2.2 | Functional aspects of the basic sequence of moult | 12 |
| 3.2.3 | Variations and exceptions to the basic moult sequence | 14 |
| | Primaries | 14 |
| | Secondaries | 15 |
| | Tertials | 16 |
| | Rectrices | 16 |
| | Wing-coverts | 17 |
| | Variation in the relationships between flight feather tracts | 17 |
| 3.3 | Moult strategies | 17 |
| 3.3.1 | Complete postbreeding moult in the breeding area: Moult strategies 1 and 2 | 17 |
| | Complete postbreeding moult in the breeding area | 17 |
| | Partial prebreeding moult | 17 |
| 3.3.2 | Complete moult in the non-breeding area: Moult strategy 3 | 18 |
| | Partial moult before autumn migration | 18 |
| | Suspension of the complete moult within the non-breeding area | 18 |
| | Additional prebreeding moult | 20 |
| | Conclusions | 20 |
| 3.3.3 | Seasonally divided moult of remiges: Moult strategy 4 | 20 |
| | Seasonally divided primary moult | 20 |
| | Seasonally divided secondary moult | 21 |
| 3.3.4 | Partial and complete biannual moult of remiges: Moult strategies 5 and 6 | 22 |

| | | |
|-------|---|----|
| 3.3.5 | Conclusions | 22 |
| 3.4 | Timing and duration of the complete moult | 23 |
| 3.4.1 | Timing and duration of the complete postbreeding moult in the breeding area | 23 |
| | Reduction of moult duration | 23 |
| | Overlap between breeding and moult | 24 |
| | Overlap between moult and autumnal activities | 24 |
| | Arrested moult | 25 |
| | Moult duration | 25 |
| | Timing of moult | 25 |
| 3.4.2 | Timing of moult in trans-saharan migrants | 26 |

| | | |
|------------------|--|-----------|
| Chapter 4 | The moult during the first year of life | 29 |
| 4.1 | Introduction to the moult cycles | 29 |
| 4.2 | The juvenile plumage | 29 |
| 4.2.1 | Completion of the juvenile plumage after fledging | 29 |
| 4.2.2 | Structure of the juvenile plumage | 29 |
| 4.2.3 | Coloration of the juvenile plumage | 31 |
| 4.3 | Sequence of postjuvenile moult | 31 |
| | Complete postjuvenile moult | 31 |
| | Partial postjuvenile moult | 31 |
| 4.3.1 | Sequence within wing-feather tracts during partial postjuvenile moult | 32 |
| | Wing-coverts and alula | 32 |
| | Tertials | 32 |
| | Secondaries | 32 |
| | Rectrices | 32 |
| 4.3.2 | Relationship between wing-feather tract renewal during partial postjuvenile moult | 32 |
| 4.3.3 | Sequence of eccentric and other partial primary moults | 34 |
| 4.4 | Partial postjuvenile moult in the breeding area | 37 |
| 4.4.1 | Variation in extent, timing and duration: experimental evidence of control of postjuvenile moult | 37 |
| 4.4.2 | Interspecific variation in timing and extent | 38 |
| | Timing and duration | 38 |
| | Extent | 39 |
| 4.4.3 | Intraspecific variation in timing and extent | 40 |
| | Variation with hatching date | 40 |
| | Differences between populations | 41 |
| | Differences between the sexes and effects of energetic and nutrient stress | 41 |
| | Intraspecific variation in the extent of postjuvenile moult during the course of the non-breeding season and between wintering sites | 41 |
| 4.4.4 | Partial postjuvenile primary moult in the breeding area | 43 |
| 4.5 | Complete postjuvenile moult in the breeding area | 44 |
| 4.6 | Moults during the first year of life in trans-saharan migrants | 45 |
| 4.6.1 | Partial postjuvenile and partial prebreeding moult excluding remiges: Moult cycles 5 and 6 | 45 |
| 4.6.2 | Complete moult in the non-breeding area: Moult cycles 9, 10, 11, 14 and 15 | 45 |
| 4.6.3 | Partial moult including remiges in the non-breeding area: Moult cycles 7, 8, 12 and 13 | 46 |
| | First partial prebreeding moult including secondaries | 46 |
| | First partial prebreeding moult including primaries | 46 |
| | Incomplete first prebreeding moult | 46 |
| 4.6.4 | Conclusions | 47 |

PART II

| | | |
|------------------|---|-----------|
| Chapter 5 | Ageing European passerines | 49 |
| 5.1 | Ageing criteria in live birds | 49 |
| 5.2 | Ageing using plumage characters | 49 |
| 5.2.1 | Recognition of juvenile feathers | 49 |
| | Structure and shape | 50 |
| | Coloration | 50 |
| | Wear | 50 |
| | Growth bars and fault bars | 50 |
| 5.2.2 | Differences in extent of moult | 51 |
| 5.2.3 | Differences between postjuvenile and subsequent feather generations | 51 |

| | | |
|-------|---|----|
| 5.3 | General ageing criteria in European passerines based on moult | 52 |
| 5.3.1 | Species with a complete postjuvenile moult in the first summer/autumn: Moult cycle type 1 | 52 |
| 5.3.2 | Species with a partial postjuvenile/complete postbreeding moult in the breeding area: Moult cycle type 2 | 52 |
| 5.3.3 | Species with a partial postjuvenile/complete postbreeding moult in the breeding area and a partial prebreeding moult in winter/spring: Moult cycle type 3 | 54 |
| 5.3.4 | Species with a complete moult in the non-breeding area | 57 |

Chapter 6 Species accounts 61

| | |
|---|-----|
| Presentation of the data and directions for use | 61 |
| Material | 61 |
| Relevance of the data | 61 |
| Presentation and analysis of the data | 61 |
| Procedure of ageing | 62 |
| Species accounts | |
| <i>Riparia riparia</i> , Sand Martin | 63 |
| <i>Hirundo rustica</i> , Swallow | 64 |
| <i>Delichon urbica</i> , House Martin | 65 |
| <i>Anthus campestris</i> , Tawny Pipit | 66 |
| <i>Anthus trivialis</i> , Tree Pipit | 68 |
| <i>Anthus pratensis</i> , Meadow Pipit | 71 |
| <i>Anthus spinoletta spinoletta</i> , Water Pipit | 73 |
| <i>Motacilla flava</i> , Yellow Wagtail | 76 |
| <i>Motacilla cinerea</i> , Grey Wagtail | 80 |
| <i>Motacilla alba alba</i> , White Wagtail | 83 |
| <i>Troglodytes troglodytes</i> , Wren | 87 |
| <i>Prunella modularis</i> , Dunnock | 89 |
| <i>Erithacus rubecula</i> , Robin | 91 |
| <i>Luscinia megarhynchos</i> , Nightingale | 94 |
| <i>Luscinia svecica</i> , Bluethroat | 95 |
| <i>Phoenicurus ochruros</i> , Black Redstart | 96 |
| <i>Phoenicurus phoenicurus</i> , Redstart | 99 |
| <i>Saxicola rubetra</i> , Whinchat | 101 |
| <i>Oenanthe oenanthe</i> , Wheatear | 104 |
| <i>Turdus torquatus</i> , Ring Ouzel | 107 |
| <i>Turdus merula</i> , Blackbird | 109 |
| <i>Turdus pilaris</i> , Fieldfare | 111 |
| <i>Turdus philomelos</i> , Song Thrush | 113 |
| <i>Turdus iliacus</i> , Redwing | 115 |
| <i>Turdus viscivorus</i> , Mistle Thrush | 116 |
| <i>Acrocephalus scirpaceus</i> , Reed Warbler | 118 |
| <i>Hippolais icterina</i> , Icterine Warbler | 119 |
| <i>Sylvia curruca</i> , Lesser Whitethroat | 121 |
| <i>Sylvia communis communis</i> , Whitethroat | 123 |
| <i>Sylvia borin</i> , Garden Warbler | 127 |
| <i>Sylvia atricapilla</i> , Blackcap | 130 |
| <i>Phylloscopus collybita</i> , Chiffchaff | 133 |
| <i>Phylloscopus trochilus</i> , Willow Warbler | 136 |
| <i>Muscicapa striata</i> , Spotted Flycatcher | 138 |
| <i>Ficedula hypoleuca</i> , Pied Flycatcher | 141 |
| <i>Parus ater</i> , Coal Tit | 146 |
| <i>Parus caeruleus</i> , Blue Tit | 148 |
| <i>Parus major</i> , Great Tit | 150 |
| <i>Sitta europaea</i> , Nuthatch | 152 |
| <i>Oriolus oriolus</i> , Golden Oriole | 153 |
| <i>Lanius collurio</i> , Red-backed Shrike | 154 |
| <i>Garrulus glandarius</i> , Jay | 156 |
| <i>Fringilla coelebs</i> , Chaffinch | 158 |
| <i>Fringilla montifringilla</i> , Brambling | 161 |
| <i>Serinus serinus</i> , Serin | 163 |
| <i>Serinus citrinella</i> , Citril Finch | 166 |
| <i>Carduelis chloris</i> , Greenfinch | 168 |
| <i>Carduelis carduelis</i> , Goldfinch | 171 |

| | |
|---|-----|
| <i>Carduelis spinus</i> , Siskin | 173 |
| <i>Carduelis cannabina</i> , Linnet | 177 |
| <i>Carduelis flammea cabaret</i> , Redpoll | 180 |
| <i>Loxia curvirostra</i> , Crossbill | 182 |
| <i>Pyrrhula pyrrhula</i> , Bullfinch | 188 |
| <i>Coccothraustes coccothraustes</i> , Hawfinch | 189 |
| <i>Emberiza citrinella</i> , Yellowhammer | 191 |
| <i>Emberiza cia</i> , Rock Bunting | 193 |
| <i>Emberiza hortulana</i> , Ortolan Bunting | 195 |
| <i>Emberiza schoeniclus</i> , Reed Bunting | 198 |

APPENDIX The use of skull pneumatization for ageing 201

| | |
|---|-----|
| The process of skull pneumatization | 201 |
| Recognition of skull pneumatization | 201 |
| Skull pneumatization scores | 203 |
| Age determination by skull pneumatization | 203 |
| Explanations of the graphs | 203 |

References 209

Scientific names with their English, German, French, Italian and Spanish translations 219

Species Index 222

Explanations 224