ontents contents on the content of t Contents

Part 1	The NANDA International Terminology: General Information	
1	What's New in the NANDA-I 2021-2023 Edition	24
1.1 8014	Overview on Changes and Revisions in the NANDA-I 2021-2023	
	Edition	24
1.2	New Nursing Diagnoses	24
1.3	Revised Nursing Diagnoses	30
1.4	Changes to Nursing Diagnosis Labels	37
1.5	Retired Nursing Diagnoses	37
1.6	NANDA-I Nursing Diagnoses: Indicator Term Standardization	41
2	International Considerations on the Use of the	
	NANDA-I Nursing Diagnoses	45
neM a		nva i edi
Part 2	Recommendations for Research to Improve the Terminology	
3	Future Improvement of the NANDA-I Terminology	50
3.1	Research Priorities	50
3.2	Refinement and Diagnoses to be Developed	51
3.3	References	55
4	Revised Level of Evidence Criteria for Diagnosis	
	Submission	57
4.1	Introduction	57
4.2	Relationship Between Clinical Evidence and Validity Theory	58
4.3	Evidence Levels of Validity for NANDA-I Diagnoses	59
4.4	References	74
Part 3	The Use of NANDA International Nursing Diagnoses	ИАИ
5	Nursing Diagnosis Basics	78
5.1	Principles of Nursing Diagnosis: Introduction	78
5.2	Principles of Nursing Diagnosis: Diagnosing	81
5.3	Principles of Nursing Diagnosis: Knowledge of Nursing Concepts	82
5.4	Assessing	82
5.5	Diagnosing	84

MeXtel beolth diagnostic content

5.6	Planning/Implementing	87
5.7	Kamitsuru's Tripartite Model of Nursing Practice	88
5.8	Evaluating	90
5.9	Principles of Nursing Diagnosis: Clinical Application	90
5.10	Brief Chapter Summary	91
5.11	References	92
6	Nursing Diagnosis: An International Terminology	93
	italising blagnosis. An international reminiology	
6.1	Nursing Commonalities Around the Globe	93
6.2	Nursing Education and Practice	93
6.3	Professional Associations and Nursing Classifications	95
6.4	International Implementation	96
6.5	Summary	104
6.6	Acknowledgment of Contributors to This Chapter	- 105
6.7	References	106
0.7	neielelices nonit omentin this tensocean error to enotining	100
7	Clinical Peacening, Erom Accessment to Diagnosis	100
7	Clinical Reasoning: From Assessment to Diagnosis	109
71	Clinical Descening Introduction	109
7.1	Clinical Reasoning: Introduction	
7.2	Clinical Reasoning within the Nursing Process	109
7.3	The Nursing Process	113
7.4	References	123
0	Clinical Applications Data Applysis to Determine	
8	Clinical Application: Data Analysis to Determine	
	Appropriate Nursing Diagnosis	126
081	Resolution of the second formal design of the second secon	
8.1	Clustering of Information/Seeing a Pattern	126
8.2	Identifying Potential Nursing Diagnoses (Diagnostic Hypotheses)	126
8.3	Refining the Diagnosis	129
8.4	Confirming/Refuting Potential Nursing Diagnoses	131
8.5	Eliminating Possible Diagnoses	132
8.6	Potential New Diagnoses	134
8.7	Differentiating Similar Diagnoses	134
8.8	Diagnosing/Prioritizing	135
8.9	Summary	136
8.10	References and some maintenance behaviors	137
	anomenan-line dilegal eyhbeiteni.	
9	Introduction to the NANDA International Taxonomy	
7		
	of Nursing Diagnoses	138
Sec.		249
9.1	introduction to raxonomy	138
9.2	Organizing Nursing Knowledge	143
9.3	Using NANDA-I Taxonomy	145
9.4	The NANDA-I Nursing Diagnosis Taxonomy II: A Short History	150
9.5	References	163
		256

10	Specifications and Definitions Within the NANDA
	International Taxonomy of Nursing Diagnoses
0.6	Drittellieva.
10.1	Structure of Taxonomy II
10.2	NANDA-I Taxonomy II: A Multiaxial System
10.3	Definitions of the Axes
10.4	Developing and Submitting a Nursing Diagnosis
10.5	Further Development: Using Axes
10.6	References
9	Nursing Commonalities Around the Globe
11	Glossary of Terms
	International Implementation — noisetremelemi lencitement
11.1	Nursing Diagnosis
11.2	Diagnostic Axes
11.3	Components of a Nursing Diagnosis
11.4	Definitions for Terms Associated with Nursing Diagnoses
11.5	Definitions for Classification of Nursing Diagnoses
11.6	References
Dave 4	The NANDA International Nursing Diagnoses
art 4	The NANDA International Nursing Diagnoses
\ :	References
Jomai	n 1. Health promotion
lass 1.	Health awareness
ACT	Decreased diversional activity engagement
	Readiness for enhanced health literacy
	Sedentary lifestyle
	identifying Potential Nursing Diagnosess (Diagnostic Hypotheses
	Health management
1033 2.	Risk for elopement attempt
	Frail elderly syndrome
	Risk for frail elderly syndrome
	Readiness for enhanced exercise engagement
981	Risk-prone health behavior Ineffective health maintenance behaviors
(8)	The the control of th
	Ineffective health self-management
	Readiness for enhanced health self-management
Pils.	Ineffective family health self-management
	Ineffective home maintenance behaviors
138	Risk for ineffective home maintenance behaviors
143	Readiness for enhanced home maintenance behaviors
	Ineffective protection
321	Priorestable pionia: A stay the creatist discusses to generally t-AGMAM edit
	Principles of Nursing Disconneis Resembles of Parallesian Superior

Doma	in 2. Nutrition	Gastrointestinal function	211
	Rick for contains blood pressure	nolingizano	
Class 1.	Ingestion	nottequence not skip	
	Imbalanced nutrition: less than body red	uirements	213
	Readiness for enhanced nutrition	Predictional constipation (Chronic functional)	
263	Insufficient breast milk production	Risk for chronic functional const	216
Pat	Ineffective breastfeeding	Usiogonandroo Igwod begisqm	217
267	Interrupted breastfeeding	alse	219
	Readiness for enhanced breastfeeding	Dystunctional gastrointestinian	220
	Ineffective adolescent eating dynamics	filsk for dysfunctional gastrointe	221
	Ineffective child eating dynamics		222
	Ineffective infant feeding dynamics	miegumentary function	224
	Obesity Obesity	This class does not currently con	226
	Overweight		228
	Risk for overweight	Raspiratory function	- 230
	Ineffective infant suck-swallow response	impaired gas exchange	232
	Impaired swallowing		234
		teethyffydda A i a	
Class 2.	Digestion		
	This class does not currently contain any	diagnoses	Jass 1.
Class 3.	Absorption	Sleep deprivation	
	This class does not currently contain any	diagnoses	
		Disturbed sleep pattern	
Class 4.	Metabolism		
	Risk for unstable blood glucose level	Activity/exercise	236
district 3	Neonatal hyperbilirubinemia	Decreased activity tolerance	238
	Risk for neonatal hyperbilirubinemia	filsk for decreased activity telkn	239
282	Risk for impaired liver function	Risk for disuse syndrome	240
Regard.	Risk for metabolic syndrome	impaired bed mobility	241
284		impaired physical mobility	
Class 5.	Hydration	Impaired wheelchair mobility	
	Risk for electrolyte imbalance	politik berisgini	
	Risk for imbalanced fluid volume	Impaired standing	243
	Deficient fluid volume	impaired transfer ability	244
	Risk for deficient fluid volume	pridlew benagni	
	Excess fluid volume		246
		Energy balance	LE saido
Domai	n 3. Elimination and exchange		
193		Fations	
Class 1.	Urinary function	Wandering	
	Disability-associated urinary incontinence		249
	Impaired urinary elimination	Cardiovascular/pulmonary r	250
	Mixed urinary incontinence	metteg printisend evitcelled	251
	Stress urinary incontinence	Decreased cardiac output	252
		Risk for decreased cardiac outp	253
		Risk for impaired cardiovascular	254
		Ineffective lymphedema self-m	255
		Risk for ineffective lymphedem	256
	J. C. C. I. C.		250

Class 2.	Gastrointestinal function	
	Constipation	257
	Risk for constipation	259
	Perceived constipation	260
	Chronic functional constipation	261
	Risk for chronic functional constipation	263
	Impaired bowel continence	265
	Diarrhea	267
	Dysfunctional gastrointestinal motility	268
	Risk for dysfunctional gastrointestinal motility	269
	entantement contract to the sufficient and contract to the sufficient to the suffici	
Class 3.	Integumentary function	
DEE .	This class does not currently contain any diagnoses	
Class 4.	Respiratory function	1/8
	Impaired gas exchange	270
1730	impaired gas exemange	
Domai	n A Activity/roct	271
Domai	n 4. Activity/rest	2/1
C I . 1		
Class 1.	Sleep/rest	274
	Insomnia	274
	Sleep deprivation	
	Readiness for enhanced sleep	278
	Disturbed sleep pattern	279
	Activity/exercise	
Class 2.		200
	Decreased activity tolerance	280
	misk for decreased activity tolerance	281
	Risk for disuse syndrome	282
	Impaired bed mobility	283
	Impaired physical mobility	284
	Impaired wheelchair mobility	285
	Impaired sitting	287
	Impaired standing	288
	Impaired transfer ability	289
	Impaired walking	290
	emulay bluff resorts	
Class 3.	Energy balance	
TAL	Imbalanced energy field	291
	Fatigue	292
	Wandering	294
	Disability-associated using the propriety secure and a second baseline are will dear	
Class 4.	Cardiovascular/pulmonary responses	
	Ineffective breathing pattern	295
	Decreased cardiac output	297
	Risk for decreased cardiac output	299
	Risk for impaired cardiovascular function	300
	Ineffective lymphedema self-management	301
	Risk for ineffective lymphedema self-management	303

- estant	Impaired spontaneous ventilation		305
	Risk for unstable blood pressure		306
	Risk for thrombosis	Self-concept	307
	Risk for decreased cardiac tissue perfusion	n	308
	Risk for ineffective cerebral tissue perfusi	on and bearinging to agenthesid	309
DBS27	Ineffective peripheral tissue perfusion	Alsk for compromised human da	310
	Risk for ineffective peripheral tissue perfe	usion	311
	Dysfunctional ventilatory weaning respo	nse i more de bedardalle set dal l	312
	Dysfunctional adult ventilatory weaning	response	314
Class 5.	Self-care		
	Bathing self-care deficit	Chronic law self-esteem	316
	Dressing self-care deficit	Risk for chronic low self-estages	317
	Feeding self-care deficit	Situational low self-esteem	318
		Risk for situational low self-estee	319
	Readiness for enhanced self-care		320
	Self-neglect		321
		Disturbed body image	
Domai	n 5. Perception/cognition		323
Domai	ii J. i Ci CCp ti Jii, CJ Jii ti Jii		lare of
Class 1	Attention		THE STATE
Cluss I.	Unilateral neglect	Caregiving roles	325
	Offilateral fregreet	pridre se benisemi	
Class 2.	Orientation	Risk for Impaired parameters:	
Cluss 2.	This class does not currently contain any		
		nietiz eleh nevigensi	
Class 3.	Sensation/perception	E-clastz elor ravinents rol dziń	
	This class does not currently contain any		
		saidenotteles vlime?	
Class 4.	Cognition	Risk for Impaired attachment	
		Disturbed family identity syndro	326
		editoebi elimet bedadab rotskille	327
		esecesora vilimal lamoitamiteyO	328
		interrupted family processessors	329
	Ineffective impulse control	Peachness for enhanced ramily p	330
	Deficient knowledge		331
	Readiness for enhanced knowledge	Role performance	332
	Impaired memory	airianottalar avitaelteni	333
	Disturbed thought process	distancialist evitoettect tot skiA	334
		Readiness for enhanced relation	
Class 5.	Communication	Farentei role conflict	
	Readiness for enhanced communication	eonamohed eigr extoeffeni.	335
	Impaired verbal communication	nouberettii lefaez berisomi	336

Domai	n 6. Self-perception		339
		Risk for unstable blood pressure	
Class 1.	Self-concept	Risk for thrombosis	259
	Hopelessness	Risk for decreased cardiac fissue pe	341
	Readiness for enhanced hope	Risk for ineffective cerebral tissue p	343
	Risk for compromised human dignity	ineffective peripheral tissue perius	344
	Disturbed personal identity	Risk for inelfective peripheral tissus	345
	Risk for disturbed personal identity	Cysfunctional ventilatory weaping	346
	Readiness for enhanced self-concept	Cysfunctional adult ventilatory wer	347
Class 2.	Self-esteem		
	Chronic low self-esteem		
	Risk for chronic low self-esteem		
	Situational low self-esteem	Feeding self-care deficit	351
	Risk for situational low self-esteem	Tolleting self-care deficit	353
		Readiness for enhanced self-care.	
Class 3.	Body image	Self-neglect	
	Disturbed body image		355
		n 3. Perception/cognition	
Domai	n 7. Role relationship		357
		Attention	
Class 1.	Caregiving roles	Unilateral neglect	
	Impaired parenting		359
	Risk for impaired parenting	Orientation	361
	neadiness for enhanced parenting	This class does not currently contain	363
	Caregiver role strain		364
	Risk for caregiver role strain	Sensation/perception	367
		This class does not currently contain	
Class 2.	Family relationships		240
	Risk for impaired attachment		369
	Disturbed family identity syndrome	Acute confusion Risk for acute confusion amor	370
TEE	Risk for disturbed family identity syndi	Chronic confusion	372
BEE	Dysfunctional family processes	Labile emotional control	373
329	Interrupted family processes		
	Readiness for enhanced family process	Deficient knowledge	377
CLEE O		Readiness for enhanced knowledg	
Class 3.		vioried memory	270
	Ineffective relationship	Disturbed thought process	378
	Risk for ineffective relationship		379
	Readiness for enhanced relationship	Communication	380
	Parental role conflict	Readiness for anhanced communic	381
	menecuve role penomianee	Impaired verbal communications	
	Impaired social interaction		384

Domai	n 8. Sexuality	Risk for Impaired resilience	
EEA	STATE OF A STATE OF THE STATE O	Readiness for enhanced resille	
Class 1.	Sexual identity	Chronic somow	
	This class does not currently contain any	diagnoses	
Class 2	Sexual function	Neurobehavioral stress	Class 3.
Class 2.		Acute substance withdrawal s	
	Sexual dystatiction	Risk for acute substance with:	500
	menective sexuanty pattern	Automomic dysreflexia	50,
Class 3	Reproduction	Risk for autonomic dysreflexia	486
Class J.		Neonatel abstinence syndrom	388
	Risk for ineffective childbearing process	Disorganized infant behavior!	390
	Readiness for enhanced childbearing process		391
	Risk for disturbed maternal-fetal dyad	Readiness for enhanced organ	
Domai	n 9. Coping/stress tolerance	estalanha ett.i.or a	393
Class 1.	Post-trauma responses		Li eraD
	Risk for complicated immigration transition	This class does not currentlynd	395
	Post-trauma syndrome		396
	Risk for post-trauma syndrome		398
QAA	Rape-trauma syndrome	Readliness for enhanced spirit	399
	Relocation stress syndrome		400
	Misk for relocation stress syndrome	Velue/belief/action congru	402
	Could fine the Indiana Indiana, in the country	Readiness for enhanced decis	
Class 2.	Coping responses	Decisional conflict	
	menecure activity planning	Impaired emandipated decisio	403
N. P.	misk for increceive activity planning	Risk for impained emandpage	
	Anxiety	Readliness for enhanced emar	405
	Defensive coping	Moral distress	407
	Ineffective coping	Impaired religiosity	408
	Readiness for enhanced coping	itisk for impaired religiosity	
	menecuve community coping	Readiness for enhanced religi	410
	Readiness for enhanced community copin		411
	Compromised family coping	Nisk for spiritual distress	412
	Disabled family coping		414
	Readiness for enhanced family coping	n i.i. Safety/protection	415
	Death anxiety		416
	Ineffective denial	infection	418
	Fear	Risk for intection	419
	Maladaptive grieving	Risk for surgical site infection	
	Risk for maladaptive grieving		423
	Readiness for enhanced grieving	Physical injury	
	Impaired mood regulation	Ineffective airway clearance	
	Powerlessness	Risk for aspiration	
	Risk for powerlessness	Risk for bleeding	
	Readiness for enhanced power	Impaired dentition liberal trast	429
	Impaired resilience	filsk for dry eye	430

	Risk for impaired resilience		432
	Readiness for enhanced resilience		433
	Chronic sorrow	Sexual identity	434
	Stress overload	This class does not curently co	435
Class 3.	Neurobehavioral stress	e deligated leuxe?	Classes 2.
385	Acute substance withdrawal syndrome	Sexual dysfunction	436
188	Risk for acute substance withdrawal sync	drome	
	Autonomic dysreflexia		438
	Risk for autonomic dysreflexia	Reproduction	440
deer 2	Neonatal abstinence syndrome	ineffective childbearing proces	442
OPE -	Disorganized infant behavior	Alsk for ineffective childbearin	443
198	Risk for disorganized infant behavior	Readiness for enhanced childs	445
ske :	Readiness for enhanced organized infant	behavior	446
	disk for situational six ask estable		
Domai	n 10. Life principles		447
	tody limage		
Class 1.	Values	Post-frauma responses	ar akkin
207	This class does not currently contain any		
		emorbave anales ren'i	
Class 2.	Beliefs	Risk for post-trauma syndrome	
	Readiness for enhanced spiritual well-bei		449
GOS -		Relocation stress syndrome	
Class 3.	Value/belief/action congruence	Risk for relocation stress syndh	
	Readiness for enhanced decision-making		451
	Decisional conflict	Coning responses	452
	Impaired emancipated decision-making	ineffective activity planning	453
N/LS	Risk for impaired emancipated decision-		454
Amer T	Readiness for enhanced emancipated de		455
	Moral distress	pelans evicended	456
A/IA	Impaired religiosity	pnique expand	457
ona		Readiness for enhanced cooles	458
0/5		Ineffective community coping	459
113		Readiness for entranced comm	460
		prides vimet bezimename2	462
		Disabled family coping	
Domai	n 11. Safety/protection	Readliness for enhanced family	463
ALA	nestective retainment	vielkris riisell	178
Class 1	Infection		
CIGSS 1.	Risk for infection		466
	Risk for surgical site infection		467
	hisk for surgical site infection	griveing evitoribalem tot dalfi	
Class 2		Readiness for enhanced grievi	384
Class 2.	Ineffective airway clearance	noiteiuper boom bestagmi.	468
	Risk for aspiration	Powerlessness	469
	Risk for aspiration Risk for bleeding	Risk for powerlessness	
4347.6		Readiness for enhanced power	471
		erenus sumenten en een moeen en panelizet betisanti	471
	Risk for dry eye	10.7% (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%) (1.0%)	4/2

	Ineffective dry eye self-management	noitalugatomisiT	473
666	Risk for dry mouth	Hyperthermia	475
	Risk for adult falls	simedicqqit	476
	Risk for child falls	Hisk for hypothermia.	478
542	Risk for injury	Neonatal hypothermia	480
	Risk for corneal injury	simperitogyal letencen soft skill.	481
	Nipple-areolar complex injury	mentrogyri sviteregoheg rat Wiff	482
	Risk for nipple-areolar complex injury	e greitelupercomerb exitesitere	484
	Risk for urinary tract injury		485
	Risk for perioperative positioning injury		486
	Risk for thermal injury		487
	Impaired oral mucous membrane integ	rity	488
	Risk for impaired oral mucous membrar	ne integrity	490
	Risk for peripheral neurovascular dysfur	nction	491
	Risk for physical trauma		492
	Risk for vascular trauma		494
	Adult pressure injury		495
	Risk for adult pressure injury		497
	Child pressure injury	emorbina dag Maorii)	499
022	Risk for child pressure injury	misc mode.	501
	Neonatal pressure injury		503
	Risk for neonatal pressure injury	troimos lainemmentert	505
	Risk for shock	nohnos balisqini	507
	Impaired skin integrity	notines beaned or set confor	508
	Risk for impaired skin integrity		510
	Risk for sudden infant death	Social comfort	512
	Risk for suffocation	nolmos besisgni	513
	Delayed surgical recovery	Readimess for enhanced comfort	514
	Risk for delayed surgical recovery	Risk for loneliness	516
	Impaired tissue integrity	Social isolation	517
	Risk for impaired tissue integrity		519
		n 13. Growth/developm	
Class 3.	Violence		
	Risk for female genital mutilation	drower	521
	Risk for other-directed violence	too street cores not corrently cor	522
	Risk for self-directed violence		523
	Self-mutilation	1 inempoleveQ	524
	Risk for self-mutilation		526
	Risk for suicidal behavior	Risk for delayed child developm	528
		Delayed infant motor developm	
Class 4.	Environmental hazards	Risk for delayed unfant motor de	
	Contamination		530
	Risk for contamination	walter!	532
	Risk for occupational injury		534
	Risk for poisoning		535
Class 5.	Defensive processes		
	Risk for adverse reaction to iodinated co	ontrast media	536
	Risk for allergy reaction		537
	Risk for latex allergy reaction		538

Class 6.	Thermoregulation	ineticcinve dily eye self-manageme	
	Hyperthermia		539
476	Hypothermia	Hisk for addult falls	540
478	Risk for hypothermia	Risk for child falls	541
480	Neonatal hypothermia	Risk for injury	542
16here	Risk for neonatal hypothermia	Risk for comeal intury	544
482	Risk for perioperative hypothermia	Nipple-areolar complex injury	
484		ini xalqınga aslonas-əlqqin tol kalfi.	546
	Ineffective thermoregulation		547
485	Risk for ineffective thermoregulation		
486		Risk for perioperative positioning is	
Domai	n 12. Comfort	Risk for thermal Injury	549
884		impaired oral mucous membrane i	
Class 1.	Physical comfort	Risk for Impaired oral mucous men	
169	Impaired comfort	Aisk for peripheral neutrogracular a	551
492	Readiness for enhanced comfort	Risk for physical traumia	552
101	Nausea	filsk for vascular trauma	553
	Acute pain	Adult pressure injuty	554
197	Chronic pain	Risk for adult pressure injury	555
605	Chronic pain syndrome	Child pressure injury	557
		Hisk for child pressure murry	558
5730	Labor pain	Neonatal pressure injury	330
61		Risk for neonatal pressure injury	
Class 2.	Environmental comfort	Aborte vot staff.	560
	Impaired comfort		300
	Readiness for enhanced comfort	impaired skin integrity	
	Bearings for enhanced decision ma	Risk for Impalited skin integrify polis	
Class 3.	Social comfort	Risk for sudden infant death	
	Impaired comfort	Risk for suffocation	562
	Readiness for enhanced comfort	Delayed surgical recovery	563
	Risk for loneliness	Risk for delayed suggical recovery.	564
517	Social isolation	impaired tissue integrity	565
919		Risk for impaired tissue integrity	
Domai	n 13. Growth/development		567
		Violence	Class 3.
Class 1	Growth	Risk for female genital mutilation	
223	This class does not currently contain	any diagnoses	
	This class does not currently contain	Alsk for self-directed violence	
Class 2	Dovolonment	Self-mutilation	
Class 2.	Development	Risk for self-mutiliation	F60
	Delayed child development	Risk for suicidal behavior	568
Class 1.	Risk for delayed child development		3/0
	Delayed infant motor development	Emvironmental hazands	571
200	Risk for delayed infant motor develop	oment	573
530			
583	Index	Risk for contamination	575
ALC:	treflective already clearance	Risk for occupational injury	463
253	Foci	Inside b	ack cover
		Defensive processes	A CENT
	• Impaired designation sibem tastmos be	HISK for adverse reaction to roomer	
		Dieb fere alla sens reachts and daid	

Risk for allergy reaction

Risk for letex effergy reaction

537

538

Risk for dry ave.