

# Contents

**Preface** *xv*

**Acknowledgments** *xix*

**List of Symbols** *xxi*

**List of Abbreviations** *xxxix*

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Background	1
1.2	Basic Concept of the VSM for Bridges	3
1.2.1	Bridge Frequency Identification	3
1.2.2	Bridge Mode Shape Identification	4
1.2.3	Bridge Damping Ratio Identification	5
1.3	Brief on the Works Conducted by Yang and Coworkers	5
1.3.1	Vehicle and Bridge Models Used and Their Vibration Mechanisms	6
1.3.1.1	Vehicle Models	6
1.3.1.2	Bridge's Models and Properties	7
1.3.2	Enhanced Methods for Bridge Frequency Identification	8
1.3.2.1	Software-Based Approaches	8
1.3.2.2	Hardware-Based Approaches	10
1.3.3	Bridge Mode Shape Identification	11
1.3.4	Bridge Damping Ratio Identification	12
1.3.5	Bridge Damage Identification	13
1.3.6	Extension of VSM to Railway Tracks	13
1.4	Bridge Modal Parameter Identification by Researchers Worldwide	14
1.4.1	Bridge Frequency Identification	14
1.4.1.1	Vehicle and Bridge Models Used and Their Mechanism of Vibration	14
1.4.1.2	Time-Varying Characteristics of the Vehicle–Bridge System	17
1.4.1.3	Enhanced Methods for Bridge Frequency Identification	18
1.4.2	Bridge Mode Shape Identification	20
1.4.2.1	HT-Based Techniques	21
1.4.2.2	Time–Frequency Techniques	21
1.4.2.3	Other Mode Shape Identification Methods	22
1.4.3	Bridge Damping Ratio Identification	23

1.5	Bridge Damage Identification by Researchers Worldwide	24
1.5.1	Modal Parameter-Based Methods	25
1.5.1.1	Natural Frequency-Based Methods	25
1.5.1.2	Mode Shape-Based Methods	25
1.5.2	Signal Processing-Based Methods	27
1.5.3	Machine Learning-Based Methods	28
1.5.4	Other Methods	30
1.6	Pavement Roughness Identification by Researchers Worldwide	31
1.7	Vehicle Scanning Method for Railway Tracks and Bridges	32
1.7.1	Track Geometry Estimation	32
1.7.2	Identification of Dynamic Parameters of Railway Tracks and Bridges	34
1.7.3	Track Defect Detection	35
1.8	Application of Smartphone-Based IoT System in VSM	37
1.9	Conclusions and Recommendations for Future Work	39
1.9.1	Conclusions	39
1.9.2	Challenges and Recommendations	40

## **Part I Vehicle Scanning Method for Bridge Frequencies 43**

<b>2</b>	<b>Damped Scanning Vehicle for Bridge Frequencies: Theory and Experiment</b>	<b>45</b>
2.1	Introduction	45
2.2	Formulation of the Analytical Theory	47
2.2.1	Dynamic Responses of the Bridge and Contact Point	47
2.2.2	Dynamic Response of the Test Vehicle	49
2.3	Calculation of Contact Response of the Damped Test Vehicle	51
2.3.1	Backward Calculation Procedure for the Contact Response	51
2.3.2	Transmissibility Between Contact Point and Vehicle Responses	53
2.4	Numerical Formulation of the Problem	54
2.4.1	Description of VBI Element for Single-DOF Vehicle	54
2.4.2	Verification of Analytical Solution	55
2.5	Parametric Study	57
2.5.1	Effect of Vehicle Damping	57
2.5.2	Effect of Test Vehicle Speed	59
2.5.3	Effect of Environmental Noise	59
2.5.4	Effect of Surface Roughness	61
2.5.4.1	Scenario 1: Bridge Without Ongoing Traffic	62
2.5.4.2	Scenario 2: Bridge with Ongoing Traffic	63
2.6	Experimental Study	65
2.6.1	Brief on the Test Bridge	65
2.6.2	Measurement by Sensors Deployed on the Bridge Surface	66
2.6.3	Design of the Test Vehicle	69
2.6.4	Measurement by the Test Vehicle in the Nonmoving State	72
2.6.5	Flat Road Test for Vehicle Frequency in the Moving State	75

2.6.6	Measurement by the Test Vehicle in the Moving State	75
2.6.6.1	Scenario 1: Vehicle Moving Along the Bridge Centerline	76
2.6.6.2	Scenario 2: Vehicle Moving Along the Centerline with a Temporary Parking for 30 s	77
2.7	Concluding Remarks	79
<b>3</b>	<b>Refined Detection for Bridge Frequencies: Theory and Experiment</b>	<b>81</b>
3.1	Introduction	81
3.2	Contact Responses for Two Wheels of Single-Axle Vehicle	84
3.3	Brief on Test Bridge and Direct Measurement	87
3.4	Description of Self-Designed Single-Axle Test Vehicle	87
3.4.1	Properties of Single-Axle Test Vehicle	88
3.4.2	Responses of Test Vehicle Moving over Flat Road	89
3.4.3	Contact Responses of Test Vehicle Moving on Flat Road	91
3.5	Scanning Bridge's Frequencies by Test Vehicle's Rocking Motion	93
3.5.1	Scenario 1: Test Vehicle Moving Nonstop over Bridge	93
3.5.1.1	Wheel Responses of Vehicle Moving over Bridge	93
3.5.1.2	Contact Responses of Test Vehicle's Wheels Moving over Bridge	95
3.5.2	Scenario 2: Vehicle Moving over Bridge with Temporary Stop	97
3.5.2.1	Wheel Responses of Moving Vehicle with Temporary Stop on Bridge	97
3.5.2.2	Contact Responses for Test Vehicle Moving over Bridge with Temporary Stop	99
3.6	Concluding Remarks	100
<b>4</b>	<b>Single-Axle Two-Mass Scanning Vehicle for Bridge Frequencies: Theory</b>	<b>103</b>
4.1	Introduction	103
4.2	Analytical Formulation of the Problem	105
4.2.1	Dynamic Responses of the Bridge and Contact Point	105
4.2.2	Dynamic Responses of the Vehicle's Body and Wheel	107
4.3	Vehicle–Bridge Contact Response of Two-Mass Vehicle Model	109
4.3.1	Vehicle's Wheel Response Back-Calculated from Body Response	109
4.3.2	Contact Response Back-Calculated from Vehicle's Body and Wheel Responses	110
4.4	Numerical Simulation of the Problem	111
4.4.1	Description of Vehicle–Bridge Interaction Element	111
4.4.2	Verification of Analytical Solutions	112
4.4.3	Verification of Back-Calculation Procedure for Vehicle's Wheel Response	114
4.4.4	Verification of Back-Calculation Procedure for Contact Response	115
4.4.5	Applicability of the Contact Formula to Other Beam-Type Bridges	115
4.5	Parametric Study	117
4.5.1	Effect of Vehicle Damping	117
4.5.2	Effect of Vehicle Speed	118
4.5.3	Effect of Environmental Noise	120
4.5.4	Effect of Pavement Roughness	122
4.5.5	A More Realistic Condition	123
4.6	Concluding Remarks	126

<b>5</b>	<b>Vehicle Scanning Method Enhanced by a Shaker</b>	<b>127</b>
5.1	Introduction	127
5.2	Theoretical Modeling of the Problem	129
5.2.1	Dynamic Responses of the Bridge and Contact Point	130
5.2.2	Dynamic Response of the Test Vehicle	132
5.3	Dynamic Amplification Factor of the Shaker for Vehicle and Contact Responses	135
5.4	Numerical Verification	137
5.4.1	Verification of Analytical Solution	138
5.4.2	Verification of Back-Calculated Contact Response	139
5.5	Effect of the Shaker on Bridge Frequency Extraction	141
5.5.1	Effect of Shaker Frequency	141
5.5.2	Effect of Shaker Location	143
5.5.3	Effect of Vehicle Speed	144
5.6	Effects of Pavement Roughness and Environmental Noise	146
5.7	Concluding Remarks	147
<b>6</b>	<b>Vehicle Scanning Method Enhanced by Amplifiers</b>	<b>149</b>
6.1	Introduction	149
6.2	Analytical Formulation of the Problem	152
6.2.1	Dynamic Responses of the Bridge	152
6.2.2	Dynamic Responses of the Amplifier and Test Vehicle	153
6.3	Effect of Amplifier on the Amplifier–Vehicle–Bridge System	155
6.3.1	Dynamic Amplification Factor of Amplifier for the Bridge Response	156
6.3.2	Dynamic Amplification Factor of Vehicle for the Bridge Response	156
6.3.3	Featured Range of Amplifier Response vs. Vehicle Response	157
6.3.4	Effect of Amplifier on Vehicle’s Self-Frequency	158
6.4	Numerical Simulation of the Problem	159
6.4.1	Brief of Amplifier–Vehicle–Bridge Interaction Element	159
6.4.2	Verification of Analytical Solutions	161
6.5	Test Vehicle Set in (or Not in) Resonance	163
6.6	Effect of Amplifier on Bridge Frequency Extraction	165
6.6.1	Effect of Amplifier Mass	165
6.6.2	Effect of Amplifier Frequency	165
6.6.3	Dual Amplifiers for the Bridge Frequencies	167
6.7	Effect of Pavement Roughness	168
6.7.1	Amplifier Frequency Tuned to Vehicle Frequency	169
6.7.2	Dual Amplifiers Tuned for Different Functions	169
6.8	Concluding Remarks	171

## **Part II Vehicle Scanning Method for Bridge Mode Shapes and Damping Ratios 173**

- 7 Theory for Scanning Bridge Mode Shapes Using a Two-Axle Vehicle 175**
  - 7.1 Introduction 175
  - 7.2 Closed-Form Solutions for Contact Responses 177
  - 7.3 Calculation of Contact Responses for Two-Axle Vehicle 179
  - 7.4 Recovery of Bridge Mode Shapes 181
    - 7.4.1 Brief on Variational Mode Decomposition 181
    - 7.4.2 Recovery of Bridge's Mode Shape by Hilbert Transform 182
    - 7.4.3 Procedure for Recovering Bridge Mode Shapes 184
  - 7.5 Numerical Verification of Back-Calculated Contact Responses 184
  - 7.6 Construction of Bridge Mode Shapes 188
  - 7.7 Parametric Study 190
    - 7.7.1 Effect of Vehicle Damping 190
    - 7.7.2 Effect of Vehicle Speed 191
    - 7.7.3 Effect of Number of Bridge Spans 192
    - 7.7.4 Effect of Environmental Noise 194
    - 7.7.5 Effect of Pavement Roughness 197
  - 7.8 Concluding Remarks 200
  
- 8 Formula for Determining Damping Ratio Using a Two-Axle Vehicle 201**
  - 8.1 Introduction 201
  - 8.2 Theoretical Formulation of the Problem 202
  - 8.3 Determination of Bridge Damping Ratio 204
  - 8.4 Numerical Verification 206
    - 8.4.1 Verification of Analytical Solution 206
    - 8.4.2 Verification of Back-calculated Contact Response 207
    - 8.4.3 Determination of Bridge Damping Ratio 208
  - 8.5 Effect of Pavement Roughness 210
  - 8.6 Concluding Remarks 212
  
- 9 Theory for Scanning Bridge Damping Ratios Using a Two-Axle Vehicle by Wavelet Transform 213**
  - 9.1 Introduction 213
  - 9.2 Analytical Formulation of the Problem 215
    - 9.2.1 Closed-form Solution for the Bridge 215
    - 9.2.2 Closed-form Solution for the Contact Responses 218
  - 9.3 Calculation of Contact Responses for Two-axle Vehicle Considering Suspension Effect 218

9.3.1	Wheel Responses Back-calculated from Car Body's Responses	219
9.3.2	Contact Responses Back-calculated from Vehicle's Body and Wheel Responses	220
9.4	Identification of Bridge Damping Ratio	221
9.4.1	Brief on the WT	221
9.4.2	Identification of Bridge Damping Ratio by the WT	222
9.5	Numerical Verification	224
9.5.1	VBI Element Used	224
9.5.2	Vehicle and Bridge Properties Used	225
9.5.3	Verification of Analytical Solution	226
9.5.4	Verification of Back-calculation Procedure for Contact Responses	227
9.6	Scanning Bridge Damping Ratio	228
9.7	Parametric Study	230
9.7.1	Effect of Vehicle Damping	230
9.7.2	Effect of Vehicle Speed	231
9.7.3	Effect of Bridge Damping Ratio	232
9.7.4	Effect of Vehicle/Bridge Mass Ratio	233
9.7.5	Effect of Number of Bridge Spans	235
9.7.6	Effect of Pavement Roughness	236
9.7.7	A More Realistic Scenario	242
9.8	Concluding Remarks	243
<b>10</b>	<b>Normalized Formula for Removing Damping Effect on Mode Shape Recovery</b>	<b>245</b>
10.1	Introduction	245
10.2	Theoretical Modeling of the Problem	247
10.2.1	Dynamic Responses of the Damped Bridge and Contact Point	248
10.2.2	Dynamic Response of the Moving Vehicle	251
10.2.3	Dynamic Response of the Stationary Vehicle	252
10.3	Identification of Bridge Mode Shapes with the Effect of Bridge Damping Eliminated	253
10.3.1	Instantaneous Amplitudes of Contact Responses of the Moving and Stationary Vehicles	253
10.3.2	Normalized Formula for Eliminating Bridge Damping in Mode Shape Recovery	254
10.4	Numerical Formulation of the Problem	255
10.4.1	VBI Element and Vehicle and Bridge Properties Used	255
10.4.2	Verification of Analytical Solution	257
10.4.3	Verification of Back-Calculation Procedure for Contact Responses	258
10.5	Scanning Bridge Mode Shapes with the Effect of Bridge Damping Eliminated	260
10.6	Parametric Study	261
10.6.1	Effect of Bridge Damping Ratio	261
10.6.2	Effect of Location of the Stationary Vehicle	263
10.6.3	Effect of Vehicle Damping Ratio	264
10.6.4	Effect of Vehicle Speed	264
10.6.5	Effect of Number of Bridge Spans	264
10.6.6	Effect of Pavement Roughness	266
10.7	Concluding Remarks	268

<b>11</b>	<b>Recursive Formula for Removing Damping Effect on Mode Shape Recovery</b>	<b>269</b>
11.1	Introduction	269
11.2	Analytical Formulation of the Problem	271
11.2.1	Closed-Form Solution for the Bridge	271
11.2.2	Closed-Form Solution for the Contact Responses	273
11.3	Eliminating the Bridge Damping Effect in Bridge Mode Shape Identification	275
11.3.1	Identification of Bridge Mode Shapes by Hilbert Transform	275
11.3.2	Identification of Bridge Mode Shapes by Wavelet Transform	277
11.4	Numerical Verification	279
11.4.1	Verification of Back-Calculation Procedure for Contact Responses	279
11.4.2	Recovering Bridge Mode Shapes by the Recursive Formula Using the HT	281
11.4.3	Recovering Bridge Mode Shapes by the Recursive Formula Using the WT	283
11.5	Parametric Study	285
11.5.1	Effect of Bridge Damping Ratio	285
11.5.2	Effect of Vehicle Damping	286
11.5.3	Effect of Vehicle Speed	288
11.5.4	Effect of Number of Bridge Spans	290
11.5.5	Effect of Pavement Roughness	290
11.6	Concluding Remarks	292
	<b>Part III Vehicle Scanning Method for Various Types of Bridges</b>	<b>295</b>
<b>12</b>	<b>Recovering Frequencies and Mode Shapes of Curved Bridges</b>	<b>297</b>
12.1	Introduction	297
12.2	Closed-form Solutions for the Horizontal Curved Bridge and Contact Responses	300
12.2.1	Out-of-plane Vibration of the Curved Beam	301
12.2.2	In-plane Vibration of the Curved Beam	304
12.3	Calculation of Contact Responses	307
12.3.1	Vertical Contact Responses	307
12.3.2	Lateral (radial) Contact Response	308
12.4	Mode Shape Construction by the VMD-SWT	309
12.5	Numerical Modeling of the Problem	311
12.5.1	Description of the VBI Element	311
12.5.2	Verification of Analytical Solution	312
12.5.3	Verification of the Unified Formula for Contact Response	313
12.6	Numerical Verification of Mode Shape Construction	317
12.7	Parametric Study	319
12.7.1	Effect of Bridge Radius	319
12.7.2	Effect of Vehicle Speed	320
12.7.3	Effect of Pavement Roughness	322
12.8	Concluding Remarks	323

<b>13</b>	<b>Recovering Damping Ratios of Curved Bridges</b>	<b>325</b>
13.1	Introduction	325
13.2	Analytical Solutions for the Damped Horizontal Curved Bridge and Contact Responses	327
13.2.1	Out-of-plane Vibration of the Damped Curved Beam	329
13.2.2	In-plane Vibration of the Damped Curved Beam	333
13.3	Damping Ratio Identification	336
13.3.1	Damping Formula for Curved Bridges by Using the VMD and SWT	337
13.3.2	Procedure for Identifying Damping Ratio	339
13.4	Numerical Modeling of the Problem	339
13.4.1	Verification of Analytical Solution	339
13.4.2	Verification of the Unified Contact Formula	341
13.5	Damping Ratio Identification for the Curved Bridge by the VMD-SWT	345
13.6	Numerical Study	346
13.6.1	Effect of Vehicle Damping	346
13.6.2	Effect of Vehicle Manufacture Error	347
13.6.3	Effect of Vehicle Speed	351
13.6.4	Effect of Bridge Damping Ratio	351
13.6.5	Effect of Pavement Roughness	353
13.7	Concluding Remarks	355
<b>14</b>	<b>Scanning Frequencies and Mode Shapes of Thin-Walled Girders</b>	<b>357</b>
14.1	Introduction	357
14.2	Theoretical Formulation of the Problem	360
14.3	Contact Responses for the Two Wheels of Single-Axle Vehicle	365
14.4	Recovery of Bridge's Mode Shapes	366
14.4.1	Brief on the WT	366
14.4.2	Recovery of Bridge's Mode Shapes by the WT	366
14.5	Numerical Simulation of the Problem	367
14.5.1	Brief on VBI Element	368
14.5.2	Verification of Analytical Solutions	368
14.5.3	Verification of Back-Calculated Contact Response	371
14.5.4	Separating Vertical (Flexural) from Torsional-Flexural Frequencies	373
14.6	Construction of Bridge Mode Shapes	374
14.7	Parametric Study	375
14.7.1	Effect of Vehicle Damping	375
14.7.2	Effect of Eccentricity (Lateral Position) of the Vehicle	376
14.7.3	Effect of Vehicle Speed	377
14.7.4	Effect of Pavement Roughness	377
14.8	Concluding Remarks	380
<b>15</b>	<b>Theory for Simultaneously Scanning Modal Properties of Thin-Walled Girders</b>	<b>381</b>
15.1	Introduction	381
15.2	Theoretical Formulation of the Problem	383

15.3	Theoretical Framework for Identification of Bridge Modal Properties	388
15.3.1	Calculation of Contact Responses for the Four-Wheel Vehicle	389
15.3.2	Separating and Detecting Bridge Vertical and Torsional Frequencies	390
15.3.3	Bridge Damping Ratio Identification	391
15.3.4	Bridge Mode Shape Identification	393
15.3.5	Simultaneous Detection of Bridge Frequencies, Damping Ratios, and Mode Shapes	394
15.4	Numerical Verification	395
15.4.1	Vehicle and Bridge Properties Used	395
15.4.2	Verification of Analytical Solutions and Back-Calculation Procedure	396
15.4.3	Separating and Detecting Bridge's Vertical and Torsional-flexural Frequencies	398
15.4.4	Scanning Bridge Damping Ratios	399
15.4.5	Scanning Bridge Mode Shapes	400
15.5	Parametric Study	402
15.5.1	Effect of Bridge Damping	402
15.5.2	Effect of Vehicle Suspension Damping	404
15.5.3	Effect of Vehicle Speed	405
15.5.4	Effect of Vehicle's Eccentricity	406
15.5.5	Effect of Pavement Roughness	407
15.6	Conclusions	411
<b>A</b>	<b>L'Hospital's Rule for Deriving Eq. (2.30)</b>	<b>413</b>
<b>B</b>	<b>VBI Element for Single-DOF Vehicle</b>	<b>415</b>
<b>C</b>	<b>VBI Element for Two-Axle Vehicle Used in Chapters 7 and 8</b>	<b>419</b>
<b>D</b>	<b>VBI Element for Two-Axle Vehicle Used in Chapters 9 and 10</b>	<b>421</b>
<b>E</b>	<b>Straight-Beam Approach for Vibration Analysis of Horizontal Curved Beams</b>	<b>423</b>
E.1	Elastic Stiffness and Consistent Mass Matrices of the Straight Beam Element	423
E.2	Treatment of Offset between Curved Beam and Straight Beam Element	426
E.3	Transformation Matrices	427
E.4	Procedure for Calculating Dynamic Responses of Curved Beam	428
<b>F</b>	<b>VBI Element Used in Chapter 14</b>	<b>429</b>
<b>G</b>	<b>Coefficients in Eq. (15.7) of Chapter 15</b>	<b>431</b>
<b>H</b>	<b>VBI Element Used in Chapter 15</b>	<b>433</b>
	<b>References</b>	<b>435</b>
	<b>Author Index</b>	<b>457</b>
	<b>Subject Index</b>	<b>467</b>