

Contents

EDITORIAL

ABSTRACTS – oral presentations

Investigations of fluvial geomorphic processes in laboratory conditions with modern GIS methods

László Bertalan 1

The effect of foliar litter-fall at the formation of step-pool systems high gradient streams in Moravskoslezské Beskydy Mts.

Libor Borák 2

Ascending speleogenesis of some Slovak and Czech caves

Pavel Bosák, Pavel Bella 2

Two different kinds of case hardening on quartz sandstone exposures: characterization, strength, origin and effect on evolution of rock cities

Jiří Bruthan, Jana Schweigstilllová, Jan Soukup, Daniel Světlík, Lukáš Falteisek, Jan Válek, Alan L. Mayo 3

Pleistocene organic sediments from the Czech Republic

Eva Břízová 4

Analysis of potential gully erosion on Hronská Hill Land

Libor Burian, Štefan Koco 6

Possibilities of age determination of blown-sand movement in a sample area in the Nyírség, Hungary

Botond Buró, Gábor Négyesi, József, Lóki, Bence Andrási 7

Pleistocene cryopediments of Hills Dunajovické vrchy (South Moravian Region, Czech Republic)

Jaromír Demek 7

Geomorfologická analýza reliéfu a geodiverzita povodí Smědé

Viola Dítětová, Lucie Kubalíková 8

Geomorphology and Global Environmental Change

Christine Embleton-Hamann 9

Assessing the potential hazardousness of selected motaine-dammed lakes in Cordillera Blanca (Peru)

Adam Emmer, Vít Vilímek, Jan Klimeš 10

Coarse bed sediments in headwater streams: imprints of slope-channel coupling and development of a channel.

Tomáš Galia, Václav Škarpich 11

New approaches in fluvial sediment dynamics assessment: case studies from Šumava Mts.

Filip Hartvich, Jakub Langhammer, Zdeněk Kliment and Petr Tábořík 12

Land use changes and anthropogenic relief forms in the District Hodonín

Marek Havlíček, Karel Kirchner 13

Karstification of rock massif and propagation of deep-seated slope deformations – Crimea Mountains (Ukraine)

Jan Hradecký, Tomáš Pánek, Jan Lenart, Veronika Smolková, Václav Stacke 13

Neotectonics of the Moravian Fault Zone and its influence on the Middle Svratka River Valley development

Mojmír Hrádek 14

Anthropogenic intervention into the river pattern as a cause of the Olše River floodplain development change (with the use of magnetic susceptibility for the sedimentary record interpretation)	
<i>Monika Chudaničová, Jan Hradecký, Tomáš Pánek</i>	15
The role of the landslides, solifluction, alluvial deposits etc. in understanding the vegetation of the Last Glacial Period	
<i>Vlasta Jankovská</i>	15
Types of boulders in the area of Havlíčkův Brod (Bohemian-Moravian Uplands)	
<i>Jan Juráček</i>	16
Anthropogenic relief of the Karviná region and its evolution	
<i>Pavel Kadlečík</i>	17
Prehistoric settlement pattern against geomorphological and natural conditions in Lomas de Lachay (western slope of Central Andes, Peru)	
<i>Piotr Kalicki, Tomasz Kalicki, Piotr Kittel, Gabriela de los Rios, Patricia Diaz</i>	18
Main stages of the Cenozoic relief evolution of Lomas de Lachay (western slope of Central Andes, Peru)	
<i>Tomasz Kalicki, Piotr Kittel, Piotr Kalicki</i>	18
Recent morphological evolution of braided-wandering river	
<i>Anna Kidová</i>	19
The sediment sources in the Prudnik river valley; Zlatohorská vrchovina northern foreland	
<i>Kazimierz Klimek, Wioleta Górská</i>	20
Micromorphological variability of quartz grains from glaciofluvial sediments	
<i>Klára Krbcová, Marek Křížek, Lenka Křížová</i>	21
Terrestrial laser scanning applied to geomorphological and speleological research of the Locality Ledové sluje (Ice Caves) in Podyjí National Park, Czech Republic	
<i>František Kuda, Jan Divíšek, Karel Kirchner</i>	22
Frost erosion of Dunajec River sediments of different particle size distribution in the Orava Basin	
<i>Józef Kukulak, Karol Augustowski</i>	23
Morphometric characteristics of valley nets in the Blue Nile basin in the Ethiopian highlands	
<i>Michal Kusák, Marek Křížek</i>	23
Reconstruction of channel migration inferred from archaeological data (case study the Lower Váh River)	
<i>Milan Lehotský, Pavol Ištók</i>	24
Genesis, types and succession of crevice-type caves in the Flysch Belt of Western Carpathians	
<i>Jan Lenart, Tomáš Pánek</i>	25
Stream power in the Strykawka river channel as an effect of natural and anthropogenic processes	
<i>Michał Łyp</i>	26
Research of slope deformations in the České Středohoří Mts. (Dolní Zálezly – Dubický Hill slope deformation)	
<i>Tomáš Marek, Jan Balek</i>	26
Morphostructural analysis of river terraces in Žiarska kotlina basin	
<i>Alžbeta Medveďová, Ladislav Vitovič, Roberta Prokešová</i>	27
Overdeepening of cirques in the High Tatras	
<i>Peter Mida, Marek Křížek</i>	27

How high-resolution DEM based on airborne LiDAR helped to reinterpret landforms – examples from the Sudetes	
<i>Piotr Migoń, Marek Kasprzak, Andrzej Traczyk</i>	28
Morphology and origin of dolines; examples from Classical Karst, SW Slovenia	
<i>Andrej Mihevc</i>	29
A new remote sensing methodology for detailed international mapping in the V4 region	
<i>Monika Šulc Michalková, Jakub Miřijovský</i>	30
Pedogenic and lithogenic memory of alluvial soils	
<i>Adam Michalski</i>	30
Third-order geomorphometric variables and their utilization in geomorphology	
<i>Jozef Minár, Marián Jenčo, Ian S. Evans, Jozef Minár Jr., Martin Kadlec, Jozef Krcho, Ján Pacina, Libor Burián, Alexandra Benová, Lucian Drăguț, Ovidiu Csillik</i>	32
Wind erosion measurements in Hungary	
<i>Gábor Négyesi, Botond Buró</i>	33
Photo-granulometry of slope deformations	
<i>Michal Norbert, Veronika Smolková</i>	34
Spatial variability and evolution of the Váh River fluvial system morphology	
<i>Ján Novotný, Milan Lehotský</i>	35
Giant landslides at Late Pleistocene highstands of the Caspian Sea (Kazakhstan)	
<i>Tomáš Pánek, Jan Hradecký, Jozef Minár</i>	35
Electrical resistivity tomography of the depletion zone of the Girová catastrophic landslide	
<i>Renáta Pyszková</i>	36
Landslides at Vaňov-Čertovka and Kozí vrch by the Ústí nad Labem city: research approaches and state of the art	
<i>Pavel Raška, Filip Hartvich, Vilém Zábranský, Jakub Melich</i>	36
Important geological localities of the Pohořská hornatina Mts. (Novohradské hory Mts.)	
<i>Jiří Rypl</i>	37
Industrial pollution in the Outer Western Carpathians (Czech Republic) inferred from physical and geochemical properties of landslide-related sediments	
<i>Veronika Smolková, Tomáš Pánek, Simon Hutchinson, Jan Hradecký</i>	38
Controlled relief in Górzno area (Northern Poland)	
<i>Marcin Sobiech</i>	39
Reconstruction of depositional settings in the Bečva River floodplain using multidisciplinary geophysical survey	
<i>Václav Stacke, Petr Tábořík, Zuzana Lašková, Jan Gebauer, Roman Duras</i>	40
Recognition of geological structure of the Sadowa Góra quarry (Southren Poland)	
<i>Dominika Stan, Iwona Stan-Kłeczek</i>	40
Valley evolution of the Biala Łądecka river – Preliminary results from upper part of the basin	
<i>Jakub Stemberk, Petra Štěpančíková</i>	41
Sediments Trend Analysis (STA) in reconstruction of accumulation conditions of overbank deposits on the crevasse splay (Świniary, the Vistula river valley – case study)	
<i>Jacek B. Szmańda, Piotr J. Gierszewski</i>	42
Contemporary sedimentation in the abandoned channels of the Danube river multiple-channels system (Slovakia)	
<i>Jacek B. Szmańda, Piotr J. Gierszewski, Milan Lehotský, Małgorzata Luc, Jarosław Kordowski, Ján Novotný</i>	44

Comparison of the Danube and the Vistula rivers multiple-channel patterns with the use of Brice methods	
<i>Jacek B. Szymańda, Małgorzata Luc, Piotr J. Gierszewski</i>	45
A reconstruction of debris-flow activity on the southern slopes of Crimean Mts., Ukraine	
<i>Karel Šilhán, Tomáš Pánek, Jan Hradecký, Markus Stoffel</i>	46
Contemporary state of regulated river channels in the Moravskoslezské Beskydy Mts and its forefield	
<i>Václav Škarpich, Tomáš Galia</i>	46
Using provenance of alluvial fan deposits to constrain long-term horizontal offsets along the Elsinore fault in the Coyote Mountains, Imperial Valley, California	
<i>Petra Štěpančíková, Eulália Masana, Rockwell Thomas</i>	47
Resistivity imaging of tectonic structures verified by trenching	
<i>Petr Tábořík, Petra Štěpančíková, Filip Hartvich, Tomáš Fischer</i>	48
Recent development of floodplain forms in the Upper Tisza region (Bodrozug, Hungary)	
<i>Csaba Tóth, Róbert Vass, József Szabó</i>	48
Spatial and temporal changes in water quality in the Upper-Tisza region, Hungary	
<i>Gábor Türk, Szilárd Szabó</i>	49
Dendrogeomorphological analysis of active landslide area by Skalice Village (the Morávka River basin)	
<i>Ondřej Turský</i>	50
Thermal and moisture regime of earth hummocks in the High Sudetes and High Tatras	
<i>Tomáš Uxa, Marek Křížek, Blanka Pechačová</i>	50
Characteristic of karst sink-holes in Jasny Staw region (Niecka Nidziańska, Poland)	
<i>Artur Zieliński</i>	51
Thickness lacustrine deposits of the “Duży Staw” in the “Golejowskie Forests” near Staszów based on the georadar research (Niecka Nidziańska, Poland)	
<i>Artur Zieliński, Jerzy Ziętek</i>	52
Quaternary evolution of the Czarna river valley based on Rytwiany profile (Polish Uplands)	
<i>A. Zieliński A., I. Olszak ., T. Kalicki.</i>	53
Age of karst and caves in Slovenia	
<i>Nadja Zupan Hajna, Andrej Mihevc, Petr Pruner, Pavel Bosák</i>	54
 ABSTRACTS – posters	
Biogeomorphological mapping of naturally recovered reach of the Bečva River in the vicinity of Hustopeče nad Bečvou	
<i>Ján Babej, Zdeněk Máčka</i>	55
Geodiversity – an important subject of environmental education	
<i>Aleš Bajer</i>	55
Exodynamic processes and their ecogeomorphologic risks on the example of Republic of Armenia	
<i>Hasmik Balyan</i>	56
Holocene evolution of the soils of supra-flood terrace of Słupia River near Słupsk (northern Poland)	
<i>Jerzy Jonczak, Ireneusz Olszak, Anna Łazarczyk</i>	57
Artistic impact and transformation of the georelief	
<i>Jan Juráček</i>	57

Lower Moravian Basin - late glacial and Holocene lake, fluvial and eolian processes	
<i>Jaroslav Kadlec, Gary Kocurek, David Mohrig, Filip Stehlík, Ashok Kumar Singhvi, Helena Svobodová-Svitavská, Votěch Beneš, Ivo Světlík, Michal Rybniček</i>	58
Integration of LiDAR data and electrical resistivity tomography – example from Izerskie Mts.	
<i>Marek Kasprzak, Petr Tábořík, Andrzej Traczyk</i>	59
Geomorphological mapping of the selected glacial valleys in the Cordillera Blanca, Peru	
<i>Jan Klimeš, Vít Vilímek</i>	59
Geodiverzita a ochrana neživé přírody	
<i>Lucie Kubalíková</i>	60
Karst denudation data from the Northern Calcareous Alps (Austria)	
<i>Rudolf Pavuza, Pauline Oberender</i>	61
Historical water mills in Bohemia and their effect on stability of fluvial systems	
<i>Pavel Raška, Alena Hrbáčová, Tomáš Strnad</i>	62
Using of low cost micro UAVs in geomorphology	
<i>Ján Sládek, Miloš Rusnák</i>	63
Shallow slope deformations triggered by extreme rainfall: case studies in Smědava, Jizerské hory Mts. and Lemešná, Javorníky Mts.	
<i>Jana Smolíková, Jan Blahůt, Daniel Žížala, Vít Vilímek</i>	64
Monitoring of erosion and slope deformation on agricultural land	
<i>Jana Smolíková, Jiří Kapička, Daniel Žížala, Věra Váňová</i>	65
 GEOLOGICAL EVOLUTION AND GRAVITATIONAL BREAK-UP POCESS IN THE PAVLOVSKÉ VRCHY HILL (Extended abstract of the oral presentation with relevance to the region of the conference place)	
<i>Oldřich Krejčí, Ivan Poul</i>	67
 JESKYNĚ BRADLA TUROLD U MIKULOVA (Exkurze, 24. dubna 2013)	
<i>Pavel Bosák</i>	73
 PÁLAVA (Informace k Chráněné krajiné oblasti Pálava)	
<i>Jiří Matuška</i>	76
 EXKURZNÍ PRŮVODCE (Exkurze, 26. dubna 2013)	
<i>Aleš Bajer, Pavel Bosák, Jaromír Demek, Marek Havlíček, Karel Kirchner, Peter Mackovčín, Martin Novák, Jiří Svoboda, Jan Vitek</i>	80