

# Contents

## Preface

- |       |                            |       |
|-------|----------------------------|-------|
| 0.1   | For the Reader             | xv    |
| 0.2   | For the Expert             | xviii |
| 0.3   | Background and Conventions | xix   |
| 0.4** | The Goals of This Book     | xx    |

## PART I

### Preliminaries

- |          |                                                                                  |           |
|----------|----------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Just Enough Category Theory to Be Dangerous</b>                               | <b>3</b>  |
| 1.1      | Categories and Functors                                                          | 5         |
| 1.2      | Universal Properties Determine an Object up to Unique Isomorphism                | 9         |
| 1.3      | Limits and Colimits                                                              | 16        |
| 1.4      | Adjoint                                                                          | 20        |
| 1.5      | An Introduction to Abelian Categories                                            | 23        |
| 1.6*     | Spectral Sequences                                                               | 32        |
| <b>2</b> | <b>Sheaves</b>                                                                   | <b>41</b> |
| 2.1      | Motivating Example: The Sheaf of Smooth Functions                                | 41        |
| 2.2      | Definition of Sheaf and Presheaf                                                 | 42        |
| 2.3      | Morphisms of Presheaves and Sheaves                                              | 47        |
| 2.4      | Properties Determined at the Level of Stalks, and Sheafification                 | 50        |
| 2.5      | Recovering Sheaves from a "Sheaf on a Base"                                      | 53        |
| 2.6      | Sheaves of Abelian Groups, and $\mathcal{O}_X$ -Modules, Form Abelian Categories | 56        |
| 2.7      | The Inverse Image Sheaf                                                          | 58        |

## PART II

### Schemes

- |          |                                                                               |           |
|----------|-------------------------------------------------------------------------------|-----------|
| <b>3</b> | <b>Toward Affine Schemes: The Underlying Set, and Topological Space</b>       | <b>65</b> |
| 3.1      | Toward Schemes                                                                | 65        |
| 3.2      | The Underlying Set of an Affine Scheme                                        | 67        |
| 3.3      | Visualizing Schemes: Generic Points                                           | 76        |
| 3.4      | The Underlying Topological Space of an Affine Scheme                          | 77        |
| 3.5      | A Base of the Zariski Topology on $\text{Spec } A$ : Distinguished Open Sets  | 79        |
| 3.6      | Topological (and Noetherian) Properties                                       | 80        |
| 3.7      | The Function $I(\cdot)$ , Taking Subsets of $\text{Spec } A$ to Ideals of $A$ | 87        |

<b>4</b>	<b>The Structure Sheaf, and the Definition of Schemes in General</b>	<b>89</b>
4.1	The Structure Sheaf of an Affine Scheme	89
4.2	Visualizing Schemes: Nilpotents	92
4.3	Definition of Schemes	95
4.4	Three Examples	97
4.5	Projective Schemes, and the Proj Construction	102

<b>5</b>	<b>Some Properties of Schemes</b>	<b>109</b>
5.1	Topological Properties	109
5.2	Reducedness and Integrality	110
5.3	The Affine Communication Lemma, and Properties of Schemes That Can Be Checked “Affine-Locally”	112
5.4	Normality and Factoriality	115

<b>6</b>	<b>Rings Are to Modules as Schemes Are to . . .</b>	<b>121</b>
6.1	Quasicoherent Sheaves	121
6.2	Characterizing Quasicoherence Using the Distinguished Affine Base	123
6.3	Quasicoherent Sheaves Form an Abelian Category	127
6.4	Finite Type Quasicoherent, Finitely Presented, and Coherent Sheaves	128
6.5	Algebraic Interlude: The Jordan–Hölder Package	130
6.6	Visualizing Schemes: Associated Points and Zerodivisors	133
6.7**	Coherent Modules over Non-Noetherian Rings	143

### PART III

## *Morphisms of Schemes*

<b>7</b>	<b>Morphisms of Schemes</b>	<b>147</b>
7.1	Motivations for the “Right” Definition of Morphism of Schemes	147
7.2	Morphisms of Ringed Spaces	148
7.3	From Locally Ringed Spaces to Morphisms of Schemes	150
7.4	Maps of Graded Rings and Maps of Projective Schemes	156
7.5	Rational Maps from Reduced Schemes	157
7.6*	Representable Functors and Group Schemes	163
7.7**	The Grassmannian: First Construction	166

<b>8</b>	<b>Useful Classes of Morphisms of Schemes</b>	<b>169</b>
8.1	“Reasonable” Classes of Morphisms (Such as Open Embeddings)	169
8.2	Another Algebraic Interlude: Lying Over and Nakayama	171
8.3	A Gazillion Finiteness Conditions on Morphisms	174
8.4	Images of Morphisms: Chevalley’s Theorem and Elimination Theory	181

<b>9</b>	<b>Closed Embeddings and Related Notions</b>	<b>187</b>
9.1	Closed Embeddings and Closed Subschemes	187
9.2	Locally Closed Embeddings and Locally Closed Subschemes	189
9.3	Important Examples from Projective Geometry	191
9.4	The (Closed Sub)scheme-Theoretic Image	196
9.5	Slicing by Effective Cartier Divisors, Regular Sequences and Regular Embeddings	199
<b>10</b>	<b>Fibered Products of Schemes, and Base Change</b>	<b>205</b>
10.1	They Exist	205
10.2	Computing Fibered Products in Practice	210
10.3	Interpretations: Pulling Back Families, and Fibers of Morphisms	213
10.4	Properties Preserved by Base Change	217
10.5*	Properties Not Preserved by Base Change, and How to Fix Them	219
10.6	Products of Projective Schemes: The Segre Embedding	226
10.7	Normalization	228
<b>11</b>	<b>Separated and Proper Morphisms, and (Finally!) Varieties</b>	<b>233</b>
11.1	Fun with Diagonal Morphisms, and Quasiseparatedness Made Easy	233
11.2	Separatedness, and Varieties	235
11.3	The Locus where Two Morphisms from $X$ to $Y$ Agree, and the “Reduced-to-Separated” Theorem	241
11.4	Proper Morphisms	243
<b>PART IV</b>		
<b>“Geometric” Properties of Schemes</b>		
<b>12</b>	<b>Dimension</b>	<b>251</b>
12.1	Dimension and Codimension	251
12.2	Dimension, Transcendence Degree, and Noether Normalization	254
12.3	Krull’s Theorems	261
12.4	Dimensions of Fibers of Morphisms of Varieties	266
<b>13</b>	<b>Regularity and Smoothness</b>	<b>271</b>
13.1	The Zariski Tangent Space	271
13.2	Regularity, and Smoothness over a Field	275
13.3	Examples	280
13.4	Bertini’s Theorem	283
13.5	Discrete Valuation Rings, and Algebraic Hartogs’s Lemma	286
13.6	Smooth (and Étale) Morphisms: First Definition	292
13.7*	Valuative Criteria for Separatedness and Properness	294
13.8*	More Sophisticated Facts about Regular Local Rings	298
13.9*	Filtered Rings and Modules, and the Artin-Rees Lemma	299

# *Quasicoherent Sheaves on Schemes, and Their Uses*

<b>14</b>	<b>More on Quasicoherent and Coherent Sheaves</b>	<b>303</b>
14.1	Vector Bundles “=” Locally Free Sheaves	303
14.2	Locally Free Sheaves on Schemes in Particular	307
14.3	More Pleasant Properties of Finite Type and Coherent Sheaves	311
14.4	Pushforwards of Quasicoherent Sheaves	315
14.5	Pullbacks of Quasicoherent Sheaves: Three Different Perspectives	316
14.6	The Quasicoherent Sheaf Corresponding to a Graded Module	322
<b>15</b>	<b>Line Bundles, Maps to Projective Space, and Divisors</b>	<b>325</b>
15.1	Some Line Bundles on Projective Space	325
15.2	Line Bundles and Maps to Projective Space	328
15.3	The Curve-to-Projective Extension Theorem	335
15.4	Hard but Important: Line Bundles and Weil Divisors	337
15.5	The Payoff: Many Fun Examples	343
15.6	Effective Cartier Divisors “=” Invertible Ideal Sheaves	346
15.7	The Graded Module Corresponding to a Quasicoherent Sheaf	348
<b>16</b>	<b>Maps to Projective Space, and Properties of Line Bundles</b>	<b>351</b>
16.1	Globally Generated Quasicoherent Sheaves	351
16.2	Ample and Very Ample Line Bundles	353
16.3	Applications to Curves	357
16.4*	The Grassmannian as a Moduli Space	362
<b>17</b>	<b>Projective Morphisms, and Relative Versions of Spec and Proj</b>	<b>367</b>
17.1	Relative Spec of a (Quasicoherent) Sheaf of Algebras	367
17.2	Relative Proj of a (Quasicoherent) Sheaf of Graded Algebras	370
17.3	Projective Morphisms	373
<b>18</b>	<b>Čech Cohomology of Quasicoherent Sheaves</b>	<b>379</b>
18.1	(Desired) Properties of Cohomology	379
18.2	Definitions and Proofs of Key Properties	383
18.3	Cohomology of Line Bundles on Projective Space	387
18.4	Riemann–Roch, and Arithmetic Genus	390
18.5	A First Glimpse of Serre Duality	395
18.6	Hilbert Functions, Hilbert Polynomials, and Genus	398
18.7	Higher Pushforward (or Direct Image) Sheaves	403
18.8*	Serre’s Characterizations of Ampleness and Affineness	407
18.9*	From Projective to Proper Hypotheses: Chow’s Lemma and Grothendieck’s Coherence Theorem	409

<b>19</b>	<b>Application: Curves</b>	<b>413</b>
19.1	A Criterion for a Morphism to Be a Closed Embedding	413
19.2	A Series of Crucial Tools	415
19.3	Curves of Genus 0	418
19.4	Classical Geometry Arising from Curves of Positive Genus	418
19.5	Hyperelliptic Curves	421
19.6	Curves of Genus 2	424
19.7	Curves of Genus 3	424
19.8	Curves of Genus 4 and 5	426
19.9	Curves of Genus 1	428
19.10	Elliptic Curves Are Group Varieties	434
19.11	Counterexamples and Pathologies Using Elliptic Curves	439
<b>20*</b>	<b>Application: A Glimpse of Intersection Theory</b>	<b>443</b>
20.1	Intersecting $n$ Line Bundles with an $n$ -Dimensional Variety	443
20.2	Intersection Theory on a Surface	447
20.3	The Grothendieck Group of Coherent Sheaves, and an Algebraic Version of Homology	452
20.4**	The Nakai–Moishezon and Kleiman Criteria for Ampleness	454
<b>21</b>	<b>Differentials</b>	<b>459</b>
21.1	Motivation and Game Plan	459
21.2	Definitions and First Properties	460
21.3	Examples	472
21.4	The Riemann–Hurwitz Formula	476
21.5	Understanding Smooth Varieties Using Their Cotangent Bundles	481
21.6	Generic Smoothness, and Consequences	485
21.7	Unramified Morphisms	489
<b>22*</b>	<b>Blowing Up</b>	<b>491</b>
22.1	Motivating Example: Blowing Up the Origin in the Plane	491
22.2	Blowing Up, by Universal Property	492
22.3	The Blow-up Exists, and Is Projective	497
22.4	Examples and Computations	501

## PART VI

# *More Cohomological Tools*

<b>23</b>	<b>Derived Functors</b>	<b>511</b>
23.1	The Tor Functors	511
23.2	Derived Functors in General	514
23.3	Derived Functors and Spectral Sequences	517

23.4	Derived Functor Cohomology of $\mathcal{O}$ -Modules	523
23.5	Čech Cohomology and Derived Functor Cohomology Agree	525
<b>24</b>	<b>Flatness</b>	<b>531</b>
24.1	Easier Facts	532
24.2	Flatness through Tor	537
24.3	Ideal-Theoretic Criteria for Flatness	540
24.4**	Aside: The Koszul Complex and the Hilbert Syzygy Theorem	546
24.5	Topological Implications of Flatness	548
24.6	Local Criteria for Flatness	552
24.7	Flatness Implies Constant Euler Characteristic	557
24.8	Smooth and Étale Morphisms, and Flatness	560
<b>25</b>	<b>Cohomology and Base Change Theorems</b>	<b>567</b>
25.1	Statements and Applications	567
25.2	Proofs of Cohomology and Base Change Theorems	572
25.3	Applying Cohomology and Base Change to Moduli Problems	576
<b>26</b>	<b>Depth and Cohen–Macaulayness</b>	<b>581</b>
26.1	Depth	581
26.2	Cohen–Macaulay Rings and Schemes	584
26.3	Serre’s $R_1 + S_2$ Criterion for Normality	587
<b>27</b>	<b>The Twenty-Seven Lines on a Cubic Surface</b>	<b>589</b>
27.1	Preliminary Facts	590
27.2	Every Smooth Cubic Surface (over $\bar{k}$ ) Contains 27 Lines	591
27.3	Every Smooth Cubic Surface (over $\bar{k}$ ) is a Blown-Up Plane	595
<b>28</b>	<b>Power Series and the Theorem on Formal Functions</b>	<b>599</b>
28.1	Algebraic Preliminaries	599
28.2	Types of Singularities	603
28.3	The Theorem on Formal Functions	604
28.4	Zariski’s Connectedness Lemma and Stein Factorization	606
28.5	Zariski’s Main Theorem	608
28.6	Castelnuovo’s Criterion for Contracting $(-1)$ -Curves	612
28.7**	Proof of the Theorem on Formal Functions 28.3.2	615
<b>29*</b>	<b>Proof of Serre Duality</b>	<b>619</b>
29.1	Desiderata	619
29.2	Ext Groups and Ext Sheaves for $\mathcal{O}$ -Modules	624
29.3	Serre Duality for Projective $k$ -Schemes	626
29.4	The Adjunction Formula for the $\omega_X$ , and $\omega_X = \mathcal{K}_X$	629
	<i>Bibliography</i>	635
	<i>Index</i>	641